Date & Time Filed: Mar 23 2011 6:24:15:343PM File Number: SES-MOD-INTR2011-00877

FCC APPLICATION FOR SPACE AND EARTH STATION:MOD OR AMD – MAIN FORM	FCC Use Only
FCC 312 MAIN FORM FOR OFFICIAL USE ONLY	

### APPLICANT INFORMATION

Enter a description of this application to identify it on the main menu: Modification of CSAT Network License E040163 – March 2011

	1 Tietwork Electise E0 10103	Waten 2011				
1–8. Legal Name of Applicant						
Name:	Enterprise Products, LLC	Phone Number:	210-528-3802			
DBA Name:		Fax Number:	210–528–3888			
Street:	10647 Gulfdale	E–Mail:	rwaguespack@eprod.com			
City:	San Antonio	State:	TX			
Country:	USA	Zipcode:	78216 –			
Attention:	Mr Ronnie Waguespack					

#### 9–16. Name of Contact Representative

Name: Ronnie Waguespack Phone Number: 210–528–3802

Company: Enterprise Products, LLC Fax Number: 210–528–3888

Street: 10647 Gulfdale E–Mail: rwaguespack@eprod.com

City: San Antonio State: TX

Country: USA Zipcode: 78216–

Attention: Ronnie Waguespack Relationship: Other

#### **CLASSIFICATION OF FILING**

17. Choose the button next to the classification that applies to this filing for both questions a. and b. Choose only one for 17a and only one for 17b.

a1. Earth Station

a2. Space Station

(N/A) b1. Application for License of New Station

(N/A) b2. Application for Registration of New Domestic Receive-Only Station

**b** 3. Amendment to a Pending Application

**b**4. Modification of License or Registration

b5. Assignment of License or Registration

b6. Transfer of Control of License or Registration

**b**7. Notification of Minor Modification

(N/A) b8. Application for License of New Receive-Only Station Using Non-U.S. Licensed Satellite

(N/A) b9. Letter of Intent to Use Non-U.S. Licensed Satellite to Provide Service in the United States

(N/A) b10. Other (Please specify)

(N/A) b11. Application for Earth Station to Access a Non–U.S.satellite Not Currently Authorized to Provide the Proposed Service in the Proposed Frequencies in the United States

(N/A) b12. Application for Database Entry

b13. Amendment to a Pending Database Entry Application

b14. Modification of Database Entry

17c. Is a fee submitted with this application?  If Yes, complete and attach FCC Form 159. If No, indicate reason for fee exemption (see 47 C.F.R.Section 1.1114).					
Governmental Entity Noncommercial educational licensee					
Other(please explain):	Other(please explain):				
17d.	17d.				
Fee Classification CGV – Fixed Satellite VSAT System					
18. If this filing is in reference to an existing station, enter:  19. If this filing is an amendment to a pending application enter both fields, if this filing is a modification please enter only the file number:					
(a) Call sign of station: E040163	(a) Date pending application was filed:	(b) File number:			
L040103		SESMOD2007010800027			

## TYPE OF SERVICE

20. NATURE OF SERVICE: This filing is for an authorization to provide or use the following type(s) of service(s): Select all that apply:
a. Fixed Satellite
b. Mobile Satellite
c. Radiodetermination Satellite
d. Earth Exploration Satellite
e. Direct to Home Fixed Satellite
f. Digital Audio Radio Service
g. Other (please specify) CSAT
21. STATUS: Choose the button next to the applicable status. Choose
only one. Using U.S. licensed satellites
Common Carrier Using Non–U.S. licensed satellites
23. If applicant is providing INTERNATIONAL COMMON CARRIER service, see instructions regarding Sec. 214 fillings. Choose one. Are these facilities:
Connected to a Public Switched Network Not connected to a Public Switched Network N/A
24. FREQUENCY BAND(S): Place an 'X' in the box(es) next to all applicable frequency band(s).
a. C–Band (4/6 GHz) b. Ku–Band (12/14 GHz)
c.Other (Please specify upper and lower frequencies in MHz.)
Frequency Lower: Frequency Upper: (Please specify additional frequencies in an attachment)

### TYPE OF STATION

25. CLASS OF STATION: Choose the button next to the class of station that applies. Choose only one.			
a. Fixed Earth Station			
<b>b.</b> Temporary–Fixed Earth Station			
c. 12/14 GHz VSAT Network			
d. Mobile Earth Station			
e. Geostationary Space Station			
f. Non-Geostationary Space Station			
g. Other (please specify) CSAT Network			
26. TYPE OF EARTH STATION FACILITY:			
Transmit/Receive Transmit-Only Receive-Only N/A			
"For Space Station applications, select N/A."			

## PURPOSE OF MODIFICATION

27. The purpose of this proposed modification is to: (Place an 'X' in the box(es) next to all that apply.)			
a — authorization to add new emission designator and related service			
b — authorization to change emission designator and related service			
c — authorization to increase EIRP and EIRP density			
d — authorization to replace antenna			
e — authorization to add antenna			
f — authorization to relocate fixed station			
g — authorization to change frequency(ies)			
h — authorization to add frequency			
i — authorization to add Points of Communication (satellites & countries)			
j — authorization to change Points of Communication (satellites & tountries)			
k — authorization for facilities for which environmental assessment and			
radiation hazard reporting is required			
1 — authorization to change orbit location			
m — authorization to perform fleet management			
n — authorization to extend milestones			
o — Other (Please specify)			

#### **ENVIRONMENTAL POLICY**

impact as defined by 47 CFR 1.1307? If YES, submit the statement as required by Sections 1.1308 and 1.1311 of the Commission's rules, 47 C.F.R. 1.1308 and 1.1311, as an exhibit to this application. A Radiation Hazard Study must accompany all applications for new transmitting facilities, major modifications, or major amendments.						
ALIEN OWNERSHIP Earth station applicants not proposing to provide broadcast, common carrier, aeron aeronautical fixed radio station services are not required to respond to Items 30–34.	autic	al en	ı rou	ite or		
29. Is the applicant a foreign government or the representative of any foreign government?	0	Yes	•	No		
30. Is the applicant an alien or the representative of an alien?	0	Yes	0	No	•	N/A
31. Is the applicant a corporation organized under the laws of any foreign government?	0	Yes	0	No	•	N/A
32. Is the applicant a corporation of which more than one—fifth of the capital stock is owned of record or voted by aliens or their representatives or by a foreign government or representative thereof or by any corporation organized under the laws of a foreign country?	0	Yes	0	No	•	N/A

 $lackbox{ Yes } lackbox{ No}$ 

28. Would a Commission grant of any proposal in this application or amendment have a significant environmental

33. Is the applicant a corporation directly or indirectly controlled by any other corporation of which more than one–fourth of the capital stock is owned of record or voted by aliens, their representatives, or by a foreign government or representative thereof or by any corporation organized under the laws of a foreign country?  34. If any answer to questions 29, 30, 31, 32 and/or 33 is Yes, attach as an exhibit an identification of the aliens or foreign entities, their nationality, their relationship to the applicant, and the percentage of stock they own or vote.  BASIC QUALIFICATIONS  35. Does the Applicant request any waivers or exemptions from any of the Commission's Rules? If Yes, attach as an exhibit, copies of the requests for waivers or exceptions with supporting documents.  Exhibit A  36. Has the applicant or any party to this application or amendment had any FCC station authorization or license revoked or had any application for an initial, modification or renewal of FCC station authorization, license, or construction permit denied by the Commission? If Yes, attach as an exhibit, an explination of circumstances.  Exhibit B			
foreign entities, their nationality, their relationship to the applicant, and the percentage of stock they own or vote.  BASIC QUALIFICATIONS  35. Does the Applicant request any waivers or exemptions from any of the Commission's Rules?  If Yes, attach as an exhibit, copies of the requests for waivers or exceptions with supporting documents.  Exhibit A  36. Has the applicant or any party to this application or amendment had any FCC station authorization or license revoked or had any application for an initial, modification or renewal of FCC station authorization, license, or construction permit denied by the Commission? If Yes, attach as an exhibit, an explination of circumstances.	one-fourth of the capital stock is owned of record or voted by aliens, their representatives, or by a foreign	O Yes O	No 👩 N/A
35. Does the Applicant request any waivers or exemptions from any of the Commission's Rules?  Yes No If Yes, attach as an exhibit, copies of the requests for waivers or exceptions with supporting documents.  Exhibit A  36. Has the applicant or any party to this application or amendment had any FCC station authorization or license revoked or had any application for an initial, modification or renewal of FCC station authorization, license, or construction permit denied by the Commission? If Yes, attach as an exhibit, an explination of circumstances.	1		
If Yes, attach as an exhibit, copies of the requests for waivers or exceptions with supporting documents.  Exhibit A  36. Has the applicant or any party to this application or amendment had any FCC station authorization or license revoked or had any application for an initial, modification or renewal of FCC station authorization, license, or construction permit denied by the Commission? If Yes, attach as an exhibit, an explination of circumstances.	BASIC QUALIFICATIONS		
36. Has the applicant or any party to this application or amendment had any FCC station authorization or license revoked or had any application for an initial, modification or renewal of FCC station authorization, license, or construction permit denied by the Commission? If Yes, attach as an exhibit, an explination of circumstances.		O Yes	No
revoked or had any application for an initial, modification or renewal of FCC station authorization, license, or construction permit denied by the Commission? If Yes, attach as an exhibit, an explination of circumstances.		Exhibit A	
	revoked or had any application for an initial, modification or renewal of FCC station authorization, license, or	O Yes	No
	construction permit defined by the commission. If Tes, attach as the explination of chedinstances.	Exhibit B	

37. Has the applicant, or any party to this application or amendment, or any party directly or indirectly controlling the applicant ever been convicted of a felony by any state or federal court? If Yes, attach as an exhibit, an explination of circumstances.	• Yes  Exhibit C	<b>⊚</b> No
38. Has any court finally adjudged the applicant, or any person directly or indirectly controlling the applicant, guilty of unlawfully monopolizing or attempting unlawfully to monopolize radio communication, directly or indirectly, through control of manufacture or sale of radio apparatus, exclusive traffic arrangement or any other means or unfair methods of competition? If Yes, attach as an exhibit, an explanation of circumstances	O Yes	<b>⊚</b> No
39. Is the applicant, or any person directly or indirectly controlling the applicant, currently a party in any pending matter referred to in the preceding two items? If yes, attach as an exhinit, an explanation of the circumstances.	O Yes	No
40. If the applicant is a corporation and is applying for a space station license, attach as an exhibit the names, address, and citizenship of those stockholders owning a record and/or voting 10 percent or more of the Filer's voting stock and the percentages so held. In the case of fiduciary control, indicate the beneficiary(ies) or class of beneficiaries. Also list the names and addresses of the officers and directors of the Filer.		

41. By checking Yes, the undersigned certifies, that neither applicant nor any other party to the application is subject to a denial of Federal benefits that includes FCC benefits pursuant to Section 5301 of the Anti–Drug Act of 1988, 21 U.S.C. Section 862, because of a conviction for possession or distribution of a controlled substance. See 47 CFR 1.2002(b) for the meaning of "party to the application" for these purposes.	Yes	O No
42a. Does the applicant intend to use a non–U.S. licensed satellite to provide service in the United States? If Yes, answer 42b and attach an exhibit providing the information specified in 47 C.F.R. 25.137, as appropriate. If No, proceed to question 43.	• Yes	<b>⊘</b> No
42b. What administration has licensed or is in the process of licensing the space station? If no license will be issued, we coordinated or is in the process of coordinating the space station? Not applicable	hat administr	ation has

43. Description. (Summarize the nature of the application and the services to be provided). (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Enterprise Products, LLC seeks to modify the license (E040163) of their existing CSAT network to add a point of communication, add a different frequency range, add three new remotes, and add two new hubs.

Cover Letter

43a. Geographic Service Rule Certification By selecting A, the undersigned certifies that the applicant is not subject to the geographic service or geographic coverage requirements specified in 47 C.F.R. Part 25.	<b>●</b> A
By selecting B, the undersigned certifies that the applicant is subject to the geographic service or geographic coverage requirements specified in 47 C.F.R. Part 25 and will comply with such requirements.	O B
By selecting C, the undersigned certifies that the applicant is subject to the geographic service or geographic coverage requirements specified in 47 C.F.R. Part 25 and will not comply with such requirements because it is not feasible as a technical matter to do so, or that, while technically feasible, such services would require so many compromises in satellite design and operation as to make it economically unreasonable. A narrative description and technical analysis demonstrating this claim are attached.	<b>o</b> c

#### **CERTIFICATION**

The Applicant waives any claim to the use of any particular frequency or of the electromagnetic spectrum as against the regulatory power of the United States because of the previous use of the same, whether by license or otherwise, and requests an authorization in accordance with this application. The applicant certifies that grant of this application would not cause the applicant to be in violation of the spectrum aggregation limit in 47 CFR Part 20. All statements made in exhibits are a material part hereof and are incorporated herein as if set out in full in this application. The undersigned, individually and for the applicant, hereby certifies that all statements made in this application and in all attached exhibits are true, complete and correct to the best of his or her knowledge and belief, and are made in good faith.

44. Applicant is a (an): (Choose the button next to applicable response.)						
Individual						
<ul> <li>Unincorporated Association</li> </ul>						
O Partnership						
• Corporation						
Governmental Entity						
Other (please specify)						
45. Name of Person Signing	46. Title of Person Signing					
Ronnie Waguespack Communications Engineer						
>						
	I ARE PUNISHABLE BY FINE AND / OR IMPRISONMENT					
(U.S. Code, Title 18, Section 1001), AND/OR REVOCATION OF ANY STATION AUTHORIZATION (U.S. Code, Title 47, Section 312(a)(1)), AND/OR FORFEITURE (U.S. Code, Title 47, Section 503).						
(C.S. Code, 11de 47, Section 312(a)(1)), 111 D/OK 1 OKI E11 OKE (C.S. Code, 11de 47, Section 303).						

## SATELLITE EARTH STATION AUTHORIZATIONS FCC Form 312 – Schedule B:(Technical and Operational Description) FOR OFFICIAL USE ONLY

Location of Earth St	ation Site						
E1: Site Identifier:	HUB4	E5. Call Sign:					
E2: Contact Name	Don Bachelder	E6. Phone Number:	5047369400				
E3. Street:	5901 Earhart Expressway	E7. City:	Harahan				
		E8. County:					
E4. State	LA	E9. Zip Code	70123				
E10. Area of Opera	tion:	Southeastern United States and Gulf of Mexico					
E11. Latitude:	29 °58 '13.7 "N						
E12. Longitude:	90 °12 '12.0 "W						
E13. Lat/Lon Coordinates are:		<b>○</b> NAD-27	<b>●</b> NAD-83	O N/A			
E14. Site Elevation	(AMSL):	0.2 meters					

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	Yes O No O N/A
--	----------------

E16. If the proposed antenna(s) do not operate in the Fixed Satellite Ser Satellite Service (FSS) with non–geostationary satellites, do(es) the progain patterns specified in Section 25.209(a2) and (b) as demonstrated by measurements?	posed antenna(s) comply with the antenna	O Yes	O No	<b>⊚</b> N/A
E17. Is the facility operated by remote control? If YES, provide the loca point.	ation and telephone number of the control	O Yes	•	No
E18. Is frequency coordination required? If YES, attach a frequency coordination	ordination report as Exhibit – HUB4	Yes	0	No
E19. Is coordination with another country required? If YES, attach the n coordination contours as	name of the country(ies) and plot of	O Yes	•	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.1 have you attached a copy of a completed FCC Form 854 and/or the FAA the structure to aviation?  FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL I APPLICATION.	A's study regarding the potential hazard of	O Yes	•	No
POINTS OF COMMUNICATION		•		
Satellite Name: AMC 3   USASAT-24T   87 W.L. If you selected OT	HER, please enter the following:			
E21. Common Name:	E22. ITU Name:			
E23. Orbit Location:	E24. Country:			
Satellite Name: AMC 3   USASAT-24T   87 W.L. If you selected OT	HER, please enter the following:			

E21. Common Name:	E22. ITU Name:							
E23. Orbit Location:	E24. Country:							
POINTS OF COMMUNICATION (Destination Points)								
E25. Site Identifier:								
E26. Common Name:	E27. Country:							

## ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer		E32. Antenna Size <meters></meters>	E41/42. Antenna Gain Transmint and/or Recieve (dBi atGHz)	
HUB4	HUB 4	1	Andrew	12m	12.0	53.0 dBi at 3.950	
HUB4	HUB 4	1	Andrew	12m	12.0	56.3 dBi at 6.175	

E28. Antenna Id			` ′	Height Above	Input Power at	E39. Maximum Antenna Height Above Rooftop (meters)	EIRP for al
HUB 4	0.0/0.0	0.0	0.0	0.0	750.0	0.0	85.0

# FREQUENCY

E43/44. Frequency Bands (MHz)	E46. Antenna Polarization(H,V, L,R)	EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)

entirety.)	ation and Service	`	plete description	does not appear	in this box, plea	se go to the end	of the fo	rm to vie	ew it in its
FREQUENCY E28. Antenna Id	COORDINATE E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenn Elevatio Angle Western Limit	na on n	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
HUB 4	Geostationary	3922 3942	72.0/87.0	146.6	49.8	173.6	54.9		0.0
	Geostationary	6147 6167	72.0/87.0	146.6	49.8	173.6	54.9		-24.0
REMOTE CO	NTROL POIN	T LOCATION	•	•	•	•	•		
	se enter the calls	sign of the contro			. Phone Number				
E62. Street A	Address			· '					
E63. City			E68. County	7		E67/68. State/Country		E64.	. Zip Code

# SATELLITE EARTH STATION AUTHORIZATIONS FCC Form 312 – Schedule B:(Technical and Operational Description) FOR OFFICIAL USE ONLY

Location of Earth Station Site E1: Site Identifier: Remote1 E5. Call Sign: E040163 E2: Contact Name Ronnie E6. Phone 210-528-3802 Waguespack Number: E3. Street: Port Arthur E7. City: Sabine Pass (Keystone) 14615 Highway 87 E8. County: Jefferson E4. State TXE9. Zip Code 77655 E10. Area of Operation: Southeastern United States and Gulf of Mexico 29 °41 '13.3 "N E11. Latitude: 93 °58 '51.5 "W E12. Longitude: E13. Lat/Lon Coordinates are: NAD-27 **⋒** NAD-83 N/A

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.

1.0 meters

E14. Site Elevation (AMSL):

E16. If the proposed antenna(s) do not operate in the Fixed Satellite Se Satellite Service (FSS) with non–geostationary satellites, do(es) the progain patterns specified in Section 25.209(a2) and (b) as demonstrated by measurements?	posed antenna(s) comply with the antenna	O Yes	O No	<b>⊚</b> N/A
E17. Is the facility operated by remote control? If YES, provide the loca point.	ntion and telephone number of the control	O Yes	•	No
E18. Is frequency coordination required? If YES, attach a frequency coordination	ordination report as Exhibit – Remote1	• Yes	0	No
E19. Is coordination with another country required? If YES, attach the recoordination contours as	name of the country(ies) and plot of	O Yes	•	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.1 have you attached a copy of a completed FCC Form 854 and/or the FAA the structure to aviation?  FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL APPLICATION.	A's study regarding the potential hazard of	O Yes	•	No
POINTS OF COMMUNICATION				
Satellite Name: AMC 3   USASAT-24T   87 W.L. If you selected OT	HER, please enter the following:			
E21. Common Name:	E22. ITU Name:			
E23. Orbit Location:	E24. Country:			
Satellite Name: AMC 3   USASAT-24T   87 W.L. If you selected OT	HER, please enter the following:			

FREQUENCY E28. Antenna Id			E45. T/R M	ode	E46. Ant Polarizat L,R)		E47. I Design	Emission nator		. Maximum P per Carrier	E49. Maximum ERIP Density per
Remote1	0.0/0.0	5.7		6.7		0.0		40.0		0.0	58.0
E28. Antenna Id	E33/34. Diameter Minor/Major (meters)		Above and Level ers)		bove Sea meters)	E37. Building Height Above Ground Level (meters)		ove   Input Power at		E39. Maximur Antenna Heig Above Rooftoj (meters)	ht EIRP for al
Remote1	Remote1	1		Chann	el Master	2.4M		2.4		42.0 dBi at 6.252	
Remote1	Remote1	1		Chann	el Master	2.4M		2.4		38.0 dBi at 4.027	
Site ID	E28. Antenna Id	E29.	Quantity	E30. Manuf	facturer	E31. Mod	lel	E32. Anten Size <meter< th=""><th></th><th>E41/42. Antenna Gain Transmint and/or Recieve (dBi atGHz)</th><th></th></meter<>		E41/42. Antenna Gain Transmint and/or Recieve (dBi atGHz)	
ANTENNA	anic.						<u> </u>				
E25. Site Identifi E26. Common N						E27. Cou	ntru				
	COMMUNICATI	ION (D	Destination	Points)		· ·					
E23. Orbit Locat	ion:					E24. Country:					
E21. Common N			E22. ITU Name:								

(dBW/4kHz)

Remote1	3922	3942	R	Horizontal and Vertical	512KG7W	0.0	0.0
E50. Modulation entirety.)	and Services	(If th	ne complete descripti	ion does not appear ir	n this box, please go t	to the end of the form	to view it in its
Digital							
Remote1	6147	6167	Т	Horizontal and Vertical	512KG7W	48.97	27.9
E50. Modulation entirety.)  Digital	and Services	; (If th	ne complete descripti	ion does not appear ir	n this box, please go t	to the end of the form	to view it in its

# FREQUENCY COORDINATION

E28. Antenna Id	I	Frequency Limits(MHz)	Range of Satellite Arc Eastern/West	Station Azimuth Angle	Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
Remote1	Geostationary	3922 3942	72.0/87.0	140.8	47.8	166.1	54.5	0.0

	Geostationary	6147 6167	72.0/87.0	140.8	47.8	166.1	54.5	-24.1
REMOTE CO	NTROL POIN	T LOCATION	•	•	•		•	•
E61. Call Si	gn				E66. Phone Nu	mber		
		sign of the contro on is being filed		ot the				
E62. Street A	Address							
E63. City			E68. Count	ty		E67/68. State/Coun	l l	E64. Zip Code
			m 312 – Sched	ule B:(Tecl	ION AUTHORIZA nnical and Operation L USE ONLY		•	

Location of Earth St	tation Site				
E1: Site Identifier:	Remote2	E5. Call Sign:	E040163		
E2: Contact Name	Ronnie Waguespack	E6. Phone Number:	210-528-3802		
E3. Street:	Port Arthur (Permcor Lucas)	E7. City:	Beaumont		
	9407 W. Port Arthur Road	E8. County:	Jefferson		
E4. State	TX	E9. Zip Code	77705		
E10. Area of Opera	tion:	Southeastern United	d States and the Gulf	of Mexico	
E11. Latitude:	29 °59 '46.8 "N				
E12. Longitude:	94 °3 '57.2 "W				
E13. Lat/Lon Coord	dinates are:	<b>○</b> NAD-27	<b>⊚</b> NAD-83	O N/A	
E14. Site Elevation	(AMSL):	5.4 meters			

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	<b>O</b> Yes	<b>⊚</b> No	O N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes	O No	<b>⊚</b> N/A

E17. Is the facility operated by remote control? If YES, provide the locat point.	ion and telephone number of the control	O Yes	No
E18. Is frequency coordination required? If YES, attach a frequency coordination	rdination report as Exhibit – Remote2	Yes	O No
E19. Is coordination with another country required? If YES, attach the na coordination contours as	ame of the country(ies) and plot of	O Yes	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.11 have you attached a copy of a completed FCC Form 854 and/or the FAA' the structure to aviation?  FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RAPPLICATION.	's study regarding the potential hazard of	O Yes	No
POINTS OF COMMUNICATION		•	
	IER, please enter the following:		
E21. Common Name:	E22. ITU Name:		
E23. Orbit Location:	E24. Country:		
Satellite Name: AMC 3   USASAT-24T   87 W.L. If you selected OTF	IER, please enter the following:		
E21. Common Name:	E22. ITU Name:		
E23. Orbit Location:	E24. Country:		
POINTS OF COMMUNICATION (Destination Points)			
E25. Site Identifier:			

E26. Common Name:	E27. Country:

## ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna Gain Transmint and/or Recieve (dBi atGHz)
Remote2	Remote2	1	Channel Master	2.4M	2.4	38.0 dBi at 4.027
Remote2	Remote2	1	Channel Master	2.4M	2.4	42.0 dBi at 6.252

Id	Diameter		, ,	Height Above Ground Level	Input Power at	E39. Maximum Antenna Height Above Rooftop (meters)	EIRP for al
Remote2	0.0/0.0	5.7	11.1	0.0	40.0	0.0	58.0

# FREQUENCY

	E43/44. Frequency Bands (MHz)				EIRP per Carrier	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
Remote2	3922 3942	R	Horizontal and Vertical	512KG7W	0.0	0.0

E50. Modulation entirety.)	and Services	(If the	ne complete descript	ion does not appear i	n this box, please	go to the end of th	ne form to view it in its
Digital							
Remote2	6147	6167	Т	Horizontal and Vertical	512KG7W	38.57	17.5
E50. Modulation entirety.)  Digital	and Services	(If the	he complete descript	ion does not appear i	n this box, please	go to the end of th	ne form to view it in its

# FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	Station Azimuth Angle	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
Remote2	Geostationary	3922 3942	72.0/87.0	141.0	47.5	166.1	54.2	0.0
	Geostationary	6147 6167	72.0/87.0	141.0	47.5	166.1	54.2	-24.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign  NOTE: Please enter the callsign of callsign for which this application is		E66. Phone Number	
E62. Street Address			
E63. City	E68. County	E67/68. State/Country	E64. Zip Code

# SATELLITE EARTH STATION AUTHORIZATIONS FCC Form 312 – Schedule B:(Technical and Operational Description) FOR OFFICIAL USE ONLY

Location of Earth St	ation Site					
E1: Site Identifier:	Remote4	E5. Call Sign:	E040163			
E2: Contact Name	Ronnie Waguespack	E6. Phone Number:	210-528-3802			
E3. Street:	Port Arthur (Sun Meter)	E7. City:	Nederland			
	2304 N. Twin City Highway	E8. County:	Jefferson			
E4. State	TX	E9. Zip Code	77627			
E10. Area of Opera	tion:	Southeastern United States and Gulf of Mexico				
E11. Latitude:	29 °59 '31.9 "N					
E12. Longitude:	93 °59 '58.9 "W					
E13. Lat/Lon Coord	linates are:	O NAD-27	<b>●</b> NAD-83	O N/A		
E14. Site Elevation	(AMSL):	1.0 meters				

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	<b>O</b> Yes	<b>●</b> No	O N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes	O No	● N/A

E17. Is the facility operated by remote control? If YES, provide the locat point.	tion and telephone number of the control	O Yes ● No
E18. Is frequency coordination required? If YES, attach a frequency coordination	rdination report as Exhibit – Remote4	Yes   No
E19. Is coordination with another country required? If YES, attach the na coordination contours as	ame of the country(ies) and plot of	• Yes • No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.11 have you attached a copy of a completed FCC Form 854 and/or the FAA the structure to aviation?  FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RAPPLICATION.	's study regarding the potential hazard of	• Yes • No
POINTS OF COMMUNICATION		•
Satellite Name: AMC 3   USASAT-24T   87 W.L. If you selected OTH	HER, please enter the following:	
E21. Common Name:	E22. ITU Name:	
E23. Orbit Location:	E24. Country:	
G ( 11') N. AMC 2   LICACATE 24TH 07 W.L. 15 1 4 1 OTT	IED 1 4 6 11 2	
	HER, please enter the following:	
E21. Common Name:	E22. ITU Name:	
E23. Orbit Location:	E24. Country:	
POINTS OF COMMUNICATION (Destination Points)		
E25. Site Identifier:		

E26. Common Name:	E27. Country:

## ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna Gain Transmint and/or Recieve (dBi atGHz)
Remote4	Remote4	1	Channel Master	2.4M	2.4	38.0 dBi at 4.027
Remote4	Remote4	1	Channel Master	2.4M	2.4	42.0 dBi at 6.252

Id	Diameter		` ′	Height Above	Input Power at	E39. Maximum Antenna Height Above Rooftop (meters)	EIRP for al
Remote4	0.0/0.0	5.7	6.7	0.0	40.0	0.0	58.0

# FREQUENCY

	E43/44. Frequency Bands (MHz)	E45. T/R Mode			EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
Remote4	3922 3942	Т	Horizontal and Vertical	512KG7W	0.0	0.0

E50. Modulation entirety.)	and Services	s (If the	ne complete descrip	otion does not appear	in this box, please	go to the end of the	ne form to view it in its
Digital							
Remote4	6147	6167	Т	Horizontal and Vertical	512KG7W	48.98	27.9
E50. Modulation entirety.)  Digital	and Services	s (If the	he complete descrip	otion does not appear	in this box, please	go to the end of the	ne form to view it in its

# FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	Station Azimuth Angle	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
Remote4	Geostationary	3922 3942	72.0/87.0	141.1	47.6	166.2	54.2	0.0
	Geostationary	6147 6167	72.0/87.0	141.1	47.6	166.2	54.2	-24.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign		E66. Phone Number	
NOTE: Please enter the callsign callsign for which this application is	of the controlling station, not the s being filed.		
E62. Street Address			
E63. City	E68. County	E67/68. State/Country	E64. Zip Code
		/	

# SATELLITE EARTH STATION AUTHORIZATIONS FCC Form 312 – Schedule B:(Technical and Operational Description) FOR OFFICIAL USE ONLY

Location of Earth St	tation Site					
E1: Site Identifier:	Remote5	E5. Call Sign:	E040163			
E2: Contact Name	Ronnie Waguespack	E6. Phone Number:	210-528-3802			
E3. Street:	Port Arthur (Unocal Meter)	E7. City:	Nederland			
	3890 Pure Atlantic Road	E8. County:	Jefferson			
E4. State	TX	E9. Zip Code	77627			
E10. Area of Operat	tion:	Southeastern United States and Gulf of Mexico				
E11. Latitude:	29 °59 '24.4 "N					
E12. Longitude:	93 °59 '14.8 "W					
E13. Lat/Lon Coord	linates are:	O NAD-27	NAD-83	O N/A		
E14. Site Elevation	(AMSL):	5.3 meters				

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	O Yes	<b>⊚</b> No	O N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes	O No	<b>⊚</b> N/A

E17. Is the facility operated by remote control? If YES, provide the locat point.	ion and telephone number of the control	O Yes	No
E18. Is frequency coordination required? If YES, attach a frequency coordination	rdination report as Exhibit – Remote5	<b>⊚</b> Yes	O No
E19. Is coordination with another country required? If YES, attach the na coordination contours as	ame of the country(ies) and plot of	O Yes	<b>⊘</b> No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.11 have you attached a copy of a completed FCC Form 854 and/or the FAA' the structure to aviation?  FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RAPPLICATION.	's study regarding the potential hazard of	O Yes	No
POINTS OF COMMUNICATION			
	HER, please enter the following:		
E21. Common Name:	E22. ITU Name:		
E23. Orbit Location:	E24. Country:		
Satellite Name: AMC 3   USASAT-24T   87 W.L. If you selected OTH	IER, please enter the following:		
E21. Common Name:	E22. ITU Name:		
E23. Orbit Location:	E24. Country:		
POINTS OF COMMUNICATION (Destination Points)	1		
E25. Site Identifier:			

E26. Common Name:	E27. Country:

## ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna Gain Transmint and/or Recieve (dBi atGHz)	
Remote5	Remote5	1	Channel Master	2.4M	2.4	38.0 dBi at 4.027	
Remote5	Remote5	1	Channel Master	2.4M	2.4	42.0 dBi at 6.252	

Id	Diameter		,	Height Above	Input Power at antenna flange	E39. Maximum Antenna Height Above Rooftop (meters)	EIRP for al
Remote5	0.0/0.0	5.7	11.0	0.0	40.0	0.0	58.0

# FREQUENCY

	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)		EIRP per Carrier	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
Remote5	3922 3942	R	Horizontal and Vertical	512KG7W	0.0	0.0

E50. Modulation entirety.)	and Service	es (If t	he complete descrip	tion does not appear	in this box, please	go to the end of the	ne form to view it in its
Digital							
Remote5	6147	6167	Т	Horizontal and Vertical	512KG7W	48.97	27.9
E50. Modulation entirety.)  Digital	and Service	es (If t	he complete descrip	tion does not appear	in this box, please	go to the end of the	ne form to view it in its

# FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	Station Azimuth Angle	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	Elevation	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
Remote5	Geostationary	3922 3942	72.0/87.0	141.1	47.6	166.2	54.2	0.0
	Geostationary	6147 6167	72.0/87.0	141.1	47.6	166.2	54.2	-24.0

	Geostationary	6147 6167	72.0/87.0	141.1		47.6	166.2	54.2	-24.0
REMOTE CO	NTROL POIN	T LOCATION	•	•			•	•	
E61. Call Si	gn				E66	. Phone Nun	nber		
	se enter the calls ich this application			ot the					
E63. City			E68. County	y			E67/68. State/Countr	у	E64. Zip Code
					nical a	and Operatio	TIONS nal Description)		

Location of Earth St	cation Site				
E1: Site Identifier:	Remote6	E5. Call Sign:	E040163		
E2: Contact Name	Ronnie Waguespack	E6. Phone Number:	210-528-3802		
E3. Street:	Texas City (Bolivar Spec)	E7. City:	Texas City		
	4216 Highway 87	E8. County:	Galveston		
E4. State	TX	E9. Zip Code	77650		
E10. Area of Opera	tion:	Southeastern United	l States and the Gulf	of Mexico	
E11. Latitude:	29 °25 '7.1 "N				
E12. Longitude:	94 °42 '17.8 "W				
E13. Lat/Lon Coord	linates are:	O NAD-27	● NAD-83	O N/A	
E14. Site Elevation (AMSL):		3.05 meters			

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	O Yes	<b>⊚</b> No	O N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes	O No	<b>⊚</b> N/A

E17. Is the facility operated by remote control? If YES, provide the locat point.	ion and telephone number of the control	O Yes	No
E18. Is frequency coordination required? If YES, attach a frequency coordination	rdination report as Exhibit – Remote6		O No
E19. Is coordination with another country required? If YES, attach the na coordination contours as	ame of the country(ies) and plot of	O Yes	<b>⊚</b> No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.11 have you attached a copy of a completed FCC Form 854 and/or the FAA' the structure to aviation?  FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RAPPLICATION.	's study regarding the potential hazard of	O Yes	<b>⊚</b> No
POINTS OF COMMUNICATION		<b>'</b>	
	IER, please enter the following:		
E21. Common Name:	E22. ITU Name:		
E23. Orbit Location:	E24. Country:		
Satellite Name: AMC 3   USASAT-24T   87 W.L. If you selected OTH	IER, please enter the following:		
E21. Common Name:	E22. ITU Name:		
E23. Orbit Location:	E24. Country:		
POINTS OF COMMUNICATION (Destination Points)	ı		
E25. Site Identifier:			

E26. Common Name:	E27. Country:
-------------------	---------------

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna Gain Transmint and/or Recieve (dBi atGHz)	
Remote6	Remote6	1	Channel Master	2.4M	2.4	38.0 dBi at 4.027	
Remote6	Remote6	1	Channel Master	2.4M	2.4	42.0 dBi at 6.252	

Id	Diameter		, ,	Height Above Ground Level	Input Power at	E39. Maximum Antenna Height Above Rooftop (meters)	EIRP for al
Remote6	0.0/0.0	5.7	8.75	0.0	40.0	0.0	58.0

	E43/44. Frequency Bands (MHz)				E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
Remote6	3922 3942	R	Horizontal and Vertical	512KG7W	0.0	0.0

E50. Modulation entirety.)	and Services	(If th	ne complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its
Digital							
Remote6	6147	6167	Т	Horizontal and Vertical	512KG7W	48.97	27.9
E50. Modulation entirety.)  Digital	and Services	(If th	ne complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	Station Azimuth Angle	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
Remote6	Geostationary	3922 3942	72.0/87.0	139.6	47.6	164.6	54.7	0.0
	Geostationary	6147 6167	72.0/87.0	139.6	47.6	164.6	54.7	-24.1

E61. Call Sign		E66. Phone Number		
NOTE: Please enter the callsign of the colcallsign for which this application is being fit				
E62. Street Address		•		
E63. City	E68. County		E67/68. State/Country	E64. Zip Code

Location of Earth St	ation Site						
E1: Site Identifier:	Remote7	E5. Call Sign:	E040163				
E2: Contact Name	Ronnie Waguespack	E6. Phone Number:	210-528-3802				
E3. Street:	Garden Banks Area (Oil Platform)	E7. City:					
	Block 72, Gulf of Mexico	E8. County:					
E4. State		E9. Zip Code					
E10. Area of Operat	tion:	Southeastern United States and Gulf of Mexico					
E11. Latitude:	27 °55 '21.0 "N						
E12. Longitude:	92 °33 '14.0 "W						
E13. Lat/Lon Coordinates are:		O NAD-27	● NAD-83	O N/A			
E14. Site Elevation	(AMSL):	0.0 meters					

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	<b>O</b> Yes	<b>⊚</b> No	O N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes	O No	<b>⊚</b> N/A

E17. Is the facility operated by remote control? If YES, provide the locat point.	ion and telephone number of the control	O Yes	No
E18. Is frequency coordination required? If YES, attach a frequency coordination	rdination report as Exhibit – Remote7	Yes	O No
E19. Is coordination with another country required? If YES, attach the na coordination contours as	ame of the country(ies) and plot of	O Yes	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.11 have you attached a copy of a completed FCC Form 854 and/or the FAA' the structure to aviation?  FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RAPPLICATION.	's study regarding the potential hazard of	O Yes	No
POINTS OF COMMUNICATION		•	
	IER, please enter the following:		
E21. Common Name:	E22. ITU Name:		
E23. Orbit Location: E24. Country:			
Satellite Name: AMC 3   USASAT-24T   87 W.L. If you selected OTF	IER, please enter the following:		
E21. Common Name:	E22. ITU Name:		
E23. Orbit Location:	E24. Country:		
POINTS OF COMMUNICATION (Destination Points)			
E25. Site Identifier:			

E26. Common Name:	E27. Country:
-------------------	---------------

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna Gain Transmint and/or Recieve (dBi atGHz)
Remote7	Remote7	1	Channel Master	2.4M	2.4	38.0 dBi at 4.027
Remote7	Remote7	1	Channel Master	2.4M	2.4	42.0 dBi at 6.252

Id	Diameter		` ′	Height Above	Input Power at antenna flange	E39. Maximum Antenna Height Above Rooftop (meters)	EIRP for al
Remote7	0.0/0.0	31.4	31.4	27.4	40.0	4.0	58.0

	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)		EIRP per Carrier	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
Remote7	3922 3942	R	Horizontal and Vertical	512KG7W	0.0	0.0

E50. Modulation entirety.)	and Service	s (If the	he complete descri	ption does not appear	in this box, please	go to the end of the	ne form to view it in its
Digital							
Remote7	6147	6167	Т	Horizontal and Vertical	512KG7W	48.97	27.9
E50. Modulation entirety.)  Digital	and Service	s (If t	he complete descri	ption does not appear	in this box, please	go to the end of the	ne form to view it in its

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	Station Azimuth Angle	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
Remote7	Geostationary	3922 3942	72.0/87.0	141.3	50.3	168.3	56.8	0.0
	Geostationary	6147 6167	72.0/87.0	141.3	50.3	168.3	56.8	-24.1

E61. Call Sign		E66. Phone Number		
NOTE: Please enter the callsign of the control callsign for which this application is being filed.	olling station, not the			
E62. Street Address				
E63. City	E68. County		E67/68. State/Country	E64. Zip Code

Location of Earth St	ation Site					
E1: Site Identifier:	Remote8	E5. Call Sign:	E040163			
E2: Contact Name	Ronnie Waguespack	E6. Phone Number:	210-528-3802			
E3. Street:	Ship Shoal 332B (Oil Platform)	E7. City:				
	Block 332B, Gulf of Mexico	E8. County:				
E4. State		E9. Zip Code				
E10. Area of Operat	tion:	Southeastern United	d States and the Gulf	of Mexico		
E11. Latitude:	28 °6 '16.0 "N					
E12. Longitude:	90 °47 '33.0 "W					
E13. Lat/Lon Coord	linates are:	O NAD-27	NAD-83	O N/A		
E14. Site Elevation	(AMSL):	0.0 meters				

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	<b>O</b> Yes	<b>⊚</b> No	O N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes	O No	<b>⊚</b> N/A

E17. Is the facility operated by remote control? If YES, provide the locat point.	ion and telephone number of the control	O Yes	<b>⊚</b> No
E18. Is frequency coordination required? If YES, attach a frequency coordination	rdination report as Exhibit – Remote8		O No
E19. Is coordination with another country required? If YES, attach the na coordination contours as	nme of the country(ies) and plot of	O Yes	<b>⊚</b> No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.11 have you attached a copy of a completed FCC Form 854 and/or the FAA the structure to aviation?  FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RAPPLICATION.	's study regarding the potential hazard of	O Yes	<b>⊚</b> No
POINTS OF COMMUNICATION		'	
	IER, please enter the following:		
E21. Common Name:	E22. ITU Name:		
E23. Orbit Location: E24. Country:			
Satellite Name: AMC 3   USASAT-24T   87 W.L. If you selected OTH	IER, please enter the following:		
E21. Common Name:	E22. ITU Name:		
E23. Orbit Location:	E24. Country:		
POINTS OF COMMUNICATION (Destination Points)			
E25. Site Identifier:			

E26. Common Name:	E27. Country:
-------------------	---------------

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna Gain Transmint and/or Recieve (dBi atGHz)	
Remote8	Remote8	1	Channel Master	2.4M	2.4	38.0 dBi at 4.027	
Remote8	Remote8	1	Channel Master	2.4M	2.4	42.0 dBi at 6.252	

Id	Diameter		` ′	Height Above	Input Power at antenna flange	E39. Maximum Antenna Height Above Rooftop (meters)	EIRP for al
Remote8	0.0/0.0	31.4	31.4	27.4	40.0	4.0	58.0

	E43/44. Frequency Bands (MHz)	E45. T/R Mode			E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
Remote8	3922 3942	R	Horizontal and Vertical	512KG7W	0.0	0.0

E50. Modulation entirety.)	and Service	s (If the	he complete descri	ption does not appear	in this box, please	go to the end of the	ne form to view it in its
Digital							
Remote8	6147	6167	Т	Horizontal and Vertical	512KG7W	48.97	27.9
E50. Modulation entirety.)  Digital	and Service	s (If the	he complete descri	ption does not appear	in this box, please	go to the end of th	ne form to view it in its

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	Station Azimuth Angle	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
Remote8	Geostationary	3922 3942	72.0/87.0	144.2	51.2	172.0	56.9	0.0
	Geostationary	6147 6167	72.0/87.0	144.2	51.2	172.0	56.9	-24.1

E61. Call Sign		E66. Phone Number	
NOTE: Please enter the callsign callsign for which this application	n of the controlling station, not the is being filed.		
E62. Street Address			
E63. City	E68. County	E67/68. State/Country	E64. Zip Code

#### SATELLITE EARTH STATION AUTHORIZATIONS

FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth St	ation Site						
E1: Site Identifier:	Remote9	E5. Call Sign:	E040163				
E2: Contact Name	Ronnie Waguespack	E6. Phone Number:	210-528-3802				
E3. Street:	High Island A5C (Oil Platform)	E7. City:					
	Block A5C, Gulf of Mexico	E8. County:					
E4. State		E9. Zip Code					
E10. Area of Operat	ion:	Southeastern United States and the Gulf of Mexico					
E11. Latitude:	29 °8 '8.3 "N						
E12. Longitude:	93 °59 '56.9 "W						
E13. Lat/Lon Coord	linates are:	<b>○</b> NAD-27	<b>●</b> NAD-83	O N/A			
E14. Site Elevation	(AMSL):	0.0 meters					

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	<b>O</b> Yes	<b>⊚</b> No	O N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes	O No	<b>⊚</b> N/A

E17. Is the facility operated by remote control? If YES, provide the locat point.	ion and telephone number of the control	O Yes	No
E18. Is frequency coordination required? If YES, attach a frequency coordination	rdination report as Exhibit – Remote9	● Yes	O No
E19. Is coordination with another country required? If YES, attach the na coordination contours as	ame of the country(ies) and plot of	O Yes	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.11 have you attached a copy of a completed FCC Form 854 and/or the FAA' the structure to aviation?  FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RAPPLICATION.	's study regarding the potential hazard of	O Yes	No
POINTS OF COMMUNICATION		•	
	IER, please enter the following:		
E21. Common Name:	E22. ITU Name:		
E23. Orbit Location:	E24. Country:		
Satellite Name: AMC 3   USASAT-24T   87 W.L. If you selected OTH	HER, please enter the following:		
E21. Common Name:	E22. ITU Name:		
E23. Orbit Location:	E24. Country:		
POINTS OF COMMUNICATION (Destination Points)	1		
E25. Site Identifier:			

E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna Gain Transmint and/or Recieve (dBi atGHz)	
Remote9	Remote9	1	Channel Master	2.4 Meter	2.4	38.0 dBi at 4.027	
Remote9	Remote9	1	Channel Master	2.4 Meter	2.4	42.0 dBi at 6.252	

Id	Diameter		` ′	Height Above	Input Power at antenna flange		EIRP for al
Remote9	0.0/0.0	31.4	31.4	27.4	40.0	4.0	58.0

	E43/44. Frequency Bands (MHz)			Designator	EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
Remote9	3922 3942	R	Horizontal and Vertical	512KG7W	0.0	0.0

E50. Modulation entirety.)	and Services	(If the	he complete descript	tion does not appear i	in this box, please	go to the end of th	ne form to view it in its
Digital							
Remote9	6147	6167	Т	Horizontal and Vertical	512KG7W	48.97	27.9
E50. Modulation entirety.)  Digital	and Services	(If t	he complete descript	tion does not appear	in this box, please	go to the end of th	ne form to view it in its

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	Station Azimuth Angle	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
Remote9	Geostationary	3922 3942	72.0/87.0	140.3	48.3	165.9	55.2	0.0
	Geostationary	6147 6167	72.0/87.0	140.3	48.3	165.9	55.2	-24.1

E61. Call Sign	E66. Phone Number					
NOTE: Please enter the callsign of the colcallsign for which this application is being fit						
E62. Street Address						
E63. City	E68. County		E67/68. State/Country	E64. Zip Code		

Location of Earth Station Site E1: Site Identifier: REMOTE10 E5. Call Sign: E2: Contact Name Ronnie E6. Phone 210-528-3802 Waguespack Number: Texas City (BP E7. City: Texas City E3. Street: Meter) Industrial Complex East 9th Street E8. County: Galveston E4. State TXE9. Zip Code 77590 E10. Area of Operation: Southeastern United States and the Gulf of Mexico E11. Latitude: 29 °21 '57.4 "N E12. Longitude: 94 °55 '8.7 "W E13. Lat/Lon Coordinates are: ● NAD-83 NAD-27 N/A E14. Site Elevation (AMSL): 1.8 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	<b>o</b> Yes	<b>⊚</b> No	O N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes	O No	● N/A

E17. Is the facility operated by remote control? If YES, provide the locat point.	ion and telephone number of the control	O Yes	No
E18. Is frequency coordination required? If YES, attach a frequency coordination	rdination report as Exhibit – Remote10	<b>●</b> Yes	O No
E19. Is coordination with another country required? If YES, attach the na coordination contours as	ame of the country(ies) and plot of	O Yes	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.11 have you attached a copy of a completed FCC Form 854 and/or the FAA' the structure to aviation?  FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RAPPLICATION.	s study regarding the potential hazard of	O Yes	No
POINTS OF COMMUNICATION			
Satellite Name: AMC 3   USASAT-24T   87 W.L. If you selected OTH	IER, please enter the following:		
E21. Common Name:	E22. ITU Name:		
E23. Orbit Location:	E24. Country:		
POINTS OF COMMUNICATION (Destination Points)			
E25. Site Identifier:			
E26. Common Name:	E27. Country:		

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna Gain Transmint and/or Recieve (dBi atGHz)	
REMOTE10	REMOTE10	1	Channel Master	2.4M	2.4	38.0 dBi at 4.027	
REMOTE10	REMOTE10	1	Channel Master	2.4M	2.4	42.0 dBi at 6.252	

E28. Antenna Id			` ′	Height Above	Input Power at	E39. Maximum Antenna Height Above Rooftop (meters)	EIRP for al
REMOTE10	0.0/0.0	4.0	5.8	0.0	40.0	0.0	58.0

	E43/44. Frequency Bands (MHz)	E45. T/R Mode			E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
REMOTE10	3922 3942	R	Horizontal and Vertical	768KG7W	0.0	0.0

Digital							
			I		la covidance	1-0-0	la- o
EMOTE10	6147	6167	Т	Horizontal and Vertical	768KG7W	50.73	27.9
E50. Modulation tirety.)  Digital	on and Service	es (If the	he complete desc	ription does not appear	in this box, please	go to the end of th	ne form to view it

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	Station Azimuth Angle	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
REMOTE10	Geostationary	3922 3942	72.0/87.0	139.2	47.5	164.2	54.7	0.0
	Geostationary	6147 6167	72.0/87.0	139.2	47.5	164.2	54.7	-24.0

E61. Call Sign	E66. Phone Number					
NOTE: Please enter the callsign of the control callsign for which this application is being filed.						
E62. Street Address						
E63. City	E68. County		E67/68. State/Country	E64. Zip Code		

Location of Earth Station Site E1: Site Identifier: REMOTE11 E5. Call Sign: E2: Contact Name Ronnie E6. Phone 210-528-3802 Waguespack Number: E7. City: E3. Street: **Texas City Texas City** (Seaway Meter) Junction Intersection of E8. County: Galveston Texas Rts.3 and 146 E4. State TXE9. Zip Code 77590 E10. Area of Operation: Southeastern United States and the Gulf of Mexico E11. Latitude: 29°20'40.3"N E12. Longitude: 94 °56 '4.5 "W E13. Lat/Lon Coordinates are: NAD-27 **⋒** NAD-83 N/A E14. Site Elevation (AMSL): 2.7 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	<b>O</b> Yes	<b>⊚</b> No	O N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes	O No	● N/A

E17. Is the facility operated by remote control? If YES, provide the locat point.	ion and telephone number of the control	O Yes	No
E18. Is frequency coordination required? If YES, attach a frequency coordination	dination report as Exhibit – Remote11	<b>⊚</b> Yes	O No
E19. Is coordination with another country required? If YES, attach the na coordination contours as	ame of the country(ies) and plot of	O Yes	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.11 have you attached a copy of a completed FCC Form 854 and/or the FAA' the structure to aviation? Exhibit E FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL R APPLICATION.	s study regarding the potential hazard of	O Yes	No
POINTS OF COMMUNICATION			
Satellite Name: AMC 3   USASAT-24T   87 W.L. If you selected OTH	IER, please enter the following:		
E21. Common Name:	E22. ITU Name:		
E23. Orbit Location:	E24. Country:		
POINTS OF COMMUNICATION (Destination Points)			
E25. Site Identifier:			
E26. Common Name:	E27. Country:		

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna Gain Transmint and/or Recieve (dBi atGHz)
REMOTE11	REMOTE11	1	Channel Master	2.4M	2.4	38.0 dBi at 4.027
REMOTE11	REMOTE11	1	Channel Master	2.4M	2.4	42.0 dBi at 6.252

Id	Diameter		, ,	Height Above Ground Level	Input Power at antenna flange	E39. Maximum Antenna Height Above Rooftop (meters)	EIRP for al
REMOTE11	0.0/0.0	4.0	6.7	0.0	40.0	0.0	58.0

	E43/44. Frequency Band (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)		E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
REMOTE11	3922 394	2 R	Horizontal and Vertical	512KG7W	0.0	0.0

E50. Modulation entirety.)	and Services	s (If tl	he complete descrip	tion does not appear	in this box, please	go to the end of th	ne form to view it in its
Digital							
REMOTE11	6147	6167	Т	Horizontal and Vertical	512KG7W	48.97	27.9
E50. Modulation entirety.)  Digital	and Services	s (If the	he complete descrip	tion does not appear	in this box, please	go to the end of th	ne form to view it in its

E28. Antenna Id		E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	Station Azimuth Angle	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
REMOTE11	Geostationary	3922 3942	72.0/87.0	139.2	47.5	164.1	54.7	0.0
	Geostationary	6147 6167	72.0/87.0	139.2	47.5	164.1	54.7	-24.0

E61. Call Sign		E66. Phone Number		
NOTE: Please enter the callsign of the control callsign for which this application is being filed.				
E62. Street Address				
E63. City	E68. County		E67/68. State/Country	E64. Zip Code

Location of Earth St	ation Site					
E1: Site Identifier:	HUB3	E5. Call Sign:				
E2: Contact Name	Ronnie Waguespack	E6. Phone Number:	210-528-3802			
E3. Street:		E7. City:	San Antonio			
		E8. County:	Brazos			
E4. State	TX	E9. Zip Code				
E10. Area of Operat	tion:	San Antonio				
E11. Latitude:	29 °32 '10.8 "N					
E12. Longitude:	98°29'24.0"W					
E13. Lat/Lon Coord	linates are:	O NAD-27	<b>●</b> NAD-83	O N/A		
E14. Site Elevation	(AMSL):	256.9 meters				

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	<b>●</b> Yes	O No	O N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes	O No	● N/A

E17. Is the facility operated by remote control? If YES, provide the locat point.	ion and telephone number of the control	O Yes	No
E18. Is frequency coordination required? If YES, attach a frequency coordination	rdination report as Exhibit – Hub3	Yes	O No
E19. Is coordination with another country required? If YES, attach the na coordination contours as	ame of the country(ies) and plot of	O Yes	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.11 have you attached a copy of a completed FCC Form 854 and/or the FAA the structure to aviation?  FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RAPPLICATION.	's study regarding the potential hazard of	O Yes	No
POINTS OF COMMUNICATION		1	
Satellite Name: AMC 3   USASAT-24T   87 W.L. If you selected OTH	IER, please enter the following:		
E21. Common Name:	E22. ITU Name:		
E23. Orbit Location:	E24. Country:		
POINTS OF COMMUNICATION (Destination Points)			
E25. Site Identifier:			
E26. Common Name:	E27. Country:		

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna Gain Transmint and/or Recieve (dBi atGHz)
HUB3	HUB3	1	Prodelin	3.8m	3.8	41.8 dBi at 4
HUB3	HUB3	1	Prodelin	3.8m	3.8	46.2 dBi at 6

E28. Antenna Id			` ′	Height Above	Input Power at antenna flange	E39. Maximum Antenna Height Above Rooftop (meters)	EIRP for al
HUB3	0.0/0.0	0.0	0.0	0.0	140.0	0.0	67.66

	E43/44. Frequency Bands (MHz)	E45. T/R Mode			E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
HUB3	3922 3942	R	Horizontal and Vertical	512KG7W	0.0	0.0

E50. Modulation entirety.)	and Service	s (If t	he complete descripti	on does not appear in	n this box, please go	to the end of the form	to view it in its
Digital							
HUB3	3922	3942	R	Horizontal and Vertical	768KG7W	0.0	0.0
E50. Modulation entirety.)  Digital	and Service	s (If the	he complete descripti	on does not appear in	n this box, please go	to the end of the form	to view it in its
HUB3	6147	6167	Т	Horizontal and Vertical	512KG7W	53.17	32.1
E50. Modulation entirety.)  Digital	and Service	s (If the	he complete descripti	on does not appear in	n this box, please go	to the end of the form	to view it in its
HUB3	6147	6167	Т	Horizontal and Vertical	768KG7W	54.93	32.1

entirety.)  Digital								
E28. Antenna Id	Y COORDINA E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
HUB3	Geostationary	3922 3942	72.0/87.0	134.7	45.0	157.6	53.3	0.0
	Geostationary	6147 6167	72.0/87.0	134.7	45.0	157.6	53.3	-24.0
REMOTE CC	NTROL POIN	T LOCATION	•	<b>,</b>	•	!	•	1
	ase enter the calls				. Phone Number			

E68. County

E67/68. State/Country E64. Zip Code

E63. City

Location of Earth Station Site E1: Site Identifier: Remote12 E5. Call Sign: E2: Contact Name Ronnie E6. Phone 210-528-3802 Waguespack Number: E3. Street: Tenesee Gulf E7. City: E8. County: E9. Zip Code E4. State MS E10. Area of Operation: Southern United States 31 °22 '54.2 "N E11. Latitude: E12. Longitude: 89°10'36.1"W E13. Lat/Lon Coordinates are: NAD-27 **⋒** NAD-83 N/A E14. Site Elevation (AMSL): 88.09 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.

E16. If the proposed antenna(s) do not operate in the Fixed Satellite Set Satellite Service (FSS) with non–geostationary satellites, do(es) the progain patterns specified in Section 25.209(a2) and (b) as demonstrated by measurements?	O Yes	O No	<b>⊚</b> N/A	
E17. Is the facility operated by remote control? If YES, provide the loca point.	ation and telephone number of the control	O Yes	•	No
E18. Is frequency coordination required? If YES, attach a frequency coordination	ordination report as Exhibit – Remote12	• Yes	0	No
E19. Is coordination with another country required? If YES, attach the coordination contours as	name of the country(ies) and plot of	O Yes	0	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.1 have you attached a copy of a completed FCC Form 854 and/or the FAI the structure to aviation?  FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL APPLICATION.	A's study regarding the potential hazard of	O Yes	•	No
POINTS OF COMMUNICATION		,		
Satellite Name: AMC 3   USASAT-24T   87 W.L. If you selected OT	HER, please enter the following:			
E21. Common Name:	E22. ITU Name:			
E23. Orbit Location:	E24. Country:			
POINTS OF COMMUNICATION (Destination Points)	•			
E25. Site Identifier:				

E26. Common Name:	E27. Country:
-------------------	---------------

#### ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna Gain Transmint and/or Recieve (dBi atGHz)
Remote12	Remote12	1	Channel Master	2.4m	2.4	38.0 dBi at 4.027
Remote12	Remote12	1	Channel Master	2.4m	2.4	42.0 dBi at 6.625

Id	Diameter		,	Height Above	Input Power at antenna flange	E39. Maximum Antenna Height Above Rooftop (meters)	EIRP for al
Remote12	0.0/0.0	0.0	0.0	0.0	40.0	0.0	58.0

# FREQUENCY

	E43/44. Frequency Bands (MHz)				EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
Remote12	3922 3942	R	Horizontal and Vertical	512KG7W	0.0	0.0

Digital mote12 614	7 6167	Т	Horizontal and	512KG7W	48.97	27.9
mote12 614	7 6167	Т	Horizontal and	512KC7W	18 97	27.0
			Vertical	312KG/W	70.77	21.9
E50. Modulation and irety.)  Digital	Services (If the	he complete descripti	ion does not appear i	in this box, please	go to the end of th	ne form to view it in

### FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	Station Azimuth Angle	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
Remote12	Geostationary	3922 3942	72.0/87.0	149.3	49.0	175.8	53.4	0.0
	Geostationary	6147 6167	72.0/87.0	149.3	49.0	175.8	53.4	-24.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign	E66. Phone Number			
NOTE: Please enter the callsign of the concallsign for which this application is being file				
E62. Street Address				
E63. City	E68. County		E67/68. State/Country	E64. Zip Code

### SATELLITE EARTH STATION AUTHORIZATIONS

FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth S	tation Site					
E1: Site Identifier:	Remote13	E5. Call Sign:				
E2: Contact Name	Ronnie Waguespack	E6. Phone Number:	210-528-3802			
E3. Street:	Willmut	E7. City:				
		E8. County:				
E4. State	MS	E9. Zip Code				
E10. Area of Operation:		Southern United Sta	ates			
E11. Latitude:	31 °21 '17.9 "N					
E12. Longitude:	89 °20 '7.6 "W					
E13. Lat/Lon Coord	E13. Lat/Lon Coordinates are:		<b>⊚</b> NAD-83	O N/A		
E14. Site Elevation	E14. Site Elevation (AMSL):		55.1 meters			

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	O Yes	<b>⊗</b> No	O N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes	O No	<b>⊗</b> N/A

E18. Is frequency coordination required? If YES, attach a frequency coordination report as Exhibit – Remote13  Yes No  No  E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as  Yes No  Yes No  Yes No  Yes No  F20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation?  FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation?  FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.
have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation?  FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.  Yes No
POINTS OF COMMUNICATION
Satellite Name: AMC 3   USASAT-24T   87 W.L. If you selected OTHER, please enter the following:
E21. Common Name: E22. ITU Name:
E23. Orbit Location: E24. Country:
POINTS OF COMMUNICATION (Destination Points)
E25. Site Identifier:
E26. Common Name: E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna Gain Transmint and/or Recieve (dBi atGHz)	
Remote13	Remote13	1	Channel Master	2.4m	2.4	38.0 dBi at 4.027	
Remote13	Remote13	1	Channel Master	2.4m	2.4	42.0 dBi at 6.252	

Id	Diameter		, ,	Height Above Ground Level	Input Power at antenna flange	E39. Maximum Antenna Height Above Rooftop (meters)	EIRP for al
Remote13	0.0/0.0	0.0	0.0	0.0	40.0	0.0	58.0

# FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode			E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
Remote13	3922 3942	R	Horizontal and Vertical	512KG7W	0.0	0.0

E50. Modulation entirety.)	n and Service	s (If the	he complete descri	ption does not appear	in this box, please	go to the end of the	he form to view it in its
Digital							
Remote13	6147	6167	Т	Horizontal and Vertical	512KG7W	48.87	27.9
E50. Modulation entirety.)  Digital	and Service	s (If the	he complete descri	ption does not appear	in this box, please	go to the end of the	he form to view it in its

# FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	Station Azimuth Angle	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
Remote13	Geostationary	3922 3942	72.0/87.0	149.0	48.9	175.5	53.4	0.0
	Geostationary	6147 6167	72.0/87.0	149.0	48.9	175.5	53.4	-24.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign		E66. Phone Number	
NOTE: Please enter the callsign callsign for which this application is	of the controlling station, not the s being filed.		
E62. Street Address			
E63. City	E68. County	E67/68. State/Country	E64. Zip Code
		/	

# SATELLITE EARTH STATION AUTHORIZATIONS FCC Form 312 – Schedule B:(Technical and Operational Description) FOR OFFICIAL USE ONLY

Location of Earth S	tation Site					
E1: Site Identifier:	Remote14	E5. Call Sign:	E040163			
E2: Contact Name	Ronnie Waguespack	E6. Phone Number:	210-528-3802			
E3. Street:	Gulf South	E7. City:				
		E8. County:				
E4. State	MS	E9. Zip Code				
E10. Area of Opera	tion:	Southern States				
E11. Latitude:	31 °38 '7.3 "N					
E12. Longitude:	89 °22 '52.9 "W					
E13. Lat/Lon Coord	E13. Lat/Lon Coordinates are:		<b>⊚</b> NAD-83	O N/A		
E14. Site Elevation	(AMSL):	75.0 meters				

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	O Yes	<b>⊗</b> No	O N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes	O No	<b>⊗</b> N/A

on and telephone number of the control	O Yes	No
ination report as Exhibit – Remote 14	● Yes	O No
ne of the country(ies) and plot of	O Yes	<b>⊚</b> No
(c)) Where FAA notification is required, study regarding the potential hazard of SULT IN THE RETURN OF THIS	O Yes	No
	1	
ER, please enter the following:		
E22. ITU Name:		
E24. Country:		
E27. Country:		
i	ination report as Exhibit – Remote 14  The of the country(ies) and plot of  The country (ies) and plot of	ination report as Exhibit – Remote 14  Yes  Yes  The of the country(ies) and plot of  Yes  Yes  The of the country (ies) and plot of  Yes  Yes  The of the country (ies) and plot of  Yes  Yes  The of the country (ies) and plot of  Yes  The o

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna Gain Transmint and/or Recieve (dBi atGHz)	
Remote14	Remote14	1	Channel Master	2.4m	2.4	38.0 dBi at 4.027	
Remote14	Remote14	1	Channel Master	2.4m	2.4	42.0 dBi at 6.252	

Id	Diameter		, ,	Height Above Ground Level	Input Power at antenna flange	E39. Maximum Antenna Height Above Rooftop (meters)	EIRP for al
Remote14	0.0/0.0	0.0	0.0	0.0	40.0	0.0	58.0

# FREQUENCY

	E43/44. Frequency Bands (MHz)				E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
Remote14	3922 3942	R	Horizontal and Vertical	512KG7W	0.0	0.0

ntirety.)			•	cription does not appear			
Digital							
emote14	6147	6167	Т	Horizontal and Vertical	512KG7W	48.87	27.9
E50. Modulatintirety.)  Digital	on and Servi	ces (If the	he complete des	cription does not appear	in this box, please	go to the end of the	ne form to view it in

# FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	Station Azimuth Angle	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
Remote14	Geostationary	3922 3942	72.0/87.0	149.2	48.6	175.5	53.1	0.0
	Geostationary	6147 6167	72.0/87.0	149.2	48.6	175.5	53.1	-24.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign	E66. Phone Number								
NOTE: Please enter the callsign of the controcallsign for which this application is being filed.									
E62. Street Address									
E63. City	E68. County		E67/68. State/Country	E64. Zip Code					
			/						

#### FCC NOTICE REQUIRED BY THE PAPERWORK REDUCTION ACT

The public reporting for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the required data, and completing and reviewing the collection of information. If you have any comments on this burden estimate, or how we can improve the collection and reduce the burden it causes you, please write to the Federal Communications Commission, AMD–PERM, Paperwork Reduction Project (3060–0678), Washington, DC 20554. We will also accept your comments regarding the Paperwork Reduction Act aspects of this collection via the Internet if you send them to PRA@fcc.gov. PLEASE DO NOT SEND COMPLETED FORMS TO THIS ADDRESS.

Remember – You are not required to respond to a collection of information sponsored by the Federal government, and the government may not conduct or sponsor this collection, unless it displays a currently valid OMB control number or if we fail to provide you with this notice. This collection has been assigned an OMB control number of 3060–0678.

THE FOREGOING NOTICE IS REQUIRED BY THE PAPERWORK REDUCTION ACT OF 1995, PUBLIC LAW 104–13, OCTOBER 1, 1995, 44 U.S.C. SECTION 3507.