Approved by OMB 3060–0678

Date & Time Filed: Mar 23 2011 6:24:15:343PM File Number: SES-MOD-INTR2011-00877

FCC APPLICATION FOR SPACE AND EARTH STATION:MOD OR AMD – MAIN FORM	FCC Use Only
FCC 312 MAIN FORM FOR OFFICIAL USE ONLY	

APPLICANT INFORMATION Enter a description of this application to identify it on the main menu: Modification of CSAT Network License E040163 – March 2011

1–8. Legal Name of Applicant **Phone Number:** Enterprise Products, LLC 210-528-3802 Name: DBA Fax Number: 210-528-3888 Name: Street: 10647 Gulfdale E-Mail: rwaguespack@eprod.com City: San Antonio State: ΤX USA Zipcode: 78216 **Country:** Attention: Mr Ronnie Waguespack

Name of Contact	Representative		
Name:	Ronnie Waguespack	Phone Number:	210-528-3802
Company:	Enterprise Products, LLC	Fax Number:	210-528-3888
Street:	10647 Gulfdale	E-Mail:	rwaguespack@eprod.com
City:	San Antonio	State:	TX
Country:	USA	Zipcode:	78216-
Attention:	Ronnie Waguespack	Relationship:	Other

CLASSIFICATION OF FILING

17. Choose the button next to the classification that applies to this filing for both questions a. and b. Choose only one for 17a and only one for 17b.	 (N/A) b1. Application for License of New Station (N/A) b2. Application for Registration of New Domestic Receive–Only Station b3. Amendment to a Pending Application
 a1. Earth Station a2. Space Station 	 b4. Modification of License or Registration b5. Assignment of License or Registration b6. Transfer of Control of License or Registration b7. Notification of Minor Modification
	 (N/A) b8. Application for License of New Receive–Only Station Using Non–U.S. Licensed Satellite (N/A) b9. Letter of Intent to Use Non–U.S. Licensed Satellite to Provide Service in the United States (N/A) b10. Other (Please specify) (N/A) b11. Application for Earth Station to Access a Non–U.S.satellite Not Currently Authorized to Provide the Proposed Service in the Proposed Frequencies in the United States (N/A) b12. Application for Database Entry b13. Amendment to a Pending Database Entry Application b14. Modification of Database Entry

17c. Is a fee submitted with this applicat		
If Yes, complete and attach FCC Form	159. If No, indicate reason for fee exemption	n (see 47 C.F.R.Section 1.1114).
O Governmental Entity O Noncomme	ercial educational licensee	
• Other(please explain):		
17d.		
Fee Classification CGV – Fixed Satellite	VSAT System	
18. If this filing is in reference to an existing station, enter:	19. If this filing is an amendment to a pendin modification please enter only the file number	g application enter both fields, if this filing is a er:
(a) Call sign of station:	(a) Date pending application was filed:	(b) File number:
E040163		SESMOD2007010800027


TYPE OF SERVICE

20. NATURE OF SERVICE: This filing is for an authorization to provid	e or use the following type(s) of service(s): Select all that apply:
a. Fixed Satellite	
b. Mobile Satellite	
c. Radiodetermination Satellite	
d. Earth Exploration Satellite	
e. Direct to Home Fixed Satellite	
f. Digital Audio Radio Service	
g. Other (please specify) CSAT	
21. STATUS: Choose the button next to the applicable status. Choose	22. If earth station applicant, check all that apply.
only one.	Using U.S. licensed satellites
Common Carrier O Non–Common Carrier	Using Non–U.S. licensed satellites
23. If applicant is providing INTERNATIONAL COMMON CARRIER s facilities:	service, see instructions regarding Sec. 214 filings. Choose one. Are these
• Connected to a Public Switched Network • Not connected to a	Public Switched Network 💿 N/A
24. FREQUENCY BAND(S): Place an 'X' in the box(es) next to all a	pplicable frequency band(s).
x a. C–Band (4/6 GHz) b . Ku–Band (12/14 GHz)	
c.Other (Please specify upper and lower frequencies in MHz.)	
Frequency Lower: Frequency Upper: (Please specify addition	nal frequencies in an attachment)

TYPE OF STATION

25. CLASS OF STATION: Choose the button next to the class of station that applies. Choose only one.
• a. Fixed Earth Station
• b. Temporary–Fixed Earth Station
o c. 12/14 GHz VSAT Network
O d. Mobile Earth Station
• e. Geostationary Space Station
• f. Non–Geostationary Space Station
• g. Other (please specify) CSAT Network
26. TYPE OF EARTH STATION FACILITY:
Transmit/Receive Transmit-Only Receive-Only N/A
"For Space Station applications, select N/A."

PURPOSE OF MODIFICATION



ENVIRONMENTAL POLICY

28. Would a Commission grant of any proposal in this application or amendment have a significant environmental impact as defined by 47 CFR 1.1307? If YES, submit the statement as required by Sections 1.1308 and 1.1311 of the Commission's rules, 47 C.F.R. 1.1308 and 1.1311, as an exhibit to this application. A Radiation Hazard Study must accompany all applications for new transmitting facilities, major modifications, or major amendments.

ALIEN OWNERSHIP Earth station applicants not proposing to provide broadcast, common carrier, aeronautical en route or aeronautical fixed radio station services are not required to respond to Items 30–34.

29. Is the applicant a foreign government or the representative of any foreign government?	0	Yes	۲	No		
30. Is the applicant an alien or the representative of an alien?	0	Yes	0	No	۲	N/A
31. Is the applicant a corporation organized under the laws of any foreign government?	0	Yes	0	No	۲	N/A
32. Is the applicant a corporation of which more than one–fifth of the capital stock is owned of record or voted by aliens or their representatives or by a foreign government or representative thereof or by any corporation organized under the laws of a foreign country?	0	Yes	0	No	۲	N/A

33. Is the applicant a corporation directly or indirectly controlled by any other corporation of which more than one-fourth of the capital stock is owned of record or voted by aliens, their representatives, or by a foreign government or representative thereof or by any corporation organized under the laws of a foreign country?

34. If any answer to questions 29, 30, 31, 32 and/or 33 is Yes, attach as an exhibit an identification of the aliens or foreign entities, their nationality, their relationship to the applicant, and the percentage of stock they own or vote.

BASIC QUALIFICATIONS

35. Does the Applicant request any waivers or exemptions from any of the Commission's Rules? If Yes, attach as an exhibit, copies of the requests for waivers or exceptions with supporting documents.	O Yes	● No
	Exhibit A	
36. Has the applicant or any party to this application or amendment had any FCC station authorization or license revoked or had any application for an initial, modification or renewal of FCC station authorization, license, or construction permit denied by the Commission? If Yes, attach as an exhibit, an explination of circumstances.	O Yes	
	Exhibit B	

37. Has the applicant, or any party to this application or amendment, or any party directly or indirectly controlling the applicant ever been convicted of a felony by any state or federal court? If Yes, attach as an exhibit, an explination of circumstances.	O Yes	No
	Exhibit C	
38. Has any court finally adjudged the applicant, or any person directly or indirectly controlling the applicant, guilty of unlawfully monopolizing or attempting unlawfully to monopolize radio communication, directly or indirectly, through control of manufacture or sale of radio apparatus, exclusive traffic arrangement or any other means or unfair methods of competition? If Yes, attach as an exhibit, an explanation of circumstances	O Yes	No
39. Is the applicant, or any person directly or indirectly controlling the applicant, currently a party in any pending matter referred to in the preceding two items? If yes, attach as an exhinit, an explanation of the circumstances.	O Yes	● No
40. If the applicant is a corporation and is applying for a space station license, attach as an exhibit the names, address, and citizenship of those stockholders owning a record and/or voting 10 percent or more of the Filer's voting stock and the percentages so held. In the case of fiduciary control, indicate the beneficiary(ies) or class of beneficiaries. Also list the names and addresses of the officers and directors of the Filer.		

41. By checking Yes, the undersigned certifies, that neither applicant nor any other party to the application is subject to a denial of Federal benefits that includes FCC benefits pursuant to Section 5301 of the Anti–Drug Act of 1988, 21 U.S.C. Section 862, because of a conviction for possession or distribution of a controlled substance. See 47 CFR 1.2002(b) for the meaning of "party to the application" for these purposes.

42a. Does the applicant intend to use a non–U.S. licensed satellite to provide service in the United States? If Yes, answer 42b and attach an exhibit providing the information specified in 47 C.F.R. 25.137, as appropriate. If No, proceed to question 43.



O No

Yes

42b. What administration has licensed or is in the process of licensing the space station? If no license will be issued, what administration has coordinated or is in the process of coordinating the space station?Not applicable

43. Description. (Summarize the nature of the application and the services to be provided). (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Enterprise Products, LLC seeks to modify the license (E040163) of their existing CSAT network to add a point of communication, add a different frequency range, add three new remotes, and add two new hubs.

Cover Letter

43a. Geographic Service Rule Certification By selecting A, the undersigned certifies that the applicant is not subject to the geographic service or geographic coverage requirements specified in 47 C.F.R. Part 25.	● A
By selecting B, the undersigned certifies that the applicant is subject to the geographic service or geographic coverage requirements specified in 47 C.F.R. Part 25 and will comply with such requirements.	О ^В
By selecting C, the undersigned certifies that the applicant is subject to the geographic service or geographic coverage requirements specified in 47 C.F.R. Part 25 and will not comply with such requirements because it is not feasible as a technical matter to do so, or that, while technically feasible, such services would require so many compromises in satellite design and operation as to make it economically unreasonable. A narrative description and technical analysis demonstrating this claim are attached.	O C

CERTIFICATION

The Applicant waives any claim to the use of any particular frequency or of the electromagnetic spectrum as against the regulatory power of the United States because of the previous use of the same, whether by license or otherwise, and requests an authorization in accordance with this application. The applicant certifies that grant of this application would not cause the applicant to be in violation of the spectrum aggregation limit in 47 CFR Part 20. All statements made in exhibits are a material part hereof and are incorporated herein as if set out in full in this application. The undersigned, individually and for the applicant, hereby certifies that all statements made in this application and in all attached exhibits are true, complete and correct to the best of his or her knowledge and belief, and are made in good faith.

44. Applicant is a (an): (Choose the button next to applicable response.)	
• Individual	
• Unincorporated Association	
• Partnership	
• Corporation	
o Governmental Entity	
Other (please specify)	
	5. Title of Person Signing
Ronnie Waguespack Co	ommunications Engineer
>	
WILLFUL FALSE STATEMENTS MADE ON THIS FORM AR (U.S. Code, Title 18, Section 1001), AND/OR REVO (U.S. Code, Title 47, Section 312(a)(1)), AND/OR FOR	OCATION OF ANY STATION AUTHORIZATION

SATELLITE EARTH STATION AUTHORIZATIONS FCC Form 312 – Schedule B:(Technical and Operational Description) FOR OFFICIAL USE ONLY

Location of Earth St	tation Site				
E1: Site Identifier:	HUB4	E5. Call Sign:			
E2: Contact Name	Don Bachelder	E6. Phone Number:	5047369400		
E3. Street:	5901 Earhart Expressway	E7. City:	Harahan		
		E8. County:			
E4. State	LA	E9. Zip Code	70123		
E10. Area of Opera	tion:	Southeastern United	d States and Gulf of	Mexico	
E11. Latitude:	29 °58 '13.7 "N				
E12. Longitude:	90°12'12.0 "W				
E13. Lat/Lon Coord	linates are:	O NAD-27	• NAD-83	O ^{N/A}	
E14. Site Elevation	(AMSL):	0.2 meters			

E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O ^{Yes}	O ^{No}	● ^{N/A}
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes	۲	No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as Exhibit – HUB4	۲	Yes	0	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	۲	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	0	Yes	۲	No

POINTS OF COMMUNICATION

Satellite Name: AMC 3 USASAT-24T 87 W.L.	If you selected OTHER, please enter the following:
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

Satellite Name: AMC 3 | USASAT-24T | 87 W.L. If you selected OTHER, please enter the following:

E21. Common Name:

E23. Orbit Location:

E22. ITU Name:

E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna Gain Transmint and/or Recieve (dBi at GHz)
HUB4	HUB 4	1	Andrew	12m	12.0	53.0 dBi at 3.950
HUB4	HUB 4	1	Andrew	12m	12.0	56.3 dBi at 6.175

Id	Diameter			Height Above	Input Power at	E39. Maximum Antenna Height Above Rooftop (meters)	EIRP for al
HUB 4	0.0/0.0	0.0	0.0	0.0	750.0	0.0	85.0

FREQUENCY

ſ	E28. Antenna Id	E43/44.	E45.	E46. Antenna	E47. Emission	E48. Maximum	E49. Maximum
		Frequency Bands	T/R Mode	Polarization(H,V,	Designator	EIRP per Carrier	ERIP Density per
		(MHz)		L,R)		(dBW)	Carrier
							(dBW/4kHz)

HUB 4	3922	3942	R	Horizontal and Vertical	512KG7W	0.0	0.0
E50. Modulation entirety.)	n and Servic	es (If th	he complete des	cription does not appear	in this box, please	go to the end of t	he form to view it in its
Digital							
HUB 4	3922	3942	R	Horizontal and Vertical	768KG7W	0.0	0.0
Digital							
HUB 4	6147	6167	Т	Horizontal and Vertical	512KG7W	63.3	42.2
E50. Modulation entirety.)	n and Servic	es (If th	he complete des	cription does not appear	in this box, please	go to the end of t	he form to view it in its
Digital							

HUE	÷ 4	6147	6167	Т	Horizontal and Vertical	768KG7W	65.04	42.2
	E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)							
	Digital							

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
HUB 4	Geostationary	3922 3942	72.0/87.0	146.6	49.8	173.6	54.9	0.0
	Geostationary	6147 6167	72.0/87.0	146.6	49.8	173.6	54.9	-24.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign	E66. Phone Number
NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.	
E62. Street Address	

E63. City	E68. County	E67/68.	E64. Zip Code
		State/Country	
		/	

SATELLITE EARTH STATION AUTHORIZATIONS FCC Form 312 – Schedule B:(Technical and Operational Description) FOR OFFICIAL USE ONLY

Location of Earth St	tation Site			
E1: Site Identifier:	Remote1	E5. Call Sign:	E040163	
E2: Contact Name	Ronnie Waguespack	E6. Phone Number:	210-528-3802	
E3. Street:	Port Arthur (Keystone)	E7. City:	Sabine Pass	
	14615 Highway 87	E8. County:	Jefferson	
E4. State	TX	E9. Zip Code	77655	
E10. Area of Opera	tion:	Southeastern United	d States and Gulf of	Mexico
E11. Latitude:	29 °41 '13.3 "N			
E12. Longitude:	93 °58 '51.5 "W			
E13. Lat/Lon Coord	linates are:	O NAD-27	● NAD-83	O N/A
E14. Site Elevation	(AMSL):	1.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	O Yes	● No	O ^{N/A}
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes	O ^{No}	● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes	۲	No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as Exhibit – Remote1	۲	Yes	O No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	0	Yes	No

POINTS OF COMMUNICATION

Satellite Name: AMC 3 | USASAT-24T | 87 W.L. If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

Satellite Name: AMC 3 USASAT-24T 87 W.L. If you selected OTH	IER, please enter the following:
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna Gain Transmint and/or Recieve (dBi at GHz)
Remote1	Remote1	1	Channel Master	2.4M	2.4	38.0 dBi at 4.027
Remote1	Remote1	1	Channel Master	2.4M	2.4	42.0 dBi at 6.252

Id			· · · ·	Height Above Ground Level	Input Power at	E39. Maximum Antenna Height Above Rooftop (meters)	EIRP for al
Remote1	0.0/0.0	5.7	6.7	0.0	40.0	0.0	58.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
Remote1	3922 3942	R	Horizontal and Vertical	512KG7W	0.0	0.0
E50. Modulation entirety.)	and Services (If th	ie complete descripti	on does not appear in	this box, please go t	to the end of the form	to view it in its
Digital						
Remote1	6147 6167	Т	Horizontal and Vertical	512KG7W	48.97	27.9
E50. Modulation entirety.) Digital	and Services (If th	l 1e complete descripti	on does not appear in	this box, please go t	to the end of the form	to view it in its

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	0	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
Remote1	Geostationary	3922 3942	72.0/87.0	140.8	47.8	166.1	54.5	0.0
	Geostationary	6147 6167	72.0/87.0	140.8	47.8	166.1	54.5	-24.1
REMOTE CC	ONTROL POIN	T LOCATION					-	
	ign ase enter the calls ich this applicati	-	-		. Phone Number			
E62. Street	Address							
E63. City			E68. County	/		E67/68. State/Country /		64. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth S	tation Site				
E1: Site Identifier:	Remote2	E5. Call Sign:	E040163		
E2: Contact Name	Ronnie Waguespack	E6. Phone Number:	210-528-3802		
E3. Street:	Port Arthur (Permcor Lucas)	E7. City:	Beaumont		
	9407 W. Port Arthur Road	E8. County:	Jefferson		
E4. State	TX	E9. Zip Code	77705		
E10. Area of Opera	tion:	Southeastern United	d States and the Gulf	f of Mexico	
E11. Latitude:	29 °59 '46.8 "N				
E12. Longitude:	94 °3 '57.2 "W				
E13. Lat/Lon Coord	dinates are:	● NAD-27	NAD-83	O N/A	
E14. Site Elevation	(AMSL):	5.4 meters			

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	O Yes	● ^{No}	O ^{N/A}
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes	O ^{No}	● N/A

E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes	No
		Ŭ

E18. Is frequency coordination required? If YES, attach a frequency coordination report as Exhibit – Remote2	۲	Yes	0	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	۲	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	0	Yes	۲	No

POINTS OF COMMUNICATION

Satellite Name: AMC 3 USASAT-24T 87 W.L. If you selecte	ed OTHER, please enter the following:
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

Satellite Name: AMC 3 USASAT-24T 87 W.L. If you selected OTHER, please enter the following:						
E21. Common Name:	E22. ITU Name:					
E23. Orbit Location:	E24. Country:					
POINTS OF COMMUNICATION (Destination Points)						
E25. Site Identifier:						

E26. Common Name:	E27. Country:
	127. County.

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna Gain Transmint and/or Recieve (dBi at GHz)
Remote2	Remote2	1	Channel Master	2.4M	2.4	38.0 dBi at 4.027
Remote2	Remote2	1	Channel Master	2.4M	2.4	42.0 dBi at 6.252

Id			· · · · · ·	Height Above	Input Power at	E39. Maximum Antenna Height Above Rooftop (meters)	EIRP for al
Remote2	0.0/0.0	5.7	11.1	0.0	40.0	0.0	58.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode			E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
Remote2	3922 3942	R	Horizontal and Vertical	512KG7W	0.0	0.0

E50. Modulation entirety.)	and Services	(If th	ne complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its
Digital							
Remote2	6147	6167	Т	Horizontal and Vertical	512KG7W	38.57	17.5
E50. Modulation entirety.) Digital	and Services	If the second	ne complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its

FREQUENCY COORDINATION

E28. Antenna Id		E52/53. Frequency Limits(MHz)	Range of Satellite Arc Eastern/West	Station Azimuth Angle	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
Remote2	Geostationary	3922 3942	72.0/87.0	141.0	47.5	166.1	54.2	0.0
	Geostationary	6147 6167	72.0/87.0	141.0	47.5	166.1	54.2	-24.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign		E66. Phone Number		
NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.				
E62. Street Address		•		
E63. City	E68. County		E67/68.	E64. Zip Code
			State/Country /	

SATELLITE EARTH STATION AUTHORIZATIONS FCC Form 312 – Schedule B:(Technical and Operational Description) FOR OFFICIAL USE ONLY

Location of Earth St	tation Site						
E1: Site Identifier:	Remote4	E5. Call Sign:	E040163				
E2: Contact Name	Ronnie Waguespack	E6. Phone Number:	210-528-3802				
E3. Street:	Port Arthur (Sun Meter)	E7. City:	Nederland				
	2304 N. Twin City Highway	E8. County:	Jefferson				
E4. State	TX	E9. Zip Code	77627				
E10. Area of Opera	tion:	Southeastern United States and Gulf of Mexico					
E11. Latitude:	29 °59 '31.9 "N						
E12. Longitude:	93 °59 '58.9 "W						
E13. Lat/Lon Coord	linates are:	O NAD-27	● NAD-83	O ^{N/A}			
E14. Site Elevation (AMSL):		1.0 meters					

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	O Yes	● ^{No}	O ^{N/A}
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes	O ^{No}	● N/A

E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control		
point.	O Yes	No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as Exhibit – Remote4	۲	Yes	0	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	۲	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	0	Yes	۲	No

POINTS OF COMMUNICATION

Satellite Name: AMC 3 USASAT-24T 87 W.L. If you selecte	ed OTHER, please enter the following:
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

Satellite Name: AMC 3 USASAT-24T 87 W.L. If you selected OTHER, please enter the following:				
E21. Common Name:	E22. ITU Name:			
E23. Orbit Location:	E24. Country:			
POINTS OF COMMUNICATION (Destination Points)				
E25. Site Identifier:				

E26. Common Name:	E27. Country:
	127. County.

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna Gain Transmint and/or Recieve (dBi at GHz)
Remote4	Remote4	1	Channel Master	2.4M	2.4	38.0 dBi at 4.027
Remote4	Remote4	1	Channel Master	2.4M	2.4	42.0 dBi at 6.252

Id			· · · ·	Height Above Ground Level	Input Power at antenna flange	E39. Maximum Antenna Height Above Rooftop (meters)	EIRP for al
Remote4	0.0/0.0	5.7	6.7	0.0	40.0	0.0	58.0

FREQUENCY

		E45. T/R Mode			EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
Remote4	3922 3942	Т	Horizontal and Vertical	512KG7W	0.0	0.0

Digital	
Remote4 6147 6167 T Horizontal and Vertical 512KG7W 48.98 27.9	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view entirety.) Digital	w it in its

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
Remote4	Geostationary	3922 3942	72.0/87.0	141.1	47.6	166.2	54.2	0.0
	Geostationary	6147 6167	72.0/87.0	141.1	47.6	166.2	54.2	-24.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign		E66. Phone Number		
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.				
E62. Street Address		•		
E63. City	E68. County		E67/68.	E64. Zip Code
			State/Country /	

SATELLITE EARTH STATION AUTHORIZATIONS FCC Form 312 – Schedule B:(Technical and Operational Description) FOR OFFICIAL USE ONLY

Location of Earth S	tation Site						
E1: Site Identifier:	Remote5	E5. Call Sign:	E040163				
E2: Contact Name	Ronnie Waguespack	E6. Phone Number:	210-528-3802				
E3. Street:	Port Arthur (Unocal Meter)	E7. City:	Nederland				
	3890 Pure Atlantic Road	E8. County:	Jefferson				
E4. State	TX	E9. Zip Code	77627				
E10. Area of Opera	tion:	Southeastern United States and Gulf of Mexico					
E11. Latitude:	29 °59 '24.4 "N						
E12. Longitude:	93 °59 '14.8 "W						
E13. Lat/Lon Coordinates are:		ONAD-27	● NAD-83	O N/A			
E14. Site Elevation (AMSL):		5.3 meters					

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	• Yes	● ^{No}	O ^{N/A}
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes	O ^{No}	● N/A

E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control		
point.	O Yes	No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as Exhibit – Remote5	۲	Yes	0	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	۲	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	0	Yes	۲	No

POINTS OF COMMUNICATION

Satellite Name: AMC 3 USASAT-24T 87 W.L. If you selecte	ed OTHER, please enter the following:
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

Satellite Name: AMC 3 USASAT-24T 87 W.L. If you selected OTHER, please enter the following:					
E21. Common Name:	E22. ITU Name:				
E23. Orbit Location:	E24. Country:				
POINTS OF COMMUNICATION (Destination Points)					
E25. Site Identifier:					

E26. Common Name:	E27. Country:
	127. County.

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna Gain Transmint and/or Recieve (dBi at GHz)
Remote5	Remote5	1	Channel Master	2.4M	2.4	38.0 dBi at 4.027
Remote5	Remote5	1	Channel Master	2.4M	2.4	42.0 dBi at 6.252

Id	Diameter			Height Above	Input Power at	E39. Maximum Antenna Height Above Rooftop (meters)	EIRP for al
Remote5	0.0/0.0	5.7	11.0	0.0	40.0	0.0	58.0

FREQUENCY

	E43/44. Frequency Bands (MHz)				EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
Remote5	3922 3942	R	Horizontal and Vertical	512KG7W	0.0	0.0

E50. Modulation entirety.)	and Service	s (If th	ne complete descripti	on does not appear ir	n this box, please go	to the end of the for	m to view it in its
Digital							
Remote5	6147	6167	Т	Horizontal and Vertical	512KG7W	48.97	27.9
E50. Modulation entirety.)	and Service	s (If th	ne complete descripti	on does not appear ir	n this box, please go	to the end of the for	rm to view it in its
Digital							
L							

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	Angle	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
Remote5	Geostationary	3922 3942	72.0/87.0	141.1	47.6	166.2	54.2	0.0
	Geostationary	6147 6167	72.0/87.0	141.1	47.6	166.2	54.2	-24.0

	Geostationary	6147 6167	72.0/87.0	141.1		47.6	166.2	54.2	-24.0
REMOTE CO	NTROL POIN	T LOCATION	1			•			
E61. Call Si	gn				E66	. Phone Nu	mber		
	NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.								
E62. Street A	Address								
E63. City			E68. Cour	nty			E67/68. State/Count /	ry	E64. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS	
FCC Form 312 – Schedule B:(Technical and Operational Description)	
FOR OFFICIAL USE ONLY	

Location of Earth St	ation Site					
E1: Site Identifier:	Remote6	E5. Call Sign:	E040163			
E2: Contact Name	Ronnie Waguespack	E6. Phone Number:	210-528-3802			
E3. Street:	Texas City (Bolivar Spec)	E7. City:	Texas City			
	4216 Highway 87	E8. County:	Galveston			
E4. State	ТХ	E9. Zip Code	77650			
E10. Area of Opera	tion:	Southeastern United	d States and the Gulf	of Mexico		
E11. Latitude:	29 °25 '7.1 "N					
E12. Longitude:	94 °42 '17.8 "W					
E13. Lat/Lon Coord	linates are:	O NAD-27	● NAD-83	O ^{N/A}		
E14. Site Elevation	(AMSL):	3.05 meters				

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	O Yes	● No	O ^{N/A}
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes	O ^{No}	● N/A

E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes	No
		Ŭ

E18. Is frequency coordination required? If YES, attach a frequency coordination report as Exhibit – Remote6	۲	Yes	0	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	۲	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	0	Yes	۲	No

Satellite Name: AMC 3 USASAT-24T 87 W.L. If you selecte	ed OTHER, please enter the following:
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

Satellite Name: AMC 3 USASAT-24T 87 W.L. If you selected OTHER, please enter the following:				
E21. Common Name:	E22. ITU Name:			
E23. Orbit Location:	E24. Country:			
POINTS OF COMMUNICATION (Destination Points)				
E25. Site Identifier:				

E26. Common Name:	E27. Country:
	127. County.

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna Gain Transmint and/or Recieve (dBi at GHz)
Remote6	Remote6	1	Channel Master	2.4M	2.4	38.0 dBi at 4.027
Remote6	Remote6	1	Channel Master	2.4M	2.4	42.0 dBi at 6.252

Id	Diameter			Height Above	Input Power at	E39. Maximum Antenna Height Above Rooftop (meters)	EIRP for al
Remote6	0.0/0.0	5.7	8.75	0.0	40.0	0.0	58.0

	E43/44. Frequency Bands (MHz)				EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
Remote6	3922 3942	R	Horizontal and Vertical	512KG7W	0.0	0.0

Digital	w it in its
Remote6 6147 6167 T Horizontal and Vertical 512KG7W 48.97 27.9	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view entirety.)	w it in its

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	Angle	E57. Antenna Elevation Angle Eastern Limit	Station Azimuth Angle	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
Remote6	Geostationary	3922 3942	72.0/87.0	139.6	47.6	164.6	54.7	0.0
	Geostationary	6147 6167	72.0/87.0	139.6	47.6	164.6	54.7	-24.1

E61. Call Sign		E66. Phone Number		
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.				
E62. Street Address		•		
E63. City	E68. County		E67/68.	E64. Zip Code
			State/Country /	

Location of Earth S	tation Site				
E1: Site Identifier:	Remote7	E5. Call Sign:	E040163		
E2: Contact Name	Ronnie Waguespack	E6. Phone Number:	210-528-3802		
E3. Street:	Garden Banks Area (Oil Platform)	E7. City:			
	Block 72, Gulf of Mexico	E8. County:			
E4. State		E9. Zip Code			
E10. Area of Opera	tion:	Southeastern United	d States and Gulf of	Mexico	
E11. Latitude:	27 °55 '21.0 "N				
E12. Longitude:	92 °33 '14.0 "W				
E13. Lat/Lon Coord	linates are:	O NAD−27	NAD-83	O ^{N/A}	
E14. Site Elevation	(AMSL):	0.0 meters			

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	• Yes	● ^{No}	O ^{N/A}
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes	O ^{No}	● N/A

E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes	No
		Ŭ

E18. Is frequency coordination required? If YES, attach a frequency coordination report as Exhibit – Remote7	۲	Yes	0	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	۲	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	0	Yes	۲	No

Satellite Name: AMC 3 USASAT-24T 87 W.L. If you selected OT	HER, please enter the following:
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

Satellite Name: AMC 3 USASAT-24T 87 W.L. If you selected OTHER, please enter the following:					
E21. Common Name:	E22. ITU Name:				
E23. Orbit Location:	E24. Country:				
POINTS OF COMMUNICATION (Destination Points)					
E25. Site Identifier:					

E26. Common Name:	E27. Country:
	127. County.

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna Gain Transmint and/or Recieve (dBi at GHz)
Remote7	Remote7	1	Channel Master	2.4M	2.4	38.0 dBi at 4.027
Remote7	Remote7	1	Channel Master	2.4M	2.4	42.0 dBi at 6.252

Id			E36. Above Sea Level(meters)	Height Above Ground Level	Input Power at antenna flange	E39. Maximum Antenna Height Above Rooftop (meters)	EIRP for al
Remote7	0.0/0.0	31.4	31.4	27.4	40.0	4.0	58.0

	E43/44. Frequency Bands (MHz)		E46. Antenna Polarization(H,V, L,R)		EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
Remote7	3922 3942	R	Horizontal and Vertical	512KG7W	0.0	0.0

E50. Modulation entirety.)	and Services	(If th	ne complete description	on does not appear in	this box, please go to	the end of the form	to view it in its
Digital							
Remote7	6147	6167	Т	Horizontal and Vertical	512KG7W	48.97	27.9
E50. Modulation entirety.)	and Services	(If th	ne complete description	on does not appear in	this box, please go to	the end of the form	to view it in its
Digital							

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
Remote7	Geostationary	3922 3942	72.0/87.0	141.3	50.3	168.3	56.8	0.0
	Geostationary	6147 6167	72.0/87.0	141.3	50.3	168.3	56.8	-24.1

E61. Call Sign		E66. Phone Number		
NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.				
E62. Street Address		•		
E63. City	E68. County		E67/68.	E64. Zip Code
			State/Country /	

Location of Earth St	tation Site					
E1: Site Identifier:	Remote8	E5. Call Sign:	E040163			
E2: Contact Name	Ronnie Waguespack	E6. Phone Number:	210-528-3802			
E3. Street:	Ship Shoal 332B (Oil Platform)	E7. City:				
	Block 332B, Gulf of Mexico	E8. County:				
E4. State		E9. Zip Code				
E10. Area of Opera	tion:	Southeastern United States and the Gulf of Mexico				
E11. Latitude:	28 °6 '16.0 "N					
E12. Longitude:	90 °47 '33.0 "W					
E13. Lat/Lon Coord	dinates are:	● NAD-27	● NAD-83	O N/A		
E14. Site Elevation (AMSL):		0.0 meters				

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	O Yes	● No	O ^{N/A}
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes	O ^{No}	● N/A

E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes	No
		Ŭ

E18. Is frequency coordination required? If YES, attach a frequency coordination report as Exhibit – Remote8	۲	Yes	0	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	۲	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	0	Yes	۲	No

Satellite Name: AMC 3 USASAT-24T 87 W.L. If you selecte	ed OTHER, please enter the following:
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

Satellite Name: AMC 3 USASAT-24T 87 W.L. If you selected OTHER, please enter the following:				
E21. Common Name:	E22. ITU Name:			
E23. Orbit Location:	E24. Country:			
POINTS OF COMMUNICATION (Destination Points)				
E25. Site Identifier:				

E26. Common Name:	E27. Country:
	127. County.

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna Gain Transmint and/or Recieve (dBi at GHz)
Remote8	Remote8	1	Channel Master	2.4M	2.4	38.0 dBi at 4.027
Remote8	Remote8	1	Channel Master	2.4M	2.4	42.0 dBi at 6.252

Id	Diameter			Height Above	Input Power at	E39. Maximum Antenna Height Above Rooftop (meters)	EIRP for al
Remote8	0.0/0.0	31.4	31.4	27.4	40.0	4.0	58.0

	E43/44. Frequency Bands (MHz)				EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
Remote8	3922 3942	R	Horizontal and Vertical	512KG7W	0.0	0.0

E50. Modulati entirety.)	on and Servic	es (If the	he complete descript	tion does not appear in	n this box, please	go to the end of th	e form to view it in its
Digital							
Remote8	6147	6167	Т	Horizontal and Vertical	512KG7W	48.97	27.9
E50. Modulati entirety.) Digital	on and Servic	es (If th	he complete descript	tion does not appear in	n this box, please	go to the end of th	e form to view it in its

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	Angle	E57. Antenna Elevation Angle Eastern Limit	Station Azimuth Angle	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
Remote8	Geostationary	3922 3942	72.0/87.0	144.2	51.2	172.0	56.9	0.0
	Geostationary	6147 6167	72.0/87.0	144.2	51.2	172.0	56.9	-24.1

E61. Call Sign		E66. Phone Number		
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.				
E62. Street Address		•		
E63. City	E68. County		E67/68.	E64. Zip Code
			State/Country /	

Location of Earth St	tation Site					
E1: Site Identifier:	Remote9	E5. Call Sign:	E040163			
E2: Contact Name	Ronnie Waguespack	E6. Phone Number:	210-528-3802			
E3. Street:	High Island A5C (Oil Platform)	E7. City:				
	Block A5C, Gulf of Mexico	E8. County:				
E4. State		E9. Zip Code				
E10. Area of Opera	tion:	Southeastern United States and the Gulf of Mexico				
E11. Latitude:	29 °8 '8.3 "N					
E12. Longitude:	93 °59 '56.9 "W					
E13. Lat/Lon Coord	linates are:	O NAD-27	● NAD-83	O N/A		
E14. Site Elevation	(AMSL):	0.0 meters				

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	O Yes	● ^{No}	O ^{N/A}
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes	O ^{No}	● N/A

E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes	No
		Ŭ

E18. Is frequency coordination required? If YES, attach a frequency coordination report as Exhibit – Remote9	۲	Yes	0	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	۲	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	0	Yes	۲	No

Satellite Name: AMC 3 USASAT-24T 87 W.L. If you selecte	ed OTHER, please enter the following:
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

Satellite Name: AMC 3 USASAT-24T 87 W.L. If you selected OTHER, please enter the following:				
E21. Common Name:	E22. ITU Name:			
E23. Orbit Location:	E24. Country:			
POINTS OF COMMUNICATION (Destination Points)				
E25. Site Identifier:				

E26. Common Name:	E27. Country:
	127. County.

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna Gain Transmint and/or Recieve (dBi at GHz)
Remote9	Remote9	1	Channel Master	2.4 Meter	2.4	38.0 dBi at 4.027
Remote9	Remote9	1	Channel Master	2.4 Meter	2.4	42.0 dBi at 6.252

Id	Diameter		· · · · · ·	Height Above	Input Power at	E39. Maximum Antenna Height Above Rooftop (meters)	EIRP for al
Remote9	0.0/0.0	31.4	31.4	27.4	40.0	4.0	58.0

	E43/44. Frequency Bands (MHz)	E45. T/R Mode			EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
Remote9	3922 3942	R	Horizontal and Vertical	512KG7W	0.0	0.0

E50. Modulati entirety.)	ion and Servic	es (If the	he complete descrip	tion does not appear i	n this box, please	go to the end of th	e form to view it in i
Digital							
Remote9	6147	6167	Т	Horizontal and Vertical	512KG7W	48.97	27.9
E50. Modulati entirety.) Digital	ion and Servic	es (If th	he complete descrip	tion does not appear i	n this box, please	go to the end of th	e form to view it in i

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
Remote9	Geostationary	3922 3942	72.0/87.0	140.3	48.3	165.9	55.2	0.0
	Geostationary	6147 6167	72.0/87.0	140.3	48.3	165.9	55.2	-24.1

E61. Call Sign		E66. Phone Number		
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.				
E62. Street Address		•		
E63. City	E68. County		E67/68.	E64. Zip Code
			State/Country /	

Location of Earth St	tation Site				
E1: Site Identifier:	REMOTE10	E5. Call Sign:			
E2: Contact Name	Ronnie Waguespack	E6. Phone Number:	210-528-3802		
E3. Street:	Texas City (BP Meter) Industrial Complex	E7. City:	Texas City		
	East 9th Street	E8. County:	Galveston		
E4. State	ТХ	E9. Zip Code	77590		
E10. Area of Opera	tion:	Southeastern United	d States and the Gulf	of Mexico	
E11. Latitude:	29 °21 '57.4 "N				
E12. Longitude:	94 °55 '8.7 "W				
E13. Lat/Lon Coord	dinates are:	ONAD−27	NAD-83	O N/A	
E14. Site Elevation	(AMSL):	1.8 meters			

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	O Yes	● ^{No}	O ^{N/A}
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes	O ^{No}	● ^{N/A}

E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control		
point.	• Yes	No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as Exhibit – Remote10	۲	Yes	0	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	• I	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	0	Yes	•	No

me:
<i>y</i> :

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna Gain Transmint and/or Recieve (dBi at GHz)
REMOTE10	REMOTE10	1	Channel Master	2.4M	2.4	38.0 dBi at 4.027
REMOTE10	REMOTE10	1	Channel Master	2.4M	2.4	42.0 dBi at 6.252

Id			· · · · ·	Height Above	Input Power at	E39. Maximum Antenna Height Above Rooftop (meters)	EIRP for al
REMOTE10	0.0/0.0	4.0	5.8	0.0	40.0	0.0	58.0

	E43/44. Frequency Bands (MHz)	E45. T/R Mode			E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
REMOTE10	3922 3942	R	Horizontal and Vertical	768KG7W	0.0	0.0

E50. Mo entirety.)	odulation	and Services	(If th	ne complete description	on does not appear in	this box, please go	to the end of the fo	orm to view it in its
Digi	ital							
REMOTE1	10	6147	6167	Т	Horizontal and Vertical	768KG7W	50.73	27.9
E50. Mo entirety.)	odulation	and Services	(If th	ne complete description	on does not appear in	this box, please go	to the end of the fo	orm to view it in its
Digi	ital							

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	Angle	E57. Antenna Elevation Angle Eastern Limit	Station Azimuth Angle	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
REMOTE10	Geostationary	3922 3942	72.0/87.0	139.2	47.5	164.2	54.7	0.0
	Geostationary	6147 6167	72.0/87.0	139.2	47.5	164.2	54.7	-24.0

E61. Call Sign		E66. Phone Number		
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.				
E62. Street Address		•		
E63. City	E68. County		E67/68.	E64. Zip Code
			State/Country /	

Location of Earth S	tation Site			
E1: Site Identifier:	REMOTE11	E5. Call Sign:		
E2: Contact Name	Ronnie Waguespack	E6. Phone Number:	210-528-3802	
E3. Street:	Texas City (Seaway Meter)	E7. City:	Texas City Junction	
	Intersection of Texas Rts.3 and 146	E8. County:	Galveston	
E4. State	ТХ	E9. Zip Code	77590	
E10. Area of Opera	tion:	Southeastern United	d States and the Gulf	of Mexico
E11. Latitude:	29 °20 '40.3 "N			
E12. Longitude:	94 ° 56 ' 4.5 "W			
E13. Lat/Lon Coord	dinates are:	ONAD−27	● NAD-83	O ^{N/A}
E14. Site Elevation	(AMSL):	2.7 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	O ^{Yes}	● ^{No}	O ^{N/A}
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O ^{Yes}	O ^{No}	● N/A

E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control		
point.	• Yes	No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as Exhibit – Remote11	۲	Yes	0	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	۲	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation?Exhibit E FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	0	Yes	۲	No

Satellite Name: AMC 3 USASAT-24T 87 W.L.	If you selected OTHER, please enter the following:
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna Gain Transmint and/or Recieve (dBi at GHz)
REMOTE11	REMOTE11	1	Channel Master	2.4M	2.4	38.0 dBi at 4.027
REMOTE11	REMOTE11	1	Channel Master	2.4M	2.4	42.0 dBi at 6.252

Id			· · · · ·	Height Above	Input Power at	E39. Maximum Antenna Height Above Rooftop (meters)	EIRP for al
REMOTE11	0.0/0.0	4.0	6.7	0.0	40.0	0.0	58.0

	E43/44. Frequency Bands (MHz)	E45. T/R Mode			EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
REMOTE11	3922 3942	R	Horizontal and Vertical	512KG7W	0.0	0.0

Digital	its
REMOTE1161476167THorizontal and Vertical512KG7W48.9727.9	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in entirety.) Digital	its

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	Range of Satellite Arc Eastern/West	Station Azimuth Angle	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
REMOTE11	Geostationary	3922 3942	72.0/87.0	139.2	47.5	164.1	54.7	0.0
	Geostationary	6147 6167	72.0/87.0	139.2	47.5	164.1	54.7	-24.0

E61. Call Sign		E66. Phone Number		
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.				
E62. Street Address		•		
E63. City	E68. County		E67/68.	E64. Zip Code
			State/Country /	

Location of Earth S	tation Site					
E1: Site Identifier:	HUB3	E5. Call Sign:				
E2: Contact Name	Ronnie Waguespack	E6. Phone Number:	210-528-3802			
E3. Street:		E7. City:	San Antonio			
		E8. County:	Brazos			
E4. State	ТХ	E9. Zip Code				
E10. Area of Opera	tion:	San Antonio				
E11. Latitude:	29 °32 '10.8 "N					
E12. Longitude:	98 °29 '24.0 "W					
E13. Lat/Lon Coord	dinates are:	O NAD−27	● NAD-83	O N/A		
E14. Site Elevation	(AMSL):	256.9 meters				

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	• Yes	O ^{No}	O ^{N/A}
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes	O ^{No}	⊛ N/A

E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control		
point.	O Yes	No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as Exhibit – Hub3	۲	Yes	0	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	•	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	0	Yes	•	No

Satellite Name: AMC 3 USASAT-24T 87 W.L. If you	selected OTHER, please enter the following:
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna Gain Transmint and/or Recieve (dBi at GHz)
HUB3	HUB3	1	Prodelin	3.8m	3.8	41.8 dBi at 4
HUB3	HUB3	1	Prodelin	3.8m	3.8	46.2 dBi at 6

Id			· · · · ·	Height Above	Input Power at	E39. Maximum Antenna Height Above Rooftop (meters)	EIRP for al
HUB3	0.0/0.0	0.0	0.0	0.0	140.0	0.0	67.66

E28. Antenna Id	E43/44. Frequency Ban (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
HUB3	3922 394	2 R	Horizontal and Vertical	512KG7W	0.0	0.0

E50. Modulatio entirety.)	n and Servic	es (If th	he complete descrip	tion does not appear	in this box, please	go to the end of th	ne form to view it in its
Digital							
HUB3	3922	3942	R	Horizontal and Vertical	768KG7W	0.0	0.0
E50. Modulatio entirety.)	n and Servic	es (If th	he complete descrip	tion does not appear	in this box, please	go to the end of th	ne form to view it in its
Digital							
HUB3	6147	6167	Т	Horizontal and Vertical	512KG7W	53.17	32.1
E50. Modulatio entirety.)	n and Servic	es (If the	he complete descrip	tion does not appear	in this box, please	go to the end of th	ne form to view it in its
Digital							
HUB3	6147	6167	Т	Horizontal and Vertical	768KG7W	54.93	32.1

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
HUB3	Geostationary	3922 3942	72.0/87.0	134.7	45.0	157.6	53.3	0.0
	Geostationary	6147 6167	72.0/87.0	134.7	45.0	157.6	53.3	-24.0

E61. Call Sign	E66. Phone Number			
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.				
E62. Street Address	•			
E63. City	E68. County		E67/68. State/Country /	E64. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS FCC Form 312 – Schedule B:(Technical and Operational Description) FOR OFFICIAL USE ONLY

Location of Earth St	tation Site					
E1: Site Identifier:	Remote12	E5. Call Sign:				
E2: Contact Name	Ronnie Waguespack	E6. Phone Number:	210-528-3802			
E3. Street:	Tenesee Gulf	E7. City:				
		E8. County:				
E4. State	MS	E9. Zip Code				
E10. Area of Opera	tion:	Southern United St	ates			
E11. Latitude:	31 °22 '54.2 "N					
E12. Longitude:	89°10'36.1 "W					
E13. Lat/Lon Coord	linates are:	ONAD−27	● NAD-83	O N/A		
E14. Site Elevation (AMSL):		88.09 meters				

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	O Yes	● ^{No}	O ^{N/A}
--	-------	-----------------	-------------------------

E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O ^{Yes}	O ^{No}	● ^{N/A}
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes	۲	No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as Exhibit – Remote12	۲	Yes	0	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	۲	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	0	Yes	۲	No

POINTS OF COMMUNICATION

Satellite Name: AMC 3 USASAT-24T 87 W.L. If you selected OTHER, please enter the following:					
E21. Common Name:	E22. ITU Name:				
E23. Orbit Location:	E24. Country:				
POINTS OF COMMUNICATION (Destination Points)					
E25. Site Identifier:					

E26. Common Name:	E27. Country:
	127. County.

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna Gain Transmint and/or Recieve (dBi at GHz)
Remote12	Remote12	1	Channel Master	2.4m	2.4	38.0 dBi at 4.027
Remote12	Remote12	1	Channel Master	2.4m	2.4	42.0 dBi at 6.625

Id	Diameter			Height Above	Input Power at	E39. Maximum Antenna Height Above Rooftop (meters)	EIRP for al
Remote12	0.0/0.0	0.0	0.0	0.0	40.0	0.0	58.0

FREQUENCY

					EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
Remote12	3922 3942	R	Horizontal and Vertical	512KG7W	0.0	0.0

Digital	
Remote1261476167THorizontal and Vertical512KG7W48.97	27.9
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form entirety.)	n to view it in its

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
Remote12	Geostationary	3922 3942	72.0/87.0	149.3	49.0	175.8	53.4	0.0
	Geostationary	6147 6167	72.0/87.0	149.3	49.0	175.8	53.4	-24.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign		E66. Phone Number		
NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.				
E62. Street Address		•		
E63. City	E68. County		E67/68.	E64. Zip Code
			State/Country /	

SATELLITE EARTH STATION AUTHORIZATIONS FCC Form 312 – Schedule B:(Technical and Operational Description) FOR OFFICIAL USE ONLY

Location of Earth St	tation Site					
E1: Site Identifier:	Remote13	E5. Call Sign:				
E2: Contact Name	Ronnie Waguespack	E6. Phone Number:	210-528-3802			
E3. Street:	Willmut	E7. City:				
		E8. County:				
E4. State	MS	E9. Zip Code				
E10. Area of Opera	tion:	Southern United St	ates			
E11. Latitude:	31 °21 '17.9 "N					
E12. Longitude:	89 °20 '7.6 "W					
E13. Lat/Lon Coordinates are:		ONAD-27	NAD-83	O N/A		
E14. Site Elevation (AMSL):		55.1 meters				

 two-degree spacing policy. E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification 	O ^{Yes}	O ^{No}	● N/A
measurements?			

E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control		
point.	• Yes	No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as Exhibit – Remote13	۲	Yes	0	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	•	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	0	Yes	۱ ()	No

POINTS OF COMMUNICATION

Satellite Name: AMC 3 USASAT-24T 87 W.L. If you	selected OTHER, please enter the following:
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna Gain Transmint and/or Recieve (dBi at GHz)
Remote13	Remote13	1	Channel Master	2.4m	2.4	38.0 dBi at 4.027
Remote13	Remote13	1	Channel Master	2.4m	2.4	42.0 dBi at 6.252

Id			· · · ·	Height Above Ground Level	E38. Total Input Power at antenna flange (Watts)	0	EIRP for al
Remote13	0.0/0.0	0.0	0.0	0.0	40.0	0.0	58.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode			EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
Remote13	3922 3942	R	Horizontal and Vertical	512KG7W	0.0	0.0

E50. Modulation entirety.)	and Services	s (If th	ne complete descripti	on does not appear in	this box, please go	to the end of the form	n to view it in its
Digital							
Remote13	6147	6167	Т	Horizontal and Vertical	512KG7W	48.87	27.9
E50. Modulation entirety.) Digital	and Services	s (If th	ne complete descripti	on does not appear in	this box, please go	to the end of the form	n to view it in its

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	Angle	E57. Antenna Elevation Angle Eastern Limit	Station Azimuth Angle	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
Remote13	Geostationary	3922 3942	72.0/87.0	149.0	48.9	175.5	53.4	0.0
	Geostationary	6147 6167	72.0/87.0	149.0	48.9	175.5	53.4	-24.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign	E66. Phone Number			
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.				
E62. Street Address		•		
E63. City	E68. County		E67/68.	E64. Zip Code
			State/Country /	

SATELLITE EARTH STATION AUTHORIZATIONS FCC Form 312 – Schedule B:(Technical and Operational Description) FOR OFFICIAL USE ONLY

ation Site			
Remote14	E5. Call Sign:	E040163	
Ronnie Waguespack	E6. Phone Number:	210-528-3802	
Gulf South	E7. City:		
	E8. County:		
MS	E9. Zip Code		
ion:	Southern States		
31 °38 '7.3 "N			
89 °22 '52.9 "W			
inates are:	● NAD-27	● NAD-83	O N/A
(AMSL):	75.0 meters		
i	Remote14 Ronnie Waguespack Gulf South MS on: 31 °38 '7.3 "N 89 °22 '52.9 "W nates are:	Remote14E5. Call Sign:RonnieE6. PhoneWaguespackNumber:Gulf SouthE7. City:E8. County:E8. County:MSE9. Zip Codeon:Southern States31 ° 38 '7.3 "NSouthern States89 ° 22 ' 52.9 "WNAD-27	Remote14E5. Call Sign:E040163RonnieE6. Phone210–528–3802WaguespackNumber:210–528–3802Gulf SouthE7. City:1000000000000000000000000000000000000

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	O ^{Yes}	● ^{No}	O ^{N/A}
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes	O ^{No}	● N/A

E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control		
point.	• Yes	No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as Exhibit – Remote 14	۲	Yes	0 1	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	• 1	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	0	Yes	• 1	No

POINTS OF COMMUNICATION

Satellite Name: AMC 3 USASAT-24T 87 W.L. If you selected OTHER, please enter the following:			
me:			
<i>y</i> :			

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna Gain Transmint and/or Recieve (dBi at GHz)
Remote14	Remote14	1	Channel Master	2.4m	2.4	38.0 dBi at 4.027
Remote14	Remote14	1	Channel Master	2.4m	2.4	42.0 dBi at 6.252

Id			· · · ·	Height Above	E38. Total Input Power at antenna flange (Watts)	U	EIRP for al
Remote14	0.0/0.0	0.0	0.0	0.0	40.0	0.0	58.0

FREQUENCY

	E43/44. Frequency Ban (MHz)	E45. Is T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
Remote14	3922 394	2 R	Horizontal and Vertical	512KG7W	0.0	0.0

E50. Modulation entirety.)	n and Services	s (If th	ne complete description	on does not appear in	this box, please go to	the end of the form	to view it in its
Digital							
Remote14	6147	6167	Т	Horizontal and Vertical	512KG7W	48.87	27.9
E50. Modulation entirety.)	n and Services	s (If th	ne complete description	on does not appear in	this box, please go to	the end of the form	to view it in its
Digital							

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	Angle	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
Remote14	Geostationary	3922 3942	72.0/87.0	149.2	48.6	175.5	53.1	0.0
	Geostationary	6147 6167	72.0/87.0	149.2	48.6	175.5	53.1	-24.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign	E66. Phone Number			
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.				
E62. Street Address				
E63. City	E68. County		E67/68. State/Country /	E64. Zip Code

FCC NOTICE REQUIRED BY THE PAPERWORK REDUCTION ACT

The public reporting for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the required data, and completing and reviewing the collection of information. If you have any comments on this burden estimate, or how we can improve the collection and reduce the burden it causes you, please write to the Federal Communications Commission, AMD–PERM, Paperwork Reduction Project (3060–0678), Washington, DC 20554. We will also accept your comments regarding the Paperwork Reduction Act aspects of this collection via the Internet if you send them to PRA@fcc.gov. PLEASE DO NOT SEND COMPLETED FORMS TO THIS ADDRESS.

Remember – You are not required to respond to a collection of information sponsored by the Federal government, and the government may not conduct or sponsor this collection, unless it displays a currently valid OMB control number or if we fail to provide you with this notice. This collection has been assigned an OMB control number of 3060–0678.

THE FOREGOING NOTICE IS REQUIRED BY THE PAPERWORK REDUCTION ACT OF 1995, PUBLIC LAW 104–13, OCTOBER 1, 1995, 44 U.S.C. SECTION 3507.