Date & Time Filed: Jun 27 2011 8:17:27:686PM File Number: SES-MOD-INTR2011-02769

FCC APPLICATION FOR SPACE AND EARTH STATION:MOD OR AMD – MAIN FORM	FCC Use Only
FCC 312 MAIN FORM FOR OFFICIAL USE ONLY	

APPLICANT INFORMATION

Enter a description of this application to identify it on the main menu:

E890649 update 4003/06, 5009 & 6006 data & add 4009/4010, 5010, 6009 & V110 Antennas to ESV Authorization

Name:	Vizada, Inc.	Phone Number:	301-838-7807
DBA Name:		Fax Number:	301-838-7752
Street:	2600 Tower Oaks Boulevard	E–Mail:	rob.swanson@vizada.com
City:	Rockville	State:	MD
Country:	USA	Zipcode:	20852 –
Attention:	Mr Robert W Swanson		

9–16. Name of Contact Representative

Name: Vizada, Inc. Phone Number: 301–838–7909

Company: Fax Number: 301–838–7752

Street: 2600 Tower Oaks Boulevard E-Mail: james.lovelace@vizada.com

City: Rockville State: MD

Country: USA Zipcode: 20852–

Attention: James G. Lovelace **Relationship:** Other

CLASSIFICATION OF FILING

17. Choose the button next to the classification that applies to this filing for both questions a. and b. Choose only one for 17a and only one for 17b.

a1. Earth Station

a2. Space Station

(N/A) b1. Application for License of New Station

(N/A) b2. Application for Registration of New Domestic Receive-Only Station

b 3. Amendment to a Pending Application

b4. Modification of License or Registration

b5. Assignment of License or Registration

b6. Transfer of Control of License or Registration

b7. Notification of Minor Modification

(N/A) b8. Application for License of New Receive-Only Station Using Non-U.S. Licensed Satellite

(N/A) b9. Letter of Intent to Use Non–U.S. Licensed Satellite to Provide Service in the United States

(N/A) b10. Other (Please specify)

(N/A) b11. Application for Earth Station to Access a Non–U.S.satellite Not Currently Authorized to Provide the Proposed Service in the Proposed Frequencies in the United States

(N/A) b12. Application for Database Entry

b13. Amendment to a Pending Database Entry Application

b14. Modification of Database Entry

 17c. Is a fee submitted with this application If Yes, complete and attach FCC Form Governmental Entity Other(please explain): 	159. If No, indicate reason for fee exemption (see	ee 47 C.F.R.Section 1.1114).
17d. Fee Classification CGX – Fixed Satellite 1 Station	Transmit/Receive Earth	
18. If this filing is in reference to an existing station, enter:(a) Call sign of station: E890649	19. If this filing is an amendment to a pending apmodification please enter only the file number: (a) Date pending application was filed:	opplication enter both fields, if this filing is a (b) File number: SESMOD2009121701592

TYPE OF SERVICE

20. NATURE OF SERVICE: This filing is for an authorization to provide or use the following type(s) of service(s): Select all that apply:
a. Fixed Satellite
b. Mobile Satellite
c. Radiodetermination Satellite
d. Earth Exploration Satellite
e. Direct to Home Fixed Satellite
f. Digital Audio Radio Service
g. Other (please specify) Earth Station on Vessels
21. STATUS: Choose the button next to the applicable status. Choose 22. If earth station applicant, check all that apply.
only one. Using U.S. licensed satellites
Common Carrier Vising Non–U.S. licensed satellites
23. If applicant is providing INTERNATIONAL COMMON CARRIER service, see instructions regarding Sec. 214 filings. Choose one. Are these facilities:
Connected to a Public Switched Network Not connected to a Public Switched Network N/A
24. FREQUENCY BAND(S): Place an 'X' in the box(es) next to all applicable frequency band(s).
a. C–Band (4/6 GHz) b. Ku–Band (12/14 GHz)
c.Other (Please specify upper and lower frequencies in MHz.)
Frequency Lower: Frequency Upper: (Please specify additional frequencies in an attachment)

TYPE OF STATION

25. CLASS OF STATION: Choose the button next to the class of station that applies. Choose only one.
a. Fixed Earth Station
b. Temporary–Fixed Earth Station
c. 12/14 GHz VSAT Network
d. Mobile Earth Station
e. Geostationary Space Station
f. Non-Geostationary Space Station
g. Other (please specify) Earth Station on Vessels
26. TYPE OF EARTH STATION FACILITY:
Transmit/Receive Transmit-Only Receive-Only N/A
"For Space Station applications, select N/A."

PURPOSE OF MODIFICATION

27. The purpose of this proposed modification is to: (Place an 'X' in the box(es) next to all that apply.)
a — authorization to add new emission designator and related service
b — authorization to change emission designator and related service
c — authorization to increase EIRP and EIRP density
d — authorization to replace antenna
e — authorization to add antenna
f — authorization to relocate fixed station
g — authorization to change frequency(ies)
h — authorization to add frequency
i — authorization to add Points of Communication (satellites & Double
j — authorization to change Points of Communication (satellites & Samp; countries)
k — authorization for facilities for which environmental assessment and
radiation hazard reporting is required
1 — authorization to change orbit location
m — authorization to perform fleet management
n — authorization to extend milestones
o — Other (Please specify)

ENVIRONMENTAL POLICY

impact as defined by 47 CFR 1.1307? If YES, submit the statement as required by Sections 1.1308 and 1.1311 of the Commission's rules, 47 C.F.R. 1.1308 and 1.1311, as an exhibit to this application. A Radiation Hazard Study must accompany all applications for new transmitting facilities, major modifications, or major amendments.	Sea Tel RadHaz Exh
ALIEN OWNERSHIP Earth station applicants not proposing to provide broadcast, common carrier, aeronateronautical fixed radio station services are not required to respond to Items 30–34.	autical en route or
29. Is the applicant a foreign government or the representative of any foreign government?	O Yes O No
30. Is the applicant an alien or the representative of an alien?	O Yes O No O N/A
31. Is the applicant a corporation organized under the laws of any foreign government?	O Yes O No O N/A
32. Is the applicant a corporation of which more than one—fifth of the capital stock is owned of record or voted by aliens or their representatives or by a foreign government or representative thereof or by any corporation organized under the laws of a foreign country?	O Yes O No O N/A

O Yes O No

28. Would a Commission grant of any proposal in this application or amendment have a significant environmental

33. Is the applicant a corporation directly or indirectly controlled by any other corporation of which more than one–fourth of the capital stock is owned of record or voted by aliens, their representatives, or by a foreign government or representative thereof or by any corporation organized under the laws of a foreign country?	Yes No No N/A
34. If any answer to questions 29, 30, 31, 32 and/or 33 is Yes, attach as an exhibit an identification of the aliens or foreign entities, their nationality, their relationship to the applicant, and the percentage of stock they own or vote.	Ownership Statement
BASIC QUALIFICATIONS	
35. Does the Applicant request any waivers or exemptions from any of the Commission's Rules? If Yes, attach as an exhibit, copies of the requests for waivers or exceptions with supporting documents.	O Yes O No
	Blaney Declaration
36. Has the applicant or any party to this application or amendment had any FCC station authorization or license revoked or had any application for an initial, modification or renewal of FCC station authorization, license, or construction permit denied by the Commission? If Yes, attach as an exhibit, an explination of circumstances.	Yes No
	Intellian Declaratio

37. Has the applicant, or any party to this application or amendment, or any party directly or indirectly controlling the applicant ever been convicted of a felony by any state or federal court? If Yes, attach as an exhibit, an explination of circumstances.		No
•	Varan Sea Tel D	D eclar
38. Has any court finally adjudged the applicant, or any person directly or indirectly controlling the applicant, guilty of unlawfully monopolizing or attemptiing unlawfully to monopolize radio communication, directly or indirectly, through control of manufacture or sale of radio apparatus, exclusive traffic arrangement or any other	O Yes	No No
means or unfair methods of competition? If Yes, attach as an exhibit, an explanation of circumstances	Exhibits 2–4	
39. Is the applicant, or any person directly or indirectly controlling the applicant, currently a party in any pending matter referred to in the preceding two items? If yes, attach as an exhinit, an explanation of the circumstances.	O Yes	No
	Exhibits 5–7	
40. If the applicant is a corporation and is applying for a space station license, attach as an exhibit the names, address, and citizenship of those stockholders owning a record and/or voting 10 percent or more of the Filer's voting stock and the percentages so held. In the case of fiduciary control, indicate the beneficiary(ies) or class of beneficiaries. Also list the names and addresses of the officers and directors of the Filer.	Exhibits 8–10	

41. By checking Yes, the undersigned certifies, that neither applicant nor any other party to the application is subject to a denial of Federal benefits that includes FCC benefits pursuant to Section 5301 of the Anti–Drug Act of 1988, 21 U.S.C. Section 862, because of a conviction for possession or distribution of a controlled substance. See 47 CFR 1.2002(b) for the meaning of "party to the application" for these purposes.	• Yes	O No
42a. Does the applicant intend to use a non–U.S. licensed satellite to provide service in the United States? If Yes, answer 42b and attach an exhibit providing the information specified in 47 C.F.R. 25.137, as appropriate. If No, proceed to question 43.	Yes Exhibits 11–13	O No
42b. What administration has licensed or is in the process of licensing the space station? If no license will be issued coordinated or is in the process of coordinating the space station? Satellites to be used on ALSAT List.	l, what administra	tion has

43. Description. (Summarize the nature of the application and the services to be provided). (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

By this application Vizada, Inc. seeks to update the Particulars of Operation (Section B of the license) and the Antenna Facilities Specifications (Section E of the license) listed in its authorization to provide ESV service via its Santa Paula, CA teleport, call sign E890649 for the Sea Tel model 4003A and 4006 1.0 meter Ku-band remote Earth Station

25.222 Compliance Ex

43a. Geographic Service Rule Certification By selecting A, the undersigned certifies that the applicant is not subject to the geographic service or geographic coverage requirements specified in 47 C.F.R. Part 25.	● A
By selecting B, the undersigned certifies that the applicant is subject to the geographic service or geographic coverage requirements specified in 47 C.F.R. Part 25 and will comply with such requirements.	O B
By selecting C, the undersigned certifies that the applicant is subject to the geographic service or geographic coverage requirements specified in 47 C.F.R. Part 25 and will not comply with such requirements because it is not feasible as a technical matter to do so, or that, while technically feasible, such services would require so many compromises in satellite design and operation as to make it economically unreasonable. A narrative description and technical analysis demonstrating this claim are attached.	o c
	Varan Intellian Dec

CERTIFICATION

The Applicant waives any claim to the use of any particular frequency or of the electromagnetic spectrum as against the regulatory power of the United States because of the previous use of the same, whether by license or otherwise, and requests an authorization in accordance with this application. The applicant certifies that grant of this application would not cause the applicant to be in violation of the spectrum aggregation limit in 47 CFR Part 20. All statements made in exhibits are a material part hereof and are incorporated herein as if set out in full in this application. The undersigned, individually and for the applicant, hereby certifies that all statements made in this application and in all attached exhibits are true, complete and correct to the best of his or her knowledge and belief, and are made in good faith.

44. Applicant is a (an): (Choose the button next to app		
o Individual		
 Unincorporated Association 		
• Partnership		
O Governmental Entity		
Other (please specify)		
-		
	46. Title of Person Signing	
45. Name of Person Signing	Security Officer	
45. Name of Person Signing James G. Lovelace	Security Officer	
	Security Officer	
James G. Lovelace	Security Officer	

(U.S. Code, Title 47, Section 312(a)(1)), AND/OR FORFEITURE (U.S. Code, Title 47, Section 503).

SATELLITE EARTH STATION AUTHORIZATIONS FCC Form 312 – Schedule B:(Technical and Operational Description) FOR OFFICIAL USE ONLY

Location of Earth St	ation Site					
E1: Site Identifier:	Ku-band ESV Remotes	E5. Call Sign:	E890649			
E2: Contact Name	Howard Wisniewski	E6. Phone Number:	805− 933−4000			
E3. Street:		E7. City:	Santa Paula			
		E8. County:	Ventura			
E4. State	CA	E9. Zip Code				
E10. Area of Operat	tion:	U.S. and Internation	U.S. and International Waters			
E11. Latitude:	0 °0 '0.0 "					
E12. Longitude:	0 °0 '0.0 "					
E13. Lat/Lon Coord	linates are:	○ NAD-27	● NAD-83	O N/A		
E14. Site Elevation	(AMSL):	0.0 meters				

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.

E16. If the proposed antenna(s) do not operate in the Fixed Satellite Set Satellite Service (FSS) with non–geostationary satellites, do(es) the progain patterns specified in Section 25.209(a2) and (b) as demonstrated by measurements?	pposed antenna(s) comply with the antenna	O Yes	O No	⊚ N/A
E17. Is the facility operated by remote control? If YES, provide the loca point.	ation and telephone number of the control	Yes	0	No
E18. Is frequency coordination required? If YES, attach a frequency coordination	ordination report as No Freq Coord Req	O Yes	•	No
E19. Is coordination with another country required? If YES, attach the a coordination contours as	name of the country(ies) and plot of	O Yes	•	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.1 have you attached a copy of a completed FCC Form 854 and/or the FAA the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL APPLICATION.	A's study regarding the potential hazard of	O Yes	•	No
POINTS OF COMMUNICATION				
Satellite Name: ALSAT ALL AUTHORIZED U.S. ALSAT If you s	selected OTHER, please enter the following:			
E21. Common Name:	E22. ITU Name:			
E23. Orbit Location:	E24. Country:			
POINTS OF COMMUNICATION (Destination Points)				
E25. Site Identifier: Ku-band ESV Remotes				

E26. Common Name:	E27. Country: USA
	<u>'</u>

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna Gain Transmint and/or Recieve (dBi atGHz)	
Ku-band ESV Remotes	SeaTel4003	500	Sea Tel	4003A	1.0	39.39 dBi at 12.20	
Ku-band ESV Remotes	SeaTel4003	500	Sea Tel	4003A	1.0	40.5 dBi at 14.25	
Ku-band ESV Remotes	SeaTel4006	250	Sea Tel	4006	1.0	39.59 dBi at 12.20	
Ku-band ESV Remotes	SeaTel4006	250	Sea Tel	4006	1.0	40.6 dBi at 14.25	
Ku-band ESV Remotes	STL4009/10	500	Sea Tel	4009/4010	1.0	39.59 dBi at 12.20	
Ku-band ESV Remotes	STL4009/10	500	Sea Tel	4009/4010	1.0	40.6 dBi at 14.25	
Ku-band ESV Remotes	SeaTel5010	500	Sea Tel	5010	1.2	41.39 dBi at 12.20	
Ku-band ESV Remotes	SeaTel5010	500	Sea Tel	5010	1.2	43.0 dBi at 14.25	
Ku-band ESV Remotes	SeaTel6009	500	Sea Tel	6009	1.5	43.79 dBi at 12.20	
Ku-band ESV Remotes	SeaTel6009	500	Sea Tel	6009	1.5	45.1 dBi at 14.25	_

Ku-band ESV Remotes	SeaTel5009	500	Sea Tel	5009	1.2	41.39 dBi at 12.20
Ku-band ESV Remotes	SeaTel5009	500	Sea Tel	5009	1.2	43.0 dBi at 14.25
Ku-band ESV Remotes	SeaTel6006	500	Sea Tel	6006	1.5	43.79 dBi at 12.20
Ku-band ESV Remotes	SeaTel6006	500	Sea Tel	6006	1.5	45.1 dBi at 14.25
Ku-band ESV Remotes	Intl V110	500	Intellian	V110	1.05	39.59 dBi at 12.20
Ku-band ESV Remotes	Intl V110	500	Intellian	V110	1.05	41.7 dBi at 14.25

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	Antenna Height	E40. Total EIRP for al carriers(dBW)
SeaTel4003	1.0/1.0	0.0	0.0	0.0	5.7	0.0	48.1
SeaTel4006	1.0/1.0	0.0	0.0	0.0	6.7	0.0	48.9
STL4009/10	1.0/1.0	0.0	0.0	0.0	6.7	0.0	48.9
SeaTel5010	1.2/1.2	0.0	0.0	0.0	6.7	0.0	51.3
SeaTel6009	1.5/1.5	0.0	0.0	0.0	6.73	0.0	53.38
SeaTel5009	1.2/1.2	0.0	0.0	0.0	6.7	0.0	51.3
SeaTel6006	1.5/1.5	0.0	0.0	0.0	6.73	0.0	53.38
Intl V110	1.05/1.05	0.0	0.0	0.0	6.97	0.0	49.83

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
SeaTel4003	14000 14500	Т	Horizontal and Vertical	44K8G1W	34.6	24.2
E50. Modulation entirety.) SCPC DIGIT	TAL USING QPSK			i uns box, piease go	to the end of the form	to view it in its
SeaTel4003	14000	Т	Horizontal and	538KG1W	45.5	24.2
E50. Modulation entirety.)	14500 n and Services (If the	ne complete descript	Vertical ition does not appear in	this box, please go	to the end of the form	to view it in its

E50. Modulation entirety.)	n and Services (If the	he complete descripti	on does not appear is	n this box, please go	to the end of the form	to view it in its
SCPC DIGI	TAL USING QPSK	AND BPSK MODUI	ATION			
SeaTel4003	10950 11200	R	Horizontal and Vertical	151KG7W	0.0	0.0
E50. Modulation entirety.) DIGITAL T	n and Services (If the RAFFIC USING QE			n this box, please go	to the end of the form	to view it in its
SeaTel4003	10950 11200	R	Horizontal and Vertical	2M60G7W	0.0	0.0
E50. Modulation entirety.) DIGITAL T	n and Services (If the RAFFIC USING QE			n this box, please go	to the end of the form	to view it in its
SeaTel4003	10950 11200	R	Horizontal and Vertical	54M0G7W	0.0	0.0

entirety.)		•	escription does not appear	in this box, please	go to the end of t	he form to view it in its
DIGITAL	TRAFFIC USING	G QPSK AND BP	SK MODULATION			
SeaTel4003	11450 11700	R	Horizontal and Vertical	2M60G7W	0.0	0.0
E50. Modula entirety.)	tion and Services	(If the complete de	escription does not appear	in this box, please	go to the end of t	he form to view it in its
SeaTel4003	11450	R	Horizontal and	54M0G7W	10.0	lo o
SeaTel4003	11450 11700	R	Horizontal and Vertical	54M0G7W	0.0	0.0
E50. Modula						
E50. Modula entirety.)	11700 tion and Services	(If the complete de	Vertical			

E50. Modulation entirety.)	n and Services (If the	ne complete description	on does not appear i	n this box, please go	to the end of the form	to view it in its
	RAFFIC USING QE	SK AND BPSK MC	DULATION			
SeaTel4003	11700 12200	R	Horizontal and Vertical	2M60G7W	0.0	0.0
entirety.) DIGITAL TE	RAFFIC USING QE	PSK AND BPSK MC	DULATION			
SeaTel4003	11700 12200	R	Horizontal and Vertical	54M0G7W	0.0	0.0
E50. Modulation entirety.) DIGITAL THE	n and Services (If the RAFFIC USING QE			n this box, please go	to the end of the form	to view it in its
SeaTel4003	14000 14500	Т	Horizontal and Vertical	194KG7W	41.1	24.2

E50. Modulation entirety.)	on and Services (I	f the complete d	escription does not appear i	n this box, please	go to the end of t	he form to view it in	its
	RAFFIC USING	QPSK AND BE	SK MODULATION				
SeaTel4003	14000 14500	Т	Horizontal and Vertical	1M16G7W	48.1	23.4	
E50. Modulation entirety.) DIGITAL T			escription does not appear i		8		
SeaTel4003	14000 14500	Т	Horizontal and Vertical	1M36G7W	48.1	22.8	
E50. Modulation entirety.)			escription does not appear i	n this box, please	go to the end of t	he form to view it in	its
SeaTel4003	14000 14500	Т	Horizontal and Vertical	1M55G7W	48.1	22.2	

E50. Modulatio entirety.)	n and Services (If the complete d	escription does not appear i	n this box, please	go to the end of the	he form to view it in	its
	RAFFIC USING	QPSK AND BE	PSK MODULATION				
SeaTel4003	14000 14500	Т	Horizontal and Vertical	291KG7W	42.8	24.2	
entirety.) DIGITAL T	RAFFIC USING	QPSK AND BE	PSK MODULATION				
SeaTel4003	14000 14500	Т	Horizontal and Vertical	388KG7W	44.1	24.2	
E50. Modulatio entirety.) DIGITAL T			escription does not appear i	n this box, please	go to the end of t	he form to view it in	its
SeaTel4003	14000 14500	Т	Horizontal and Vertical	485KG7W	45.1	24.2	

E50. Modulatior entirety.)	and Services (If the	ne complete description	on does not appear i	n this box, please go	to the end of the form	to view it in its
	RAFFIC USING QE	PSK AND BPSK MC	DULATION			
SeaTel4003	14000 14500	Т	Horizontal and Vertical	582KG7W	45.8	24.2
entirety.) DIGITAL TE	RAFFIC USING QE	PSK AND BPSK MC	DULATION			
SeaTel4003	14000 14500	Т	Horizontal and Vertical	64K0G7W	36.3	24.2
E50. Modulation entirety.) DIGITAL TE		he complete description		n this box, please go	to the end of the form	to view it in its
SeaTel4003	14000 14500	Т	Horizontal and Vertical	679KG7W	46.5	24.2

E50. Modulatio entirety.)	n and Services (If the complete d	escription does not appear	in this box, please	go to the end of the	he form to view it in	its
	RAFFIC USING	QPSK AND BE	SK MODULATION				
SeaTel4003	14000 14500	Т	Horizontal and Vertical	776KG7W	47.0	24.2	
entirety.) DIGITAL T	RAFFIC USING	QPSK AND BE	PSK MODULATION				
SeaTel4003	14000 14500	T	Horizontal and Vertical	970KG7W	48.1	24.2	
E50. Modulatio entirety.) DIGITAL T			escription does not appear i	in this box, please	go to the end of t	he form to view it in	its
SeaTel4003	14000 14500	Т	Horizontal and Vertical	97K0G7W	38.1	24.2	

E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its
<u> </u>	RAFFIC USING QP	SK AND BPSK MO	DULATION			
SeaTel4003	10950 11200	R	Horizontal and Vertical	44K8G1W	0.0	0.0
E50. Modulation entirety.) SCPC DIGIT	CAL TRAFFIC USI			tims box, picuse go t	o the end of the form	
SeaTel4003	10950 11200	R	Horizontal and Vertical	717KG1W	0.0	0.0
E50. Modulation entirety.) SCPC DIGIT	and Services (If the			this box, please go to	o the end of the form	to view it in its
SeaTel4003	10950 11200	R	Horizontal and Vertical	89K6G1W	0.0	0.0

E50. Modulation entirety.)	and Services (If the	e complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its
SCPC DIGIT	'AL TRAFFIC USI	NG QPSK AND BP	SK MODULATION			
SeaTel4003	11450 12200	R	Horizontal and Vertical	44K8G1W	0.0	0.0
E50. Modulation entirety.) SCPC DIGIT	and Services (If the			this box, please go to	o the end of the form	to view it in its
SeaTel4003	11450 12200	R	Horizontal and Vertical	717KG1W	0.0	0.0
E50. Modulation entirety.)	and Services (If the			this box, please go to	o the end of the form	to view it in its
SeaTel4003	11450 12200	R	Horizontal and Vertical	89K6G1W	0.0	0.0

E50. Modulation entirety.)	n and Services (If the	ne complete description	on does not appear in	n this box, please go	to the end of the form	to view it in its
SCPC DIGI	TAL TRAFFIC USI	NG QPSK AND BF	SK MODULATION			
SeaTel4006	10950 11200	R	Horizontal and Vertical	151KG7W	0.0	0.0
E50. Modulation entirety.) DIGITAL TI	RAFFIC USING QF			ir tills box, picase go	to the end of the form	to view it in its
SeaTel4006	10950 11200	R	Horizontal and Vertical	2M60G7W	0.0	0.0
E50. Modulation entirety.) DIGITAL TI	n and Services (If the RAFFIC USING QF			n this box, please go t	to the end of the form	to view it in its
SeaTel4006	10950 11200	R	Horizontal and Vertical	54M0G7W	0.0	0.0

E50. Modulation entirety.)	and Services (If the	e complete description	on does not appear in	n this box, please go t	o the end of the form	to view it in its
<u> </u>	RAFFIC USING QP	SK AND BPSK MO	DULATION			
SeaTel4006	11450 12200	R	Horizontal and Vertical	151KG7W	0.0	0.0
entirety.) DIGITAL TF	RAFFIC USING QP	SK AND BPSK MO	DULATION			
SeaTel4006	11450 12200	R	Horizontal and Vertical	2M60G7W	0.0	0.0
E50. Modulation entirety.) DIGITAL TF	n and Services (If the			n this box, please go t	o the end of the form	to view it in its
SeaTel4006	11450 12200	R	Horizontal and Vertical	54M0G7W	0.0	0.0

E50. Modulation entirety.)	n and Services (If	the complete of	description does not appear i	n this box, please	go to the end of t	he form to view it in	its
	RAFFIC USING (PSK AND BI	PSK MODULATION				
SeaTel4006	14000 14500	T	Horizontal and Vertical	194KG7W	41.2	24.3	
entirety.) DIGITAL T	RAFFIC USING (PSK AND BI	PSK MODULATION				
SeaTel4006	14000 14500	Т	Horizontal and Vertical	1M16G7W	48.9	24.2	
E50. Modulation entirety.) DIGITAL T			lescription does not appear i		go to the end of t		its
SeaTel4006	14000 14500	Т	Horizontal and Vertical	1M36G7W	48.9	23.6	

E50. Modulatio	on and Services (I	f the complete d	escription does not appear	n this box, please	go to the end of t	he form to view it in i	ts
DIGITAL T	RAFFIC USING	QPSK AND BE	PSK MODULATION				
SeaTel4006	14000 14500	Т	Horizontal and Vertical	1M55G7W	48.9	23.0	
E50. Modulation entirety.) DIGITAL T			escription does not appear i	uno con, preuse	go to the child of t		
SeaTel4006	14000 14500	Т	Horizontal and Vertical	291KG7W	42.9	24.3	
E50. Modulation entirety.)			escription does not appear i	n this box, please	go to the end of t	he form to view it in i	ts
SeaTel4006	14000 14500	Т	Horizontal and Vertical	388KG7W	44.2	24.3	

E50. Modulation	n and Services (If	the complete descript	ion does not appear	in this box, please	go to the end of the	he form to view it in its
entirety.) DIGITAL T	RAFFIC USING Q	PSK AND BPSK M	ODULATION			
SeaTel4006	14000 14500	Т	Horizontal and Vertical	485KG7W	45.2	24.3
E50. Modulation entirety.) DIGITAL T		PSK AND BPSK M		in this box, please	go to the end of the	he form to view it in its
SeaTel4006	14000 14500	Т	Horizontal and Vertical	582KG7W	45.9	24.3
E50. Modulation entirety.) DIGITAL T		the complete descript		in this box, please	go to the end of the	he form to view it in its
SeaTel4006	14000 14500	Т	Horizontal and Vertical	64K0G7W	36.4	24.3

E50. Modulatio entirety.)	n and Services (If the complete d	escription does not appear	n this box, please	go to the end of the	he form to view it in	its
	RAFFIC USING	QPSK AND BE	PSK MODULATION				
SeaTel4006	14000 14500	Т	Horizontal and Vertical	679KG7W	46.6	24.3	
entirety.) DIGITAL T	RAFFIC USING	QPSK AND BE	PSK MODULATION				
SeaTel4006	14000 14500	Т	Horizontal and Vertical	776KG7W	47.1	24.3	
E50. Modulation entirety.)			escription does not appear i	n this box, please	go to the end of the	he form to view it in	its
SeaTel4006	14000 14500	Т	Horizontal and Vertical	970KG7W	48.2	24.3	

E50. Modulatentirety.)	tion and Services	(If the complete d	escription does not appear	in this box, please	go to the end of t	he form to view it in its
DIGITAL	TRAFFIC USING	G QPSK AND BE	SK MODULATION			
SeaTel4006	14000 14500	Т	Horizontal and Vertical	97K0G7W	38.2	24.3
entirety.)	tion and Services TRAFFIC USING		escription does not appear	in this box, please	go to the end of t	he form to view it in its
SeaTel4006	10950 11200	R	Horizontal and Vertical	44K8G1W	0.0	0.0
E50. Modulatentirety.)	tion and Services	(If the complete d	escription does not appear	in this box, please	go to the end of t	he form to view it in its
SCPC DIC	GITAL TRAFFIC	USING QPSK A	ND BPSK MODULATION	1		

entirety.)	tion and Services (If the complete de	escription does not appear	in this box, please	go to the end of	the form to view it in its
SCPC DIG	GITAL TRAFFIC (JSING QPSK A	ND BPSK MODULATION	1		
SeaTel4006	10950 11200	R	Horizontal and Vertical	89K6G1W	0.0	0.0
E50. Modulatentirety.)	tion and Services (If the complete de	escription does not appear	in this box, please	go to the end of	the form to view it in its
SeaTel4006	11450	R	Horizontal and	44K8G1W	0.0	0.0
SeaTel4006 E50. Modulatentirety.)	12200		Horizontal and Vertical escription does not appear			
E50. Modulat	12200 tion and Services (If the complete de	Vertical	in this box, please		

E50. Modulation entirety.)	and Services (If the	e complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its				
SCPC DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION										
SeaTel4006	11450 12200	R	Horizontal and Vertical	89K6G1W	0.0	0.0				
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) SCPC DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION										
SeaTel4006	14000 14500	Т	Horizontal and Vertical	44K8G1W	34.7	24.3				
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) SCPC DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION										
SeaTel4006	14000 14500	Т	Horizontal and Vertical	717KG1W	46.8	24.3				

E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear ir	n this box, please go t	to the end of the form	to view it in its				
SCPC DIGIT	CAL TRAFFIC USI	NG QPSK AND BP	SK MODULATION							
SeaTel4006	14000 14500	Т	Horizontal and Vertical	89K6G1W	37.8	24.3				
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) SCPC DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION										
STL4009/10	10950 11200	R	Horizontal and Vertical	151KG7W	0.0	0.0				
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION										
STL4009/10	10950 11200	R	Horizontal and Vertical	2M60G7W	0.0	0.0				

E50. Modulation	and Services (If the	ne complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its
DIGITAL TR	RAFFIC USING QP	SK AND BPSK MO	DULATION			
STL4009/10	10950 11200	R	Horizontal and Vertical	54M0G7W	0.0	0.0
DIGITAL TR	RAFFIC USING QP	SK AND BPSK MO	DULATION			
STL4009/10	11450 12200	R	Horizontal and Vertical	151KG7W	0.0	0.0
E50. Modulation entirety.) DIGITAL TF	a and Services (If the			n this box, please go t	o the end of the form	to view it in its
STL4009/10	11450 12200	R	Horizontal and Vertical	2M60G7W	0.0	0.0

E50. Modulation entirety.)	n and Services (If the	ne complete description	on does not appear i	n this box, please go	to the end of the form	to view it in its
DIGITAL T	RAFFIC USING QF	SK AND BPSK MC	DULATION			
STL4009/10	11450 12200	R	Horizontal and Vertical	54M0G7W	0.0	0.0
entirety.) DIGITAL TI	RAFFIC USING QF	SK AND BPSK MC	DULATION			
STL4009/10	14000 14500	Т	Horizontal and Vertical	194KG7W	41.2	24.3
E50. Modulation entirety.)	n and Services (If the	ne complete descripti	on does not appear i	n this box, please go	to the end of the form	to view it in its
DIGITAL T	RAFFIC USING QF	SK AND BPSK MC	DULATION			
STL4009/10	14000 14500	Т	Horizontal and Vertical	1M16G7W	48.9	24.2

E50. Modulation entirety.)	n and Services (If the	ne complete description	on does not appear i	n this box, please go	to the end of the form	to view it in its
DIGITAL TI	RAFFIC USING QE	SK AND BPSK MC	DULATION			
STL4009/10	14000 14500	Т	Horizontal and Vertical	1M36G7W	48.9	23.6
entirety.) DIGITAL TI	RAFFIC USING QE	PSK AND BPSK MC	DULATION			
STL4009/10	14000 14500	Т	Horizontal and Vertical	1M55G7W	48.9	23.0
E50. Modulation entirety.)	n and Services (If the	ne complete descripti	on does not appear i	n this box, please go	to the end of the form	to view it in its
DIGITAL T	RAFFIC USING QE	PSK AND BPSK MC	DULATION			
STL4009/10	14000 14500	Т	Horizontal and Vertical	291KG7W	42.9	24.3

E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	n this box, please go t	to the end of the form	to view it in its
DIGITAL TE	RAFFIC USING QF	SK AND BPSK MC	DULATION			
STL4009/10	14000 14500	Т	Horizontal and Vertical	388KG7W	44.2	24.3
entirety.) DIGITAL TF	RAFFIC USING QF				to the end of the form	
STL4009/10	14000 14500	Т	Horizontal and Vertical	485KG7W	45.2	24.3
E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	n this box, please go t	to the end of the form	to view it in its
DIGITAL TE	RAFFIC USING QF	SK AND BPSK MC	DULATION			
STL4009/10	14000 14500	Т	Horizontal and Vertical	582KG7W	45.9	24.3

E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	n this box, please go t	to the end of the form	to view it in its
<u> </u>	RAFFIC USING QF	SK AND BPSK MO	DULATION			
STL4009/10	14000 14500	Т	Horizontal and Vertical	64K0G7W	36.4	24.3
entirety.) DIGITAL TF	RAFFIC USING QF	SK AND BPSK MO	DULATION			
STL4009/10	14000 14500	Т	Horizontal and Vertical	679KG7W	46.6	24.3
E50. Modulation entirety.)	In and Services (If the RAFFIC USING QF			In this box, please go t	to the end of the form	to view it in its
STL4009/10	14000 14500	Т	Horizontal and Vertical	776KG7W	47.1	24.3

E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	n this box, please go to	o the end of the form	to view it in its
	RAFFIC USING QP	SK AND BPSK MO	DULATION			
STL4009/10	14000 14500	Т	Horizontal and Vertical	970KG7W	48.2	24.3
DIGITAL TR	RAFFIC USING QP	SK AND BPSK MO	DULATION			
STL4009/10	14000 14500	Т	Horizontal and Vertical	97K0G7W	38.2	24.3
E50. Modulation entirety.)			l on does not appear in	n this box, please go t	o the end of the form	to view it in its
STL4009/10	10950 11200	R	Horizontal and Vertical	44K8G1W	0.0	0.0

entirety.)	on and Services (If the complete de	escription does not appear	in this box, please	go to the end of	the form to view it in its
SCPC DIG	ITAL TRAFFIC (JSING QPSK A	ND BPSK MODULATION	V		
STL4009/10	10950 11200	R	Horizontal and Vertical	717KG1W	0.0	0.0
E50. Modulati entirety.)	on and Services (If the complete de	escription does not appear	in this box, please	go to the end of	the form to view it in its
STL4009/10	10950	R	Horizontal and	89K6G1W	0.0	0.0
E50. Modulati	11200		Horizontal and Vertical escription does not appear			
entirety.)	on and Services (If the complete do	Vertical	in this box, please		

entirety.)	on and Services (If	the complete descript	tion does not appear	in this box, please	go to the end of t	he form to view it in its
SCPC DIGI	ITAL TRAFFIC US	ING QPSK AND B	PSK MODULATION	ſ		
STL4009/10	11450 12200	R	Horizontal and Vertical	717KG1W	0.0	0.0
E50. Modulation entirety.)	on and Services (If	the complete descript	tion does not appear	in this box, please	go to the end of t	he form to view it in its
	- Lucia	R	Horizontal and	89K6G1W	0.0	0.0
TL4009/10	11450	IK .		0,110,01,1		0.0
E50. Modulation	12200		Vertical			he form to view it in its
entirety.)	12200	the complete descript	Vertical tion does not appear	in this box, please		

E50. Modulation entirety.)	and Services (If the	e complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its	
SCPC DIGIT	AL TRAFFIC USI	NG QPSK AND BP	SK MODULATION				
STL4009/10	14000 14500	Т	Horizontal and Vertical	717KG1W	46.8	24.3	
E50. Modulation entirety.) SCPC DIGIT	AL TRAFFIC USI			71 0	o the end of the form		
STL4009/10	14000 14500	Т	Horizontal and Vertical	89K6G1W	37.8	24.3	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) SCPC DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION							
SeaTel5010	10950 11200	R	Horizontal and Vertical	45M0G1W	0.0	0.0	

E50. Modulatio	n and Services (If	the complete descripti	on does not appear	in this box, please g	go to the end of t	he form to view it in its
entirety.) DIGITAL T	RAFFIC USING Q	PSK AND BPSK MO	DDULATION			
SeaTel5010	10950 11200	R	Horizontal and Vertical	45M0G7W	0.0	0.0
E50. Modulatio entirety.) DIGITAL T		PSK AND BPSK MO				the form to view it in its
SeaTel5010	10950 11200	R	Horizontal and Vertical	64K0G1W	0.0	0.0
E50. Modulatio entirety.) DIGITAL T	·	the complete description		in this box, please g	go to the end of t	he form to view it in its
SeaTel5010	10950 11200	R	Horizontal and Vertical	64K0G7W	0.0	0.0

E50. Modulation entirety.)	and Services (If the	e complete description	on does not appear in	n this box, please go t	o the end of the form	to view it in its
	RAFFIC USING QP	SK AND BPSK MO	DULATION			
SeaTel5010	11450 12200	R	Horizontal and Vertical	45M0G1W	0.0	0.0
DIGITAL TR	RAFFIC USING QP	SK AND BPSK MO	DULATION			
SeaTel5010	11450 12200	R	Horizontal and Vertical	45M0G7W	0.0	0.0
E50. Modulation entirety.) DIGITAL TR	and Services (If the			n this box, please go t	o the end of the form	to view it in its
SeaTel5010	11450 12200	R	Horizontal and Vertical	64K0G1W	0.0	0.0

E50. Modulation entirety.)	n and Services (If t	he complete descripti	on does not appear in	n this box, please go	to the end of the form	to view it in its
	RAFFIC USING QI	PSK AND BPSK MC	DULATION			
SeaTel5010	11450 12200	R	Horizontal and Vertical	64K0G7W	0.0	0.0
E50. Modulation entirety.) DIGITAL T	RAFFIC USING Q			Tills box, piease go	to the end of the form	to view it iii its
SeaTel5010	14000 14500	Т	Horizontal and Vertical	194KG1W	45.9	29.0
E50. Modulation entirety.) DIGITAL T	n and Services (If t			n this box, please go	to the end of the form	to view it in its
SeaTel5010	14000 14500	Т	Horizontal and Vertical	194KG7W	45.9	29.0

E50. Modulation	n and Services (If the	he complete descripti	on does not appear is	n this box, please go	to the end of the form	to view it in its
DIGITAL T	RAFFIC USING QE	PSK AND BPSK MC	DULATION			
SeaTel5010	14000 14500	Т	Horizontal and Vertical	222KG1W	46.4	29.0
E50. Modulation entirety.) DIGITAL TI	RAFFIC USING QE			it tills box, pieuse go	to the end of the form	
SeaTel5010	14000 14500	Т	Horizontal and Vertical	222KG7W	46.4	29.0
E50. Modulation entirety.) DIGITAL TI	n and Services (If the			n this box, please go	to the end of the form	to view it in its
SeaTel5010	14000 14500	Т	Horizontal and Vertical	263KG1W	47.2	29.0

E50. Modulatio	on and Services (If	the complete de	scription does not appear i	n this box, please	go to the end of t	he form to view it in i	its
entirety.) DIGITAL T	RAFFIC USING (PSK AND BPS	SK MODULATION				
SeaTel5010	14000 14500	Т	Horizontal and Vertical	263KG7W	47.2	29.0	
entirety.) DIGITAL T	RAFFIC USING (scription does not appear i				
SeaTel5010	14000 14500	Т	Horizontal and Vertical	291KG1W	47.6	29.0	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION							
SeaTel5010	14000 14500	Т	Horizontal and Vertical	291KG7W	47.6	29.0	

E50. Modulation	n and Services (If	he complete descripti	on does not appear i	n this box, please g	go to the end of th	e form to view it in its
DIGITAL T	RAFFIC USING Q	PSK AND BPSK MO	DDULATION			
SeaTel5010	14000 14500	Т	Horizontal and Vertical	296KG1W	47.0	29.0
E50. Modulation entirety.) DIGITAL T		PSK AND BPSK MC		ii uiis box, pieuse g	go to the end of th	e form to view it in its
SeaTel5010	14000 14500	Т	Horizontal and Vertical	296KG7W	47.7	29.0
E50. Modulation entirety.) DIGITAL T		he complete descripti		n this box, please g	to to the end of th	e form to view it in its
SeaTel5010	14000 14500	Т	Horizontal and Vertical	345KG1W	48.4	29.0

E50. Modulation	n and Services (If t	he complete descripti	on does not appear i	n this box, please go	to the end of the form	to view it in its
DIGITAL T	RAFFIC USING QI	PSK AND BPSK MC	DULATION			
SeaTel5010	14000 14500	Т	Horizontal and Vertical	345KG7W	48.4	29.0
E50. Modulation entirety.) DIGITAL T	,	PSK AND BPSK MC		ii tiiis toox, picase go	to the end of the form	to view it in its
SeaTel5010	14000 14500	Т	Horizontal and Vertical	388KG1W	48.9	29.0
E50. Modulation entirety.) DIGITAL T		he complete descripti		n this box, please go	to the end of the form	to view it in its
SeaTel5010	14000 14500	Т	Horizontal and Vertical	388KG7W	48.9	29.0

E50. Modulation	n and Services (If t	he complete descripti	on does not appear i	n this box, please g	o to the end of the	e form to view it in its
DIGITAL T	RAFFIC USING Q	PSK AND BPSK MO	DULATION			
SeaTel5010	14000 14500	Т	Horizontal and Vertical	417KG1W	49.2	29.0
E50. Modulation entirety.) DIGITAL T	`	PSK AND BPSK MO		ii tiiis box, picase g	o to the end of the	e form to view it in its
SeaTel5010	14000 14500	Т	Horizontal and Vertical	417KG7W	49.2	29.0
E50. Modulation entirety.) DIGITAL T		he complete descripti		n this box, please g	o to the end of the	e form to view it in its
SeaTel5010	14000 14500	Т	Horizontal and Vertical	445KG1W	49.5	29.0

E50. Modulatio	n and Services (If	the complete descri	ption does not appear	in this box, please	go to the end of t	he form to view it in its	3
entirety.) DIGITAL T	RAFFIC USING (PSK AND BPSK	MODULATION				
SeaTel5010	14000 14500	Т	Horizontal and Vertical	445KG7W	49.5	29.0	
E50. Modulatio entirety.) DIGITAL T	RAFFIC USING (in this box, please	go to the chu of t	he form to view it in its	
SeaTel5010	14000 14500	Т	Horizontal and Vertical	452KG1W	49.5	29.0	
E50. Modulatio entirety.) DIGITAL T	n and Services (If			in this box, please	go to the end of t	he form to view it in its	;
SeaTel5010	14000 14500	Т	Horizontal and Vertical	452KG7W	49.5	29.0	

E50. Modulation	n and Services (If	the complete descripti	ion does not appear	in this box, please	go to the end of the	he form to view it in its
DIGITAL T	RAFFIC USING Q	PSK AND BPSK MO	DDULATION			
SeaTel5010	14000 14500	Т	Horizontal and Vertical	518KG1W	50.1	29.0
E50. Modulation entirety.) DIGITAL T		PSK AND BPSK MO		in tins box, piease g	go to the end of the	he form to view it in its
SeaTel5010	14000 14500	Т	Horizontal and Vertical	518KG7W	50.1	29.0
E50. Modulation entirety.) DIGITAL T		the complete descripti		in this box, please	go to the end of the	he form to view it in its
SeaTel5010	14000 14500	Т	Horizontal and Vertical	64K0G1W	41.0	29.0

E50. Modulatio	n and Services (If	the complete descript	ion does not appear	in this box, please	go to the end of the	he form to view it in its	
entirety.) DIGITAL T	RAFFIC USING Q	PSK AND BPSK MO	ODULATION				
SeaTel5010	14000 14500	Т	Horizontal and Vertical	64K0G7W	41.0	29.0	
E50. Modulatio entirety.) DIGITAL T		PSK AND BPSK M		in this con, prouse		he form to view it in its	
SeaTel5010	14000 14500	Т	Horizontal and Vertical	776KG1W	51.2	28.3	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION							
SeaTel5010	14000 14500	Т	Horizontal and Vertical	776KG7W	51.2	28.3	

E50. Modulation entirety.)	n and Services (If t	he complete descripti	on does not appear i	n this box, please go	to the end of the form	to view it in its	
	RAFFIC USING Q	PSK AND BPSK MO	DULATION				
SeaTel5010	14000 14500	Т	Horizontal and Vertical	97K0G1W	42.8	29.0	
entirety.) DIGITAL TE	RAFFIC USING Q	PSK AND BPSK MO	DULATION				
SeaTel5010	14000 14500	Т	Horizontal and Vertical	97K0G7W	42.8	29.0	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION							
SeaTel6009	10950 11200	R	Horizontal and Vertical	1M43G1W	0.0	0.0	

	on and Services	(If the complete de	escription does not appear	in this box, please	go to the end of t	he form to view it in i	its
DIGITAL 7	FRAFFIC USING	QPSK AND BP	SK MODULATION				
SeaTel6009	10950 11200	R	Horizontal and Vertical	2M35G1W	0.0	0.0	
entirety.)			SK MODULATION	iii tiiis oox, piease	go to the end of t	ne form to view it in i	
SeaTel6009	10950 11200	R	Horizontal and Vertical	44K8G1W	0.0	0.0	
entirety.)		· •	escription does not appear	in this box, please	go to the end of t	the form to view it in i	its
SeaTel6009	10950 11200	R	Horizontal and Vertical	54M0G7W	0.0	0.0	

E50. Modulatio entirety.)	n and Services (If	the complete descript	ion does not appear	in this box, please §	go to the end of t	he form to view it in its	
	RAFFIC USING Q	PSK AND BPSK M	ODULATION				
SeaTel6009	10950 11200	R	Horizontal and Vertical	717KG1W	0.0	0.0	
entirety.) DIGITAL T	RAFFIC USING Q	PSK AND BPSK M	ODULATION				
SeaTel6009	10950 11200	R	Horizontal and Vertical	81K0G7W	0.0	0.0	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION							
SeaTel6009	10950 11200	R	Horizontal and Vertical	89K6G1W	0.0	0.0	

E50. Modulatio	on and Services (If	the complete descr	ription does not appear	in this box, please	go to the end of t	the form to view it in its	
DIGITAL T	RAFFIC USING (PSK AND BPSK	MODULATION				
SeaTel6009	11450 12200	R	Horizontal and Vertical	1M43G1W	0.0	0.0	
E50. Modulation entirety.) DIGITAL T	RAFFIC USING (iii tiiis oox, piease	go to the end of t	the form to view it in its	
SeaTel6009	11450 12200	R	Horizontal and Vertical	2M35G1W	0.0	0.0	
E50. Modulation entirety.)	on and Services (If			in this box, please	go to the end of t	the form to view it in its	
SeaTel6009	11450 12200	R	Horizontal and Vertical	44K8G1W	0.0	0.0	

E50. Modulation entirety.)	on and Services (If	the complete desc	ription does not appear	in this box, please	go to the end of t	the form to view it in its		
	RAFFIC USING (PSK AND BPSK	MODULATION				I	
SeaTel6009	11450 12200	R	Horizontal and Vertical	54M0G7W	0.0	0.0		
E50. Modulation entirety.) DIGITAL T	TRAFFIC USING			in this box, please	go to the end of t	the form to view it in its		
SeaTel6009	11450 12200	R	Horizontal and Vertical	81K0G7W	0.0	0.0		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
SeaTel6009	11450 12200	R	Horizontal and Vertical	89K6G1W	0.0	0.0		

E50. Modulatio entirety.)	on and Services (If	the complete desc	cription does not appear	in this box, please	go to the end of the	he form to view it in	its
DIGITAL T	RAFFIC USING (PSK AND BPSI	K MODULATION				
SeaTel6009	14000 14500	Т	Horizontal and Vertical	151KG7W	46.9	31.1	
E50. Modulatio entirety.) DIGITAL T	RAFFIC USING (cription does not appear K MODULATION	in this box, please	go to the end of t	ile form to view it in	
SeaTel6009	14000 14500	Т	Horizontal and Vertical	194KG7W	48.0	31.1	
E50. Modulatio entirety.)	on and Services (If	the complete desc	cription does not appear	in this box, please	go to the end of the	he form to view it in	its
DIGITAL T	RAFFIC USING (PSK AND BPSI	K MODULATION				
SeaTel6009	14000 14500	Т	Horizontal and Vertical	1M43G1W	53.3	27.8	

E50. Modulation	n and Services (If	he complete descripti	on does not appear i	n this box, please g	o to the end of the	e form to view it in its		
DIGITAL T	RAFFIC USING Q	PSK AND BPSK MO	DDULATION					
SeaTel6009	14000 14500	Т	Horizontal and Vertical	291KG7W	49.7	31.1		
E50. Modulation entirety.) DIGITAL T		PSK AND BPSK MO		ii tiiis oox, piease g	o to the end of the	e form to view it in its		
SeaTel6009	14000 14500	Т	Horizontal and Vertical	2M35G1W	53.3	25.6		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
SeaTel6009	14000 14500	Т	Horizontal and Vertical	388KG7W	51.0	31.1		

E50. Modulation	n and Services (If	the complete descript	ion does not appear	in this box, please	go to the end of the	he form to view it in its		
entirety.) DIGITAL T	RAFFIC USING Q	PSK AND BPSK MO	ODULATION					
SeaTel6009	14000 14500	Т	Horizontal and Vertical	445KG7W	51.6	31.1		
E50. Modulation entirety.) DIGITAL T		PSK AND BPSK M		in this box, please	go to the end of the	he form to view it in its		
SeaTel6009	14000 14500	Т	Horizontal and Vertical	44K8G1W	41.6	31.1		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
SeaTel6009	14000 14500	Т	Horizontal and Vertical	452KG7W	51.6	31.1		

E50. Modulation entirety.)	n and Services (If	the complete of	description does not appear i	n this box, please	go to the end of the	he form to view it in	its	
	RAFFIC USING (PSK AND B	PSK MODULATION					
SeaTel6009	14000 14500	Т	Horizontal and Vertical	717KG1W	53.3	30.8		
entirety.) DIGITAL T	RAFFIC USING (PSK AND B	PSK MODULATION					
SeaTel6009	14000	Т	Horizontal and	81K0G7W	44.2	31.1		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
SeaTel6009	14000 14500	Т	Horizontal and Vertical	89K6G1W	44.6	31.1		

E50. Modulation entirety.)	n and Services (If	the complete descripti	on does not appear i	n this box, please go	to the end of the form	to view it in its		
	RAFFIC USING Q	PSK AND BPSK MO	DULATION					
SeaTel6009	14000 14500	Т	Horizontal and Vertical	97K0G7W	44.9	31.1		
entirety.) DIGITAL T		PSK AND BPSK MO			to the end of the form			
SeaTel6009	11450 12200	R	Horizontal and Vertical	717KG1W	0.0	0.0		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) SCPC DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
SeaTel5009	10950 11200	R	Horizontal and Vertical	45M0G1W	0.0	0.0		

E50. Modulatio entirety.)	n and Services (If	the complete descript	ion does not appear	in this box, please g	go to the end of t	he form to view it in its		
<u> </u>	RAFFIC USING Q	PSK AND BPSK MO	ODULATION					
SeaTel5009	10950 11200	R	Horizontal and Vertical	45M0G7W	0.0	0.0		
entirety.) DIGITAL T	RAFFIC USING Q	PSK AND BPSK MO	ODULATION					
SeaTel5009	10950 11200	R	Horizontal and Vertical	64K0G1W	0.0	0.0		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
SeaTel5009	10950 11200	R	Horizontal and Vertical	64K0G7W	0.0	0.0		

E50. Modulatio entirety.)	n and Services (If	the complete description	on does not appear i	n this box, please g	o to the end of the	e form to view it in its		
	RAFFIC USING Q	PSK AND BPSK MO	DDULATION					
SeaTel5009	11450 12200	R	Horizontal and Vertical	45M0G1W	0.0	0.0		
entirety.) DIGITAL T	RAFFIC USING Q	PSK AND BPSK MO	DDULATION					
SeaTel5009	11450 12200	R	Horizontal and Vertical	45M0G7W	0.0	0.0		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
SeaTel5009	11450 12200	R	Horizontal and Vertical	64K0G1W	0.0	0.0		

E50. Modulatio	n and Services (If	the complete descrip	tion does not appear	in this box, please	go to the end of t	he form to view it in its		
entirety.) DIGITAL T	RAFFIC USING Ç	PSK AND BPSK M	ODULATION					
SeaTel5009	11450 12200	R	Horizontal and Vertical	64K0G7W	0.0	0.0		
E50. Modulatio entirety.) DIGITAL T		PSK AND BPSK M		in this box, please	go to the chid of t	the form to view it in its		
SeaTel5009	14000 14500	Т	Horizontal and Vertical	194KG1W	45.9	29.0		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
SeaTel5009	14000 14500	Т	Horizontal and Vertical	194KG7W	45.9	29.0		

E50. Modulatio entirety.)	n and Services (l	If the complete of	lescription does not appear i	n this box, please	go to the end of t	he form to view it in	its	
	RAFFIC USING	QPSK AND BI	PSK MODULATION					
SeaTel5009	14000 14500	Т	Horizontal and Vertical	222KG1W	46.4	29.0		
entirety.) DIGITAL T	RAFFIC USING	QPSK AND BI	PSK MODULATION					
SeaTel5009	14000 14500	Т	Horizontal and Vertical	222KG7W	46.4	29.0		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
SeaTel5009	14000 14500	Т	Horizontal and Vertical	263KG1W	47.2	29.0		

E50. Modulation	n and Services (If t	he complete descripti	on does not appear i	n this box, please go	o to the end of the	form to view it in its		
entirety.) DIGITAL T	RAFFIC USING Q	PSK AND BPSK MO	DULATION					
SeaTel5009	14000 14500	Т	Horizontal and Vertical	263KG7W	47.2	29.0		
E50. Modulation entirety.) DIGITAL T	`	he complete descripti		ii uus oon, preuse g				
SeaTel5009	14000 14500	Т	Horizontal and Vertical	291KG1W	47.6	29.0		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
SeaTel5009	14000 14500	Т	Horizontal and Vertical	291KG7W	47.6	29.0		

E50. Modulation	and Services (If the	he complete descripti	on does not appear is	n this box, please go	to the end of the form	to view it in its		
entirety.) DIGITAL T	RAFFIC USING QE	PSK AND BPSK MC	DULATION					
SeaTel5009	14000 14500	Т	Horizontal and Vertical	296KG1W	47.7	29.0		
E50. Modulation entirety.) DIGITAL T	RAFFIC USING QE			ii iiiis box, piease go	to the end of the form	to view it in its		
SeaTel5009	14000 14500	Т	Horizontal and Vertical	296KG7W	47.7	29.0		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
SeaTel5009	14000 14500	Т	Horizontal and Vertical	345KG1W	48.4	29.0		

	on and Services (If the complete d	escription does not appear	in this box, please	go to the end of t	he form to view it in i	its
entirety.) DIGITAL 1	TRAFFIC USING	QPSK AND BP	SK MODULATION				
SeaTel5009	14000 14500	Т	Horizontal and Vertical	345KG7W	48.4	29.0	
E50. Modulation entirety.) DIGITAL 1			escription does not appear				
SeaTel5009	14000 14500	Т	Horizontal and Vertical	388KG1W	48.9	29.0	
entirety.)			escription does not appear	in this box, please	go to the end of t	he form to view it in i	its
SeaTel5009	14000 14500	Т	Horizontal and Vertical	388KG7W	48.9	29.0	

E50. Modulation entirety.)	n and Services (I	f the complete of	description does not appear i	n this box, please	go to the end of t	he form to view it in	its
	RAFFIC USING	QPSK AND BI	PSK MODULATION				
SeaTel5009	14000 14500	Т	Horizontal and Vertical	417KG1W	49.2	29.0	
DIGITAL T	RAFFIC USING	QPSK AND BI	PSK MODULATION				
SeaTel5009	14000 14500	Т	Horizontal and Vertical	417KG7W	49.2	29.0	
E50. Modulation entirety.) DIGITAL T	n and Services (I		description does not appear i	n this box, please	go to the end of t	he form to view it in	its
SeaTel5009	14000 14500	Т	Horizontal and Vertical	445KG1W	49.5	29.0	

E50. Modulatio entirety.)	on and Services (If the complete d	escription does not appear	n this box, please	go to the end of t	he form to view it in	its
	RAFFIC USING	QPSK AND BP	SK MODULATION				
SeaTel5009	14000 14500	Т	Horizontal and Vertical	445KG7W	49.5	29.0	
entirety.) DIGITAL T	RAFFIC USING	QPSK AND BP	SK MODULATION				
SeaTel5009	14000 14500	Т	Horizontal and Vertical	452KG1W	49.5	29.0	
E50. Modulation entirety.) DIGITAL T		· •	escription does not appear	in this box, please	go to the end of t		its
SeaTel5009	14000 14500	Т	Horizontal and Vertical	452KG7W	49.5	29.0	

E50. Modulation entirety.)	on and Services (If	the complete de	scription does not appear	in this box, please	go to the end of t	he form to view it in i	ts
	RAFFIC USING	OPSK AND BPS	SK MODULATION				
SeaTel5009	14000 14500	Т	Horizontal and Vertical	518KG1W	50.1	29.0	
E50. Modulation entirety.) DIGITAL T	RAFFIC USING		scription does not appear	in this box, please	go to the end of t	ne form to view it in f	
SeaTel5009	14000 14500	Т	Horizontal and Vertical	518KG7W	50.1	29.0	
E50. Modulation entirety.)	n and Services (If		scription does not appear	in this box, please	go to the end of t	he form to view it in i	ts
SeaTel5009	14000 14500	Т	Horizontal and Vertical	64K0G1W	41.0	29.0	

E50. Modulation entirety.)	n and Services (If	the complete descript	ion does not appear	in this box, please	go to the end of the	he form to view it in its	
	RAFFIC USING Q	PSK AND BPSK M	ODULATION				
SeaTel5009	14000 14500	Т	Horizontal and Vertical	64K0G7W	41.0	29.0	_
entirety.) DIGITAL T	RAFFIC USING Q	PSK AND BPSK M	ODULATION				
SeaTel5009	14000 14500	Т	Horizontal and Vertical	776KG1W	51.2	28.3	
	RAFFIC USING Q	the complete descript	ODULATION			he form to view it in its	
SeaTel5009	14000 14500	Т	Horizontal and Vertical	776KG7W	51.2	28.3	

E50. Modulation	n and Services (If t	he complete descripti	on does not appear i	n this box, please go	to the end of the form	to view it in its
DIGITAL T	RAFFIC USING QI	PSK AND BPSK MO	DULATION			
SeaTel5009	14000 14500	Т	Horizontal and Vertical	97K0G1W	42.8	29.0
E50. Modulation entirety.) DIGITAL T	RAFFIC USING Q			n this box, please go	to the end of the form	to view it in its
SeaTel5009	14000 14500	Т	Horizontal and Vertical	97K0G7W	42.8	29.0
E50. Modulation entirety.) DIGITAL T	n and Services (If t			n this box, please go	to the end of the form	to view it in its
SeaTel6006	10950 11200	R	Horizontal and Vertical	1M43G1W	0.0	0.0

E50. Modulatio entirety.)	n and Services (If	the complete descrip	tion does not appear	in this box, please	go to the end of	the form to view it in its	
	RAFFIC USING Q	PSK AND BPSK M	ODULATION				
SeaTel6006	10950 11200	R	Horizontal and Vertical	2M35G1W	0.0	0.0	
entirety.) DIGITAL T	RAFFIC USING Ç	PSK AND BPSK M	ODULATION				
SeaTel6006	10950 11200	R	Horizontal and Vertical	44K8G1W	0.0	0.0	
E50. Modulatio entirety.) DIGITAL T		the complete descrip		in this box, please	go to the end of	the form to view it in its	
SeaTel6006	10950 11200	R	Horizontal and Vertical	54M0G7W	0.0	0.0	

	on and Services (If the complete d	escription does not appear	in this box, please	go to the end of	the form to view it in its	
DIGITAL 7	TRAFFIC USING	QPSK AND BE	SK MODULATION				
SeaTel6006	10950 11200	R	Horizontal and Vertical	717KG1W	0.0	0.0	
entirety.)			escription does not appear	in this box, picase	go to the cha of	ine form to view it in its	
SeaTel6006	10950 11200	R	Horizontal and Vertical	81K0G7W	0.0	0.0	
entirety.)			escription does not appear	in this box, please	go to the end of	the form to view it in its	
SeaTel6006	10950 11200	R	Horizontal and Vertical	89K6G1W	0.0	0.0	

E50. Modulation	n and Services (If	the complete descripti	on does not appear i	n this box, please go	to the end of the form	to view it in its
entirety.) DIGITAL T	RAFFIC USING Q	PSK AND BPSK MO	DDULATION			
SeaTel6006	11450 12200	R	Horizontal and Vertical	1M43G1W	0.0	0.0
E50. Modulation entirety.) DIGITAL T	`	PSK AND BPSK MO		ii uns oox, piease ge	to the end of the form	to view it in its
SeaTel6006	11450 12200	R	Horizontal and Vertical	2M35G1W	0.0	0.0
E50. Modulation entirety.) DIGITAL T		the complete description		n this box, please go	to the end of the form	to view it in its
SeaTel6006	11450 12200	R	Horizontal and Vertical	44K8G1W	0.0	0.0

E50. Modulatio entirety.)	n and Services (If	the complete descript	ion does not appear	in this box, please	go to the end of t	the form to view it in its	
	RAFFIC USING Q	PSK AND BPSK MO	ODULATION				
SeaTel6006	11450 12200	R	Horizontal and Vertical	54M0G7W	0.0	0.0	
entirety.) DIGITAL T	RAFFIC USING Q	PSK AND BPSK MO	ODULATION				
SeaTel6006	11450 12200	R	Horizontal and Vertical	717KG1W	0.0	0.0	
E50. Modulatio entirety.) DIGITAL T		the complete descript		in this box, please g	go to the end of t	the form to view it in its	
SeaTel6006	11450 12200	R	Horizontal and Vertical	81K0G7W	0.0	0.0	

E50. Modulation entirety.)	n and Services (If the	ne complete descripti	on does not appear in	n this box, please go t	to the end of the form	to view it in its
	RAFFIC USING QE	PSK AND BPSK MC	DULATION			
SeaTel6006	11450 12200	R	Horizontal and Vertical	89K6G1W	0.0	0.0
entirety.) DIGITAL TH	RAFFIC USING QE	PSK AND BPSK MC	DULATION			
SeaTel6006	14000 14500	Т	Horizontal and Vertical	151KG7W	46.9	31.1
	RAFFIC USING QE		DULATION		to the end of the form	
SeaTel6006	14000 14500	Т	Horizontal and Vertical	194KG7W	48.0	31.1

E50. Modulatio entirety.)	on and Services (If	the complete de	scription does not appear	in this box, please	go to the end of the	he form to view it in	its
DIGITAL T	RAFFIC USING (PSK AND BPS	SK MODULATION				
SeaTel6006	14000 14500	Т	Horizontal and Vertical	1M43G1W	53.3	27.8	
E50. Modulatio entirety.) DIGITAL T	RAFFIC USING (scription does not appear		50 00 000 000 00		
SeaTel6006	14000 14500	Т	Horizontal and Vertical	291KG7W	49.7	31.1	
E50. Modulatio entirety.)	on and Services (If	the complete de	scription does not appear	in this box, please	go to the end of the	he form to view it in	its
DIGITAL T	RAFFIC USING (PSK AND BPS	SK MODULATION				
SeaTel6006	14000 14500	Т	Horizontal and Vertical	2M35G1W	53.3	25.6	

E50. Modulatio	on and Services (I	f the complete d	escription does not appear	n this box, please	go to the end of the	he form to view it in	its	
entirety.) DIGITAL T	RAFFIC USING	QPSK AND BE	PSK MODULATION					
SeaTel6006	14000 14500	Т	Horizontal and Vertical	388KG7W	51.0	31.1		
E50. Modulation entirety.) DIGITAL T			escription does not appear i	in this box, please	go to the end of the	ne form to view it in	its	
SeaTel6006	14000 14500	Т	Horizontal and Vertical	445KG7W	51.6	31.1		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
SeaTel6006	14000 14500	Т	Horizontal and Vertical	44K8G1W	41.6	31.1		

E50. Modulation	n and Services (If	the complete description	ion does not appear i	in this box, please g	go to the end of the	he form to view it in its		
entirety.) DIGITAL T	RAFFIC USING Q	PSK AND BPSK MO	DDULATION					
SeaTel6006	14000 14500	Т	Horizontal and Vertical	452KG7W	51.6	31.1		
E50. Modulation entirety.) DIGITAL T		PSK AND BPSK MO		in this box, please §	go to the end of the	he form to view it in its		
SeaTel6006	14000 14500	Т	Horizontal and Vertical	717KG1W	53.3	30.8		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
SeaTel6006	14000 14500	Т	Horizontal and Vertical	81K0G7W	44.2	31.1		

E50. Modulatio	on and Services (I	f the complete d	lescription does not appear i	n this box, please	go to the end of t	he form to view it in i	its	
DIGITAL T	RAFFIC USING	QPSK AND BE	PSK MODULATION					
SeaTel6006	14000 14500	Т	Horizontal and Vertical	89K6G1W	44.6	31.1		
E50. Modulation entirety.) DIGITAL T			lescription does not appear i	ii tilis box, piease	go to the end of t	ne form to view it in i		
SeaTel6006	14000 14500	Т	Horizontal and Vertical	97K0G7W	44.9	31.1		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
Intl V110	10950 11200	R	Horizontal and Vertical	151KG7W	0.0	0.0		

E50. Modulation	n and Services (If the	ne complete description	on does not appear ir	this box, please go t	to the end of the form	to view it in its			
entirety.) DIGITAL T	RAFFIC USING QE	SK AND BPSK MC	DULATION						
Intl V110	10950 11200	R	Horizontal and Vertical	2M60G7W	0.0	0.0			
entirety.)	E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
Intl V110	10950 11200	R	Horizontal and Vertical	44K8G1W	0.0	0.0			
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION									
Intl V110	10950 11200	R	Horizontal and Vertical	54M0G7W	0.0	0.0			

E50. Modulation entirety.)	n and Services (If the	ne complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its		
	RAFFIC USING QF	SK AND BPSK MO	DULATION					
Intl V110	10950 11200	R	Horizontal and Vertical	717KG1W	0.0	0.0		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
Intl V110	10950 11200	R	Horizontal and Vertical	89K6G1W	0.0	0.0		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
Intl V110	11450 12200	R	Horizontal and Vertical	151KG7W	0.0	0.0		

E50. Modulation entirety.)	and Services (If the	e complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its		
	RAFFIC USING QP	SK AND BPSK MO	DULATION					
Intl V110	11450 12200	R	Horizontal and Vertical	2M60G7W	0.0	0.0		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
Intl V110	11450 12200	R	Horizontal and Vertical	44K8G1W	0.0	0.0		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
Intl V110	11450 12200	R	Horizontal and Vertical	54M0G7W	0.0	0.0		

E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its			
	RAFFIC USING QP	SK AND BPSK MO	DULATION						
Intl V110	11450 12200	R	Horizontal and Vertical	717KG1W	0.0	0.0			
entirety.)	E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
Intl V110	11450 12200	R	Horizontal and Vertical	89K6G1W	0.0	0.0			
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION									
Intl V110	14000 14500	Т	Horizontal and Vertical	194KG7W	42.4	25.5			

E50. Modulation entirety.)	n and Services (If the	ne complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its		
	RAFFIC USING QF	SK AND BPSK MC	DULATION					
Intl V110	14000 14500	Т	Horizontal and Vertical	1M16G7W	49.8	25.2		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
Intl V110	14000 14500	Т	Horizontal and Vertical	1M36G7W	49.8	24.5		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
Intl V110	14000 14500	Т	Horizontal and Vertical	1M55G7W	49.8	23.9		

E50. Modulation entirety.)	n and Services (If the	ne complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its		
	RAFFIC USING QF	SK AND BPSK MC	DULATION					
Intl V110	14000 14500	Т	Horizontal and Vertical	291KG7W	44.1	25.5		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
Intl V110	14000 14500	Т	Horizontal and Vertical	388KG7W	45.4	22.5		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
Intl V110	14000 14500	Т	Horizontal and Vertical	44K8G1W	36.0	22.5		

E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	n this box, please go t	to the end of the form	to view it in its			
DIGITAL TR	RAFFIC USING QP	SK AND BPSK MC	DULATION						
Intl V110	14000 14500	Т	Horizontal and Vertical	485KG7W	46.3	25.5			
entirety.)	E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its intirety.) DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
Intl V110	14000 14500	Т	Horizontal and Vertical	582KG7W	47.1	25.5			
E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	n this box, please go t	o the end of the form	to view it in its			
DIGITAL TR	RAFFIC USING QP	SK AND BPSK MC	DULATION						
Intl V110	14000 14500	Т	Horizontal and Vertical	64K0G7W	37.5	25.5			

E50 Modulatio	on and Campiage	(If the complete de	ecomination does not ennear	n this how places	as to the and of th	ha farm to view it in its				
	E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)									
T .	TRAFFIC USING	QPSK AND BP	SK MODULATION							
Intl V110	14000 14500	Т	Horizontal and Vertical	679KG7W	47.8	25.5				
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION										
Intl V110	14000 14500	Т	Horizontal and Vertical	717KG1W	48.0	25.5				
E50. Modulation entirety.)	on and Services	(If the complete de	escription does not appear i	in this box, please	go to the end of the	he form to view it in its				
DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION										
Intl V110	14000 14500	Т	Horizontal and Vertical	776KG7W	48.4	25.5				

E50. Modulation entirety.)	and Services (If the	ne complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its			
DIGITAL TR	AFFIC USING QP	SK AND BPSK MO	DULATION						
Intl V110	14000 14500	Т	Horizontal and Vertical	89K6G1W	39.0	25.5			
entirety.)	E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION								
Intl V110	14000 14500	Т	Horizontal and Vertical	970KG7W	49.3	25.5			
E50. Modulation entirety.)	and Services (If the	e complete description	on does not appear ir	this box, please go t	o the end of the form	to view it in its			
DIGITAL TR	AFFIC USING QP	SK AND BPSK MO	DULATION						
Intl V110	14000 14500	Т	Horizontal and Vertical	97K0G7W	39.3	25.5			

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	Frequency Limits(MHz)	Range of Satellite Arc Eastern/West	Station Azimuth	Antenna Elevation Angle	Station Azimuth Angle	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
			/					

REMOTE CONTROL POINT LOCATION

E61. Call Sign E890649 NOTE: Please enter the callsign of the concallsign for which this application is being file		E66. Phone Number 805−933−4000			
E62. Street Address 7676 Pine Grove Road					
E63. City Santa Paula	E68. County Ventura		E67/68. State/Country CA/ USA	E64. Zip Code 93060	

FCC NOTICE REQUIRED BY THE PAPERWORK REDUCTION ACT

The public reporting for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the required data, and completing and reviewing the collection of information. If you have any comments on this burden estimate, or how we can improve the collection and reduce the burden it causes you, please write to the Federal Communications Commission, AMD–PERM, Paperwork Reduction Project (3060–0678), Washington, DC 20554. We will also accept your comments regarding the Paperwork Reduction Act aspects of this collection via the Internet if you send them to PRA@fcc.gov. PLEASE DO NOT SEND COMPLETED FORMS TO THIS ADDRESS.

Remember – You are not required to respond to a collection of information sponsored by the Federal government, and the government may not conduct or sponsor this collection, unless it displays a currently valid OMB control number or if we fail to provide you with this notice. This collection has been assigned an OMB control number of 3060–0678.

THE FOREGOING NOTICE IS REQUIRED BY THE PAPERWORK REDUCTION ACT OF 1995, PUBLIC LAW 104–13, OCTOBER 1, 1995, 44 U.S.C. SECTION 3507.

43. Description. (Summarize the nature of the application and the services to be provided).

By this application Vizada, Inc. seeks to update the Particulars of Operation (Section B of the license) and the Antenna Facilities Specifications (Section E of the license) listed in its authorization to provide ESV service via its Santa Paula, CA teleport, call sign E890649 for the Sea Tel model 4003A and 4006 1.0 meter Ku-band remote Earth Station on Vessel (ESV) antennas; the Sea Tel model 5009 1.2 meter Ku-band remote ESV antennas; and the Sea Tel model 6006 1.5 meter Ku-band remote ESV antennas. The application is also to add up to 500 Sea Tel model 4009/4010 1.0 meter Ku-band remote ESV antennas; up to 500 Sea Tel model 5010 1.2 meter Ku-band remote ESV antennas; up to 500 Sea Tel model 6009 1.5 meter Ku-band remote ESV antennas; and up to 500 Intellian model V110 1.05 Meter Ku-band remote ESV antennas to the authorization.