Approved by OMB 3060–0678

Date & Time Filed: Nov 7 2011 6:27:03:840PM File Number: SES–MOD–INTR2011–04820

FCC APPLICATION FOR SPACE AND EARTH STATION:MOD OR AMD – MAIN FORM	FCC Use Only
FCC 312 MAIN FORM FOR OFFICIAL USE ONLY	

APPLICANT INFORMATION Enter a description of this application to identify it on the main menu: KA313 Modification to add Sea Tel USAT–30 Antenna to ESV Authorization

1–8. Legal Name of Applicant **Phone Number:** Name: Vizada, Inc. 301-838-7807 DBA Fax Number: 301-838-7752 Name: Street: 2600 Tower Oaks Boulevard E-Mail: rob.swanson@vizada.com City: Rockville State: MD USA Zipcode: **Country:** 20852 Attention: Mr Robert W Swanson

. Name of Contac	t Representative		
Name:	Vizada, Inc.	Phone Number:	301-838-7839
Company	:	Fax Number:	301-838-7752
Street:	2600 Tower Oaks Boulevard	E-Mail:	james.lovelace@vizada.com
City:	Rockville	State:	MD
Country:	USA	Zipcode:	20852-
Attention	James G. Lovelace	Relationship:	Other

CLASSIFICATION OF FILING

17. Choose the button next to the classification that applies to this filing for both questions a. and b. Choose only one for 17a and only one for 17b.	 (N/A) b1. Application for License of New Station (N/A) b2. Application for Registration of New Domestic Receive–Only Station b3. Amendment to a Pending Application
 a1. Earth Station a2. Space Station 	 b4. Modification of License or Registration b5. Assignment of License or Registration b6. Transfer of Control of License or Registration b7. Notification of Minor Modification
	 (N/A) b8. Application for License of New Receive–Only Station Using Non–U.S. Licensed Satellite (N/A) b9. Letter of Intent to Use Non–U.S. Licensed Satellite to Provide Service in the United States (N/A) b10. Other (Please specify) (N/A) b11. Application for Earth Station to Access a Non–U.S.satellite Not Currently Authorized to Provide the Proposed Service in the Proposed Frequencies in the United States (N/A) b12. Application for Database Entry b13. Amendment to a Pending Database Entry Application b14. Modification of Database Entry

17c. Is a fee submitted with this application?				
● If Yes, complete and attach FCC Form 159. If No, indicate reason for fee exemption (see 47 C.F.R.Section 1.1114).				
O Governmental Entity O Noncommercial educational licensee				
• Other(please explain):				
17d.				
Fee Classification CGX – Fixed Satellite 7 Station	Transmit/Receive Earth			
18. If this filing is in reference to an existing station, enter:	19. If this filing is an amendment to a pending modification please enter only the file number:			
(a) Call sign of station:	(a) Date pending application was filed:	(b) File number:		
KA313		SESMOD2011012800069		


TYPE OF SERVICE

20. NATURE OF SERVICE: This filing is for an authorization to provide or use the following type(s) of service(s): Select all that apply:				
a. Fixed Satellite				
b. Mobile Satellite				
c. Radiodetermination Satellite				
d. Earth Exploration Satellite				
e. Direct to Home Fixed Satellite				
f. Digital Audio Radio Service				
g. Other (please specify) Earth Station on Vessel				
21. STATUS: Choose the button next to the applicable status. Choose 22. If earth station applicant, check all that apply.				
only one. Using U.S. licensed satellites				
Common Carrier Non-Common Carrier Using Non-U.S. licensed satellites				
23. If applicant is providing INTERNATIONAL COMMON CARRIER service, see instructions regarding Sec. 214 filings. Choose one. Are these facilities:				
Connected to a Public Switched Network Not connected to a Public Switched Network N/A				
24. FREQUENCY BAND(S): Place an 'X' in the box(es) next to all applicable frequency band(s).				
a. C–Band (4/6 GHz) k. Ku–Band (12/14 GHz)				
c.Other (Please specify upper and lower frequencies in MHz.)				
Frequency Lower: Frequency Upper: (Please specify additional frequencies in an attachment)				

TYPE OF STATION

25. CLASS OF STATION: Choose the button next to the class of station that applies. Choose only one.				
• a. Fixed Earth Station				
• b. Temporary–Fixed Earth Station				
o c. 12/14 GHz VSAT Network				
O d. Mobile Earth Station				
• e. Geostationary Space Station				
o f. Non–Geostationary Space Station				
• g. Other (please specify) Earth Station on Vessel				
26. TYPE OF EARTH STATION FACILITY:				
Transmit/Receive Transmit-Only Receive-Only N/A				
"For Space Station applications, select N/A."				

PURPOSE OF MODIFICATION



ENVIRONMENTAL POLICY

28. Would a Commission grant of any proposal in this application or amendment have a significant environmental impact as defined by 47 CFR 1.1307? If YES, submit the statement as required by Sections 1.1308 and 1.1311 of the Commission's rules, 47 C.F.R. 1.1308 and 1.1311, as an exhibit to this application. A Radiation Hazard Study must accompany all applications for new transmitting facilities, major modifications, or major amendments.	defined by 47 CFR 1.1307? If YES, submit the statement as required by Sections 1.1308 and 1.1311 of ission's rules, 47 C.F.R. 1.1308 and 1.1311, as an exhibit to this application. A Radiation Hazard Study RadHaz Study					
ALIEN OWNERSHIP Earth station applicants not proposing to provide broadcast, common carrier, aerona aeronautical fixed radio station services are not required to respond to Items 30–34.	autic	al en	rou	te or	•	
29. Is the applicant a foreign government or the representative of any foreign government?	0	Yes	۲	No		
30. Is the applicant an alien or the representative of an alien?	0	Yes	۲	No	0	N/A
31. Is the applicant a corporation organized under the laws of any foreign government?	0	Yes	۲	No	0	N/A
32. Is the applicant a corporation of which more than one–fifth of the capital stock is owned of record or voted by aliens or their representatives or by a foreign government or representative thereof or by any corporation organized under the laws of a foreign country?	0	Yes	۲	No	0	N/A

3.	3. Is the applicant a corporation directly or indirectly controlled by any other corporation of which more than	@	Yes	\mathbf{O}	No	\mathbf{O}	N/A
01	one-fourth of the capital stock is owned of record or voted by aliens, their representatives, or by a foreign	~		~~			
g	overnment or representative thereof or by any corporation organized under the laws of a foreign country?						

34. If any answer to questions 29, 30, 31, 32 and/or 33 is Yes, attach as an exhibit an identification of the aliens or Ownership Statement foreign entities, their nationality, their relationship to the applicant, and the percentage of stock they own or vote.

BASIC QUALIFICATIONS

35. Does the Applicant request any waivers or exemptions from any of the Commission's Rules? If Yes, attach as an exhibit, copies of the requests for waivers or exceptions with supporting documents.	O Yes ● No
	Sea Tel Declaration
36. Has the applicant or any party to this application or amendment had any FCC station authorization or license revoked or had any application for an initial, modification or renewal of FCC station authorization, license, or construction permit denied by the Commission? If Yes, attach as an exhibit, an explination of circumstances.	⊖ Yes ● No
	Vizada Declaration

37. Has the applicant, or any party to this application or amendment, or any party directly or indirectly controlling the applicant ever been convicted of a felony by any state or federal court? If Yes, attach as an exhibit, an explination of circumstances.	O Yes	lo No
	Exhibits 2 – 4	
38. Has any court finally adjudged the applicant, or any person directly or indirectly controlling the applicant, guilty of unlawfully monopolizing or attempting unlawfully to monopolize radio communication, directly or indirectly, through control of manufacture or sale of radio apparatus, exclusive traffic arrangement or any other	O Yes	
means or unfair methods of competition? If Yes, attach as an exhibit, an explanation of circumstances	Operations Area	a
39. Is the applicant, or any person directly or indirectly controlling the applicant, currently a party in any pending matter referred to in the preceding two items? If yes, attach as an exhinit, an explanation of the circumstances.	O Yes	● No
40. If the applicant is a corporation and is applying for a space station license, attach as an exhibit the names, address, and citizenship of those stockholders owning a record and/or voting 10 percent or more of the Filer's voting stock and the percentages so held. In the case of fiduciary control, indicate the beneficiary(ies) or class of beneficiaries. Also list the names and addresses of the officers and directors of the Filer.		

41. By checking Yes, the undersigned certifies, that neither applicant nor any other party to the application is subject to a denial of Federal benefits that includes FCC benefits pursuant to Section 5301 of the Anti–Drug Act of 1988, 21 U.S.C. Section 862, because of a conviction for possession or distribution of a controlled substance. See 47 CFR 1.2002(b) for the meaning of "party to the application" for these purposes.

42a. Does the applicant intend to use a non–U.S. licensed satellite to provide service in the United States? If Yes, answer 42b and attach an exhibit providing the information specified in 47 C.F.R. 25.137, as appropriate. If No, proceed to question 43.



O No

Yes

42b. What administration has licensed or is in the process of licensing the space station? If no license will be issued, what administration has coordinated or is in the process of coordinating the space station? All satellites used are on ALSAT list.

43. Description. (Summarize the nature of the application and the services to be provided). (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

By this application Vizada, Inc. seeks authority to add up to 500 Sea Tel 0.75 Meter Kuband Model USAT-30 remote Earth Station on Vessel (ESV) antennas to its authorization to provide ESV service via its Southbury, CT teleport, call sign KA313.

25,222 Compliance

43a. Geographic Service Rule Certification By selecting A, the undersigned certifies that the applicant is not subject to the geographic service or geographic coverage requirements specified in 47 C.F.R. Part 25.	● A
By selecting B, the undersigned certifies that the applicant is subject to the geographic service or geographic coverage requirements specified in 47 C.F.R. Part 25 and will comply with such requirements.	O ^B
By selecting C, the undersigned certifies that the applicant is subject to the geographic service or geographic coverage requirements specified in 47 C.F.R. Part 25 and will not comply with such requirements because it is not feasible as a technical matter to do so, or that, while technically feasible, such services would require so many compromises in satellite design and operation as to make it economically unreasonable. A narrative description and technical analysis demonstrating this claim are attached.	o ^c
	25.222(c)&(d) Compli

CERTIFICATION

The Applicant waives any claim to the use of any particular frequency or of the electromagnetic spectrum as against the regulatory power of the United States because of the previous use of the same, whether by license or otherwise, and requests an authorization in accordance with this application. The applicant certifies that grant of this application would not cause the applicant to be in violation of the spectrum aggregation limit in 47 CFR Part 20. All statements made in exhibits are a material part hereof and are incorporated herein as if set out in full in this application. The undersigned, individually and for the applicant, hereby certifies that all statements made in this application and in all attached exhibits are true, complete and correct to the best of his or her knowledge and belief, and are made in good faith.

44. Applicant is a (an): (Choose the button next to applicable response.)	
O Individual	
O Unincorporated Association	
• Partnership	
• Corporation	
• Governmental Entity	
Other (please specify)	
45. Name of Person Signing	46. Title of Person Signing
James G. Lovelace	Security Officer
>	
	ARE PUNISHABLE BY FINE AND / OR IMPRISONMENT VOCATION OF ANY STATION AUTHORIZATION FORFEITURE (U.S. Code, Title 47, Section 503).

SATELLITE EARTH STATION AUTHORIZATIONS FCC Form 312 – Schedule B:(Technical and Operational Description) FOR OFFICIAL USE ONLY

Location of Earth St	ation Site					
E1: Site Identifier:	Ku–band ESV Remotes	E5. Call Sign:	KA313			
E2: Contact Name	Guy White	E6. Phone Number:	203-262-5000			
E3. Street:		E7. City:	Southbury			
		E8. County:	New Haven			
E4. State	СТ	E9. Zip Code				
E10. Area of Opera	tion:	U.S. and Internation	nal Waters			
E11. Latitude:	0 °0 '0.0 "					
E12. Longitude:	0 °0 '0.0 "					
E13. Lat/Lon Coordinates are:		O NAD-27	● NAD-83	O N/A		
E14. Site Elevation (AMSL):		0.0 meters				

by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.
--

E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes	O ^{No}	● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes	o	No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as Coord Not Required	0	Yes	۲	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	۲	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	0	Yes	۲	No

POINTS OF COMMUNICATION

Satellite Name: ALSAT ALL AUTHORIZED U.S. ALSAT If you selected OTHER, please enter the following:					
E21. Common Name:	E22. ITU Name:				
E23. Orbit Location:	E24. Country:				
POINTS OF COMMUNICATION (Destination Points)					
E25. Site Identifier:					

E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna Gain Transmint and/or Recieve (dBi at GHz)
Ku–band ESV Remotes	STL USAT30	500	Sea Tel	USAT-30	0.75	37.6 dBi at 11.85
Ku–band ESV Remotes	STL USAT30	500	Sea Tel	USAT-30	0.75	39.0 dBi at 14.25

Id	Diameter		· · · · ·	Height Above Ground Level	Input Power at	E39. Maximum Antenna Height Above Rooftop (meters)	EIRP for al
STL USAT30	0.75/0.75	0.0	0.0	0.0	6.7	0.0	47.3

FREQUENCY

E28. Antenna Id		E45. T/R Mode			EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STL USAT30	10950 11200	R	Horizontal and Vertical	1M00G1W	0.0	0.0

E50. Modulatio	n and Services (If	the complete descript	tion does not appear	in this box, please g	go to the end of t	he form to view it in its
entirety.)						
DIGITAL T	RAFFIC USING Ç	PSK AND BPSK M	ODULATION			
STL USAT30	10950 11200	R	Horizontal and Vertical	1M00G7W	0.0	0.0
E50. Modulatio entirety.)	n and Services (If	the complete descript	tion does not appear	in this box, please g	go to the end of t	he form to view it in its
DIGITAL T	RAFFIC USING Ç	PSK AND BPSK M	ODULATION			
STL USAT30	10950 11200	R	Horizontal and Vertical	45M0G1W	0.0	0.0
E50. Modulatio entirety.)	n and Services (If	the complete descript	tion does not appear	in this box, please g	go to the end of t	he form to view it in its
DIGITAL T	RAFFIC USING Ç	PSK AND BPSK M	ODULATION			
STL USAT30	10950 11200	R	Horizontal and Vertical	45M0G7W	0.0	0.0

E50. Modulatio	on and Services	(If the complete de	escription does not appear	in this box, please	go to the end of	the form to view it in its
entirety.)						
DIGITAL T	RAFFIC USING	QPSK AND BP	SK MODULATION			
STL USAT30	11450 12200	R	Horizontal and Vertical	1M00G1W	0.0	0.0
E50. Modulation entirety.)	on and Services	(If the complete de	escription does not appear	in this box, please	go to the end of	the form to view it in its
DIGITAL T	RAFFIC USING	QPSK AND BP	SK MODULATION			
STL USAT30	11450 12200	R	Horizontal and Vertical	1M00G7W	0.0	0.0
E50. Modulation entirety.)	on and Services	(If the complete d	escription does not appear	in this box, please	go to the end of	the form to view it in its
DIGITAL T	RAFFIC USING	QPSK AND BP	SK MODULATION			
STL USAT30	11450 12200	R	Horizontal and Vertical	45M0G1W	0.0	0.0

	on and Services (If the complete de	escription does not appear	in this box, please	go to the end of t	he form to view it in its
entirety.)						
DIGITAL T	TRAFFIC USING	QPSK AND BP	SK MODULATION			
STL USAT30	11450 12200	R	Horizontal and Vertical	45M0G7W	0.0	0.0
E50. Modulation entirety.)	on and Services (If the complete de	escription does not appear	in this box, please	go to the end of t	he form to view it in its
DIGITAL T	TRAFFIC USING	QPSK AND BP	SK MODULATION			
STL USAT30	14000 14500	Т	Left and Right Circular	128KG7W	32.5	17.4
E50. Modulation entirety.)	on and Services (If the complete de	escription does not appear	in this box, please	go to the end of t	he form to view it in its
DIGITAL T	FRAFFIC USING	QPSK AND BP	SK MODULATION			
STL USAT30	14000 14500	Т	Horizontal and Vertical	128KG1W	32.5	17.4

	on and Services	(If the complete d	escription does not appear	in this box, please	go to the end of t	he form to view it in its				
entirety.)										
DIGITAL 1	TRAFFIC USING	QPSK AND BF	PSK MODULATION							
STL USAT30	14000 14500	Т	Horizontal and Vertical	1M02G1W	41.5	17.4				
E50. Modulation entirety.)	on and Services	(If the complete d	escription does not appear	in this box, please	go to the end of t	he form to view it in its				
DIGITAL 1	TRAFFIC USING	QPSK AND BF	PSK MODULATION							
STL USAT30	14000 14500	Т	Horizontal and Vertical	1M02G7W	41.5	17.4				
E50. Modulation entirety.)	on and Services	(If the complete d	escription does not appear	in this box, please	go to the end of t	he form to view it in its				
entirety.) DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION										
STL USAT30	14000 14500	Т	Horizontal and Vertical	1M28G1W	42.5	17.4				

E50. Modulation	n and Services (If	the complete descript	ion does not appear	in this box, please go	to the end of the	e form to view it in its				
entirety.)										
DIGITAL T	RAFFIC USING Q	PSK AND BPSK M	ODULATION							
STL USAT30	14000 14500	Т	Horizontal and Vertical	1M28G7W	42.5	17.4				
E50. Modulation entirety.)	n and Services (If	the complete descript	ion does not appear	in this box, please go	to the end of the	e form to view it in its				
DIGITAL T	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION									
STL USAT30	14000 14500	Т	Horizontal and Vertical	1M54G1W	43.2	17.4				
E50. Modulation entirety.)	n and Services (If	the complete descript	ion does not appear	in this box, please go	to the end of the	e form to view it in its				
entirety.) DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION										
STL USAT30	14000 14500	Т	Horizontal and Vertical	1M54G7W	43.2	17.4				

	. Modulation	and Services (If th	ne complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its			
entirety	y.)									
	IGITAL TR.	AFFIC USING QP	SK AND BPSK MC	DULATION						
STL US	SAT30	14000 14500	Т	Horizontal and Vertical	1M79G1W	43.9	17.4			
E50. entirety	. Modulation ()	and Services (If th	ne complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its			
	IGITAL TR.	AFFIC USING QP	SK AND BPSK MC	DULATION						
STL US	SAT30	14000 14500	Т	Horizontal and Vertical	1M79G7W	43.9	17.4			
E50. entirety	. Modulation	and Services (If th	ne complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its			
נס	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION									
STL US	SAT30	14000 14500	Т	Horizontal and Vertical	256KG1W	35.5	17.4			

E50. Modulation	n and Services (If t	he complete descript	ion does not appear i	in this box, please go	to the end of the form	to view it in its				
entirety.)										
DIGITAL TI	RAFFIC USING Q	PSK AND BPSK M	ODULATION							
STL USAT30	14000 14500	Т	Horizontal and Vertical	256KG7W	35.5	17.4				
E50. Modulation entirety.)	n and Services (If t	he complete descript	ion does not appear i	in this box, please go	to the end of the form	to view it in its				
DIGITAL T	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION									
STL USAT30	14000 14500	Т	Horizontal and Vertical	2M05G1W	44.5	17.4				
E50. Modulation entirety.)	n and Services (If t	he complete descript	ion does not appear i	in this box, please go	to the end of the form	to view it in its				
entirety.) DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION										
STL USAT30	14000 14500	Т	Horizontal and Vertical	2M05G7W	44.5	17.4				

E50. Modulation	n and Services (If	the complete descript	ion does not appear i	in this box, please go	to the end of the	form to view it in its				
entirety.)										
DIGITAL T	RAFFIC USING Q	PSK AND BPSK M	ODULATION							
STL USAT30	14000 14500	Т	Horizontal and Vertical	2M56G1W	45.5	17.4				
E50. Modulation entirety.)	n and Services (If	the complete descript	ion does not appear i	in this box, please go	to the end of the	form to view it in its				
DIGITAL T	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION									
STL USAT30	14000 14500	Т	Horizontal and Vertical	2M56G7W	45.5	17.4				
E50. Modulation entirety.)	n and Services (If	the complete descript	ion does not appear i	in this box, please go	to the end of the	form to view it in its				
entirety.) DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION										
STL USAT30	14000 14500	Т	Horizontal and Vertical	3M07G1W	46.3	17.4				

E50. Modulation	n and Services (If	he complete descript	ion does not appear i	n this box, please go	to the end of the form	to view it in its				
entirety.)										
DIGITAL TI	RAFFIC USING Q	PSK AND BPSK M	DULATION							
STL USAT30	14000 14500	Т	Horizontal and Vertical	3M07G7W	46.3	17.4				
E50. Modulation entirety.)	n and Services (If t	he complete descript	ion does not appear i	n this box, please go	to the end of the form	to view it in its				
DIGITAL T	DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION									
STL USAT30	14000 14500	Т	Horizontal and Vertical	3M58G1W	46.9	17.4				
E50. Modulation entirety.)	n and Services (If t	he complete descript	ion does not appear i	n this box, please go	to the end of the form	to view it in its				
entirety.) DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION										
STL USAT30	14000 14500	Т	Horizontal and Vertical	3M58G7W	46.9	17.4				

	on and Services	(If the complete d	escription does not appear	in this box, please	go to the end of the	he form to view it in its				
entirety.)										
DIGITAL T	TRAFFIC USING	QPSK AND BP	SK MODULATION							
STL USAT30	14000 14500	Т	Horizontal and Vertical	4M10G1W	47.3	17.2				
E50. Modulation entirety.)	on and Services	(If the complete d	escription does not appear	in this box, please	go to the end of the	he form to view it in its				
DIGITAL 1	TRAFFIC USING	QPSK AND BP	SK MODULATION							
STL USAT30	14000 14500	Т	Horizontal and Vertical	4M10G7W	47.3	17.2				
E50. Modulation entirety.)	on and Services	(If the complete d	escription does not appear	in this box, please	go to the end of the	he form to view it in its				
STL USAT30	14000 14500	Т	Horizontal and Vertical	512KG1W	38.5	17.4				

		and Services (If th	e complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its		
entirety.))								
DIC	GITAL TRA	AFFIC USING QP	SK AND BPSK MC	DULATION					
STL USA		14000 14500	Т	Horizontal and Vertical	512KG7W	38.5	17.4		
E50. I entirety.)		and Services (If th	e complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its		
DIC	GITAL TRA	AFFIC USING QP	SK AND BPSK MC	DULATION					
STL USA		14000 14500	Т	Horizontal and Vertical	768KG1W	40.2	17.4		
E50. I entirety.)		and Services (If th	e complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its		
DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION									
STL USA	AT30	14000 14500	Т	Horizontal and Vertical	768KG7W	40.2	17.4		

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

DIGITAL TRAFFIC USING QPSK AND BPSK MODULATION

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	Frequency	Satellite Arc Eastern/West	Station Azimuth	Antenna Elevation Angle	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
			/					

REMOTE CONTROL POINT LOCATION

E61. Call Sign	E66. Phone Number			
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.				
E62. Street Address				
E63. City	E68. County		E67/68. State/Country /	E64. Zip Code

FCC NOTICE REQUIRED BY THE PAPERWORK REDUCTION ACT

The public reporting for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the required data, and completing and reviewing the collection of information. If you have any comments on this burden estimate, or how we can improve the collection and reduce the burden it causes you, please write to the Federal Communications Commission, AMD–PERM, Paperwork Reduction Project (3060–0678), Washington, DC 20554. We will also accept your comments regarding the Paperwork Reduction Act aspects of this collection via the Internet if you send them to PRA@fcc.gov. PLEASE DO NOT SEND COMPLETED FORMS TO THIS ADDRESS.

Remember – You are not required to respond to a collection of information sponsored by the Federal government, and the government may not conduct or sponsor this collection, unless it displays a currently valid OMB control number or if we fail to provide you with this notice. This collection has been assigned an OMB control number of 3060–0678.

THE FOREGOING NOTICE IS REQUIRED BY THE PAPERWORK REDUCTION ACT OF 1995, PUBLIC LAW 104–13, OCTOBER 1, 1995, 44 U.S.C. SECTION 3507.