

RADIO STATION AUTHORIZATION

Name: COMTECH EF DATA CORP.

Call Sign: E120058

Authorization Type: Modification of License

File Number: SES-MOD-20120720-00683

Non Common Carrier

on or Breenee

Grant date: 09/12/2012 Ex

Expiration Date:

07/16/2027

Nature of Service: Fixed Satellite Service

Class of Station: Fixed Earth Stations

A) Site Location(s)

# Site ID	Address	Latitude	Longitude	Elevation (Meters)	Special Provision NAD (Refer to Section I		
1) 1	20430 CENTURY BLVD. GERMANTOWN, MONTGOMERY, MD 20874	39°11'34.0"N	77°16'3.3"W	151.79	83		

Licensee certifies antenna(s) do not comply with Section 25.209. Please refer to Section E for special conditions placed upon antennas at this site.

Subject to the provisions of the Communications Act of 1934, The Communications Satellite Act of 1962, subsequent acts and treaties, and all present and future regulations made by this Commission, and further subject to the conditions and requirements set forth in this license, the grantee is authorized to construct, use and operate the radio facilities described below for radio communications for the term beginning July 16, 2012 (3 AM Eastern Standard Time) and ending July 16, 2027 (3 AM Eastern Standard Time). The required date of completion of construction and commencement of operation is September 12, 2013 (3 AM Eastern Standard Time). Grantee must file with the Commission a certification upon completion of construction and commencement of operation.

B) Particulars of Operations

The General Provision 1010 applies to all receiving frequency bands.

The General Provision 1900 applies to all transmitting frequency bands.

For the text of these provisions, refer to Section H.

# -	Frequency (MHz)	Polarization Code	Emission	Tx/Rx Mode	Max EIRP /Carrier (dBW)	Max EIRP Density /Carrier (dBW/4kHz)	Associated Antenna	Special Provisions (Refer to Section H)	Modulation/ Services		
1) 1	4000.0000-14500.0000	H,V,L,R	14M0G7W	Tx	53.50	18.10	1.0M.		DIGITAL DATA, RATES, VARIOU		DATA
2) 1	1700.0000-12200.0000	H,V,L,R	14M0G7W	Rx			1.0M.		DIGITAL DATA, RATES, VARIOU		DATA
3) 1	4000.0000-14500.0000	H,V,L,R	13M5G7D	${\tt Tx}$	46.50	11.20	1.2M.VK2		Digital Data	Carrier	
4) 1	4000.0000-14500.0000	H,V,L,R	22K0G7D	Tx	36.90	29.50	1.2M.VK2		Digital Data	Carrier	
5) 1	4000.0000-14500.0000	H,V,L,R	5M40G7D	Tx	46.50	15.20	1.2M.VK2		Digital Data	Carrier	
6) 1:	1700.0000-12200.0000	H,V,L,R	L3M5G7D	Rx			1.2M.VK2		Digital Data	Carrier	
7) 1	1700.0000-12200.0000	H,V,L,R	22K0G7D	Rx			1.2M.VK2		Digital Data	Carrier	
8) 13	1700.0000-12200.0000	H, V, L, R	5M40G7D	Rx			1.2M.VK2		Digital Data	Carrier	



RADIO STATION AUTHORIZATION

Name: COMTECH EF DATA CORP. Call Sign: E120058

Authorization Type: Modification of License File Number: SES-MOD-20120720-00683

Non Common Carrier Grant date: 09/12/2012 Expiration Date: 07/16/2027

B) Particulars of Operations

For the text of these provisions, refer to Section II.

The General Provision 1010 applies to all receiving frequency bands.

The General Provision 1900 applies to all transmitting frequency bands.

Max EIRP Max Special EIRP Density **Provisions** Frequency Polarization Tx/Rx /Carrier /Carrier (Refer to **Associated** Modulation/ # (MHz) Code (dBW) (dBW/4kHz) Section H) **Emission Mode** Antenna Services H, V, L, R 13M5G7D 55.70 20.40 1.8M. PAT 9) 14000.0000-14500.0000 Digital Data Carrier Тx 10) 14000.0000-14500.0000 H, V, L, R 22K0G7D 40.10 32.70 1.8M. PAT Digital Data Carrier Тx H, V, L, R 5M40G7D 55.70 1.8M. PAT 11) 14000.0000-14500.0000 24.40 Digital Data Carrier Тx Digital Data Carrier 12) 11700.0000-12200.0000 H, V, L, R 13M5G7D 1.8M. PAT Rx 13) 11700.0000-12200.0000 H, V, L, R 22K0G7D 1.8M. PAT Digital Data Carrier Rx H, V, L, R 5M40G7D 1.8M. PAT 14) 11700.0000-12200.0000 Digital Data Carrier Rx 15) 14000.0000-14500.0000 H, V, L, R 13M5G7D 58.20 22.90 2.4M.VK1 Digital Data Carrier Тx 16) 14000.0000-14500.0000 H, V, L, R 22K0G7D 42.60 35.20 2.4M.VK1 Digital Data Carrier Тx 17) 14000.0000-14500.0000 H, V, L, R 5M40G7D 58.20 26.90 2.4M.VK1 Digital Data Carrier Тx 18) 11700.0000-12200.0000 H, V, L, R 13M5G7D 2.4M.VK1 Digital Data Carrier Rx

2.4M.VK1

2.4M.VK1

C) Frequency Coordination Limits

H, V, L, R 22K0G7D

H, V, L, R 5M40G7D

Rx

Rx

19) 11700.0000-12200.0000

20) 11700.0000-12200.0000

	Frequency Limits	Satellite Arc (Deg. Long.) East West	Elevation (Degrees) East West	Azimuth (Degrees) East West	Max EIRP Density toward Horizon	Associated	
#	(MHz)	Limit Limit	Limit Limit	Limit Limit	(dBW/4kHz)	Antenna(s)	
1)	11700.0000-12200.0000	60.0W-143.0W	41.2-10.0	153.8-254.1		1.2M.VK2	
2)	14000.0000-14500.0000	60.0W-143.0W	41.2-10.0	153.8-254.1	-7.05	1.2M.VK2	
3)	11700.0000-12200.0000	60.0W-143.0W	41.2-10.0	153.8-254.1		1.8M. PAT	
4)	14000.0000-14500.0000	60.0W-143.0W	41.2-10.0	153.8-254.1	-7.05	1.8M. PAT	
5)	14000.0000-14500.0000	60.0W-143.0W	41.2-10.0	153.8-254.1	-7.05	2.4M.VK1	
6)	11700.0000-12200.0000	60.0W-143.0W	41.2-10.0	153.8-254.1		2.4M.VK1	
7)	14000.0000-14500.0000	60.0W-139.0W	41.2-13.1	153.8-251.2	-18.8	1.0M.	
8)	11700.0000-12200.0000	60.0W-139.0W	41.2-13.1	153.8-251.2		1.0M.	

Digital Data Carrier

Digital Data Carrier



RADIO STATION AUTHORIZATION

Name: COMTECH EF DATA CORP.

Call Sign: E120058

Authorization Type: Modification of License

File Number: SES-MOD-20120720-00683

Non Common Carrier

Grant date: 09/12/2012

Expiration Date: 07/16/2027

D) Points of Communications

The following stations located in the Satellite orbits consistent with Sections B and C of this Entry:

1) I to Permitted Space Station List

E) Antenna Facilities

	Site ID	Antenna ID	Units	Diameter (meters)	Manufacturer	Model nui	Site Elevation (Meters)	Max Antenna Height (Meters)	Special Provisions (Refer to Section H)
1		1.0M.	1	1	VERTEX/RSI	1.0M	. 151.79	7.92 AGL/ 159.7 AMSL	
	Max G	ains(s):	41.5	dBi @	14.2500 GHz	40.5 dBi @	12.0000 GHz		
	Maxim	um total input	power	at anten	na flange (Watts)	= 16	.00		
	Maxim	um aggregate o	output 1	EIRP for	all carriers (dBW)	= 53	.50		
1		1.2M.VK2	1	1.2	VIKING	1.2 Me	ter 151.79	7.92 AGL/ 159.71 AMSL	
	Max G	ains(s):	43.5	dBi @	14.0000 GHz	42.1 dBi @	12.0000 GHz		
	Maxim	um total input	power	at anten	na flange (Watts)	= 16	. 00		
	Maxim	um aggregate d	output	EIRP for	all carriers (dBW)	= 55	.50		
1		1.8M. PAT	1	1.8	PATRIOT	1.8 me	ter 151.79	7.92 AGL/ 159.71 AMSL	
	Max G	ains(s):	46.7	dBi @	14.0000 GHz	45.3 dBi @	12.0000 GHz		
	Maxim	um total input	power	at anten	na flange (Watts)	= 16	.00		
	Maxim	um aggregate d	output	EIRP for	all carriers (dBW)	= 58	. 70		
1		2.4M.VK1	1	2.4	VIKING	2.4 Me	ter 151.79	8.5 AGL/ 160.29 AMSL	
	Max G	ains(s):	49.2	dBi @	14.0000 GHz	47.4 dBi @	12.0000 GHz		
	Maxim	um total input	: power	at anter	na flange (Watts)	= 25	.00		
	Maxim	um aggregate d	output	EIRP for	all carriers (dBW)	= 63	.20		

G) Antenna Structure marking and lighting requirements:

None unless otherwise specified under Special and General Provisions



RADIO STATION AUTHORIZATION

Name: COMTECH EF DATA CORP. Call Sign: E120058

File Number: SES-MOD-20120720-00683 Authorization Type: Modification of License

Grant date: 09/12/2012 Non Common Carrier **Expiration Date:** 07/16/2027

H) Special and General Provisions

- A) This RADIO STATION AUTHORIZATION is granted subject to the following special provisions and general conditions:
 - 1010 --- Applicable to all receiving frequency bands. Emission designator indicates the maximum bandwidth of received signal at associated station(s). Maximum EIRP and maximum EIRP density are not applicable to receive operations.
 - 1900 --- Applicable to all transmitting frequency bands. Authority is granted to transmit any number of RF carriers with the specified parameters on any discrete frequencies within associated band in accordance with the other terms and conditions of this authorization, subject to any additional limitations that may be required to avoid unacceptable levels of inter-satellite interference.
 - 2010 --- This authorization is issued pursuant to the Commission's Second Report and Order adopted June 16, 1972 (35 FCC 2d 844) and Memorandum, Opinion and Order adopted December 21, 1972 (38 FCC 2d 665) in Docket No. 16495 and is subject to the policies adopted in that proceeding.
 - 2916 --- Transmitter(s) must be turned off during antenna maintenance to ensure compliance with the FCC-specified safety guidelines for human exposure to radiofrequency radiation in the region between the antenna feed and the reflector. Appropriate measures must also be taken to restrict access to other regions in which the earth station's power flux density levels exceed the specified guidelines.
 - 2938 --- Upon completion of construction, each licensee must file with the Commission a certification including the following information: (1) name of the licensee, (2) file number of the application, (3) call sign of the antenna, (4) date of the license, (5) certification that the facility as authorized has been completed, (6) certification that each antenna facility has been tested and is within 2 dB of the pattern specified in Section 25.209, and (7) certification that the station is operational (including the date of commencement of service) and will remain operational during the license period unless the license is submitted for cancellation.
 - 3219 --- All existing transmitting facilities, operations and devices regulated by the Commission must be in compliance with the Commission's radiofrequency (RF) exposure guidelines, pursuant to Section 1.1307(b)(1) through (b)(3) of the Commission's rules, or if not in compliance, file an Environmental Assessment (EA) as specified in Section 1.1311. See 47 CFR § 1.1307 (b) (5).
 - 5208 --- The licensee shall take all necessary measures to ensure that the antenna does not create potential exposure of humans to radiofrequency radiation in excess of the FCC exposure limits defined in 47 CFR 1.1307(b) and 1.1310 wherever such exposures might occur. Measures must be taken to ensure compliance with limits for both occupational/controlled exposure and for general population/uncontrolled exposure, as defined in these rule sections. Compliance can be accomplished in most cases by appropriate restrictions, such as fencing. Requirements for restrictions can be determined by predictions based on calculations, modeling, or by field measurements. The FCC's OET Bulletin 65 (available on-line at www.fcc.gov/oet/rfsafety) provides information on predicting exposure levels and on methods for ensuring compliance, including the use of warning and alerting signs and protective equipment for workers.
 - 5216 --- All operations shall be on a non-common carrier basis.

FCC Form 488



RADIO STATION AUTHORIZATION

Name: COMTECH EF DATA CORP.

Call Sign: E120058

Authorization Type: Modification of License

File Number: SES-MOD-20120720-00683

Non Common Carrier

Grant date: 09/12/2012

12 Expiration Date:

07/16/2027

B) This RADIO STATION AUTHORIZATION is granted subject to the additional conditions specified below:

This authorization is issued on the grantee's representation that the statements contained in the application are true and that the undertakings described will be carried out in good faith.

This authorization shall not be construed in any manner as a finding by the Commission on the question of marking or lighting of the antenna system should future conditions require. The grantee expressly agrees to install such marking or lighting as the Commission may require under the provisions of Section 303(q) of the Communications Act. 47 U.S.C. § 303(q).

Neither this authorization nor the right granted by this authorization shall be assigned or otherwise transferred to any person, firm, company or corporation without the written consent of the Commission. This authorization is subject to the right of use or control by the government of the United States conferred by Section 706 of the Communications Act. 47 U.S.C. § 706. Operation of this station is governed by Part 25 of the Commission's Rules. 47 C.F.R. Part 25.

This authorization shall not vest in the licensee any right to operate this station nor any right in the use of the designated frequencies beyond the term of this license, nor in any other manner than authorized herein.

This authorization is issued on the grantee's representation that the station is in compliance with environmental requirements set forth in Section 1.1307 of the Commission's Rules. 47 C.F.R. § 1.1307.

This authorization is issued on the grantee's representation that the station is in compliance with the Federal Aviation Administration (FAA) requirements as set forth in Section 17.4 of the Commission's Rules. 47 C.F.R.§ 17.4.

The following condition applies when this authorization permits construction of or modifies the construction permit of a radio station.

This authorization shall be automatically forfeited if the station is not ready for operation by the required date of completion of construction unless an application for modification of authorization to request additional time to complete construction is filed by that date, together with a showing that failure to complete construction by the required date was due to factors not under control of the grantee.

Licensees are required to pay annual regulatory fees related to this authorization. The requirement to collect annual regulatory fees from regulatees is contained in Public Law 103-66, "The Omnibus Budget Reconciliation Act of 1993." These regulatory fees, which are likely to change each fiscal year, are used to offset costs associated with the Commission's enforcement, public service, international and policy and rulemaking activities. The Commission issues a Report and Order each year, setting the new regulatory fee rates. Receive only earth stations are exempt from payment of regulatory fees.

FCC Form 488