

Date & Time Filed: Apr 16 2013 1:48:18:240PM
File Number: SES-MOD-INTR2013-00816

FCC APPLICATION FOR SPACE AND EARTH STATION:MOD OR AMD – MAIN FORM	FCC Use Only
FCC 312 MAIN FORM FOR OFFICIAL USE ONLY	

APPLICANT INFORMATION

Enter a description of this application to identify it on the main menu:
Modification of ESV Station E070114

1-8. Legal Name of Applicant			
Name:	Stratos Offshore Services Company	Phone Number:	301-968-1938
DBA Name:		Fax Number:	301-214-2234
Street:	6550 Rock Spring Drive Suite 650	E-Mail:	regan.rishel@inmarsat.com
City:	Bethesda	State:	MD
Country:	USA	Zipcode:	20817 -
Attention:	Regan Rishel		

9-16. Name of Contact Representative

Name:	Elizabeth R. Park	Phone Number:	202-637-2200
Company:	Latham & Watkins LLP	Fax Number:	202-637-2201
Street:	555 11th Street, NW Suite 1000	E-Mail:	elizabeth.park@lw.com
City:	Washington	State:	DC
Country:	USA	Zipcode:	20004-1304
Attention:	Ms. Elizabeth R. Park	Relationship:	Legal Counsel

CLASSIFICATION OF FILING

17. Choose the button next to the classification that applies to this filing for both questions a. and b. Choose only one for 17a and only one for 17b.

- a1. Earth Station
- a2. Space Station

- (N/A) b1. Application for License of New Station
- (N/A) b2. Application for Registration of New Domestic Receive-Only Station
- b3. Amendment to a Pending Application
- b4. Modification of License or Registration
- b5. Assignment of License or Registration
- b6. Transfer of Control of License or Registration
- b7. Notification of Minor Modification
- (N/A) b8. Application for License of New Receive-Only Station Using Non-U.S. Licensed Satellite
- (N/A) b9. Letter of Intent to Use Non-U.S. Licensed Satellite to Provide Service in the United States
- (N/A) b10. Other (Please specify)
- (N/A) b11. Application for Earth Station to Access a Non-U.S. satellite Not Currently Authorized to Provide the Proposed Service in the Proposed Frequencies in the United States
- (N/A) b12. Application for Database Entry
- b13. Amendment to a Pending Database Entry Application
- b14. Modification of Database Entry

<p>17c. Is a fee submitted with this application?</p> <p><input checked="" type="radio"/> If Yes, complete and attach FCC Form 159. If No, indicate reason for fee exemption (see 47 C.F.R.Section 1.1114).</p> <p><input type="radio"/> Governmental Entity <input type="radio"/> Noncommercial educational licensee</p> <p><input type="radio"/> Other(please explain):</p>	
<p>17d.</p> <p>Fee Classification CGV – Fixed Satellite VSAT System</p>	
<p>18. If this filing is in reference to an existing station, enter:</p> <p>(a) Call sign of station: E070114</p>	<p>19. If this filing is an amendment to a pending application enter both fields, if this filing is a modification please enter only the file number:</p> <p>(a) Date pending application was filed:</p> <p>(b) File number: SESLIC2007061800826</p>

TYPE OF SERVICE

<p>20. NATURE OF SERVICE: This filing is for an authorization to provide or use the following type(s) of service(s): Select all that apply:</p> <p><input checked="" type="checkbox"/> a. Fixed Satellite <input type="checkbox"/> b. Mobile Satellite <input type="checkbox"/> c. Radiodetermination Satellite <input type="checkbox"/> d. Earth Exploration Satellite <input type="checkbox"/> e. Direct to Home Fixed Satellite <input type="checkbox"/> f. Digital Audio Radio Service <input type="checkbox"/> g. Other (please specify)</p>	
<p>21. STATUS: Choose the button next to the applicable status. Choose only one.</p> <p><input checked="" type="radio"/> Common Carrier <input type="radio"/> Non-Common Carrier</p>	<p>22. If earth station applicant, check all that apply.</p> <p><input checked="" type="checkbox"/> Using U.S. licensed satellites <input type="checkbox"/> Using Non-U.S. licensed satellites</p>
<p>23. If applicant is providing INTERNATIONAL COMMON CARRIER service, see instructions regarding Sec. 214 filings. Choose one. Are these facilities:</p> <p><input type="radio"/> Connected to a Public Switched Network <input type="radio"/> Not connected to a Public Switched Network <input checked="" type="radio"/> N/A</p>	
<p>24. FREQUENCY BAND(S): Place an 'X' in the box(es) next to all applicable frequency band(s).</p> <p><input type="checkbox"/> a. C-Band (4/6 GHz) <input checked="" type="checkbox"/> b. Ku-Band (12/14 GHz) <input type="checkbox"/> c. Other (Please specify upper and lower frequencies in MHz.)</p> <p>Frequency Lower: Frequency Upper: (Please specify additional frequencies in an attachment)</p>	

TYPE OF STATION

25. CLASS OF STATION: Choose the button next to the class of station that applies. Choose only one.

- a. Fixed Earth Station
- b. Temporary–Fixed Earth Station
- c. 12/14 GHz VSAT Network
- d. Mobile Earth Station
- e. Geostationary Space Station
- f. Non–Geostationary Space Station
- g. Other (please specify) ESV

26. TYPE OF EARTH STATION FACILITY:

- Transmit/Receive Transmit–Only Receive–Only N/A

"For Space Station applications, select N/A."

PURPOSE OF MODIFICATION

27. The purpose of this proposed modification is to: (Place an 'X' in the box(es) next to all that apply.)

- a -- authorization to add new emission designator and related service
- b -- authorization to change emission designator and related service
- c -- authorization to increase EIRP and EIRP density
- d -- authorization to replace antenna
- e -- authorization to add antenna
- f -- authorization to relocate fixed station
- g -- authorization to change frequency(ies)
- h -- authorization to add frequency
- i -- authorization to add Points of Communication (satellites & countries)
- j -- authorization to change Points of Communication (satellites & countries)
- k -- authorization for facilities for which environmental assessment and radiation hazard reporting is required
- l -- authorization to change orbit location
- m -- authorization to perform fleet management
- n -- authorization to extend milestones
- o -- Other (Please specify)

ENVIRONMENTAL POLICY

<p>28. Would a Commission grant of any proposal in this application or amendment have a significant environmental impact as defined by 47 CFR 1.1307? If YES, submit the statement as required by Sections 1.1308 and 1.1311 of the Commission’s rules, 47 C.F.R. 1.1308 and 1.1311, as an exhibit to this application. A Radiation Hazard Study must accompany all applications for new transmitting facilities, major modifications, or major amendments.</p>	<p><input type="radio"/> Yes <input checked="" type="radio"/> No</p> <p>Exhibit 2 Rad Haz</p>
---	---

ALIEN OWNERSHIP Earth station applicants not proposing to provide broadcast, common carrier, aeronautical en route or aeronautical fixed radio station services are not required to respond to Items 30–34.

<p>29. Is the applicant a foreign government or the representative of any foreign government?</p>	<p><input type="radio"/> Yes <input checked="" type="radio"/> No</p>
<p>30. Is the applicant an alien or the representative of an alien?</p>	<p><input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> N/A</p>
<p>31. Is the applicant a corporation organized under the laws of any foreign government?</p>	<p><input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> N/A</p>
<p>32. Is the applicant a corporation of which more than one–fifth of the capital stock is owned of record or voted by aliens or their representatives or by a foreign government or representative thereof or by any corporation organized under the laws of a foreign country?</p>	<p><input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> N/A</p>

33. Is the applicant a corporation directly or indirectly controlled by any other corporation of which more than one-fourth of the capital stock is owned of record or voted by aliens, their representatives, or by a foreign government or representative thereof or by any corporation organized under the laws of a foreign country?

Yes No N/A

34. If any answer to questions 29, 30, 31, 32 and/or 33 is Yes, attach as an exhibit an identification of the aliens or foreign entities, their nationality, their relationship to the applicant, and the percentage of stock they own or vote.

BASIC QUALIFICATIONS

35. Does the Applicant request any waivers or exemptions from any of the Commission's Rules?
If Yes, attach as an exhibit, copies of the requests for waivers or exceptions with supporting documents.

Yes No

36. Has the applicant or any party to this application or amendment had any FCC station authorization or license revoked or had any application for an initial, modification or renewal of FCC station authorization, license, or construction permit denied by the Commission? If Yes, attach as an exhibit, an explanation of circumstances.

Yes No

37. Has the applicant, or any party to this application or amendment, or any party directly or indirectly controlling the applicant ever been convicted of a felony by any state or federal court? If Yes, attach as an exhibit, an explanation of circumstances.

Yes No

38. Has any court finally adjudged the applicant, or any person directly or indirectly controlling the applicant, guilty of unlawfully monopolizing or attempting unlawfully to monopolize radio communication, directly or indirectly, through control of manufacture or sale of radio apparatus, exclusive traffic arrangement or any other means or unfair methods of competition? If Yes, attach as an exhibit, an explanation of circumstances

Yes No

39. Is the applicant, or any person directly or indirectly controlling the applicant, currently a party in any pending matter referred to in the preceding two items? If yes, attach as an exhibit, an explanation of the circumstances.

Yes No

40. If the applicant is a corporation and is applying for a space station license, attach as an exhibit the names, address, and citizenship of those stockholders owning a record and/or voting 10 percent or more of the Filer's voting stock and the percentages so held. In the case of fiduciary control, indicate the beneficiary(ies) or class of beneficiaries. Also list the names and addresses of the officers and directors of the Filer.

Exhibit 1 Ownership

41. By checking Yes, the undersigned certifies, that neither applicant nor any other party to the application is subject to a denial of Federal benefits that includes FCC benefits pursuant to Section 5301 of the Anti-Drug Act of 1988, 21 U.S.C. Section 862, because of a conviction for possession or distribution of a controlled substance. See 47 CFR 1.2002(b) for the meaning of "party to the application" for these purposes.

Yes No

42a. Does the applicant intend to use a non-U.S. licensed satellite to provide service in the United States? If Yes, answer 42b and attach an exhibit providing the information specified in 47 C.F.R. 25.137, as appropriate. If No, proceed to question 43.

Yes No

42b. What administration has licensed or is in the process of licensing the space station? If no license will be issued, what administration has coordinated or is in the process of coordinating the space station?

43. Description. (Summarize the nature of the application and the services to be provided). (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Stratos Offshore Services Company seeks authority to modify its existing earth station authorization to permit the operation of six new ESV antenna models. Stratos also seeks to modify the parameters of its existing antennas as follows

Modification Request

43a. Geographic Service Rule Certification

By selecting A, the undersigned certifies that the applicant is not subject to the geographic service or geographic coverage requirements specified in 47 C.F.R. Part 25.

A

By selecting B, the undersigned certifies that the applicant is subject to the geographic service or geographic coverage requirements specified in 47 C.F.R. Part 25 and will comply with such requirements.

B

By selecting C, the undersigned certifies that the applicant is subject to the geographic service or geographic coverage requirements specified in 47 C.F.R. Part 25 and will not comply with such requirements because it is not feasible as a technical matter to do so, or that, while technically feasible, such services would require so many compromises in satellite design and operation as to make it economically unreasonable. A narrative description and technical analysis demonstrating this claim are attached.

C

Exhibit 9 Map

CERTIFICATION

The Applicant waives any claim to the use of any particular frequency or of the electromagnetic spectrum as against the regulatory power of the United States because of the previous use of the same, whether by license or otherwise, and requests an authorization in accordance with this application. The applicant certifies that grant of this application would not cause the applicant to be in violation of the spectrum aggregation limit in 47 CFR Part 20. All statements made in exhibits are a material part hereof and are incorporated herein as if set out in full in this application. The undersigned, individually and for the applicant, hereby certifies that all statements made in this application and in all attached exhibits are true, complete and correct to the best of his or her knowledge and belief, and are made in good faith.

44. Applicant is a (an): (Choose the button next to applicable response.)

- Individual
- Unincorporated Association
- Partnership
- Corporation
- Governmental Entity
- Other (please specify)

45. Name of Person Signing
Bruce Henoeh

46. Title of Person Signing
General Counsel

--->

WILLFUL FALSE STATEMENTS MADE ON THIS FORM ARE PUNISHABLE BY FINE AND / OR IMPRISONMENT
(U.S. Code, Title 18, Section 1001), AND/OR REVOCATION OF ANY STATION AUTHORIZATION
(U.S. Code, Title 47, Section 312(a)(1)), AND/OR FORFEITURE (U.S. Code, Title 47, Section 503).

SATELLITE EARTH STATION AUTHORIZATIONS
 FCC Form 312 – Schedule B:(Technical and Operational Description)
 FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1. Site Identifier:	Remote 6	E5. Call Sign:	N/A
E2. Contact Name	N/A	E6. Phone Number:	337-761-2000
E3. Street:	1710 W. Willow Street	E7. City:	Scott
E4. State	LA	E8. County:	Lafayette
E9. Zip Code	70583	E10. Area of Operation:	CONUS, Atlantic Ocean, Pacific Ocean, Gulf of Mexico
E11. Latitude:	0 °0 '0.0 "		
E12. Longitude:	0 °0 '0.0 "		
E13. Lat/Lon Coordinates are:	<input type="radio"/> NAD-27	<input type="radio"/> NAD-83	<input checked="" type="radio"/> N/A
E14. Site Elevation (AMSL):	0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.

Yes No N/A

E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input checked="" type="radio"/> Yes <input type="radio"/> No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	<input type="radio"/> Yes <input checked="" type="radio"/> No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	<input checked="" type="radio"/> Yes <input type="radio"/> No

POINTS OF COMMUNICATION

Satellite Name: OTHER OTHER If you selected OTHER, please enter the following:	
E21. Common Name: ALSAT	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: Remote 6	
--------------------------------	--

E26. Common Name: ALSAT	E27. Country: USA
-------------------------	-------------------

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at ____ GHz)	
Remote 6	Remote 6	300	Intellian	V60	0.6	35.3 dBi at 12.2000	
Remote 6	Remote 6	300	Intellian	V60	0.6	38.1 dBi at 14.2500	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
Remote 6	0.0/0.0	0.0	0.0	0.0	3.03	0.0	42.9

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
Remote 6	11700 12200	R	Horizontal and Vertical	116KG7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
QPSK						
Remote 6	11700 12200	R	Horizontal and Vertical	2M06G7W	0.0	0.0
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
QPSK, DATA						
Remote 6	11700 12200	R	Horizontal and Vertical	464KG7W	0.0	0.0
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
QPSK, DATA						
Remote 6	11700 12200	R	Horizontal and Vertical	58K1G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
QPSK, DATA						
Remote 6	14000 14500	R	Horizontal and Vertical	2M06G7W	42.9	15.8
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
QPSK, DATA						
Remote 6	14000 14500	T	Horizontal and Vertical	116KG7W	30.4	15.8
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
QPSK, DATA						
Remote 6	14000 14500	T	Horizontal and Vertical	464KG7W	36.4	15.8

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK, DATA

Remote 6	14000 14500	T	Horizontal and Vertical	58K1G7W	27.4	15.8
----------	----------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK, DATA

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
Remote 6	Geostationary	11700 12200	43.0/172.0	0.0	15.0	0.0	15.0	0.0
	Geostationary	14000 14500	43.0/172.0	0.0	15.0	0.0	15.0	-31.7

REMOTE CONTROL POINT LOCATION

E61. Call Sign E980235 NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E66. Phone Number 1-800-375-1562	
E62. Street Address Stratos Operations Center 1710 W. Willow Street			
E63. City Scott	E68. County Lafayette	E67/68. State/Country LA/ USA	E64. Zip Code 70583

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site			
E1. Site Identifier:	Remote 7	E5. Call Sign:	N/A
E2. Contact Name	N/A	E6. Phone Number:	337-761-2000
E3. Street:	1710 W. Willow Street	E7. City:	Scott
E4. State	LA	E8. County:	Lafayette
E10. Area of Operation:	CONUS, Atlantic Ocean, Pacific Ocean, Gulf of Mexico		
E11. Latitude:	0 °0 '0.0 "		
E12. Longitude:	0 °0 '0.0 "		
E13. Lat/Lon Coordinates are:	<input type="radio"/> NAD-27	<input type="radio"/> NAD-83	<input checked="" type="radio"/> N/A
E14. Site Elevation (AMSL):	0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A

E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input checked="" type="radio"/> Yes <input type="radio"/> No
--	---

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA’s study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	<input checked="" type="radio"/> Yes <input type="radio"/> No
---	---

POINTS OF COMMUNICATION

Satellite Name: OTHER OTHER If you selected OTHER, please enter the following:	
E21. Common Name: ALSAT	E22. ITU Name:
E23. Orbit Location:	E24. Country: USA

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: Remote 7	
E26. Common Name: ALSAT	E27. Country: USA

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at _____ GHz)	
Remote 7	Remote 7	300	Intellian	V80	0.8	37.1 dBi at 12.2000	
Remote 7	Remote 7	300	Intellian	V80	0.8	39.5 dBi at 14.2500	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
Remote 7	0.0/0.0	0.0	0.0	0.0	5.0	0.0	46.5

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
Remote 7	11700 12200	R	Horizontal and Vertical	116KG7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
QPSK						
Remote 7	11700 12200	R	Horizontal and Vertical	2M06G7W	0.0	0.0
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
QPSK, DATA						
Remote 7	11700 12200	R	Horizontal and Vertical	464KG7W	0.0	0.0
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
QPSK, DATA						
Remote 7	11700 12200	R	Horizontal and Vertical	58K1G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK, DATA

Remote 7	14000 14500	T	Horizontal and Vertical	116KG7W	34.0	19.4
----------	----------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK, DATA

Remote 7	14000 14500	T	Horizontal and Vertical	2M06G7W	46.5	19.4
----------	----------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK, DATA

Remote 7	14000 14500	T	Horizontal and Vertical	464KG7W	40.0	19.4
----------	----------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK, DATA

Remote 7	14000 14500	T	Horizontal and Vertical	58K1G7W	31.0	19.4
----------	----------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK, DATA

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
Remote 7	Geostationary	11700 12200	43.0/172.0	0.0	15.0	0.0	15.0	0.0
	Geostationary	14000 14500	43.0/172.0	0.0	15.0	0.0	15.0	-30.49

REMOTE CONTROL POINT LOCATION

E61. Call Sign E980235 NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E66. Phone Number 1-800-375-1562	
E62. Street Address Stratos Operations Center 1710 W. Willow Street			
E63. City Scott	E68. County Lafayette	E67/68. State/Country LA/ USA	E64. Zip Code 70583

SATELLITE EARTH STATION AUTHORIZATIONS FCC Form 312 – Schedule B:(Technical and Operational Description) FOR OFFICIAL USE ONLY

Location of Earth Station Site			
E1. Site Identifier:	Remote 8	E5. Call Sign:	N/A
E2. Contact Name	N/A	E6. Phone Number:	337-761-2000
E3. Street:	1710 W. Willow Street	E7. City:	Scott
E4. State	LA	E8. County:	Lafayette
E10. Area of Operation:	CONUS, Atlantic Ocean, Pacific Ocean, Gulf of Mexico		
E11. Latitude:	0 °0 '0.0 "		
E12. Longitude:	0 °0 '0.0 "		
E13. Lat/Lon Coordinates are:	<input type="radio"/> NAD-27	<input type="radio"/> NAD-83	<input checked="" type="radio"/> N/A
E14. Site Elevation (AMSL):	0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A

E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input checked="" type="radio"/> Yes <input type="radio"/> No
--	---

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA’s study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	<input checked="" type="radio"/> Yes <input type="radio"/> No
---	---

POINTS OF COMMUNICATION

Satellite Name: OTHER OTHER If you selected OTHER, please enter the following:	
E21. Common Name: ALSAT	E22. ITU Name:
E23. Orbit Location:	E24. Country: USA

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at _____ GHz)	
Remote 8	Remote 8	300	Intellian	V100	1.03	39.8 dBi at 12.2000	
Remote 8	Remote 8	300	Intellian	V100	1.03	41.3 dBi at 14.2500	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
Remote 8	0.0/0.0	0.0	0.0	0.0	11.11	0.0	51.8

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
Remote 8	11700 12200	R	Horizontal and Vertical	116KG7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK

Remote 8	11700 12200	R	Horizontal and Vertical	2M06G7W	0.0	0.0
----------	----------------	---	----------------------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK, DATA

Remote 8	11700 12200	R	Horizontal and Vertical	464KG7W	0.0	0.0
----------	----------------	---	----------------------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK, DATA

Remote 8	11700 12200	R	Horizontal and Vertical	58K1G7W	0.0	0.0
----------	----------------	---	----------------------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
QPSK, DATA						
Remote 8	14000 14500	T	Horizontal and Vertical	116KG7W	39.3	24.6
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
QPSK, DATA						
Remote 8	14000 14500	T	Horizontal and Vertical	2M06G7W	51.8	24.6
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
QPSK, DATA						
Remote 8	14000 14500	T	Horizontal and Vertical	464KG7W	45.3	24.6

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK, DATA

Remote 8	14000 14500	T	Horizontal and Vertical	58K1G7W	36.3	24.6
----------	----------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK, DATA

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
Remote 8	Geostationary	11700 12200	43.0/172.0	0.0	15.0	0.0	15.0	0.0
	Geostationary	14000 14500	43.0/172.0	0.0	15.0	0.0	15.0	-21.813

REMOTE CONTROL POINT LOCATION

E61. Call Sign E980235 NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E66. Phone Number 1-800-375-1562	
E62. Street Address Stratos Operations Center 1710 W. Willow Street			
E63. City Scott	E68. County Lafayette	E67/68. State/Country LA/ USA	E64. Zip Code 70583

SATELLITE EARTH STATION AUTHORIZATIONS FCC Form 312 – Schedule B:(Technical and Operational Description) FOR OFFICIAL USE ONLY
--

Location of Earth Station Site			
E1. Site Identifier:	Remote 9	E5. Call Sign:	N/A
E2. Contact Name	N/A	E6. Phone Number:	337-761-2000
E3. Street:	1710 W. Willow Street	E7. City:	Scott
E4. State	LA	E8. County:	Lafayette
E10. Area of Operation:	CONUS, Atlantic Ocean, Pacific Ocean, Gulf of Mexico		
E11. Latitude:	0 °0 '0.0 "		
E12. Longitude:	0 °0 '0.0 "		
E13. Lat/Lon Coordinates are:	<input type="radio"/> NAD-27	<input type="radio"/> NAD-83	<input checked="" type="radio"/> N/A
E14. Site Elevation (AMSL):	0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A

E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input checked="" type="radio"/> Yes <input type="radio"/> No
--	---

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA’s study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	<input checked="" type="radio"/> Yes <input type="radio"/> No
---	---

POINTS OF COMMUNICATION

Satellite Name: OTHER OTHER If you selected OTHER, please enter the following:	
E21. Common Name: ALSAT	E22. ITU Name:
E23. Orbit Location:	E24. Country: USA

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at _____ GHz)	
Remote 9	Remote 9	300	Intellian	V110	1.0	41.7 dBi at 14.2500	
Remote 9	Remote 9	300	Intellian	V110	1.0	39.6 dBi at 12.20000	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
Remote 9	0.0/0.0	0.0	0.0	0.0	12.35	0.0	52.6

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
Remote 9	11700 12200	R	Horizontal and Vertical	116KG7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
QPSK						
Remote 9	11700 12200	R	Horizontal and Vertical	2M06G7W	0.0	0.0
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
QPSK, DATA						
Remote 9	11700 12200	R	Horizontal and Vertical	464KG7W	0.0	0.0
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
QPSK, DATA						
Remote 9	11700 12200	R	Horizontal and Vertical	58K1G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
QPSK, DATA						
Remote 9	14000 14500	T	Horizontal and Vertical	116KG7W	40.1	25.5
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
QPSK, DATA						
Remote 9	14000 14500	T	Horizontal and Vertical	2M06G7W	52.6	25.5
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
QPSK, DATA						
Remote 9	14000 14500	T	Horizontal and Vertical	464KG7W	46.1	25.5

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK, DATA

Remote 9	14000 14500	T	Horizontal and Vertical	58K1G7W	37.1	25.5
----------	----------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK, DATA

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/Western Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
Remote 9	Geostationary	11700 12200	43.0/172.0	0.0	15.0	0.0	15.0	0.0
	Geostationary	14000 14500	43.0/172.0	0.0	15.0	0.0	15.0	-43.4

REMOTE CONTROL POINT LOCATION

E61. Call Sign E980235 NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E66. Phone Number 1-800-375-1562	
E62. Street Address Stratos Operations Center 1710 W. Willow Street			
E63. City Scott	E68. County Lafayette	E67/68. State/Country LA/ USA	E64. Zip Code 70583

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site			
E1. Site Identifier:	Remote 10	E5. Call Sign:	N/A
E2. Contact Name	N/A	E6. Phone Number:	333-761-2000
E3. Street:	1710 W. Willow Street	E7. City:	Scott
E4. State	LA	E8. County:	Lafayette
E10. Area of Operation:	CONUS, Atlantic Ocean, Pacific Ocean, Gulf of Mexico		
E11. Latitude:	0 °0 '0.0 "		
E12. Longitude:	0 °0 '0.0 "		
E13. Lat/Lon Coordinates are:	<input type="radio"/> NAD-27	<input type="radio"/> NAD-83	<input checked="" type="radio"/> N/A
E14. Site Elevation (AMSL):	0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A

E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input checked="" type="radio"/> Yes <input type="radio"/> No
--	---

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA’s study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	<input checked="" type="radio"/> Yes <input type="radio"/> No
---	---

POINTS OF COMMUNICATION

Satellite Name: OTHER OTHER If you selected OTHER, please enter the following:	
E21. Common Name: ALSAT	E22. ITU Name:
E23. Orbit Location:	E24. Country: USA

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: Remote 10	
E26. Common Name: ALSAT	E27. Country: USA

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at _____ GHz)	
Remote 10	Remote 10	300	Intellian	V240	2.4	47.6 dBi at 12.2000	
Remote 10	Remote 10	300	Intellian	V240	2.4	49.1 dBi at 14.2500	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
Remote 10	0.0/0.0	0.0	0.0	0.0	8.0	0.0	58.1

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
Remote 10	11700 12200	R	Horizontal and Vertical	116KG7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
QPSK						
Remote 10	11700 12200	R	Horizontal and Vertical	2M06G7W	0.0	0.0
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
QPSK, DATA						
Remote 10	11700 12200	R	Horizontal and Vertical	464KG7W	0.0	0.0
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
QPSK, DATA						
Remote 10	11700 12200	R	Horizontal and Vertical	58K1G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK, DATA

Remote 10	14000 14500	T	Horizontal and Vertical	116KG7W	49.7	35.1
-----------	----------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK, DATA

Remote 10	14000 14500	T	Horizontal and Vertical	2M06G7W	58.1	31.0
-----------	----------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK, DATA

Remote 10	14000 14500	T	Horizontal and Vertical	464KG7W	55.7	35.1
-----------	----------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK, DATA

Remote 10	14000 14500	T	Horizontal and Vertical	58K1G7W	46.7	35.1
-----------	----------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK, DATA

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/Western Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
Remote 10	Geostationary	11700 12200	43.0/172.0	0.0	15.0	0.0	15.0	0.0
	Geostationary	14000 14500	43.0/172.0	0.0	15.0	0.0	15.0	-21.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign E980235 NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E66. Phone Number 1-800-375-1562	
E62. Street Address Stratos Operations Center 1710 W. Willow Street			
E63. City Scott	E68. County Lafayette	E67/68. State/Country LA/ USA	E64. Zip Code 70583

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site			
E1. Site Identifier:	Remote 11	E5. Call Sign:	N/A
E2. Contact Name	N/A	E6. Phone Number:	337-761-2000
E3. Street:	1710 W. Willow Street	E7. City:	Scott
E4. State	LA	E8. County:	Lafayette
E10. Area of Operation:	CONUS, Atlantic Ocean, Pacific Ocean, Gulf of Mexico		
E11. Latitude:	0 °0 '0.0 "		
E12. Longitude:	0 °0 '0.0 "		
E13. Lat/Lon Coordinates are:	<input type="radio"/> NAD-27	<input type="radio"/> NAD-83	<input checked="" type="radio"/> N/A
E14. Site Elevation (AMSL):	0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A

E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input checked="" type="radio"/> Yes <input type="radio"/> No
--	---

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA’s study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	<input checked="" type="radio"/> Yes <input type="radio"/> No
---	---

POINTS OF COMMUNICATION

Satellite Name: OTHER OTHER If you selected OTHER, please enter the following:	
E21. Common Name: ALSAT	E22. ITU Name:
E23. Orbit Location:	E24. Country: USA

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at _____ GHz)	
Remote 11	Remote 11	300	Seatel	4010	1.0	39.6 dBi at 12.2000	
Remote 11	Remote 11	300	Seatel	4010	1.0	40.6 dBi at 14.2500	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
Remote 11	0.0/0.0	0.0	0.0	0.0	12.07	0.0	51.4

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
Remote 11	11700 12200	R	Horizontal and Vertical	116KG7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
QPSK						
Remote 11	11700 12200	R	Horizontal and Vertical	1M94G7W	0.0	0.0
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
QPSK, DATA						
Remote 11	11700 12200	R	Horizontal and Vertical	2M06G7W	0.0	0.0
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
QPSK, DATA						
Remote 11	11700 12200	R	Horizontal and Vertical	2M12G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK, DATA

Remote 11	11700 12200	R	Horizontal and Vertical	2M88G7W	0.0	0.0
-----------	----------------	---	----------------------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK, DATA

Remote 11	11700 12200	R	Horizontal and Vertical	464KG7W	0.0	0.0
-----------	----------------	---	----------------------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK, DATA

Remote 11	11700 12200	R	Horizontal and Vertical	58K1G7W	0.0	0.0
-----------	----------------	---	----------------------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK, DATA

Remote 11	14000 14500	T	Horizontal and Vertical	116KG7W	38.9	24.3
-----------	----------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK, DATA

Remote 11	14000 14500	T	Horizontal and Vertical	1M04G7W	48.4	24.3
-----------	----------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK, DATA

Remote 11	14000 14500	T	Horizontal and Vertical	1M15G7W	48.9	24.3
-----------	----------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
QPSK, DATA						
Remote 11	14000 14500	T	Horizontal and Vertical	1M33G7W	49.5	24.3
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
QPSK, DATA						
Remote 11	14000 14500	T	Horizontal and Vertical	2M06G7W	51.4	24.3
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
QPSK, DATA						
Remote 11	14000 14500	T	Horizontal and Vertical	464KG7W	44.9	24.3

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK, DATA

Remote 11	14000 14500	T	Horizontal and Vertical	58K1G7W	35.9	24.3
-----------	----------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK, DATA

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
Remote 11	Geostationary	11700 12200	43.0/172.0	0.0	15.0	0.0	15.0	0.0
	Geostationary	14000 14500	43.0/172.0	0.0	15.0	0.0	15.0	-22.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign E980235 NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E66. Phone Number 1-800-375-1562	
E62. Street Address Stratos Operations Center 1710 W. Willow Street			
E63. City Scott	E68. County Lafayette	E67/68. State/Country LA/ USA	E64. Zip Code 70583

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site			
E1. Site Identifier:	Remote 12	E5. Call Sign:	N/A
E2. Contact Name	N/A	E6. Phone Number:	337-761-2000
E3. Street:	1710 W. Willow Street	E7. City:	Scott
E4. State	LA	E8. County:	Lafayette
E10. Area of Operation:	CONUS, Atlantic Ocean, Pacific Ocean, Gulf of Mexico		
E11. Latitude:	0 °0 '0.0 "		
E12. Longitude:	0 °0 '0.0 "		
E13. Lat/Lon Coordinates are:	<input type="radio"/> NAD-27	<input type="radio"/> NAD-83	<input checked="" type="radio"/> N/A
E14. Site Elevation (AMSL):	0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A

E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input checked="" type="radio"/> Yes <input type="radio"/> No
--	---

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA’s study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	<input checked="" type="radio"/> Yes <input type="radio"/> No
---	---

POINTS OF COMMUNICATION

Satellite Name: OTHER OTHER If you selected OTHER, please enter the following:	
E21. Common Name: ALSAT	E22. ITU Name:
E23. Orbit Location:	E24. Country: USA

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at _____ GHz)	
Remote 12	Remote 12	300	Seatel	4010	1.0	39.6 dBi at 12.2000	
Remote 12	Remote 12	300	Seatel	4010	1.0	40.6 dBi at 14.2500	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
Remote 12	0.0/0.0	0.0	0.0	0.0	12.07	0.0	51.4

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
Remote 12	11700 12200	R	Horizontal and Vertical	116KG7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK

Remote 12	11700 12200	R	Horizontal and Vertical	1M94G7W	0.0	0.0
-----------	----------------	---	----------------------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK, DATA

Remote 12	11700 12200	R	Horizontal and Vertical	2M06G7W	0.0	0.0
-----------	----------------	---	----------------------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK, DATA

Remote 12	11700 12200	R	Horizontal and Vertical	2M12G7W	0.0	0.0
-----------	----------------	---	----------------------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
QPSK, DATA						
Remote 12	11700 12200	R	Horizontal and Vertical	2M88G7W	0.0	0.0
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
QPSK, DATA						
Remote 12	11700 12200	R	Horizontal and Vertical	464KG7W	0.0	0.0
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
QPSK, DATA						
Remote 12	11700 12200	R	Horizontal and Vertical	58K1G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK, DATA

Remote 12	14000 14500	T	Horizontal and Vertical	116KG7W	38.9	24.3
-----------	----------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK, DATA

Remote 12	14000 14500	T	Horizontal and Vertical	1M04G7W	48.4	24.3
-----------	----------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK, DATA

Remote 12	14000 14500	T	Horizontal and Vertical	1M15G7W	48.9	24.3
-----------	----------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
QPSK, DATA						
Remote 12	14000 14500	T	Horizontal and Vertical	1M33G7W	49.5	24.3
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
QPSK, DATA						
Remote 12	14000 14500	T	Horizontal and Vertical	2M06G7W	51.4	24.3
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
QPSK, DATA						
Remote 12	14000 14500	T	Horizontal and Vertical	464KG7W	44.9	24.3

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK, DATA

Remote 12	14000 14500	T	Horizontal and Vertical	58K1G7W	35.9	24.3
-----------	----------------	---	----------------------------	---------	------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

QPSK, DATA

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
Remote 12	Geostationary	11700 12200	43.0/172.0	0.0	15.0	0.0	15.0	0.0
	Geostationary	14000 14500	43.0/172.0	0.0	15.0	0.0	15.0	-22.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign E980235 NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E66. Phone Number 703-637-0120	
E62. Street Address Stratos Operations Center 600 Herndon Pkwy			
E63. City Herndon	E68. County Fairfax	E67/68. State/Country VA/ USA	E64. Zip Code 20170

SATELLITE EARTH STATION AUTHORIZATIONS FCC Form 312 – Schedule B:(Technical and Operational Description) FOR OFFICIAL USE ONLY

Location of Earth Station Site			
E1. Site Identifier:	Remote 1	E5. Call Sign:	
E2. Contact Name	N/A	E6. Phone Number:	337-761-2000
E3. Street:	1710 W. Willow Street	E7. City:	Scott
E4. State	LA	E8. County:	Lafayette
E10. Area of Operation:	CONUS, Atlantic Ocean, Pacific Ocean, Gulf of Mexico		
E11. Latitude:	0 °0 '0.0 "		
E12. Longitude:	0 °0 '0.0 "		
E13. Lat/Lon Coordinates are:	<input type="radio"/> NAD-27	<input type="radio"/> NAD-83	<input checked="" type="radio"/> N/A
E14. Site Elevation (AMSL):	0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A

E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input checked="" type="radio"/> Yes <input type="radio"/> No
--	---

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA’s study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	<input checked="" type="radio"/> Yes <input type="radio"/> No
---	---

POINTS OF COMMUNICATION

Satellite Name: If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (___ dBi at ___ GHz)	
Remote 1	Remote 1	300	Seatel	4003	1.0	0.0 dBi at	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
Remote 1	0.0/0.0	0.0	0.0	0.0	2.56	0.0	45.78

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/Western Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
Remote 1	Geostationary	11700 12200	43.0/172.0	0.0	15.0	0.0	15.0	0.0
	Geostationary	14000 14500	43.0/172.0	0.0	15.0	0.0	15.0	-12.79

REMOTE CONTROL POINT LOCATION

E61. Call Sign E980235 NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E66. Phone Number 800-375-1562	
E62. Street Address Stratos Operations Center 1710 W. Willow Street			
E63. City Scott		E68. County Lafayette	
		E67/68. State/Country LA/ USA	
		E64. Zip Code 70583	

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site			
E1. Site Identifier:	Remote 2	E5. Call Sign:	
E2. Contact Name	N/A	E6. Phone Number:	337-761-2000
E3. Street:	1710 W. Willow Street	E7. City:	Scott
E4. State	LA	E8. County:	Lafayette
E10. Area of Operation:	CONUS, Atlantic Ocean, Pacific Ocean, Gulf of Mexico		
E11. Latitude:	0 °0 '0.0 "		
E12. Longitude:	0 °0 '0.0 "		
E13. Lat/Lon Coordinates are:	<input type="radio"/> NAD-27	<input type="radio"/> NAD-83	<input checked="" type="radio"/> N/A
E14. Site Elevation (AMSL):	0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A

E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input checked="" type="radio"/> Yes <input type="radio"/> No
--	---

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA’s study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	<input checked="" type="radio"/> Yes <input type="radio"/> No
---	---

POINTS OF COMMUNICATION

Satellite Name: If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (___ dBi at ___ GHz)	
Remote 2	Remote 2	150	Seatel	4996	1.2	0.0 dBi at	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
Remote 2	0.0/0.0	0.0	0.0	0.0	4.0	0.0	48.2

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/Western Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
Remote 2	Geostationary	11700 12200	43.0/172.0	0.0	15.0	0.0	15.0	0.0
	Geostationary	14000 14500	43.0/172.0	0.0	15.0	0.0	15.0	-12.7

REMOTE CONTROL POINT LOCATION

E61. Call Sign E980235 NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E66. Phone Number 800-375-1562	
E62. Street Address Stratos Operations Center 1710 W. Willow Street			
E63. City Scott		E68. County Lafayette	
		E67/68. State/Country LA/ USA	E64. Zip Code 70583

SATELLITE EARTH STATION AUTHORIZATIONS
 FCC Form 312 – Schedule B:(Technical and Operational Description)
 FOR OFFICIAL USE ONLY

Location of Earth Station Site			
E1. Site Identifier:	Remote 3	E5. Call Sign:	
E2. Contact Name	N/A	E6. Phone Number:	337-761-2000
E3. Street:	1710 W. Willow Street	E7. City:	Scott
E4. State	LA	E8. County:	Lafayette
E10. Area of Operation:	CONUS, Atlantic Ocean, Pacific Ocean, Gulf of Mexico		
E11. Latitude:	0 °0 '0.0 "		
E12. Longitude:	0 °0 '0.0 "		
E13. Lat/Lon Coordinates are:	<input type="radio"/> NAD-27	<input type="radio"/> NAD-83	<input checked="" type="radio"/> N/A
E14. Site Elevation (AMSL):	0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A

E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input checked="" type="radio"/> Yes <input type="radio"/> No
--	---

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA’s study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	<input checked="" type="radio"/> Yes <input type="radio"/> No
---	---

POINTS OF COMMUNICATION

Satellite Name: If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at _____ GHz)	
Remote 3	Remote 3	150	Seatel	9797-32	2.4	0.0 dBi at	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
Remote 3	0.0/0.0	0.0	0.0	0.0	8.0	0.0	58.3

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/Western Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
Remote 3	Geostationary	11700 12200	43.0/172.0	0.0	15.0	0.0	15.0	0.0
	Geostationary	14000 14500	43.0/172.0	0.0	15.0	0.0	15.0	-10.65

REMOTE CONTROL POINT LOCATION

E61. Call Sign E980235 NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E66. Phone Number 800-375-1562	
E62. Street Address Stratos Operations Center 1710 W. Willow Street			
E63. City Scott		E68. County Lafayette	
		E67/68. State/Country LA/ USA	
		E64. Zip Code 70583	

SATELLITE EARTH STATION AUTHORIZATIONS
 FCC Form 312 – Schedule B:(Technical and Operational Description)
 FOR OFFICIAL USE ONLY

Location of Earth Station Site			
E1. Site Identifier:	Remote 4	E5. Call Sign:	
E2. Contact Name	N/A	E6. Phone Number:	337-761-2000
E3. Street:	1710 W. Willow Street	E7. City:	Scott
E4. State	LA	E8. County:	Lafayette
E10. Area of Operation:	CONUS, Atlantic Ocean, Pacific Ocean, Gulf of Mexico		
E11. Latitude:	0 °0 '0.0 "		
E12. Longitude:	0 °0 '0.0 "		
E13. Lat/Lon Coordinates are:	<input type="radio"/> NAD-27	<input type="radio"/> NAD-83	<input checked="" type="radio"/> N/A
E14. Site Elevation (AMSL):	0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A

E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input checked="" type="radio"/> Yes <input type="radio"/> No
--	---

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA’s study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	<input checked="" type="radio"/> Yes <input type="radio"/> No
---	---

POINTS OF COMMUNICATION

Satellite Name: If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (___ dBi at ___ GHz)	
Remote 4	Remote 4	150	Seatel	4006	1.0	0.0 dBi at	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
Remote 4	0.0/0.0	0.0	0.0	0.0	4.0	0.0	47.72

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/Western Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
Remote 4	Geostationary	11700 12200	43.0/172.0	0.0	15.0	0.0	15.0	0.0
	Geostationary	14000 14500	43.0/172.0	0.0	15.0	0.0	15.0	-13.04

REMOTE CONTROL POINT LOCATION

E61. Call Sign E980235 NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E66. Phone Number 800-375-1562	
E62. Street Address Stratos Operations Center 1710 W. Willow Street			
E63. City Scott		E68. County Lafayette	
		E67/68. State/Country LA/ USA	E64. Zip Code 70583

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site			
E1. Site Identifier:	Remote 5	E5. Call Sign:	
E2. Contact Name	N/A	E6. Phone Number:	337-761-2000
E3. Street:	1710 W. Willow Street	E7. City:	Scott
E4. State	LA	E8. County:	Lafayette
E10. Area of Operation:	CONUS, Atlantic Ocean, Pacific Ocean, Gulf of Mexico		
E11. Latitude:	0 °0 '0.0 "		
E12. Longitude:	0 °0 '0.0 "		
E13. Lat/Lon Coordinates are:	<input type="radio"/> NAD-27	<input type="radio"/> NAD-83	<input checked="" type="radio"/> N/A
E14. Site Elevation (AMSL):	0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A

E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input checked="" type="radio"/> Yes <input type="radio"/> No
--	---

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

<p>E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA’s study regarding the potential hazard of the structure to aviation?</p> <p>FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.</p>	<input checked="" type="radio"/> Yes <input type="radio"/> No
--	---

POINTS OF COMMUNICATION

Satellite Name: If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at _____ GHz)	
Remote 5	Remote 5	300	Seatel	6006	1.5	0.0 dBi at	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
Remote 5	0.0/0.0	0.0	0.0	0.0	4.0	0.0	50.98

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/Western Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
Remote 5	Geostationary	11700 12200	43.0/172.0	0.0	15.0	0.0	15.0	0.0
	Geostationary	14000 14500	43.0/172.0	0.0	15.0	0.0	15.0	-12.7

REMOTE CONTROL POINT LOCATION

E61. Call Sign E980235 NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E66. Phone Number 800-375-1562	
E62. Street Address Stratos Operations Center 1710 W. Willow Street			
E63. City Scott		E68. County Lafayette	
		E67/68. State/Country LA/ USA	E64. Zip Code 70583

FCC NOTICE REQUIRED BY THE PAPERWORK REDUCTION ACT

The public reporting for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the required data, and completing and reviewing the collection of information. If you have any comments on this burden estimate, or how we can improve the collection and reduce the burden it causes you, please write to the Federal Communications Commission, AMD–PERM, Paperwork Reduction Project (3060–0678), Washington, DC 20554. We will also accept your comments regarding the Paperwork Reduction Act aspects of this collection via the Internet if you send them to PRA@fcc.gov. PLEASE DO NOT SEND COMPLETED FORMS TO THIS ADDRESS.

Remember – You are not required to respond to a collection of information sponsored by the Federal government, and the government may not conduct or sponsor this collection, unless it displays a currently valid OMB control number or if we fail to provide you with this notice. This collection has been assigned an OMB control number of 3060–0678.

THE FOREGOING NOTICE IS REQUIRED BY THE PAPERWORK REDUCTION ACT OF 1995, PUBLIC LAW 104–13, OCTOBER 1, 1995, 44 U.S.C. SECTION 3507.