E50. Modulation and Services(If the complete description does not appear in this box, please go to the end of the form to view it entirety.)

NULL

1	11700 12200	R	Horizontal	36M0G7W	0.0	0.0

E50. Modulation and Services(If the complete description does not appear in this box, please go to the end of the form to view it entirety.)

NULL

1	11700 12200	R	Horizontal	36M0G7W	0.0	0.0

E50. Modulation and Services(If the complete description does not appear in this box, please go to the end of the form to view it entirety.)

NULL

1	11700 12200	R	Horizontal	36M0G7W	0.0	0.0

E50. Modulation and Services(If the complete description does not appear in this box, please go to the end of the form to view it entirety.)

NULL

1	11700 12200	R	Horizontal	36M0G7W	0.0	0.0

E50. Modulation and Services(If the complete description does not appear in this box, please go to the end of the form to view it entirety.)

NULL

1	11700 12200	R	Horizontal	36M0G7W	0.0	0.0

E50. Modulation and Services(If the complete description does not appear in this box, please go to the end of the form to view it entirety.)

NULL

1	11700 12200	R	Horizontal	36M0G7W	0.0	0.0

E50. Modulation and Services(If the complete description does not appear in this box, please go to the end of the form to view it entirety.)

NULL

1	11700 12200	R	Horizontal	36M0G7W	0.0	0.0

E50. Modulation and Services(If the complete description does not appear in this box, please go to the end of the form to view it entirety.)

NULL

1	14000 14500	T	Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services(If the complete description does not appear in this box, please go to the end of the form to view it entirety.)

NULL

1	14000 14500	T	Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services(If the complete description does not appear in this box, please go to the end of the form to view it entirety.)

NULL

1	14000 14500	T	Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services(If the complete description does not appear in this box, please go to the end of the form to view it entirety.)

NULL

1	14000 14500	T	Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services(If the complete description does not appear in this box, please go to the end of the form to view it entirety.)

NULL

1	14000 14500	T	Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services(If the complete description does not appear in this box, please go to the end of the form to view it entirety.)

NULL

1	14000 14500	T	Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services(If the complete description does not appear in this box, please go to the end of the form to view it entirety.)

NULL

1	14000 14500	T	Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services(If the complete description does not appear in this box, please go to the end of the form to view it entirety.)

NULL

1	14000 14500	T	Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services(If the complete description does not appear in this box, please go to the end of the form to view it entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/Western Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
			/					

REMOTE CONTROL POINT LOCATION

E61. Call Sign E6156 NOTE: Please enter the callsign of the controlling station, not tl callsign for which this application is being filed.		E66. Phone Number 212-664-6175	
E62. Street Address 30 Rockefeller Plaza			
E63. City NY	E68. County Manhattan	E67/68. State/Country NY/ USA	E64. Zip Code 10112

E61. Call Sign E6156 NOTE: Please enter the callsign of the controlling station, not tl callsign for which this application is being filed.		E66. Phone Number 212-664-6175	
E62. Street Address 30 Rockefeller Plaza			
E63. City NY	E68. County Manhattan	E67/68. State/Country NY/ USA	E64. Zip Code 10112

E61. Call Sign
E6156
NOTE: Please enter the callsign of the controlling station, not tl callsign for which this application is being filed.

E66. Phone Number
212-664-6175

E62. Street Address
30 Rockefeller Plaza

E63. City NY	E68. County Manhattan	E67/68. State/Country NY/ USA	E64. Zip Code 10112

E61. Call Sign E6156 NOTE: Please enter the callsign of the controlling station, not tl callsign for which this application is being filed.	E66. Phone Number 212-664-6175
E62. Street Address 30 Rockefeller Plaza	

E63. City	E68. County	E67/68. State/Country	E64. Zip Code
NY	Manhattan	NY/ USA	10112

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 - Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	WSLS E7612	E5. Call Sign:	E7612
E2: Contact Name	Michele Tully	E6. Phone Number:	321-723-5395
E3. Street:	401 Third Street, SW	E7. City:	Roanoke
		E8. County:	Roanoke
E4. State	VA	E9. Zip Code	24011
E10. Area of Operation:		CONUS	
E11. Latitude:	0 °0 '0.0 "		
E12. Longitude:	0 °0 '0.0 "		
E13. Lat/Lon Coordinates are:		○ NAD-27	○ NAD-83 ◉ N/A
E14. Site Elevation (AMSL):		0.0 meters	

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as dem by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliar two-degree spacing policy.

(●) Yes ( ) No ( ) N/A

E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in t Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?

( ) Yes ( ) No (●) N/A

E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the c point.

(●) Yes ( ) No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	( ) Yes (●) No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	( ) Yes (●) No
E20. FAA Notification - (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is req have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential ha the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	( ) Yes (●) No

POINTS OF COMMUNICATION

Satellite Name: If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:

E23. Orbit Location: E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____dBi at _____GHz)	
WSLS E7612	1	1	Harris	5346	6.1	0.0 dBi at	
WSLS E7612	1	1	Harris	5346	6.1	0.0 dBi at	
WSLS E7612	1	1	Harris	5346	6.1	0.0 dBi at	
WSLS E7612	1	1	Harris	5346	6.1	0.0 dBi at	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
1	0.0/0.0	14.0	0.0	0.0	0.0	0.0	0.0
1	0.0/0.0	14.0	0.0	0.0	0.0	0.0	0.0
1	0.0/0.0	14.0	0.0	0.0	0.0	0.0	0.0
1	0.0/0.0	14.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
1	11700 12200	R	Horizontal	36M0G7W	0.0	0.0

E50. Modulation and Services(If the complete description does not appear in this box, please go to the end of the form to view it entirety.)

NULL

1	11700 12200	R	Horizontal	36M0G7W	0.0	0.0

E50. Modulation and Services(If the complete description does not appear in this box, please go to the end of the form to view it entirety.)

NULL

1	11700 12200	R	Horizontal	36M0G7W	0.0	0.0

E50. Modulation and Services(If the complete description does not appear in this box, please go to the end of the form to view it entirety.)

NULL

1	11700 12200	R	Horizontal	36M0G7W	0.0	0.0

E50. Modulation and Services(If the complete description does not appear in this box, please go to the end of the form to view it entirety.)

NULL

1	11700 12200	R	Horizontal	36M0G7W	0.0	0.0

E50. Modulation and Services(If the complete description does not appear in this box, please go to the end of the form to view it entirety.)

NULL

1	11700 12200	R	Horizontal	36M0G7W	0.0	0.0

E50. Modulation and Services(If the complete description does not appear in this box, please go to the end of the form to view it entirety.)

NULL

1	11700 12200	R	Horizontal	36M0G7W	0.0	0.0

E50. Modulation and Services(If the complete description does not appear in this box, please go to the end of the form to view it entirety.)

NULL

1	11700 12200	R	Horizontal	36M0G7W	0.0	0.0

E50. Modulation and Services(If the complete description does not appear in this box, please go to the end of the form to view it entirety.)

NULL

1	14000 14500	T	Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services(If the complete description does not appear in this box, please go to the end of the form to view it entirety.)

NULL

1	14000 14500	T	Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services(If the complete description does not appear in this box, please go to the end of the form to view it entirety.)

NULL

1	14000 14500	T	Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services(If the complete description does not appear in this box, please go to the end of the form to view it entirety.)

NULL

1	14000 14500	T	Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services(If the complete description does not appear in this box, please go to the end of the form to view it entirety.)

NULL

1	14000 14500	T	Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services(If the complete description does not appear in this box, please go to the end of the form to view it entirety.)

NULL

1	14000 14500	T	Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services(If the complete description does not appear in this box, please go to the end of the form to view it entirety.)

NULL

1	14000 14500	T	Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services(If the complete description does not appear in this box, please go to the end of the form to view it entirety.)

NULL

1	14000 14500	T	Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services(If the complete description does not appear in this box, please go to the end of the form to view it entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/Western Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
			/					

REMOTE CONTROL POINT LOCATION

E61. Call Sign E6156 NOTE: Please enter the callsign of the controlling station, not tl callsign for which this application is being filed.		E66. Phone Number 212-664-6175	
E62. Street Address 30 Rockefeller Plaza			
E63. City NY	E68. County Manhattan	E67/68. State/Country NY/ USA	E64. Zip Code 10112

E61. Call Sign E6156 NOTE: Please enter the callsign of the controlling station, not tl callsign for which this application is being filed.		E66. Phone Number 212-664-6175	
E62. Street Address 30 Rockefeller Plaza			
E63. City NY	E68. County Manhattan	E67/68. State/Country NY/ USA	E64. Zip Code 10112

E61. Call Sign E6156 NOTE: Please enter the callsign of the controlling station, not tl callsign for which this application is being filed.	E66. Phone Number 212-664-6175
E62. Street Address 30 Rockefeller Plaza	

E63. City	E68. County	E67/68. State/Country	E64. Zip Code
NY	Manhattan	NY/ USA	10112

E61. Call Sign	E66. Phone Number
E6156 NOTE: Please enter the callsign of the controlling station, not tl callsign for which this application is being filed.	212-664-6175
E62. Street Address 30 Rockefeller Plaza	

E63. City	E68. County	E67/68. State/Country	E64. Zip Code
NY	Manhattan	NY/ USA	10112

FCC NOTICE REQUIRED BY THE PAPERWORK REDUCTION ACT

The public reporting for this collection of information is estimated to average 2 hours per response, including the time for reviewing in searching existing data sources, gathering and maintaining the required data, and completing and reviewing the collection of informat have any comments on this burden estimate, or how we can improve the collection and reduce the burden it causes you, please write Federal Communications Commission, AMD-PERM, Paperwork Reduction Project (3060-0678), Washington, DC 20554. We will alsc your comments regarding the Paperwork Reduction Act aspects of this collection via the Internet if you send them to PRA@fcc.gov. DO NOT SEND COMPLETED FORMS TO THIS ADDRESS.

Remember - You are not required to respond to a collection of information sponsored by the Federal government, and the governmer conduct or sponsor this collection, unless it displays a currently valid OMB control number or if we fail to provide you with this notice. collection has been assigned an OMB control number of 3060-0678.

THE FOREGOING NOTICE IS REQUIRED BY THE PAPERWORK REDUCTION ACT OF 1995, PUBLIC LAW 104-13, OCTOBER 1, 1995, 44 U.S.C. SECTION 3507.