

RADIO STATION AUTHORIZATION

Name: ISAT US Inc. Call Sign: E140029

Authorization Type: Modification of License File Number: SES-MOD-20151106-00818

Non Common Carrier Grant date: 05/02/2016 Expiration Date: 09/29/2030

Nature of Service: Domestic Maritime Mobile-Satellite Service

Nature of Service: Fixed Satellite Service

Class of Station: Blanket Earth Stations

A) Site Location(s)

# Site ID	Address	Latitude	Longitude	Elevation (Meters)	NAD	Special Provisions (Refer to Section H)
1) REMOTE 1	Maritime Vessels Atlantic Ocean, Pacific Ocean CONUS, PR, USVI,			0	NA	
2) REMOTE 2	Maritime Vessels Atlantic Ocean, Pacific Ocean CONUS PR USVI,			0	NA	
3) REMOTE 3	Maritime Vessels Atlantic Ocean, Pacific Ocean CONUS PR USVI,				NA	
4) REMOTE 4	Maritime Vessels Atlantic Ocean, Pacific Ocean CONUS PR USVI,				NA	
5) REMOTE 5	Maritime Vessels Atlantic Ocean, Pacific Ocean CONUS PR USVI,				NA	
6) REMOTE 6	Maritime Vessels Atlantic Ocean, Pacific Ocean CONUS PR USVI,				NA	



RADIO STATION AUTHORIZATION

Name: ISAT US Inc. Call Sign: E140029

Authorization Type: Modification of License File Number: SES-MOD-20151106-00818

Non Common Carrier 05/02/2016 09/29/2030 Grant date: **Expiration Date:**

A) Site Location(s)

# Site ID	Address	Latitude	Longitude	Elevation (Meters)	Special Provisions NAD (Refer to Section H)
7) REMOTE 7	Maritime Vessels				NΔ

Atlantic Ocean, Pacific Ocean CONUS PR USVI,

Subject to the provisions of the Communications Act of 1934, The Communications Satellite Act of 1962, subsequent acts and treaties, and all present and future regulations made by this Commission, and further subject to the conditions and requirements set forth in this license, the grantee is authorized to construct, use and operate the radio facilities described below for radio communications for the term beginning September 29, 2015 (3 AM Eastern Standard Time) and ending September 29, 2030 (3 AM Eastern Standard Time). The required date of completion of construction and commencement of

operation is May 2, 2017 (3 AM Eastern Standard Time). Grantee must file with the Commission a certification upon

The General Provision 1010 applies to all receiving frequency bands. The General Provision 1900 applies to all transmitting frequency bands.

completion of construction and commencement of operation.

For the text of these provisions, refer to Section H.

B) Particulars of Operations

#	Frequency (MHz)	Polarizatio Code		Tx/Rx Mode	Max EIRP /Carrier (dBW)	Max EIRP Density /Carrier (dBW/4kHz)	Associated Antenna	Special Provisions (Refer to Section H)	Modulation/ Services
1) 29	500.0000-30000.0000	R	1M79G1W	Tx	54.60	28.10	INT GX100		Modulation and Services Digital Data Signalling
2) 29	500.0000-30000.0000	R	5M00G1W	Tx	54.50	23.50	INT GX100		Modulation and Services Digital Data Signalling
3) 29	500.0000-30000.0000	R	600KG7W	Tx	47.80	26.00	INT GX100		Various Modulations up to 32APSK; Digital Data Link
4) 29	500.0000-30000.0000	R	6M96G7W	Tx	54.50	22.10	INT GX100		Various Modulations up to 32APSK; Digital Data Link
5) 19	700.0000-20200.0000	L	32M0G7W	Rx			INT GX100		Various Modulations up to 32APSK; Digital Data Link
6) 29	500.0000-30000.0000	R	2M20G1W	Tx	50.50	23.10	INT GX60		Modulation and Services Digital Data Signalling
7) 29	500.0000-30000.0000	R	5M00G1W	Tx	50.90	19.90	INT GX60		Modulation and Services Digital Data Signalling
8) 29	500.0000-30000.0000	R	492KG7W	Tx	44.00	23.10	INT GX60		Various Modulations up to 32APSK; Digital Data Link
9)29	500.0000-30000.0000	R	6M96G7W	Tx	50.90	18.50	INT GX60		Various Modulations up to 32APSK; Digital Data Link



RADIO STATION AUTHORIZATION

Name: ISAT US Inc. Call Sign: E140029

Authorization Type: Modification of License File Number: SES-MOD-20151106-00818

Non Common Carrier Grant date: 05/02/2016 Expiration Date: 09/29/2030

B) Particulars of Operations

The General Provision 1010 applies to all receiving frequency bands. The General Provision 1900 applies to all transmitting frequency bands.

For the text of these provisions, refer to Section H.

1 01	the text of these provisions, refe	i to section ii	•		Max	Max EIRP		Special	
#	Frequency (MHz)	Polarization Code	n Emission	Tx/Rx Mode	EIRP /Carrier (dBW)	Density /Carrier (dBW/4kHz)	Associated Antenna	Provisions (Refer to Section H)	Modulation/ Services
10)	19700.0000-20200.0000	L	32M0G7W	Rx			INT GX60		Various Modulations up to 32APSK; Digital Data Link
11)	29500.0000-30000.0000	R	2M70G1W	Tx	50.50	22.20	JUE-60GX		Modulation and Services Digital Data Signalling
12)	29500.0000-30000.0000	R	5M00G1W	Tx	50.90	19.90	JUE-60GX		Modulation and Services Digital Data Signalling
13)	29500.0000-30000.0000	R	600KG7W	Tx	44.00	22.20	JUE-60GX		Various Modulations up to 32APSK; Digital Data Link
14)	29500.0000-30000.0000	R	6M96G7W	Tx	50.90	18.50	JUE-60GX		Various Modulations up to 32APSK; Digital Data Link
15)	19700.0000-20200.0000	L,R	32M0G7W	Rx			JUE-60GX		Modulation and Services Digital Data Signalling
16)	29500.0000-30000.0000	R	2M70G1W	Tx	54.30	26.00	SAILOR 100		Modulation and Services Digital Data Signalling
17)	29500.0000-30000.0000	R	5M00G1W	Tx	54.50	23.50	SAILOR 100		Modulation and Services Digital Data Signalling
18)	29500.0000-30000.0000	R	600KG7W	Tx	47.80	26.00	SAILOR 100		Various Modulations up to 32APSK; Digital Data Link
19);	29500.0000-30000.0000	R	6M96G7W	Tx	54.50	22.10	SAILOR 100		Various Modulations up to 32APSK; Digital Data Link
20)	19700.0000-20200.0000	L	32M0G7W	Rx			SAILOR 100		Various Modulations up to 32APSK; Digital Data Link
21)	29500.0000-30000.0000	R	2M20G1W	Tx	50.50	23.10	SAILOR 60		Modulation and Services Digital Data Signalling
22)	29500.0000-30000.0000	R	5M00G1W	Tx	50.70	19.70	SAILOR 60		Modulation and Services Digital Data Signalling
23)	29500.0000-30000.0000	R	492KG7W	Tx	44.00	23.10	SAILOR 60		Various Modulations up to 32APSK; Digital Data Link
24)	29500.0000-30000.0000	R	6M96G7W	Tx	50.70	18.30	SAILOR 60		Various Modulations up to 32APSK; Digital Data Link
25)	19700.0000-20200.0000	L	32M0G7W	Rx			SAILOR 60		Various Modulations up to 32APSK; Digital Data Link
26)	29500.0000-30000.0000	R	2M30G1W	Tx	54.10	26.50	SEA4012GX		Modulation and Services Digital Data Signalling
27)	29500.0000-30000.0000	R	5M00G1W	Tx	54.10	23.10	SEA4012GX		Modulation and Services Digital Data Signalling



RADIO STATION AUTHORIZATION

Name: ISAT US Inc. Call Sign: E140029

Authorization Type: Modification of License File Number: SES-MOD-20151106-00818

Non Common Carrier Grant date: 05/02/2016 Expiration Date: 09/29/2030

B) Particulars of Operations

The General Provision 1010 applies to all receiving frequency bands. The General Provision 1900 applies to all transmitting frequency bands.

For the text of these provisions, refer to Section H.

#	Frequency (MHz)	Polarizatio Code	on Emission	Tx/Rx Mode	Max EIRP /Carrier (dBW)	Max EIRP Density /Carrier (dBW/4kHz)	Associated Antenna	Special Provisions (Refer to Section H)	Modulation/ Services	
28) 29	500.0000-30000.0000	R	600KG7W	Tx	46.50	24.70	SEA4012GX		Various Modulations 32APSK; Digital Data	
29) 29	500.0000-30000.0000	R	6M96G7W	Tx	54.10	21.70	SEA4012GX		Various Modulations 32APSK; Digital Data	-
30) 19	700.0000-20200.0000	L	32M0G7W	Rx	0.00	0.00	SEA4012GX		Various Modulations 32APSK; Digital Data	
31) 29	500.0000-30000.0000	R	2M70G1W	Tx	50.30	22.00	SEAGX60		Modulation and Ser- Digital Data Signall	
32) 29	500.0000-30000.0000	R	5M00G1W	Tx	50.30	19.30	SEAGX60		Modulation and Ser- Digital Data Signall	
33) 29	500.0000-30000.0000	R	600KG7W	Tx	43.30	21.50	SEAGX60		Various Modulations 32APSK; Digital Data	
34) 29	500.0000-30000.0000	R	6M96G7W	Tx	50.30	17.90	SEAGX60		Various Modulations 32APSK; Digital Data	
35) 19	700.0000-20200.0000	L	32M0G7W	Rx	0.00	0.00	SEAGX60		Various Modulations 32APSK; Digital Data	

C) Frequency Coordination Limits

<u>#</u> _	Frequency Limits (MHz)	Satellite Arc (Deg. Long.) East West Limit Limit	Elevation (Degrees) East West Limit Limit	Azimuth (Degrees) East West Limit Limit		Associated Antenna(s)
1)	19700.0000-20200.0000	0.0W-360.0W	05.0-05.0	000.0-000.0		SEA4012GX
2)	29500.0000-30000.0000	0.0W-360.0W	05.0-05.0	000.0-000.0	-9	SEA4012GX
3)	19700.0000-20200.0000	0.0W-360.0W	05.0-05.0	000.0-000.0		SEAGX60
4)	29500.0000-30000.0000	0.0W-360.0W	05.0-05.0	000.0-000.0	-9	SEAGX60
5)	29500.0000-30000.0000		05.0-05.0		-9	SAILOR 100
6)	19700.0000-20200.0000		05.0-05.0			SAILOR 100
7)	29500.0000-30000.0000		05.0-05.0		-9	JUE-60GX
8)	19700.0000-20200.0000		05.0-05.0			JUE-60GX
9)	29500.0000-30000.0000		05.0-05.0		-9	INT GX100
10)	19700.0000-20200.0000		05.0-05.0			INT GX100
11)	29500.0000-30000.0000		05.0-05.0		-9	INT GX60
12)	19700.0000-20200.0000		05.0-05.0			INT GX60



RADIO STATION AUTHORIZATION

Name: ISAT US Inc. Call Sign: E140029

Authorization Type: Modification of License File Number: SES-MOD-20151106-00818

Non Common Carrier Grant date: 05/02/2016 Expiration Date: 09/29/2030

C) Frequency Coordination Limits

		Satellite Arc (Deg. Long.)		Elevation (Degrees)		Azimuth (Degrees)		Max EIRP Density toward		
#	Frequency Limits (MHz)	East Limit	West Limit	East Limit	West Limit	East Limit	West Limit	Horizon (dBW/4kHz)	Associated Antenna(s)	
13)	29500.0000-30000.0000			05.0	-05.0			-9	SAILOR 60	
14)	19700.0000-20200.0000			05.0-	-05.0				SAILOR 60	

D) Points of Communications

The following stations located in the Satellite orbits consistent with Sections B and C of this Entry:

- 1) REMOTE 1 to INMARSAT 5F2 satellite @ 55 W.L. (U. K. licensed)
- 2) REMOTE 1 to INMARSAT 5F3 satellite @ 179.6 E.L. (U. K. licensed)
- 3) REMOTE 2 to INMARSAT 5F2 satellite @ 55 W.L. (U. K. licensed)
- 4) REMOTE 2 to INMARSAT 5F3 satellite @ 179.6 E.L. (U. K. licensed)
- 5) REMOTE 3 to INMARSAT 5F2 satellite @ 55 W.L. (U. K. licensed)
- 6) REMOTE 3 to INMARSAT 5F3 satellite @ 179.6 E.L. (U. K. licensed)
- 7) REMOTE 4 to INMARSAT 5F2 satellite @ 55 W.L. (U. K. licensed)
- 8) REMOTE 4 to INMARSAT 5F3 satellite @ 179.6 E.L. (U. K. licensed)
- 9) REMOTE 5 to INMARSAT 5F2 satellite @ 55 W.L. (U. K. licensed)
- 10) REMOTE 5 to INMARSAT 5F3 satellite @ 179.6 E.L. (U. K. licensed)
- 11) REMOTE 6 to INMARSAT 5F2 satellite @ 55 W.L. (U. K. licensed)
- 12) REMOTE 6 to INMARSAT 5F3 satellite @ 179.6 E.L. (U. K. licensed)
- 13) REMOTE 7 to INMARSAT 5F2 satellite @ 55 W.L. (U. K. licensed)
- 14) REMOTE 7 to INMARSAT 5F3 satellite @ 179.6 E.L. (U. K. licensed)

Maximum aggregate output EIRP for all carriers (dBW) =

E) Antenna Facilities

Site ID	Antenna ID	Units	Diameter (meters)	Manufacturer	Model number	Site Elevation (Meters)	Max Antenna Height (Meters)	Provisions (Refer to Section H)
REMOTE 5	INT GX100	4000	1.03	INTELLIAN	GX100			_
Max	Gains(s): 29. dBi	5000 GH		.3 dBi @ 20.2000	0.9 dBi @ 19.950 GHz 47.6 dBi		47.7 dBi @ 00 GHz 43.8	
Maxi	imum total inpu	t power	at antenr	na flange (Watts) =	5.00			

(page 5 of 11) FCC Form 488

54.60



RADIO STATION AUTHORIZATION

Name: ISAT US Inc. Call Sign: E140029

Authorization Type: Modification of License File Number: SES-MOD-20151106-00818

Non Common Carrier Grant date: 05/02/2016 Expiration Date: 09/29/2030

E) Antenna Facilities

Site ID	Antenna ID	Units	Diameter (meters)	Manufacturer	Model number	Site Elevation (Meters)	Max Antenna Height (Meters)	Special Provisions (Refer to Section H)
REMOTE 6	INT GX60	4000	0.65	INTELLIAN	GX60			
Max (Gains(s): 29. dBi	5000 GH		9.7500 GHz 40 dBi @ 30.0000	0.5 dBi @ 19.950 GHz 41.1 dBi		44.2 dBi @ 39.7	
	-	-		flange (Watts) = l carriers (dBW) =				
REMOTE 4	JUE-60GX	4000	0.65	JRC	JUE-60GX			
Max (5000 GH	dBi @ 1 z 43.9 9.7500 GHz	9.7000 GHz 39 dBi @ 30.0000	0.9 dBi @ 20.200 GHz 39.9 dBi		43.9 dBi @ 500 GHz 43.9	
Maxin	num total inpu			flange (Watts) =	5.00			
Maxir	num aggregate	output	EIRP for al	l carriers (dBW) =	50.90			
REMOTE 3	SAILOR 100	4000	1.03	Cobham SatCom	Sailor 100 GX			
Max (2000 GH		0.0000 GHz 43 dBi @ 29.5000	3.5 dBi @ 19.700 GHz 43.9 dBi		44.1 dBi @ 500 GHz 47.5	
	=	-		<pre>flange (Watts) = l carriers (dBW) =</pre>				
REMOTE 7	SAILOR 60	4000	0.65	COBHAM SEATEL	SAILOR GX60			
Max (0000 GH		9.7500 GHz 40 dBi @ 29.5000	0.5 dBi @ 19.950 GHz 40.5 dBi		43.7 dBi @ 000 GHz 40.4	
	=	t power	at antenna	flange (Watts) = l carriers (dBW) =				
REMOTE 1	SEA4012GX	4000	1	Cobham-Sea Tel	4012GX	0	0 AGL	
Maxim	=	t power	at antenna	9.5000 GHz 44 flange (Watts) = l carriers (dBW) =		00 GHz		
REMOTE 2	SEAGX60	4000	0.65	Cobham-Sea Tel	GX60	0	0 AGL	
Maxin	=	t power	at antenna	9.5000 GHz 40 flange (Watts) = l carriers (dBW) =		00 GHz		



RADIO STATION AUTHORIZATION

Name: ISAT US Inc. Call Sign: E140029

Authorization Type: Modification of License File Number: SES-MOD-20151106-00818

Non Common Carrier Grant date: 05/02/2016 Expiration Date: 09/29/2030

F) Remote Control Point:

REMOTE 1 6211 GLEN CIRCLE Call Sign: E120072

LINO LAKES, ANOKA, MN 55014

808-469-7104

REMOTE 2 6211 GLEN CIRCLE Call Sign: E120072

LINO LAKES, ANOKA, MN 55014

808-469-7104

REMOTE 3 6211 GLEN CIRCLE, (SAILOR 100) Call Sign: E120072

LINO LAKES, ANOKA, MN 55014

808-469-7104

REMOTE 4 6211 GLEN CIRCLE, (JUE-60GX) Call Sign: E120072

LINO LAKES, ANOKA, MN 55014

808-469-7104

REMOTE 5 6211 GLEN CIRCLE, (INT GX100) Call Sign: E120072

LINO LAKES, ANOKA, MN 55014

808-469-7104

REMOTE 6 6211 GLEN CIRCLE, (INT GX60) Call Sign: E120072

LINO LAKES, ANOKA, MN 55014

808-469-7104

REMOTE 7 6211 GLEN CIRCLE, (SAILOR 60) Call Sign: E120072

LINO LAKES, ANOKA, MN 55014

808-469-7104

G) Antenna Structure marking and lighting requirements:

None unless otherwise specified under Special and General Provisions



RADIO STATION AUTHORIZATION

Name: ISAT US Inc. Call Sign: E140029

Authorization Type: Modification of License File Number: SES-MOD-20151106-00818

Non Common Carrier Grant date: 05/02/2016 Expiration Date: 09/29/2030

H) Special and General Provisions

- A) This RADIO STATION AUTHORIZATION is granted subject to the following special provisions and general conditions:
 - 1010 --- Applicable to all receiving frequency bands. Emission designator indicates the maximum bandwidth of received signal at associated station(s). Maximum EIRP and maximum EIRP density are not applicable to receive operations.
 - 1900 --- Applicable to all transmitting frequency bands. Authority is granted to transmit any number of RF carriers with the specified parameters on any discrete frequencies within associated band in accordance with the other terms and conditions of this authorization, subject to any additional limitations that may be required to avoid unacceptable levels of inter-satellite interference.
 - 2010 --- This authorization is issued pursuant to the Commission's Second Report and Order adopted June 16, 1972 (35 FCC 2d 844) and Memorandum, Opinion and Order adopted December 21, 1972 (38 FCC 2d 665) in Docket No. 16495 and is subject to the policies adopted in that proceeding.
 - 2300 --- Authority is granted to operate this station by remote control provided that: (1)the parameters of the transmissions of this station monitored at the remote control point, and the operational functions sufficient to ensure that the operations of this station are in full compliance with the station authorization at all times; (2) upon detection by the grantee, or upon notification from the Commission, of a deviation of the operation of this station, transmissions shall be immediately suspended until the deviation is corrected, except that transmissions concerning the immediate safety of life or property may be conducted for the duration of such emergency; and (3) the grantee shall have available, at all times, the technical personnel necessary to perform the technical servicing and maintenance of this station expeditiously. See also Public Notice "The International Bureau Provides Guidance Concerning the Relocation of Earth Station Remote Control Points", DA 06-978 (rel. May 4, 2006).
 - 2653 --- Licensee shall maintain a 24-hour point of contact who can remedy any interference problems or terminate operations if necessary.
 - 2916 --- Transmitter(s) must be turned off during antenna maintenance to ensure compliance with the FCC-specified safety guidelines for human exposure to radiofrequency radiation in the region between the antenna feed and the reflector. Appropriate measures must also be taken to restrict access to other regions in which the earth station's power flux density levels exceed the specified guidelines.
 - 3219 --- All existing transmitting facilities, operations and devices regulated by the Commission must be in compliance with the Commission's radiofrequency (RF) exposure guidelines, pursuant to Section 1.1307(b)(1) through (b)(3) of the Commission's rules, or if not in compliance, file an Environmental Assessment (EA) as specified in Section 1.1311. See 47 CFR § 1.1307 (b) (5).
 - 5208 --- The licensee shall take all necessary measures to ensure that the antenna does not create potential exposure of humans to radiofrequency radiation in excess of the FCC exposure limits defined in 47 CFR 1.1307(b) and 1.1310 wherever such exposures might occur. Measures must be taken to ensure compliance with limits for both occupational/controlled exposure and for general population/uncontrolled exposure, as defined in these rule sections. Compliance can be accomplished in most cases by appropriate restrictions, such as fencing. Requirements for restrictions can be determined by predictions based on calculations, modeling, or by field measurements. The FCC's OET Bulletin 65 (available on-line at www.fcc.gov/oet/rfsafety) provides information on predicting exposure levels and on methods for ensuring compliance, including the use of warning and alerting signs and protective equipment for workers.

5216 --- All operations shall be on a non-common carrier basis.

(page 8 of 11) FCC Form 488



RADIO STATION AUTHORIZATION

Name: ISAT US Inc. Call Sign: E140029

Authorization Type: Modification of License File Number: SES-MOD-20151106-00818

Non Common Carrier Grant date: 05/02/2016 Expiration Date: 09/29/2030

H) Special and General Provisions

- A) This RADIO STATION AUTHORIZATION is granted subject to the following special provisions and general conditions:
 - 6609 --- The licensee must comply with any pertinent limits and provisions established by the International Telecommunication Union to protect other services allocated internationally.
 - 6613 --- The licensee must maintain the following records for each antenna on maritime vessels: a record of the ship location (i.e., latitude and longitude), transmit frequency, channel bandwidth and satellite used. These records shall be time annotated and maintained for a period of not less than 1 year. Records will be obtained at time intervals of no greater than every 20 minutes while the antenna is transmitting. The licensee will make this data available upon request to a coordinator, fixed system operator, fixed satellite system operator, or the Commission within 24 hours of the request.
- 90104 --- For any new antenna authorized by this grant, the licensee must file with the Commission a certification including the following information: name of the licensee, file number of the application, call sign of the antenna, Site ID, date of the license and certification that the antenna model was put into operation.
- 90227 --- Grant of this application and operations under this license are based upon and subject to the conditions, waivers, and findings specified in DA 15-392 (rel. March 30, 2015).
- 90228 --- The licensee's earth stations on maritime vessels authorized herein must employ a tracking algorithm that is resistant to capturing and tracking adjacent satellite signals, and each station must be capable of inhibiting its own transmission in the event it detects unintended satellite tracking.
- 90229 --- The licensee's earth stations on maritime vessels authorized herein must be monitored and controlled by a ground-based network control and monitoring center. Such stations must be able to receive "enable transmission" and "disable transmission" commands from the network control center and must cease transmission immediately after receiving a "parameter change" command until receiving an "enable transmission" command from the network control center. The network control center must monitor operation of each earth station to determine if it is malfunctioning, and each earth station on maritime vessels must self-monitor and automatically cease transmission within 100 milliseconds on detecting an operational fault that could cause harmful interference.
- 90230 --- The Commisson's Ka-band Plan is waived to the extent noted herein. Operations in the 29.5-30.0 GHz and 19.7-20.2 GHz frequency bands for maritime use are permitted on a non-harmful interference basis, that is, operations must not cause harmful interference to, and must not claim protection from interference caused by any other lawfully operating station. Transmission(s) must cease immediately upon notice of any interference caused. See Rulemaking to Amend Parts 1, 2, 21, and 25 of the Commission's Rules to Redesignate the 27.5-29.5 GHz Frequency Band to Reallocate the 29.5-30.0 GHz Frequency Band, to Establish Rules and Policies for Local Multipoint Distribution Services and for Fixed Satellite Services, First Report and Order and Fourth Notice of Proposed Rulemaking, 11 FCC Rcd 19005 (1996). This waiver applies to terminals with the technical characteristics identified in this license, on both U.S. and non-U.S. registered vessels.
- 90232 --- The licensee must submit to the Commission a yearly report indicating the number of earth stations actually brought into service under its blanket licensing authority. The annual report is due to the Commission no later than the first day of April of each year and shall indicate the deployment figures for the preceding calendar year. See 47 C.F.R. § 25.145(f)(1)(iv)(2).

(page 9 of 11) FCC Form 488



RADIO STATION AUTHORIZATION

Name: ISAT US Inc. Call Sign: E140029

Authorization Type: Modification of License File Number: SES-MOD-20151106-00818

Non Common Carrier Grant date: 05/02/2016 Expiration Date: 09/29/2030

H) Special and General Provisions

A) This RADIO STATION AUTHORIZATION is granted subject to the following special provisions and general conditions:

- 90233 --- The operation of Inmarsat-5 F2 and associated earth stations must comport with: (i) the applicable uplink limits in Section 25.138 in the frequency 29.5-30.0 GHz; (ii) the applicable downlink limits in Section 25.138 in the frequency band 19.7-20.2 GHz. These limits cannot be exceeded unless the satellite operator coordinates any non-conforming operation with the operations of U.S.-licensed GSO space stations within 6 degrees of 55° W.L. Non-conforming operation must also be coordinated with respect to operation of non-U.S.-licensed space stations within 6 degrees of 55° W.L. when communicating with U.S.-licensed earth stations pursuant to Section 25.137 of the Commission's rules, 47 C.F.R. § 25.137.
- 90234 --- This authorization and any licenses related thereto are subject to compliance with the provisions of the Agreement between Inmarsat on the one hand and the U.S. Department of Justice (DOJ) and the Department of Homeland Security (DHS) on the other, dated September 23, 2008, as amended.



RADIO STATION AUTHORIZATION

Name: ISAT US Inc. Call Sign: E140029

Authorization Type: Modification of License File Number: SES-MOD-20151106-00818

Non Common Carrier Grant date: 05/02/2016 Expiration Date: 09/29/2030

B) This RADIO STATION AUTHORIZATION is granted subject to the additional conditions specified below:

This authorization is issued on the grantee's representation that the statements contained in the application are true and that the undertakings described will be carried out in good faith.

This authorization shall not be construed in any manner as a finding by the Commission on the question of marking or lighting of the antenna system should future conditions require. The grantee expressly agrees to install such marking or lighting as the Commission may require under the provisions of Section 303(q) of the Communications Act. 47 U.S.C. § 303(q).

Neither this authorization nor the right granted by this authorization shall be assigned or otherwise transferred to any person, firm, company or corporation without the written consent of the Commission. This authorization is subject to the right of use or control by the government of the United States conferred by Section 706 of the Communications Act. 47 U.S.C. § 706. Operation of this station is governed by Part 25 of the Commission's Rules. 47 C.F.R. Part 25.

This authorization shall not vest in the licensee any right to operate this station nor any right in the use of the designated frequencies beyond the term of this license, nor in any other manner than authorized herein.

This authorization is issued on the grantee's representation that the station is in compliance with environmental requirements set forth in Section 1.1307 of the Commission's Rules. 47 C.F.R. § 1.1307.

This authorization is issued on the grantee's representation that the station is in compliance with the Federal Aviation Administration (FAA) requirements as set forth in Section 17.4 of the Commission's Rules. 47 C.F.R.§ 17.4.

The following condition applies when this authorization permits construction of or modifies the construction permit of a radio station.

This authorization shall be automatically forfeited if the station is not ready for operation by the required date of completion of construction unless an application for modification of authorization to request additional time to complete construction is filed by that date, together with a showing that failure to complete construction by the required date was due to factors not under control of the grantee.

Licensees are required to pay annual regulatory fees related to this authorization. The requirement to collect annual regulatory fees from regulates is contained in Public Law 103-66, "The Omnibus Budget Reconciliation Act of 1993." These regulatory fees, which are likely to change each fiscal year, are used to offset costs associated with the Commission's enforcement, public service, international and policy and rulemaking activities. The Commission issues a Report and Order each year, setting the new regulatory fee rates. Receive only earth stations are exempt from payment of regulatory fees.

(page 11 of 11) FCC Form 488