

FREQUENCY COORDINATION AND INTERFERENCE ANALYSIS REPORT

Prepared for
EchoStar Corporation
BLACK HAWK, SD
(E020248)
Satellite Earth Station

Prepared By:
COMSEARCH
19700 Janelia Farm Boulevard
Ashburn, VA 20147
February 09, 2017

TABLE OF CONTENTS

1. CONCLUSIONS	3
2. SUMMARY OF RESULTS	4
3. SUPPLEMENTAL SHOWING	5
4. EARTH STATION COORDINATION DATA.....	6
5. CERTIFICATION.....	10

1. CONCLUSIONS

An interference study considering all existing, proposed and prior coordinated microwave facilities within the coordination contours of the proposed earth station demonstrates that this site will operate satisfactorily with the common carrier microwave environment. Further, there will be no restrictions of its operation due to interference considerations.

2. SUMMARY OF RESULTS

A number of great circle interference cases were identified during the interference study of the proposed earth station. Each of the cases, which exceeded the interference objective on a line-of-sight basis, was profiled and the propagation losses estimated using NBS TN101 (Revised) techniques. The losses were found to be sufficient to reduce the signal levels to acceptable magnitudes in every case.

3. SUPPLEMENTAL SHOWING

Pursuant to Part 25.203(c) of the FCC Rules and Regulations, the satellite earth station proposed in this application was coordinated by Comsearch using computer techniques and in accordance with Part 25 of the FCC Rules and Regulations.

Coordination data for this earth station was sent to the below listed carriers with a letter dated 01/25/2017.

Company

Campbell, County of
Qwest Corporation
Range Telephone Cooperative, Inc.
Rapid City Medical Center, LLP
Visionary Communications, Inc.
West River Electric Association Inc
Western Communications, Inc.

4. EARTH STATION COORDINATION DATA

This section presents the data pertinent to frequency coordination of the proposed earth station that was circulated to all carriers within its coordination contours.

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Date: 01/25/2017
Job Number: 170125COMSGE04

Administrative Information

Status: ENGINEER PROPOSAL
Call Sign: E020248
Licensee Code: ZECHOS
Licensee Name: EchoStar Corporation

Site Information

BLACK HAWK, SD
Venue Name: BLACK HAWK
Latitude (NAD 83): 44° 11' 15.3" N
Longitude (NAD 83): 103° 20' 9.7" W
Climate Zone: A
Rain Zone: 5
Ground Elevation (AMSL): 1109.46 m / 3640.0 ft

Link Information

Satellite Type: Geostationary
Mode: TR - Transmit-Receive
Modulation: Digital
Satellite Arc: 33° W to 174° West Longitude
Azimuth Range: 104.0° to 256.3°
Corresponding Elevation Angles: 5.3° / 5.1°
Antenna Centerline (AGL): 6.4 m / 21.0 ft

Antenna Information

	Receive - FCC32	Transmit - FCC32
Manufacturer	Vertex	Vertex
Model	13.2 Meter	13.2 Meter
Gain / Diameter	62.5 dBi / 13.2 m	65.0 dBi / 13.2 m
3-dB / 15-dB Beamwidth	0.06° / 0.12°	0.05° / 0.10°

Max Available RF Power	(dBW/4 kHz)				
	(dBW/MHz)			-5.4	18.6

Maximum EIRP	(dBW/4 kHz)				
	(dBW/MHz)			59.6	83.6

Interference Objectives:	Long Term				
	Short Term	-156.0 dBW/MHz	20%	-151.0 dBW/4 kHz	20%
		-146.0 dBW/MHz	0.01%	-128.0 dBW/4 kHz	0.0025%

Frequency Information

	Receive 12.2 GHz	Transmit 17.3 GHz
Emission / Frequency Range (MHz)	300KGXD - 800KF3D / 12200.0 - 12700.0 24M0G1W / 12200.0 - 12700.0	800KF3D - 1M50F3D / 17300.0 - 17800.0 24M0G1W / 17300.0 - 17800.0

Max Great Circle Coordination Distance	628.4 km / 390.4 mi	371.2 km / 230.6 mi
Precipitation Scatter Contour Radius	417.1 km / 259.1 mi	100.0 km / 62.1 mi

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values		BLACK HAWK, SD			
Licensee Name		EchoStar Corporation			
Latitude (NAD 83)		44° 11' 15.3" N			
Longitude (NAD 83)		103° 20' 9.7" W			
Ground Elevation (AMSL)		1109.46 m / 3640.0 ft			
Antenna Centerline (AGL)		6.4 m / 21.0 ft			
Antenna Model		Vertex 13.2 Meter			
Antenna Mode		Receive 12.2 GHz		Transmit 17.3 GHz	
Interference Objectives:	Long Term	-156.0 dBW/MHz	20%	-151.0 dBW/4 kHz	20%
	Short Term	-146.0 dBW/MHz	0.01%	-128.0 dBW/4 kHz	0.0025%
Max Available RF Power		-5.4 (dBW/4 kHz)			

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Receive 12.2 GHz		Transmit 17.3 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)	Horizon Gain (dBi)	Coordination Distance (km)
0	1.98	103.73	-10.00	143.77	-10.00	100.00
5	2.51	98.98	-10.00	132.41	-10.00	100.00
10	2.85	93.99	-10.00	127.32	-10.00	100.00
15	2.86	88.99	-10.00	127.26	-10.00	100.00
20	3.19	83.99	-10.00	121.35	-10.00	100.00
25	3.52	78.99	-10.00	115.68	-10.00	100.00
30	3.44	74.00	-10.00	116.98	-10.00	100.00
35	3.86	69.00	-10.00	110.04	-10.00	100.00
40	4.26	63.99	-10.00	104.46	-10.00	100.00
45	4.31	58.99	-10.00	103.75	-10.00	100.00
50	4.32	54.00	-10.00	103.69	-10.00	100.00
55	4.02	49.00	-10.00	107.51	-10.00	100.00
60	4.02	44.00	-9.09	110.59	-9.09	100.00
65	4.30	39.00	-7.78	111.60	-7.78	100.00
70	4.15	34.01	-6.29	118.97	-6.29	100.00
75	4.22	29.01	-4.56	124.67	-4.56	100.00
80	4.77	23.99	-2.50	125.55	-2.50	100.00
85	4.82	18.99	0.03	133.70	0.03	100.00
90	3.58	14.09	3.28	175.43	3.28	100.00
95	1.96	9.59	7.46	228.72	7.46	121.28
100	2.71	4.76	15.07	256.91	15.07	133.25
105	1.61	3.82	17.44	628.38	17.44	371.19
110	0.25	7.80	9.70	367.49	9.70	222.39
115	0.00	11.39	5.59	305.85	5.59	194.58
120	0.00	14.71	2.81	292.24	2.81	184.02
125	0.00	17.94	0.66	280.30	0.66	175.82
130	0.00	21.05	-1.08	270.97	-1.08	169.22
135	0.00	24.03	-2.52	263.48	-2.52	163.76
140	0.00	26.83	-3.72	257.37	-3.72	157.77
145	0.32	29.17	-4.62	240.00	-4.62	142.75
150	0.73	31.18	-5.35	208.16	-5.35	116.93
155	1.21	32.83	-5.91	189.39	-5.91	100.00
160	1.33	34.47	-6.44	183.39	-6.44	100.00
165	1.50	35.72	-6.82	176.40	-6.82	100.00
170	1.94	36.31	-7.00	158.94	-7.00	100.00
175	1.94	36.92	-7.18	158.01	-7.18	100.00
180	2.67	36.40	-7.03	141.23	-7.03	100.00
185	3.77	35.11	-6.63	123.62	-6.63	100.00

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values


BLACK HAWK, SD

Licensee Name	EchoStar Corporation		
Latitude (NAD 83)	44° 11' 15.3" N		
Longitude (NAD 83)	103° 20' 9.7" W		
Ground Elevation (AMSL)	1109.46 m / 3640.0 ft		
Antenna Centerline (AGL)	6.4 m / 21.0 ft		
Antenna Model	Vertex 13.2 Meter		
Antenna Mode	Receive 12.2 GHz		Transmit 17.3 GHz
Interference Objectives:	Long Term	-156.0 dBW/MHz 20%	-151.0 dBW/4 kHz 20%
	Short Term	-146.0 dBW/MHz 0.01%	-128.0 dBW/4 kHz 0.0025%
Max Available RF Power	-5.4 (dBW/4 kHz)		

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Receive 12.2 GHz		Transmit 17.3 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)	Horizon Gain (dBi)	Coordination Distance (km)
190	3.77	34.52	-6.45	124.32	-6.45	100.00
195	4.98	32.37	-5.75	110.38	-5.75	100.00
200	4.96	31.08	-5.31	112.24	-5.31	100.00
205	2.55	31.63	-5.50	151.15	-5.50	100.00
210	2.67	29.49	-4.74	151.95	-4.74	100.00
215	2.95	26.95	-3.76	150.24	-3.76	100.00
220	3.42	24.03	-2.52	146.05	-2.52	100.00
225	3.58	21.17	-1.14	149.41	-1.14	100.00
230	3.58	18.26	0.46	157.60	0.46	100.00
235	3.61	15.18	2.47	170.25	2.47	100.00
240	3.63	11.98	5.03	183.64	5.03	100.00
245	3.60	8.73	8.48	201.54	8.48	100.00
250	3.70	5.30	13.89	294.08	13.89	152.50
255	3.65	1.90	25.04	593.69	25.04	345.01
260	3.82	3.95	17.09	244.51	17.09	122.67
265	4.09	8.80	8.39	191.88	8.39	100.00
270	3.26	13.86	3.45	183.53	3.45	100.00
275	3.06	18.85	0.12	170.62	0.12	100.00
280	2.74	23.85	-2.44	162.18	-2.44	100.00
285	2.47	28.85	-4.50	157.96	-4.50	100.00
290	2.48	33.83	-6.23	149.11	-6.23	100.00
295	2.02	38.85	-7.73	153.08	-7.73	100.00
300	2.10	43.83	-9.04	145.05	-9.04	100.00
305	1.53	48.84	-10.00	157.06	-10.00	100.00
310	1.22	53.84	-10.00	169.93	-10.00	100.00
315	0.25	58.87	-10.00	222.69	-10.00	133.04
320	0.00	63.86	-10.00	227.19	-10.00	137.01
325	0.00	68.83	-10.00	227.19	-10.00	137.01
330	0.00	73.81	-10.00	227.19	-10.00	137.01
335	1.16	78.77	-10.00	172.01	-10.00	100.00
340	1.08	83.76	-10.00	174.71	-10.00	100.00
345	1.48	88.75	-10.00	158.81	-10.00	100.00
350	1.46	93.74	-10.00	159.30	-10.00	100.00
355	1.55	98.73	-10.00	156.55	-10.00	100.00

5. CERTIFICATION

I HEREBY CERTIFY THAT I AM THE TECHNICALLY QUALIFIED PERSON RESPONSIBLE FOR THE PREPARATION OF THE FREQUENCY COORDINATION DATA CONTAINED IN THIS APPLICATION, THAT I AM FAMILIAR WITH PARTS 101 AND 25 OF THE FCC RULES AND REGULATIONS, THAT I HAVE EITHER PREPARED OR REVIEWED THE FREQUENCY COORDINATION DATA SUBMITTED WITH THIS APPLICATION, AND THAT IT IS COMPLETE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

BY: 

Gary K. Edwards
Senior Manager
COMSEARCH
19700 Janelia Farm Boulevard
Ashburn, VA 20147

DATED: February 09, 2017