

FREQUENCY COORDINATION AND INTERFERENCE ANALYSIS REPORT

Prepared for
EchoStar Corporation
SPOKANE, WA
Satellite Earth Station

Prepared By:
COMSEARCH
19700 Janelia Farm Boulevard
Ashburn, VA 20147
February 23, 2017

TABLE OF CONTENTS

1. CONCLUSIONS	3
2. SUMMARY OF RESULTS	4
3. SUPPLEMENTAL SHOWING	5
4. EARTH STATION COORDINATION DATA.....	6
5. CERTIFICATION.....	10

1. CONCLUSIONS

An interference study considering all existing, proposed and prior coordinated microwave facilities within the coordination contours of the proposed earth station demonstrates that this site will operate satisfactorily with the common carrier microwave environment. Further, there will be no restrictions of its operation due to interference considerations.

2. SUMMARY OF RESULTS

A number of great circle interference cases were identified during the interference study of the proposed earth station. Each of the cases, which exceeded the interference objective on a line-of-sight basis, was profiled and the propagation losses estimated using NBS TN101 (Revised) techniques. The losses were found to be sufficient to reduce the signal levels to acceptable magnitudes in every case.

3. SUPPLEMENTAL SHOWING

Pursuant to Part 25.203(c) of the FCC Rules and Regulations, the satellite earth station proposed in this application was coordinated by Comsearch using computer techniques and in accordance with Part 25 of the FCC Rules and Regulations.

Coordination data for this earth station was sent to the below listed carriers with a letter dated 02/09/2017.

Company

Affiniti LLC
Bonner, County of Idaho
Chickadee Wireless, Inc
Confederated Tribes of the Colville Res.
Conterra Ultra Broadband, LLC
Cutting Edge Communications, Inc.
Desert Winds Wireless
EcliptixNet Broadband, Inc.
First Step Internet, LLC
Friends of KSPS
GW Networks
J & R Electronics Inc
KSKN Television, Inc.
King Broadcasting Company - KREM TV
MOODY BIBLE INSTITUTE
Mobilisa Enterprise Wireless
NEXTEL WEST CORPORATION
New Cingular Wireless PCS LLC-Washington
Newmax, LLC
Nez Perce Tribe
PACIFIC WIRELESS SYSTEMS LLC
PANHANDLE STATE BANK
Providence Health & Services
Ptera Wireless, Inc.
Shoshone County Medical Center Company
Sprint Spectrum L.P.
Startouch, Inc.
Summit Towers LLC
T-MOBILE LIC LLC - VOICESTREAM PCS BTA I
T-Mobile License LLC
Verizon Wireless (VAW) LLC - (WA)
Verizon Wireless (VAW) LLC -CO/ID/MT/WY
Washington State Dept of Natural Resourc
Washington State University
Whitman County Fire District #7
Wired or Wireless, Inc.

4. EARTH STATION COORDINATION DATA

This section presents the data pertinent to frequency coordination of the proposed earth station that was circulated to all carriers within its coordination contours.

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Date: 02/09/2017
Job Number: 170209COMSGE08

Administrative Information

Status: ENGINEER PROPOSAL
Call Sign: E070275
Licensee Code: ZECHOS
Licensee Name: EchoStar Corporation

Site Information SPOKANE, WA

Venue Name
Latitude (NAD 83): 47° 35' 33.5" N
Longitude (NAD 83): 117° 33' 5.1" W
Climate Zone: A
Rain Zone: 5
Ground Elevation (AMSL): 741.86 m / 2433.9 ft

Link Information

Satellite Type: Geostationary
Mode: TR - Transmit-Receive
Modulation: Digital
Satellite Arc: 61° W to 148° West Longitude
Azimuth Range: 116.0° to 218.5°
Corresponding Elevation Angles: 13.4° / 27.9°
Antenna Centerline (AGL): 5.49 m / 18.0 ft

Antenna Information

	Receive - FCC32	Transmit - FCC32
Manufacturer	Vertex	Vertex
Model	9 Meter	9 Meter
Gain / Diameter	58.6 dBi / 9.0 m	62.9 dBi / 9.0 m
3-dB / 15-dB Beamwidth	0.20° / 0.40°	0.10° / 0.30°

Max Available RF Power	(dBW/4 kHz)	-5.7
	(dBW/MHz)	18.3

Maximum EIRP	(dBW/4 kHz)	57.2
	(dBW/MHz)	81.2

Interference Objectives:	Long Term	-156.0 dBW/MHz	20%	-151.0 dBW/4 kHz	20%
	Short Term	-146.0 dBW/MHz	0.01%	-128.0 dBW/4 kHz	0.0025%

Frequency Information

	Receive 12.2 GHz	Transmit 17.3 GHz
Emission / Frequency Range (MHz)	1M50G2D - 24M0M1F / 12200.0 - 12700.0	1M50G2D - 24M0M1F / 17300.0 - 17800.0

Max Great Circle Coordination Distance	295.5 km / 183.6 mi	186.6 km / 115.9 mi
Precipitation Scatter Contour Radius	368.1 km / 228.7 mi	100.0 km / 62.1 mi

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values

SPOKANE, WA

Licensee Name	EchoStar Corporation		
Latitude (NAD 83)	47° 35' 33.5" N		
Longitude (NAD 83)	117° 33' 5.1" W		
Ground Elevation (AMSL)	741.86 m / 2433.9 ft		
Antenna Centerline (AGL)	5.49 m / 18.0 ft		
Antenna Model	Vertex 9 Meter		
Antenna Mode	Receive 12.2 GHz		Transmit 17.3 GHz
Interference Objectives:	Long Term	-156.0 dBW/MHz	20%
	Short Term	-146.0 dBW/MHz	0.01%
Max Available RF Power		-5.7 (dBW/4 kHz)	

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Receive 12.2 GHz		Transmit 17.3 GHz		Coordination Distance (km)
			Horizon Gain (dBi)	Coordination Distance (km)	Horizon Gain (dBi)	Coordination Distance (km)	
0	0.00	115.25	-10.00	227.19	-10.00	136.02	
5	0.00	110.41	-10.00	227.19	-10.00	136.02	
10	0.00	105.56	-10.00	227.19	-10.00	136.02	
15	0.00	100.70	-10.00	227.19	-10.00	136.02	
20	0.00	95.84	-10.00	227.19	-10.00	136.02	
25	0.00	90.98	-10.00	227.19	-10.00	136.02	
30	0.00	86.11	-10.00	227.19	-10.00	136.02	
35	0.00	81.25	-10.00	227.19	-10.00	136.02	
40	0.00	76.39	-10.00	227.19	-10.00	136.02	
45	0.00	71.54	-10.00	227.19	-10.00	136.02	
50	0.00	66.69	-10.00	227.19	-10.00	136.02	
55	0.00	61.86	-10.00	227.19	-10.00	136.02	
60	0.00	57.04	-10.00	227.19	-10.00	136.02	
65	0.00	52.25	-10.00	227.19	-10.00	136.02	
70	0.00	47.48	-9.91	227.56	-9.91	136.27	
75	0.00	42.76	-8.78	232.60	-8.78	139.65	
80	0.00	38.09	-7.52	238.35	-7.52	143.55	
85	0.00	33.50	-6.12	245.48	-6.12	148.11	
90	0.00	29.02	-4.57	253.11	-4.57	153.47	
95	0.00	24.73	-2.83	261.88	-2.83	159.79	
100	0.00	20.74	-0.92	271.85	-0.92	168.55	
105	0.00	17.24	1.08	282.63	1.08	176.16	
110	0.00	14.63	2.87	292.58	2.87	182.95	
115	0.00	13.40	3.82	295.12	3.82	186.57	
120	0.00	13.93	3.40	295.55	3.40	184.95	
125	0.00	16.06	1.86	286.89	1.86	179.09	
130	0.00	18.94	0.07	277.11	0.07	172.29	
135	0.00	21.68	-1.40	269.31	-1.40	166.72	
140	0.31	24.00	-2.50	252.56	-2.50	150.14	
145	1.01	25.76	-3.27	203.95	-3.27	109.77	
150	1.27	27.66	-4.05	195.94	-4.05	101.00	
155	1.51	29.31	-4.68	186.27	-4.68	100.00	
160	1.19	31.20	-5.35	192.63	-5.35	100.00	
165	0.77	32.86	-5.92	203.94	-5.92	112.69	
170	0.71	33.85	-6.24	205.32	-6.24	114.32	
175	0.98	34.15	-6.34	194.68	-6.34	102.40	
180	1.41	33.91	-6.26	181.82	-6.26	100.00	
185	1.62	33.52	-6.13	176.15	-6.13	100.00	

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values

SPOKANE, WA

Licensee Name EchoStar Corporation
 Latitude (NAD 83) 47° 35' 33.5" N
 Longitude (NAD 83) 117° 33' 5.1" W
 Ground Elevation (AMSL) 741.86 m / 2433.9 ft
 Antenna Centerline (AGL) 5.49 m / 18.0 ft
 Antenna Model Vertex 9 Meter
 Antenna Mode Receive 12.2 GHz
 Interference Objectives: Long Term -156.0 dBW/MHz 20%
 Short Term -146.0 dBW/MHz 0.01%


Transmit 17.3 GHz
 -151.0 dBW/4 kHz 20%
 -128.0 dBW/4 kHz 0.0025%

Max Available RF Power -5.7 (dBW/4 kHz)

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Receive 12.2 GHz		Transmit 17.3 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)	Horizon Gain (dBi)	Coordination Distance (km)
190	1.59	32.99	-5.96	177.97	-5.96	100.00
195	1.54	32.12	-5.67	180.88	-5.67	100.00
200	1.58	30.82	-5.22	181.76	-5.22	100.00
205	1.58	29.25	-4.65	184.37	-4.65	100.00
210	1.37	27.73	-4.08	192.99	-4.08	100.00
215	0.90	27.17	-3.85	206.08	-3.85	112.43
220	0.82	27.09	-3.82	210.38	-3.82	116.32
225	0.62	27.95	-4.16	218.76	-4.16	124.08
230	0.00	29.96	-4.91	251.39	-4.91	152.25
235	0.34	31.75	-5.54	233.77	-5.54	137.15
240	0.70	34.12	-6.32	205.54	-6.32	114.61
245	0.59	37.29	-7.29	206.66	-7.29	116.64
250	0.00	41.07	-8.34	234.58	-8.34	140.99
255	0.00	44.70	-9.26	230.45	-9.26	138.20
260	0.00	48.52	-10.00	227.19	-10.00	136.02
265	0.00	52.50	-10.00	227.19	-10.00	136.02
270	0.00	56.59	-10.00	227.19	-10.00	136.02
275	0.00	60.78	-10.00	227.19	-10.00	136.02
280	0.00	65.03	-10.00	227.19	-10.00	136.02
285	0.00	69.34	-10.00	227.19	-10.00	136.02
290	0.00	73.69	-10.00	227.19	-10.00	136.02
295	0.00	78.07	-10.00	227.19	-10.00	136.02
300	0.00	82.47	-10.00	227.19	-10.00	136.02
305	0.00	86.89	-10.00	227.19	-10.00	136.02
310	0.00	91.31	-10.00	227.19	-10.00	136.02
315	0.00	95.72	-10.00	227.19	-10.00	136.02
320	0.00	100.13	-10.00	227.19	-10.00	136.02
325	0.00	104.52	-10.00	227.19	-10.00	136.02
330	0.00	108.89	-10.00	227.19	-10.00	136.02
335	0.00	113.21	-10.00	227.19	-10.00	136.02
340	0.00	117.49	-10.00	227.19	-10.00	136.02
345	0.00	121.71	-10.00	227.19	-10.00	136.02
350	0.00	124.89	-10.00	227.19	-10.00	136.02
355	0.00	120.08	-10.00	227.19	-10.00	136.02

5. CERTIFICATION

I HEREBY CERTIFY THAT I AM THE TECHNICALLY QUALIFIED PERSON RESPONSIBLE FOR THE PREPARATION OF THE FREQUENCY COORDINATION DATA CONTAINED IN THIS APPLICATION, THAT I AM FAMILIAR WITH PARTS 101 AND 25 OF THE FCC RULES AND REGULATIONS, THAT I HAVE EITHER PREPARED OR REVIEWED THE FREQUENCY COORDINATION DATA SUBMITTED WITH THIS APPLICATION, AND THAT IT IS COMPLETE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

BY: 

Gary K. Edwards
Senior Manager
COMSEARCH
19700 Janelia Farm Boulevard
Ashburn, VA 20147

DATED: February 23, 2017