



**UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION
RADIO STATION AUTHORIZATION**

Name: The Boeing Company

Call Sign: E100083

Authorization Type: Modification of License

File Number: SES-MOD-20170727-00826

Non Common Carrier

Grant date: 04/06/2018

Expiration Date: 08/24/2025



Nature of Service: Fixed Satellite Service

Class of Station: Fixed Earth Stations

A) Site Location(s)

#	Site ID	Address	Latitude	Longitude	Elevation (Meters)	Special Provisions NAD (Refer to Section H)
1)	1	460 HERNDON PKWY. (3.8M. RSI) HERNDON, FAIRFAX, VA 20170	38°57'32.0"N	77°22'32.0"W	107	83

Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209

Subject to the provisions of the Communications Act of 1934, The Communications Satellite Act of 1962, subsequent acts and treaties, and all present and future regulations made by this Commission, and further subject to the conditions and requirements set forth in this license, the grantee is authorized to construct, use and operate the radio facilities described below for radio communications for the term beginning August 24, 2010 (3 AM Eastern Standard Time) and ending August 24, 2025 (3 AM Eastern Standard Time). The required date of completion of construction and commencement of operation is April 6, 2019 (3 AM Eastern Standard Time). Grantee must file with the Commission a certification upon completion of construction and commencement of operation.

B) Particulars of Operations

The General Provision 1010 applies to all receiving frequency bands.

The General Provision 1900 applies to all transmitting frequency bands.

For the text of these provisions, refer to Section H.

#	Frequency (MHz)	Polarization Code	Emission	Tx/Rx Mode	Max EIRP /Carrier (dBW)	Max EIRP Density /Carrier (dBW/4kHz)	Associated Antenna	Special Provisions (Refer to Section H)	Modulation/ Services
1)	14000.0000-14500.0000	H, V, L, R	128KG7W	Tx	54.00	38.95	3.8M. RSI		DIGITAL DATA CARRIER
2)	14000.0000-14500.0000	H, V, L, R	1M00G7W	Tx	62.00	38.02	3.8M. RSI		DIGITAL DATA CARRIER
3)	14000.0000-14500.0000	H, V, L, R	1M50G7W	Tx	64.00	38.26	3.8M. RSI		DIGITAL DATA CARRIER
4)	14000.0000-14500.0000	H, V, L, R	256KG7W	Tx	57.00	38.94	3.8M. RSI		DIGITAL DATA CARRIER
5)	14000.0000-14500.0000	H, V, L, R	2M00G7W	Tx	65.04	38.05	3.8M. RSI		DIGITAL DATA CARRIER
6)	14000.0000-14500.0000	H, V, L, R	32K0G7W	Tx	48.00	38.97	3.8M. RSI		DIGITAL DATA CARRIER
7)	14000.0000-14500.0000	H, V, L, R	3M00G7W	Tx	65.04	36.29	3.8M. RSI		DIGITAL DATA CARRIER
8)	14000.0000-14500.0000	H, V, L, R	4M00G7W	Tx	65.04	35.04	3.8M. RSI		DIGITAL DATA CARRIER
9)	14000.0000-14500.0000	H, V, L, R	512KG7W	Tx	60.00	38.93	3.8M. RSI		DIGITAL DATA CARRIER



UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION
RADIO STATION AUTHORIZATION

Name: The Boeing Company

Call Sign: E100083

Authorization Type: Modification of License

File Number: SES-MOD-20170727-00826

Non Common Carrier

Grant date: 04/06/2018

Expiration Date: 08/24/2025

B) Particulars of Operations

The General Provision 1010 applies to all receiving frequency bands.
 The General Provision 1900 applies to all transmitting frequency bands.
 For the text of these provisions, refer to Section H.

#	Frequency (MHz)	Polarization Code	Emission	Tx/Rx Mode	Max EIRP /Carrier (dBW)	Max EIRP Density /Carrier (dBW/4kHz)	Associated Antenna	Special Provisions (Refer to Section H)	Modulation/ Services
10)	14000.0000-14500.0000	H, V, L, R	5M00G7W	Tx	65.04	34.07	3.8M. RSI		DIGITAL DATA CARRIER
11)	14000.0000-14500.0000	H, V, L, R	64K0G7W	Tx	51.00	38.96	3.8M. RSI		DIGITAL DATA CARRIER
12)	14000.0000-14500.0000	H, V, L, R	6M00G7W	Tx	65.04	33.28	3.8M. RSI		DIGITAL DATA CARRIER
13)	14000.0000-14500.0000	H, V, L, R	768KG7W	Tx	61.00	38.17	3.8M. RSI		DIGITAL DATA CARRIER
14)	14000.0000-14500.0000	H, V, L, R	7M00G7W	Tx	65.04	32.61	3.8M. RSI		DIGITAL DATA CARRIER
15)	14000.0000-14500.0000	H, V, L, R	8M00G7W	Tx	65.04	32.03	3.8M. RSI		DIGITAL DATA CARRIER
16)	13900.0000-14000.0000	H, V, L, R	128KG7W	Tx	54.00	38.95	3.8M. RSI		DIGITAL DATA CARRIER
17)	13900.0000-14000.0000	H, V, L, R	1M00G7W	Tx	62.00	38.02	3.8M. RSI		DIGITAL DATA CARRIER
18)	13900.0000-14000.0000	H, V, L, R	1M50G7W	Tx	64.00	38.26	3.8M. RSI		DIGITAL DATA CARRIER
19)	13900.0000-14000.0000	H, V, L, R	256KG7W	Tx	57.00	38.94	3.8M. RSI		DIGITAL DATA CARRIER
20)	13900.0000-14000.0000	H, V, L, R	2M00G7W	Tx	65.04	38.05	3.8M. RSI		DIGITAL DATA CARRIER
21)	13900.0000-14000.0000	H, V, L, R	32K0G7W	Tx	48.00	38.97	3.8M. RSI		DIGITAL DATA CARRIER
22)	13900.0000-14000.0000	H, V, L, R	3M00G7W	Tx	65.04	36.29	3.8M. RSI		DIGITAL DATA CARRIER
23)	13900.0000-14000.0000	H, V, L, R	4M00G7W	Tx	65.04	35.04	3.8M. RSI		DIGITAL DATA CARRIER
24)	13900.0000-14000.0000	H, V, L, R	512KG7W	Tx	60.00	38.93	3.8M. RSI		DIGITAL DATA CARRIER
25)	13900.0000-14000.0000	H, V, L, R	5M00G7W	Tx	65.04	34.07	3.8M. RSI		DIGITAL DATA CARRIER
26)	13900.0000-14000.0000	H, V, L, R	64K0G7W	Tx	51.00	38.96	3.8M. RSI		DIGITAL DATA CARRIER
27)	13900.0000-14000.0000	H, V, L, R	6M00G7W	Tx	65.04	33.28	3.8M. RSI		DIGITAL DATA CARRIER
28)	13900.0000-14000.0000	H, V, L, R	768KG7W	Tx	61.00	38.17	3.8M. RSI		DIGITAL DATA CARRIER
29)	13900.0000-14000.0000	H, V, L, R	7M00G7W	Tx	65.04	32.61	3.8M. RSI		DIGITAL DATA CARRIER
30)	13900.0000-14000.0000	H, V, L, R	8M00G7W	Tx	65.04	32.03	3.8M. RSI		DIGITAL DATA CARRIER
31)	11700.0000-12200.0000	H, V, L, R	128KG7W	Rx	0.00	0.00	3.8M. RSI		DIGITAL DATA CARRIER
32)	11700.0000-12200.0000	H, V, L, R	1M00G7W	Rx	0.00	0.00	3.8M. RSI		DIGITAL DATA CARRIER
33)	11700.0000-12200.0000	H, V, L, R	1M50G7W	Rx	0.00	0.00	3.8M. RSI		DIGITAL DATA CARRIER



UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION

RADIO STATION AUTHORIZATION

Name: The Boeing Company

Call Sign: E100083

Authorization Type: Modification of License

File Number: SES-MOD-20170727-00826

Non Common Carrier

Grant date: 04/06/2018

Expiration Date: 08/24/2025

B) Particulars of Operations

The General Provision 1010 applies to all receiving frequency bands.
 The General Provision 1900 applies to all transmitting frequency bands.
 For the text of these provisions, refer to Section H.

#	Frequency (MHz)	Polarization Code	Emission	Tx/Rx Mode	Max EIRP /Carrier (dBW)	Max EIRP Density /Carrier (dBW/4kHz)	Associated Antenna	Special Provisions (Refer to Section H)	Modulation/ Services
34)	11700.0000-12200.0000	H, V, L, R	256KG7W	Rx	0.00	0.00	3.8M. RSI		DIGITAL DATA CARRIER
35)	11700.0000-12200.0000	H, V, L, R	2M00G7W	Rx	0.00	0.00	3.8M. RSI		DIGITAL DATA CARRIER
36)	11700.0000-12200.0000	H, V, L, R	32K0G7W	Rx	0.00	0.00	3.8M. RSI		DIGITAL DATA CARRIER
37)	11700.0000-12200.0000	H, V, L, R	3M00G7W	Rx	0.00	0.00	3.8M. RSI		DIGITAL DATA CARRIER
38)	11700.0000-12200.0000	H, V, L, R	4M00G7W	Rx	0.00	0.00	3.8M. RSI		DIGITAL DATA CARRIER
39)	11700.0000-12200.0000	H, V, L, R	512KG7W	Rx	0.00	0.00	3.8M. RSI		DIGITAL DATA CARRIER
40)	11700.0000-12200.0000	H, V, L, R	5M00G7W	Rx	0.00	0.00	3.8M. RSI		DIGITAL DATA CARRIER
41)	11700.0000-12200.0000	H, V, L, R	64K0G7W	Rx	0.00	0.00	3.8M. RSI		DIGITAL DATA CARRIER
42)	11700.0000-12200.0000	H, V, L, R	6M00G7W	Rx	0.00	0.00	3.8M. RSI		DIGITAL DATA CARRIER
43)	11700.0000-12200.0000	H, V, L, R	768KG7W	Rx	0.00	0.00	3.8M. RSI		DIGITAL DATA CARRIER
44)	11700.0000-12200.0000	H, V, L, R	7M00G7W	Rx	0.00	0.00	3.8M. RSI		DIGITAL DATA CARRIER
45)	11700.0000-12200.0000	H, V, L, R	8M00G7W	Rx	0.00	0.00	3.8M. RSI		DIGITAL DATA CARRIER
46)	10950.0000-11700.0000	H, V, L, R	128KG7W	Rx			3.8M. RSI		DIGITAL DATA CARRIER
47)	10950.0000-11700.0000	H, V, L, R	1M00G7W	Rx			3.8M. RSI		DIGITAL DATA CARRIER
48)	10950.0000-11700.0000	H, V, L, R	1M50G7W	Rx			3.8M. RSI		DIGITAL DATA CARRIER
49)	10950.0000-11700.0000	H, V, L, R	256KG7W	Rx			3.8M. RSI		DIGITAL DATA CARRIER
50)	10950.0000-11700.0000	H, V, L, R	2M00G7W	Rx			3.8M. RSI		DIGITAL DATA CARRIER
51)	10950.0000-11700.0000	H, V, L, R	32K0G7W	Rx			3.8M. RSI		DIGITAL DATA CARRIER
52)	10950.0000-11700.0000	H, V, L, R	3M00G7W	Rx			3.8M. RSI		DIGITAL DATA CARRIER
53)	10950.0000-11700.0000	H, V, L, R	4M00G7W	Rx			3.8M. RSI		DIGITAL DATA CARRIER
54)	10950.0000-11700.0000	H, V, L, R	512KG7W	Rx			3.8M. RSI		DIGITAL DATA CARRIER
55)	10950.0000-11700.0000	H, V, L, R	5M00G7W	Rx			3.8M. RSI		DIGITAL DATA CARRIER
56)	10950.0000-11700.0000	H, V, L, R	64K0G7W	Rx			3.8M. RSI		DIGITAL DATA CARRIER
57)	10950.0000-11700.0000	H, V, L, R	6M00G7W	Rx			3.8M. RSI		DIGITAL DATA CARRIER



UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION
RADIO STATION AUTHORIZATION

Name: The Boeing Company

Call Sign: E100083

Authorization Type: Modification of License

File Number: SES-MOD-20170727-00826

Non Common Carrier

Grant date: 04/06/2018

Expiration Date: 08/24/2025

B) Particulars of Operations

The General Provision 1010 applies to all receiving frequency bands.
 The General Provision 1900 applies to all transmitting frequency bands.
 For the text of these provisions, refer to Section H.

#	Frequency (MHz)	Polarization Code	Emission	Tx/Rx Mode	Max EIRP /Carrier (dBW)	Max EIRP Density /Carrier (dBW/4kHz)	Associated Antenna	Special Provisions (Refer to Section H)	Modulation/ Services
58)	10950.0000-11700.0000	H, V, L, R	768KG7W	Rx			3.8M. RSI		DIGITAL DATA CARRIER
59)	10950.0000-11700.0000	H, V, L, R	7M00G7W	Rx			3.8M. RSI		DIGITAL DATA CARRIER
60)	10950.0000-11700.0000	H, V, L, R	8M00G7W	Rx			3.8M. RSI		DIGITAL DATA CARRIER

C) Frequency Coordination Limits

#	Frequency Limits (MHz)	Satellite Arc (Deg. Long.)		Elevation (Degrees)		Azimuth (Degrees)		Max EIRP Density toward Horizon (dBW/4kHz)	Associated Antenna(s)
		East Limit	West Limit	East Limit	West Limit	East Limit	West Limit		
1)	14000.0000-14500.0000	15.0W	142.0W	12.7	10.9	108.2	253.4	-10.97	3.8M. RSI
2)	11700.0000-12200.0000	15.0W	142.0W	12.7	10.9	108.2	253.4	0	3.8M. RSI
3)	13900.0000-14000.0000								3.8M. RSI
4)	10950.0000-11700.0000								3.8M. RSI

D) Points of Communications

The following stations located in the Satellite orbits consistent with Sections B and C of this Entry:

- 1) 1 to Permitted Space Station List
- 2) 1 to Telstar 12 (S2462) @ 15 W.L. (U.S.-licensed)

E) Antenna Facilities

Site ID	Antenna ID	Units	Diameter (meters)	Manufacturer	Model number	Site Elevation (Meters)	Max Antenna Height (Meters)	Special Provisions (Refer to Section H)
1	3.8M. RSI	2	3.8	GENERAL DYNAMICS	VERTEX RSI	107	13.9 AGL/ 120.9 AMSL	

Max Gains(s): 53.0 dBi @ 14.2500 GHz 51.7 dBi @ 11.9500 GHz
 Maximum total input power at antenna flange (Watts) = 16.00
 Maximum aggregate output EIRP for all carriers (dBW) = 65.04



UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION
RADIO STATION AUTHORIZATION

Name: The Boeing Company

Call Sign: E100083

Authorization Type: Modification of License

File Number: SES-MOD-20170727-00826

Non Common Carrier

Grant date: 04/06/2018

Expiration Date: 08/24/2025

G) Antenna Structure marking and lighting requirements:

None unless otherwise specified under Special and General Provisions

H) Special and General Provisions

A) This RADIO STATION AUTHORIZATION is granted subject to the following special provisions and general conditions:

- 4 --- Licensee must ensure that a current listing of the name, title, mailing address, email address, and telephone number of the responsible point of contact are on file at the FCC. Any changes must be filed electronically in the International Bureau Filing System (IBFS) in the "Other Filings" tab within 10 days of the change.
- 5 --- Licensee must notify the Commission when this earth station is no longer operational or when it has not been used to provide any service during any 6-month operation.
- 6 --- Licensee must comply with the license modification and notification requirements of 47 CFR § 25.118 to change the coordinates of its authorized earth station.

90398 --- Changes to previously authorized transmitting facilities, operations and devices regulated by the Commission that may have significant environmental impact, and are not excluded by §1.1306, require the preparation of an Environmental Assessment (EA) by the licensee. (See 47 C.F.R. §§1.1307, 1.1308 and 1.1311)

90399 --- The licensee shall, at all times, take all necessary measures to ensure that operation of this (these) authorized earth station(s) does not create potential exposure of humans to radiofrequency radiation in excess of the FCC exposure limits defined in 47 CFR §§ 1.1307(b) and 1.1310. Physical measures must be taken to ensure compliance with limits for both occupational/controlled exposure and for general population/uncontrolled exposure, as defined in these rule sections. Compliance can be accomplished in most cases by appropriate restrictions, such as fencing. Requirements for restrictions can be determined by predictions based on calculations, modeling, or by field measurements. The FCC's OET Bulletin 65 (available on-line at www.fcc.gov/oet/rfsafety) provides information on predicting exposure levels and on methods for ensuring compliance, including the use of warning and alerting signs and protective equipment for workers.



UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION
RADIO STATION AUTHORIZATION

Name: The Boeing Company

Call Sign: E100083

Authorization Type: Modification of License

File Number: SES-MOD-20170727-00826

Non Common Carrier

Grant date: 04/06/2018

Expiration Date: 08/24/2025

B) This RADIO STATION AUTHORIZATION is granted subject to the additional conditions specified below:

This authorization is issued on the grantee's representation that the statements contained in the application are true and that the undertakings described will be carried out in good faith.

This authorization shall not be construed in any manner as a finding by the Commission on the question of marking or lighting of the antenna system should future conditions require. The grantee expressly agrees to install such marking or lighting as the Commission may require under the provisions of Section 303(q) of the Communications Act. 47 U.S.C. § 303(q).

Neither this authorization nor the right granted by this authorization shall be assigned or otherwise transferred to any person, firm, company or corporation without the written consent of the Commission. This authorization is subject to the right of use or control by the government of the United States conferred by Section 706 of the Communications Act. 47 U.S.C. § 706. Operation of this station is governed by Part 25 of the Commission's Rules. 47 C.F.R. Part 25.

This authorization shall not vest in the licensee any right to operate this station nor any right in the use of the designated frequencies beyond the term of this license, nor in any other manner than authorized herein.

This authorization is issued on the grantee's representation that the station is in compliance with environmental requirements set forth in Section 1.1307 of the Commission's Rules. 47 C.F.R. § 1.1307.

This authorization is issued on the grantee's representation that the station is in compliance with the Federal Aviation Administration (FAA) requirements as set forth in Section 17.4 of the Commission's Rules. 47 C.F.R. § 17.4.

The following condition applies when this authorization permits construction of or modifies the construction permit of a radio station.

This authorization shall be automatically forfeited if the station is not ready for operation by the required date of completion of construction unless an application for modification of authorization to request additional time to complete construction is filed by that date, together with a showing that failure to complete construction by the required date was due to factors not under control of the grantee.

Licensees are required to pay annual regulatory fees related to this authorization. The requirement to collect annual regulatory fees from regulatees is contained in Public Law 103-66, "The Omnibus Budget Reconciliation Act of 1993." These regulatory fees, which are likely to change each fiscal year, are used to offset costs associated with the Commission's enforcement, public service, international and policy and rulemaking activities. The Commission issues a Report and Order each year, setting the new regulatory fee rates. Receive only earth stations are exempt from payment of regulatory fees.