

Exhibit A

Frequency Coordination

Per 47 C.F.R. Ch. 1 §25.130(b), attached is a “Frequency Coordination and Interference Analysis Report” performed pursuant to 47 C.F.R. Ch. 1 §25.203.

FREQUENCY COORDINATION AND INTERFERENCE ANALYSIS REPORT

Prepared for
GCI Communications Corp.
KODIAK, AK
Satellite Earth Station

Prepared By:
COMSEARCH
19700 Janelia Farm Boulevard
Ashburn, VA 20147
October 17, 2018

TABLE OF CONTENTS

1. CONCLUSIONS	3
2. SUMMARY OF RESULTS	4
3. SUPPLEMENTAL SHOWING	5
4. EARTH STATION COORDINATION DATA.....	6
5. CERTIFICATION.....	10

1. CONCLUSIONS

An interference study considering all existing, proposed and prior coordinated microwave facilities within the coordination contours of the proposed earth station demonstrates that this site will operate satisfactorily with the common carrier microwave environment. Further, there will be no restrictions of its operation due to interference considerations.

2. SUMMARY OF RESULTS

A number of great circle interference cases were identified during the interference study of the proposed earth station. Each of the cases, which exceeded the interference objective on a line-of-sight basis, was profiled and the propagation losses estimated using NBS TN101 (Revised) techniques. The losses were found to be sufficient to reduce the signal levels to acceptable magnitudes in every case.

The following companies reported potential great circle interference conflicts that did not meet the objectives on a line-of-sight basis. When over-the-horizon losses are considered on the interfering paths, sufficient blockage exists to negate harmful interference from occurring with the proposed transmit-receive earth station.

Company

GCI Communications Corp.
Kodiak Microwave System

No other carriers reported potential interference cases.

3. SUPPLEMENTAL SHOWING

Pursuant to Part 25.203(c) of the FCC Rules and Regulations, the satellite earth station proposed in this application was coordinated by Comsearch using computer techniques and in accordance with Part 25 of the FCC Rules and Regulations.

Coordination data for this earth station was sent to the below listed carriers with a letter dated 10/09/2018.

Company

GCI Communications Corp.
Kodiak Microwave System

4. EARTH STATION COORDINATION DATA

This section presents the data pertinent to frequency coordination of the proposed earth station that was circulated to all carriers within its coordination contours.

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Date: 10/09/2018
Job Number: 181009COMSTC08

Administrative Information

Call Sign E890566
Licensee Code P3203
Licensee Name GCI Communications Corp.

Site Information

KODIAK, AK

Latitude (NAD 83) 57° 45' 33.5" N
Longitude (NAD 83) 152° 30' 37.3" W
Climate Zone B
Rain Zone 2
Ground Elevation (AMSL) 8.84 m / 29.0 ft

Link Information

Satellite Type Geostationary
Mode TR - Transmit-Receive
Modulation Digital
Satellite Arc 89° W to 216° West Longitude
Azimuth Range 112.9° to 247.1°
Corresponding Elevation Angles 5.1° / 5.1°
Antenna Centerline (AGL) 6.0 m / 19.7 ft

Antenna Information

Receive - A4091D

Transmit - A6091D

Manufacturer	ANDREW CORPORATION	ANDREW CORPORATION
Model	ESA91-46A	ESA91-46A
Gain / Diameter	50.5 dBi / 9.1 m	53.9 dBi / 9.1 m
3-dB / 15-dB Beamwidth	0.50° / 1.00°	0.31° / 0.62°

Max Available RF Power	(dBW/4 kHz)			45K0G7W - 108MG7W		
	(dBW/MHz)			45K0D7W - 108MD7W		
Maximum EIRP	(dBW/4 kHz)			-2.7	-15.28	
	(dBW/MHz)			21.3	8.72	
	(dBW)			51.2	38.62	
Interference Objectives:	Long Term	-150.0 dBW/MHz	20%	-154.0 dBW/4 kHz	20%	
	Short Term	-140.0 dBW/MHz	0.01%	-131.0 dBW/4 kHz	0.0025%	

Frequency Information

Receive 4.0 GHz

Transmit 6.1 GHz

Emission / Frequency Range (MHz)	45K0G7W - 108MG7W / 3700.0 - 4200.0	45K0G7W - 108MG7W / 5925.0 - 6425.0
	45K0D7W - 108MD7W / 3700.0 - 4200.0	45K0D7W - 108MD7W / 5925.0 - 6425.0

Max Great Circle Coordination Distance	538.3 km / 334.4 mi	357.1 km / 221.9 mi
Precipitation Scatter Contour Radius	608.8 km / 378.3 mi	101.6 km / 63.1 mi

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values

KODIAK, AK

Licensee Name GCI Communications Corp.
Latitude (NAD 83) 57° 45' 33.5" N
Longitude (NAD 83) 152° 30' 37.3" W
Ground Elevation (AMSL) 8.84 m / 29.0 ft
Antenna Centerline (AGL) 6.0 m / 19.7 ft
Antenna Model Andrew Corporation ESA91-46A
Antenna Mode Receive 4.0 GHz Transmit 6.1 GHz
Interference Objectives: Long Term -150.0 dBW/MHz 20% -154.0 dBW/4 kHz 20%
Short Term -140.0 dBW/MHz 0.01% -131.0 dBW/4 kHz 0.0025%
Max Available RF Power -2.7 (dBW/4 kHz)

Azimuth (°)	Receive 4.0 GHz		Transmit 6.1 GHz			
	Horizon Elevation (°)	Antenna Discrimination (°)	Horizon Gain (dBi)	Coordination Distance (km)	Horizon Gain (dBi)	Coordination Distance (km)
0	6.13	112.86	-12.78	100.00	-15.24	100.00
5	6.78	107.85	-10.50	101.42	-10.10	100.00
10	6.17	102.86	-10.50	102.81	-10.10	100.00
15	6.93	97.85	-10.50	101.09	-10.10	100.00
20	6.65	92.86	-10.50	101.72	-10.10	100.00
25	5.35	87.86	-10.50	109.12	-10.10	100.00
30	5.00	82.86	-10.50	112.34	-10.10	100.00
35	5.03	77.86	-10.50	112.04	-10.10	100.00
40	5.82	72.86	-10.50	104.81	-10.10	100.00
45	5.29	67.86	-10.50	109.68	-10.10	100.00
50	4.17	62.86	-10.50	117.96	-10.10	100.00
55	3.41	57.87	-10.50	127.81	-10.10	100.00
60	2.42	52.91	-10.08	153.02	-10.10	100.00
65	2.42	47.92	-9.50	155.69	-10.10	100.00
70	2.42	42.93	-9.09	157.63	-10.10	100.00
75	2.21	37.95	-8.09	168.88	-10.10	100.00
80	2.21	32.97	-7.50	171.95	-10.10	100.00
85	2.21	28.00	-7.50	171.95	-10.10	100.00
90	3.13	22.94	-7.09	147.22	-10.10	100.00
95	3.70	17.91	-6.50	136.76	-10.10	100.00
100	3.32	12.98	-4.46	154.09	-7.06	100.00
105	3.00	8.13	3.84	209.37	3.50	116.48
110	5.45	2.88	17.98	242.98	17.38	132.33
115	4.81	1.33	26.54	538.26	26.29	357.12
120	5.11	3.38	15.96	356.96	16.13	219.01
125	3.88	6.73	8.03	232.89	8.43	135.37
130	1.69	10.88	-0.50	239.06	-2.98	124.39
135	1.69	12.92	-4.34	213.08	-6.94	114.76
140	1.69	14.82	-6.14	201.75	-9.74	107.30
145	1.61	16.63	-6.50	203.51	-10.10	108.22
150	1.61	18.18	-6.50	203.51	-10.10	108.22
155	1.61	19.53	-6.50	203.52	-10.10	108.23
160	1.65	20.61	-6.62	200.74	-10.10	107.27
165	1.65	21.50	-6.80	199.67	-10.10	107.28
170	1.65	22.15	-6.93	198.89	-10.10	107.28
175	1.70	22.49	-7.00	196.02	-10.10	106.09
180	2.13	22.20	-6.94	177.95	-10.10	100.00
185	3.50	20.70	-6.64	140.63	-10.10	100.00

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values

KODIAK, AK

Licensee Name GCI Communications Corp.
Latitude (NAD 83) 57° 45' 33.5" N
Longitude (NAD 83) 152° 30' 37.3" W
Ground Elevation (AMSL) 8.84 m / 29.0 ft
Antenna Centerline (AGL) 6.0 m / 19.7 ft
Antenna Model Andrew Corporation ESA91-46A
Antenna Mode Receive 4.0 GHz Transmit 6.1 GHz
Interference Objectives: Long Term -150.0 dBW/MHz 20% -154.0 dBW/4 kHz 20%
Short Term -140.0 dBW/MHz 0.01% -131.0 dBW/4 kHz 0.0025%
Max Available RF Power -2.7 (dBW/4 kHz)

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Receive 4.0 GHz		Transmit 6.1 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)	Horizon Gain (dBi)	Coordination Distance (km)
190	5.82	18.01	-6.50	116.87	-10.10	100.00
195	7.51	15.72	-6.50	111.83	-10.10	100.00
200	7.21	15.17	-6.50	112.50	-10.10	100.00
205	6.94	14.36	-5.22	116.96	-8.82	100.00
210	6.93	13.09	-4.50	117.38	-7.19	100.00
215	6.31	12.19	-2.88	123.93	-5.48	100.00
220	6.25	10.59	-0.50	132.52	-2.69	100.00
225	4.46	10.37	-0.50	150.50	-2.47	100.00
230	5.89	7.07	7.30	169.26	7.63	100.12
235	7.90	3.14	16.95	240.56	16.62	137.29
240	10.08	1.09	27.96	380.90	28.18	233.86
245	11.55	4.65	12.20	511.98	12.60	343.54
250	14.04	9.20	-0.50	106.31	0.29	100.00
255	16.56	13.87	-4.50	100.00	-7.97	100.00
260	15.89	16.74	-6.50	100.00	-10.10	100.00
265	14.13	19.96	-6.50	100.00	-10.10	100.00
270	11.54	23.72	-7.24	100.00	-10.10	100.00
275	10.26	28.31	-7.50	102.03	-10.10	100.00
280	7.65	32.96	-7.50	108.49	-10.10	100.00
285	6.10	37.89	-8.08	110.25	-10.10	100.00
290	4.85	42.88	-9.08	117.57	-10.10	100.00
295	2.63	47.93	-9.50	149.80	-10.10	100.00
300	2.80	52.91	-10.08	142.74	-10.10	100.00
305	2.24	57.92	-10.50	156.21	-10.10	100.00
310	2.65	62.90	-10.50	144.88	-10.10	100.00
315	3.90	67.88	-10.50	118.99	-10.10	100.00
320	6.17	72.88	-10.50	102.81	-10.10	100.00
325	4.79	77.88	-10.50	113.75	-10.10	100.00
330	5.74	82.88	-10.50	105.53	-10.10	100.00
335	4.12	87.88	-10.50	118.33	-10.10	100.00
340	3.55	92.88	-10.50	125.14	-10.10	100.00
345	4.59	97.88	-10.50	115.14	-10.10	100.00
350	5.35	102.88	-10.50	109.15	-10.10	100.00
355	6.45	107.87	-10.50	102.17	-10.10	100.00

5. CERTIFICATION

I HEREBY CERTIFY THAT I AM THE TECHNICALLY QUALIFIED PERSON RESPONSIBLE FOR THE PREPARATION OF THE FREQUENCY COORDINATION DATA CONTAINED IN THIS APPLICATION, THAT I AM FAMILIAR WITH PARTS 101 AND 25 OF THE FCC RULES AND REGULATIONS, THAT I HAVE EITHER PREPARED OR REVIEWED THE FREQUENCY COORDINATION DATA SUBMITTED WITH THIS APPLICATION, AND THAT IT IS COMPLETE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.



BY: _____

Timothy O. Crutcher
Frequency Planner
COMSEARCH
19700 Janelia Farm Boulevard
Ashburn, VA 20147

DATED: October 17, 2018