

Date & Time Filed: Oct 22 2019 11:23:07:353AM
File Number: SES-MOD-INTR2019-03647

FCC APPLICATION FOR SPACE AND EARTH STATION:MOD OR AMD – MAIN FORM	FCC Use Only
FCC 312 MAIN FORM FOR OFFICIAL USE ONLY	

APPLICANT INFORMATION

Enter a description of this application to identify it on the main menu:
VSAT Network – Add Antennas 2019

1-8. Legal Name of Applicant			
Name:	MCI Communications Services, Inc.	Phone Number:	703-694-5088
DBA Name:		Fax Number:	
Street:	22001 Loudoun County Parkway	E-Mail:	Patrick.Merrick@verizon.com
City:	Ashburn	State:	VA
Country:	USA	Zipcode:	20147 -
Attention:	Patrick Merrick		

9-16. Name of Contact Representative

Name:	MCI Communications Services, Inc.	Phone Number:	703-694-5088
Company:		Fax Number:	
Street:	600 Hidden Ridge	E-Mail:	Patrick.Merrick@verizon.com
City:	Irving	State:	TX
Country:	USA	Zipcode:	75038-
Attention:	Patrick Merrick	Relationship:	Same

CLASSIFICATION OF FILING

<p>17. Choose the button next to the classification that applies to this filing for both questions a. and b. Choose only one for 17a and only one for 17b.</p> <p><input checked="" type="radio"/> a1. Earth Station</p> <p><input type="radio"/> a2. Space Station</p>	<p>(N/A) b1. Application for License of New Station</p> <p>(N/A) b2. Application for Registration of New Domestic Receive-Only Station</p> <p><input type="radio"/> b3. Amendment to a Pending Application</p> <p><input checked="" type="radio"/> b4. Modification of License or Registration</p> <p>b5. Assignment of License or Registration</p> <p>b6. Transfer of Control of License or Registration</p> <p><input type="radio"/> b7. Notification of Minor Modification</p> <p>(N/A) b8. Application for License of New Receive-Only Station Using Non-U.S. Licensed Satellite</p> <p>(N/A) b9. Letter of Intent to Use Non-U.S. Licensed Satellite to Provide Service in the United States</p> <p>(N/A) b10. Other (Please specify)</p> <p>(N/A) b11. Application for Earth Station to Access a Non-U.S.satellite Not Currently Authorized to Provide the Proposed Service in the Proposed Frequencies in the United States</p> <p>(N/A) b12. Application for Database Entry</p> <p><input type="radio"/> b13. Amendment to a Pending Database Entry Application</p> <p><input type="radio"/> b14. Modification of Database Entry</p>
<p>17c. Is a fee submitted with this application?</p> <p><input checked="" type="radio"/> If Yes, complete and attach FCC Form 159. If No, indicate reason for fee exemption (see 47 C.F.R.Section 1.1114).</p> <p><input type="radio"/> Governmental Entity <input type="radio"/> Noncommercial educational licensee</p> <p><input type="radio"/> Other(please explain):</p>	
<p>17d.</p> <p>Fee Classification CGV – Fixed Satellite VSAT System</p>	

<p>18. If this filing is in reference to an existing station, enter:</p> <p>(a) Call sign of station: E100123</p>	<p>19. If this filing is an amendment to a pending application enter both fields, if this filing is a modification please enter only the file number:</p> <p>(a) Date pending application was filed: (b) File number: SESMOD2016091300782</p>
---	---

TYPE OF SERVICE

<p>20. NATURE OF SERVICE: This filing is for an authorization to provide or use the following type(s) of service(s): Select all that apply:</p> <p><input checked="" type="checkbox"/> a. Fixed Satellite</p> <p><input checked="" type="checkbox"/> b. Mobile Satellite</p> <p><input type="checkbox"/> c. Radiodetermination Satellite</p> <p><input type="checkbox"/> d. Earth Exploration Satellite</p> <p><input type="checkbox"/> e. Direct to Home Fixed Satellite</p> <p><input type="checkbox"/> f. Digital Audio Radio Service</p> <p><input type="checkbox"/> g. Other (please specify)</p>	
<p>21. STATUS: Choose the button next to the applicable status. Choose only one.</p> <p><input type="radio"/> Common Carrier <input checked="" type="radio"/> Non-Common Carrier</p>	<p>22. If earth station applicant, check all that apply.</p> <p><input checked="" type="checkbox"/> Using U.S. licensed satellites</p> <p><input type="checkbox"/> Using Non-U.S. licensed satellites</p>
<p>23. If applicant is providing INTERNATIONAL COMMON CARRIER service, see instructions regarding Sec. 214 filings. Choose one. Are these facilities:</p> <p><input type="radio"/> Connected to a Public Switched Network <input type="radio"/> Not connected to a Public Switched Network <input checked="" type="radio"/> N/A</p>	

24. FREQUENCY BAND(S): Place an 'X' in the box(es) next to all applicable frequency band(s).

a. C-Band (4/6 GHz) b. Ku-Band (12/14 GHz)

c. Other (Please specify upper and lower frequencies in MHz.)

Frequency Lower: Frequency Upper: (Please specify additional frequencies in an attachment)

TYPE OF STATION

25. CLASS OF STATION: Choose the button next to the class of station that applies. Choose only one.

- a. Fixed Earth Station
- b. Temporary-Fixed Earth Station
- c. 12/14 GHz VSAT Network
- d. Mobile Earth Station
- e. Geostationary Space Station
- f. Non-Geostationary Space Station
- g. Other (please specify)

26. TYPE OF EARTH STATION FACILITY:

- Transmit/Receive Transmit-Only Receive-Only N/A

"For Space Station applications, select N/A."

PURPOSE OF MODIFICATION

27. The purpose of this proposed modification is to: (Place an 'X' in the box(es) next to all that apply.)

- a -- authorization to add new emission designator and related service
- b -- authorization to change emission designator and related service
- c -- authorization to increase EIRP and EIRP density
- d -- authorization to replace antenna
- e -- authorization to add antenna
- f -- authorization to relocate fixed station
- g -- authorization to change frequency(ies)
- h -- authorization to add frequency
- i -- authorization to add Points of Communication (satellites & countries)
- j -- authorization to change Points of Communication (satellites & countries)
- k -- authorization for facilities for which environmental assessment and radiation hazard reporting is required
- l -- authorization to change orbit location
- m -- authorization to perform fleet management
- n -- authorization to extend milestones
- o -- Other (Please specify)

ENVIRONMENTAL POLICY

28. Would a Commission grant of any proposal in this application or amendment have a significant environmental impact as defined by 47 CFR 1.1307? If YES, submit the statement as required by Sections 1.1308 and 1.1311 of the Commission’s rules, 47 C.F.R. 1.1308 and 1.1311, as an exhibit to this application. A Radiation Hazard Study must accompany all applications for new transmitting facilities, major modifications, or major amendments. Yes No

ALIEN OWNERSHIP Earth station applicants not proposing to provide broadcast, common carrier, aeronautical en route or aeronautical fixed radio station services are not required to respond to Items 30–34.

29. Is the applicant a foreign government or the representative of any foreign government? Yes No

30. Is the applicant an alien or the representative of an alien? Yes No N/A

31. Is the applicant a corporation organized under the laws of any foreign government? Yes No N/A

32. Is the applicant a corporation of which more than one–fifth of the capital stock is owned of record or voted by aliens or their representatives or by a foreign government or representative thereof or by any corporation organized under the laws of a foreign country? Yes No N/A

33. Is the applicant a corporation directly or indirectly controlled by any other corporation of which more than one-fourth of the capital stock is owned of record or voted by aliens, their representatives, or by a foreign government or representative thereof or by any corporation organized under the laws of a foreign country?

Yes No N/A

34. If any answer to questions 29, 30, 31, 32 and/or 33 is Yes, attach as an exhibit an identification of the aliens or foreign entities, their nationality, their relationship to the applicant, and the percentage of stock they own or vote.

BASIC QUALIFICATIONS

35. Does the Applicant request any waivers or exemptions from any of the Commission's Rules?
If Yes, attach as an exhibit, copies of the requests for waivers or exceptions with supporting documents.

Yes No

36. Has the applicant or any party to this application or amendment had any FCC station authorization or license revoked or had any application for an initial, modification or renewal of FCC station authorization, license, or construction permit denied by the Commission? If Yes, attach as an exhibit, an explanation of circumstances.

Yes No

37. Has the applicant, or any party to this application or amendment, or any party directly or indirectly controlling the applicant ever been convicted of a felony by any state or federal court? If Yes, attach as an exhibit, an explanation of circumstances.

Yes No

38. Has any court finally adjudged the applicant, or any person directly or indirectly controlling the applicant, guilty of unlawfully monopolizing or attempting unlawfully to monopolize radio communication, directly or indirectly, through control of manufacture or sale of radio apparatus, exclusive traffic arrangement or any other means or unfair methods of competition? If Yes, attach as an exhibit, an explanation of circumstances

Yes No

39. Is the applicant, or any person directly or indirectly controlling the applicant, currently a party in any pending matter referred to in the preceding two items? If yes, attach as an exhibit, an explanation of the circumstances.

Yes No

40. If the applicant is a corporation and is applying for a space station license, attach as an exhibit the names, address, and citizenship of those stockholders owning a record and/or voting 10 percent or more of the Filer's voting stock and the percentages so held. In the case of fiduciary control, indicate the beneficiary(ies) or class of beneficiaries. Also list the names and addresses of the officers and directors of the Filer.

41. By checking Yes, the undersigned certifies, that neither applicant nor any other party to the application is subject to a denial of Federal benefits that includes FCC benefits pursuant to Section 5301 of the Anti-Drug Act of 1988, 21 U.S.C. Section 862, because of a conviction for possession or distribution of a controlled substance. See 47 CFR 1.2002(b) for the meaning of "party to the application" for these purposes.

Yes No

42a. Does the applicant intend to use a non-U.S. licensed satellite to provide service in the United States? If Yes, answer 42b and attach an exhibit providing the information specified in 47 C.F.R. 25.137, as appropriate. If No, proceed to question 43.

Yes No

42b. What administration has licensed or is in the process of licensing the space station? If no license will be issued, what administration has coordinated or is in the process of coordinating the space station?

43. Description. (Summarize the nature of the application and the services to be provided). (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

MCI Communications Services, Inc (Verizon) wishes to add an additional VSAT hub and remote antennas to the current existing VSAT network. The VSAT network will provide digital video and data services. The new antennas will be used to facilitate customer communication requirements including full-time traffic, back-up services, and disaster

43a. Geographic Service Rule Certification

By selecting A, the undersigned certifies that the applicant is not subject to the geographic service or geographic coverage requirements specified in 47 C.F.R. Part 25.

A

By selecting B, the undersigned certifies that the applicant is subject to the geographic service or geographic coverage requirements specified in 47 C.F.R. Part 25 and will comply with such requirements.

B

By selecting C, the undersigned certifies that the applicant is subject to the geographic service or geographic coverage requirements specified in 47 C.F.R. Part 25 and will not comply with such requirements because it is not feasible as a technical matter to do so, or that, while technically feasible, such services would require so many compromises in satellite design and operation as to make it economically unreasonable. A narrative description and technical analysis demonstrating this claim are attached.

C

CERTIFICATION

The Applicant waives any claim to the use of any particular frequency or of the electromagnetic spectrum as against the regulatory power of the United States because of the previous use of the same, whether by license or otherwise, and requests an authorization in accordance with this application. The applicant certifies that grant of this application would not cause the applicant to be in violation of the spectrum aggregation limit in 47 CFR Part 20. All statements made in exhibits are a material part hereof and are incorporated herein as if set out in full in this application. The undersigned, individually and for the applicant, hereby certifies that all statements made in this application and in all attached exhibits are true, complete and correct to the best of his or her knowledge and belief, and are made in good faith.

44. Applicant is a (an): (Choose the button next to applicable response.)

- Individual
- Unincorporated Association
- Partnership
- Corporation
- Governmental Entity
- Other (please specify)

45. Name of Person Signing
April Yalenezian

46. Title of Person Signing
Wireless Engineer

--->

WILLFUL FALSE STATEMENTS MADE ON THIS FORM ARE PUNISHABLE BY FINE AND / OR IMPRISONMENT
(U.S. Code, Title 18, Section 1001), AND/OR REVOCATION OF ANY STATION AUTHORIZATION
(U.S. Code, Title 47, Section 312(a)(1)), AND/OR FORFEITURE (U.S. Code, Title 47, Section 503).

E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input type="radio"/> Yes <input checked="" type="radio"/> No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	<input type="radio"/> Yes <input checked="" type="radio"/> No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
<p>E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation?</p> <p>FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.</p>	<input type="radio"/> Yes <input checked="" type="radio"/> No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
-----------------------	--

E26. Common Name:	E27. Country:
-------------------	---------------

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at ____ GHz)	
AND	HUB02	4	Vertex/RSI	9.0M	9.0	58.5 dBi at 11.725	
AND	HUB02	4	Vertex/RSI	9.0M	9.0	60.1 dBi at 14.125	
AND	HUB02	4	Vertex/RSI	9.0M	9.0	60.1 dBi at 14.125	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
HUB02	9.0/9.0	20.0	250.0	10.0	400.0	10.0	86.1

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
HUB02	11700 12200	R	Horizontal and Vertical	150KG7D	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

HUB02	11700 12200	R	Horizontal and Vertical	36M0G7D	0.0	0.0
-------	----------------	---	----------------------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

HUB02	14000 14500	T	Horizontal and Vertical	1M20G7D	70.87	46.1
-------	----------------	---	----------------------------	---------	-------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

HUB02	14000 14500	T	Horizontal and Vertical	36M0G7D	85.64	46.1
-------	----------------	---	----------------------------	---------	-------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/Western Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
HUB02	Geostationary	11700 12200	63.0/143.0	90.0	5.0	270.0	5.0	0.0
	Geostationary	14000 14500	63.0/143.0	90.0	5.0	270.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign		E66. Phone Number	
NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.			
E62. Street Address			
E63. City	E68. County	E67/68. State/Country /	E64. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
 FCC Form 312 – Schedule B:(Technical and Operational Description)
 FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1. Site Identifier:	MJS	E5. Call Sign:	
E2. Contact Name	John Cox	E6. Phone Number:	540-477-3022
E3. Street:	1295 Industrial Park	E7. City:	Quicksburg
		E8. County:	Shenandoah
E4. State	VA	E9. Zip Code	22847
E10. Area of Operation:	CONUS, AK, HI, PR, VI		
E11. Latitude:	38 °43 '45.4 "N		
E12. Longitude:	78 °39 '25.1 "W		
E13. Lat/Lon Coordinates are:	<input type="radio"/> NAD-27	<input checked="" type="radio"/> NAD-83	<input type="radio"/> N/A
E14. Site Elevation (AMSL):	280.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.

Yes No N/A

E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input type="radio"/> Yes <input checked="" type="radio"/> No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	<input type="radio"/> Yes <input checked="" type="radio"/> No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
<p>E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation?</p> <p>FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.</p>	<input type="radio"/> Yes <input checked="" type="radio"/> No

POINTS OF COMMUNICATION

Satellite Name: If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
-----------------------	--

E26. Common Name:	E27. Country:
-------------------	---------------

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at ____ GHz)	
MJS	HUB02	3	Vertex/RSI	9.0M	9.0	58.5 dBi at 11.725	
MJS	HUB02	3	Vertex/RSI	9.0M	9.0	60.1 dBi at 14.125	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
HUB02	9.0/9.0	20.0	250.0	10.0	400.0	0.0	86.1

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
HUB02	11700 12200	R	Horizontal and Vertical	150KG7D	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

HUB02	11700 12200	R	Horizontal and Vertical	36M0G7D	0.0	0.0
-------	----------------	---	----------------------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

HUB02	14000 14500	T	Horizontal and Vertical	1M20G7D	70.87	46.1
-------	----------------	---	----------------------------	---------	-------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

HUB02	14000 14500	T	Horizontal and Vertical	36M0G7D	85.64	46.1
-------	----------------	---	----------------------------	---------	-------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/Western Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
HUB02	Geostationary	11700 12200	63.0/143.0	90.0	5.0	270.0	5.0	0.0
	Geostationary	14000 14500	63.0/143.0	90.0	5.0	270.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign		E66. Phone Number	
NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.			
E62. Street Address			
E63. City	E68. County	E67/68. State/Country /	E64. Zip Code

E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input type="radio"/> Yes <input checked="" type="radio"/> No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	<input type="radio"/> Yes <input checked="" type="radio"/> No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
<p>E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation?</p> <p>FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.</p>	<input type="radio"/> Yes <input checked="" type="radio"/> No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
-----------------------	--

E26. Common Name:	E27. Country:
-------------------	---------------

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at ____ GHz)	
YAC	HUB02	4	Vertex/RSI	9.0M	9.0	58.5 dBi at 11.725	
YAC	HUB02	4	Vertex/RSI	9.0M	9.0	60.1 dBi at 14.125	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
HUB02	9.0/9.0	20.0	250.0	10.0	400.0	0.0	86.1

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
HUB02	11700 12200	R	Horizontal and Vertical	150KG7D	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital Video and Data						
HUB02	11700 12200	R	Horizontal and Vertical	36M0G7D	0.0	0.0
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital Video and Data						
HUB02	14000 14500	T	Horizontal and Vertical	1M20G7D	70.87	46.1
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital Video and Data						
HUB02	14000 14500	T	Horizontal and Vertical	36M0G7D	85.64	46.1

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/Western Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
HUB02	Geostationary	11700 12200	63.0/143.0	90.0	5.0	270.0	5.0	0.0
	Geostationary	14000 14500	63.0/143.0	90.0	5.0	270.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign		E66. Phone Number	
NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.			
E62. Street Address			
E63. City	E68. County	E67/68. State/Country /	E64. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1. Site Identifier: Remote	E5. Call Sign:
E2. Contact Name N/A	E6. Phone Number: N/A
E3. Street: N/A	E7. City: N/A
E4. State	E8. County: N/A
E10. Area of Operation:	E9. Zip Code N/A
E11. Latitude: 0 °0 '0.0 "N	CONUS, AK, HI, PR, VI
E12. Longitude: 0 °0 '0.0 "W	
E13. Lat/Lon Coordinates are:	<input type="radio"/> NAD-27 <input checked="" type="radio"/> NAD-83 <input type="radio"/> N/A
E14. Site Elevation (AMSL):	0.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.

Yes No N/A

E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input type="radio"/> Yes <input checked="" type="radio"/> No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	<input type="radio"/> Yes <input checked="" type="radio"/> No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
<p>E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation?</p> <p>FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.</p>	<input type="radio"/> Yes <input checked="" type="radio"/> No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: Remote	
------------------------------	--

E26. Common Name:	E27. Country: USA
-------------------	-------------------

E25. Site Identifier: Remote	
------------------------------	--

E26. Common Name:	E27. Country: USA
-------------------	-------------------

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (___dBi at ___GHz)	
Remote	R32	5000	Newtec	2010	0.75	37.4 dBi at 11.7	
Remote	R32	5000	Newtec	2010	0.75	39.0 dBi at 14.25	
Remote	R33	5000	Newtec	2025	1.0	39.9 dBi at 11.700	
Remote	R33	5000	Newtec	2025	1.0	41.5 dBi at 14.125	
Remote	R34	3000	AVL	1098	1.2	41.6 dBi at 11.85	
Remote	R34	3000	AVL	1098	1.2	43.1 dBi at 14.125	
Remote	R35	3000	AVL	1200	1.2	41.6 dBi at 11.85	

Remote	R35	3000	AVL	1200	1.2	43.1 dBi at 14.125	
Remote	R36	3000	AVL	1278	1.2	41.6 dBi at 11.85	
Remote	R36	3000	AVL	1278	1.2	43.1 dBi at 14.125	
Remote	R37	3000	AVL	1258	1.2	42.0 dBi at 11.85	
Remote	R37	3000	AVL	1258	1.2	43.2 dBi at 14.125	
Remote	R38	3000	AVL	1878	1.8	45.0 dBi at 11.85	
Remote	R38	3000	AVL	1878	1.8	46.7 dBi at 14.125	
Remote	R39	1000	TracStar	750	0.75	37.8 dBi at 11.85	
Remote	R39	1000	TracStar	750	0.75	39.3 dBi at 14.125	
Remote	R40	1000	TracStar	1000	1.0	39.9 dBi at 11.85	
Remote	R40	1000	TracStar	1000	1.0	41.1 dBi at 14.125	

Remote	R41	1000	GD Satcom	1241	2.4	47.4 dBi at 11.85	
Remote	R41	1000	GD Satcom	1241	2.4	49.2 dBi at 14.125	
Remote	R2	3000	GD Satcom	1184	1.8	0.0 dBi at	
Remote	R7	6000	Channel Master	Type-123	1.2	0.0 dBi at	
Remote	R9	3000	Channel Master	Type-183	1.8	0.0 dBi at	
Remote	R13	6000	GD Satcom	1134	1.2	0.0 dBi at	
Remote	R22	1000	GD Satcom	2194	1.8	0.0 dBi at	
Remote	R23	1000	GD Satcom	1244	2.4	0.0 dBi at	
Remote	R31	40000	GD Satcom	1132	1.2	0.0 dBi at	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
R32	0.75/0.75	0.0	0.0	0.0	16.0	0.0	51.04
R33	1.0/1.0	0.0	0.0	0.0	16.0	0.0	53.54
R34	1.2/1.2	0.0	0.0	0.0	40.0	0.0	59.12
R35	1.2/1.2	0.0	0.0	0.0	40.0	0.0	59.12
R36	1.2/1.2	0.0	0.0	0.0	40.0	0.0	59.12
R37	1.2/1.2	0.0	0.0	0.0	40.0	0.0	59.12
R38	1.8/1.8	0.0	0.0	0.0	100.0	0.0	66.7
R39	0.75/0.75	0.0	0.0	0.0	16.0	0.0	51.34

R40	1.0/1.0	0.0	0.0	0.0	16.0	0.0	53.44
R41	2.4/2.4	0.0	0.0	0.0	100.0	0.0	69.2
R2	1.8/1.8	0.0	0.0	0.0	100.0	0.0	66.5
R7	1.2/1.2	0.0	0.0	0.0	40.0	0.0	59.32
R9	1.8/1.8	0.0	0.0	0.0	100.0	0.0	66.8
R13	1.2/1.2	0.0	0.0	0.0	40.0	0.0	59.02
R22	1.8/1.8	0.0	0.0	0.0	100.0	0.0	66.7
R23	2.4/2.4	0.0	0.0	0.0	100.0	0.0	67.6
R31	1.2/1.2	0.0	0.0	0.0	40.0	0.0	59.22

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R
Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
R32	11700 12200	R	Horizontal and Vertical	1M20G7D	0.0	0.0
<p>E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)</p> <div style="border: 1px solid black; padding: 5px; min-height: 100px;"> <p>Digital Video and Data</p> </div>						
R32	11700 12200	R	Horizontal and Vertical	36M0G7D	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital Video and Data						
R32	14000 14500	T	Horizontal and Vertical	189KG7D	41.75	25.0
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital Video and Data						
R32	14000 14500	T	Horizontal and Vertical	4M00G7D	51.04	21.04
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital Video and Data						
R33	11700 12200	R	Horizontal and Vertical	1M20G7D	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R33	11700 12200	R	Horizontal and Vertical	36M0G7D	0.0	0.0
-----	----------------	---	----------------------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R33	14000 14500	T	Horizontal and Vertical	189KG7D	44.25	27.5
-----	----------------	---	----------------------------	---------	-------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R33	14000 14500	T	Horizontal and Vertical	4M00G7D	53.54	23.54
-----	----------------	---	----------------------------	---------	-------	-------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital Video and Data						
R34	11700 12200	R	Horizontal and Vertical	1M20G7D	0.0	0.0
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital Video and Data						
R34	11700 12200	R	Horizontal and Vertical	36M0G7D	0.0	0.0
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital Video and Data						
R34	14000 14500	T	Horizontal and Vertical	150KG7D	44.83	29.1

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R34	14000 14500	T	Horizontal and Vertical	24M0G7D	59.12	21.34
-----	----------------	---	----------------------------	---------	-------	-------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R35	11700 12200	R	Horizontal and Vertical	1M20G7D	0.0	0.0
-----	----------------	---	----------------------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R35	11700 12200	R	Horizontal and Vertical	36M0G7D	0.0	0.0
-----	----------------	---	----------------------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital Video and Data						
R35	14000 14500	T	Horizontal and Vertical	150KG7D	44.83	29.1
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital Video and Data						
R35	14000 14500	T	Horizontal and Vertical	24M0G7D	59.12	21.34
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital Video and Data						
R36	11700 12200	R	Horizontal and Vertical	1M20G7D	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital Video and Data						
R36	11700 12200	R	Horizontal and Vertical	36M0G7D	0.0	0.0
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital Video and Data						
R36	14000 14500	T	Horizontal and Vertical	150KG7D	44.83	29.1
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital Video and Data						
R36	14000 14500	T	Horizontal and Vertical	24M0G7D	59.12	21.34

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R37	11700 12200	R	Horizontal and Vertical	1M20G7D	0.0	0.0
-----	----------------	---	----------------------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R37	11700 12200	R	Horizontal and Vertical	36M0G7D	0.0	0.0
-----	----------------	---	----------------------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R37	14000 14500	T	Horizontal and Vertical	150KG7D	44.93	29.2
-----	----------------	---	----------------------------	---------	-------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital Video and Data						
R37	14000 14500	T	Horizontal and Vertical	24M0G7D	59.22	21.44
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital Video and Data						
R38	11700 12200	R	Horizontal and Vertical	1M20G7D	0.0	0.0
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital Video and Data						
R38	11700 12200	R	Horizontal and Vertical	36M0G7D	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital Video and Data						
R38	14000 14500	T	Horizontal and Vertical	150KG7D	48.43	32.7
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital Video and Data						
R38	14000 14500	T	Horizontal and Vertical	36M0G7D	66.7	27.16
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital Video and Data						
R39	11700 12200	R	Horizontal and Vertical	1M20G7D	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital Video and Data						
R39	11700 12200	R	Horizontal and Vertical	36M0G7D	0.0	0.0
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital Video and Data						
R39	14000 14500	T	Horizontal and Vertical	189KG7D	42.05	25.3
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital Video and Data						
R39	14000 14500	T	Horizontal and Vertical	4M00G7D	51.34	21.34

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital Video and Data						
R40	11700 12200	R	Horizontal and Vertical	1M20G7D	0.0	0.0
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital Video and Data						
R40	11700 12200	R	Horizontal and Vertical	36M0G7D	0.0	0.0
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital Video and Data						
R40	14000 14500	T	Horizontal and Vertical	189KG7D	44.15	27.4

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital Video and Data						
R40	14000 14500	T	Horizontal and Vertical	4M00G7D	53.44	23.44
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital Video and Data						
R41	11700 12200	R	Horizontal and Vertical	1M20G7D	0.0	0.0
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital Video and Data						
R41	11700 12200	R	Horizontal and Vertical	36M0G7D	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R41	14000 14500	T	Horizontal and Vertical	150KG7D	50.93	35.2
-----	----------------	---	----------------------------	---------	-------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R41	14000 14500	T	Horizontal and Vertical	36M0G7D	69.2	29.66
-----	----------------	---	----------------------------	---------	------	-------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R2	11700 12200	R	Horizontal and Vertical	1M20G7D	0.0	0.0
----	----------------	---	----------------------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital Video and Data						
R2	11700 12200	R	Horizontal and Vertical	36M0G7D	0.0	0.0
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital Video and Data						
R2	14000 14500	T	Horizontal and Vertical	150KG7D	48.23	32.5
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital Video and Data						
R2	14000 14500	T	Horizontal and Vertical	36M0G7D	66.5	26.96

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital Video and Data						
R7	11700 12200	R	Horizontal and Vertical	36M0G7D	0.0	0.0
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
NULL						
R7	11700 12200	R	Horizontal and Vertical	1M20G7D	0.0	0.0
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital Video and Data						
R7	14000 14500	T	Horizontal and Vertical	150KG7D	45.03	29.3

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R7	14000 14500	T	Horizontal and Vertical	24M0G7D	59.32	21.54
----	----------------	---	----------------------------	---------	-------	-------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R9	11700 12200	R	Horizontal and Vertical	1M20G7D	0.0	0.0
----	----------------	---	----------------------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R9	11700 12200	R	Horizontal and Vertical	36M0G7D	0.0	0.0
----	----------------	---	----------------------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital Video and Data						
R9	14000 14500	T	Horizontal and Vertical	150KG7D	48.53	32.8
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital Video and Data						
R9	14000 14500	T	Horizontal and Vertical	36M0G7D	66.8	27.26
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital Video and Data						
R13	11700 12200	R	Horizontal and Vertical	1M20G7D	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital Video and Data						
R13	11700 12200	R	Horizontal and Vertical	36M0G7D	0.0	0.0
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital Video and Data						
R13	14000 14500	T	Horizontal and Vertical	150KG7D	44.73	29.0
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital Video and Data						
R13	14000 14500	T	Horizontal and Vertical	24M0G7D	59.02	21.24

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R22	11700 12200	R	Horizontal and Vertical	1M20G7D	0.0	0.0
-----	----------------	---	----------------------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R22	11700 12200	R	Horizontal and Vertical	36M0G7D	0.0	0.0
-----	----------------	---	----------------------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R22	14000 14500	T	Horizontal and Vertical	150KG7D	48.43	32.7
-----	----------------	---	----------------------------	---------	-------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R22	14000 14500	T	Horizontal and Vertical	36M0G7D	66.7	27.16
-----	----------------	---	----------------------------	---------	------	-------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R23	11700 12200	R	Horizontal and Vertical	1M20G7D	0.0	0.0
-----	----------------	---	----------------------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R23	11700 12200	R	Horizontal and Vertical	36M0G7D	0.0	0.0
-----	----------------	---	----------------------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital Video and Data						
R23	14000 14500	T	Horizontal and Vertical	150KG7D	49.33	33.6
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital Video and Data						
R23	14000 14500	T	Horizontal and Vertical	36M0G7D	67.6	28.06
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital Video and Data						
R31	11700 12200	R	Horizontal and Vertical	1M20G7D	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R31	11700 12200	R	Horizontal and Vertical	36M0G7D	0.0	0.0
-----	----------------	---	----------------------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R31	14000 14500	T	Horizontal and Vertical	150KG7D	44.93	29.2
-----	----------------	---	----------------------------	---------	-------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R31	14000 14500	T	Horizontal and Vertical	150KG7D	44.93	29.2
-----	----------------	---	----------------------------	---------	-------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

R31	14000 14500	T	Horizontal and Vertical	24M0G7D	59.22	21.44
-----	----------------	---	----------------------------	---------	-------	-------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital Video and Data

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
R32	Geostationary	11700 12200	63.0/143.0	90.0	5.0	270.0	5.0	0.0
	Geostationary	14000 14500	63.0/143.0	90.0	5.0	270.0	5.0	0.0

R33	Geostationary	11700 12200	63.0/143.0	90.0	5.0	270.0	5.0	0.0
	Geostationary	14000 14500	63.0/143.0	90.0	5.0	270.0	5.0	0.0
R34	Geostationary	11700 12200	63.0/143.0	90.0	5.0	270.0	5.0	0.0
	Geostationary	14000 14500	63.0/143.0	90.0	5.0	270.0	5.0	0.0
R35	Geostationary	11700 12200	63.0/143.0	90.0	5.0	270.0	5.0	0.0
	Geostationary	14000 14500	63.0/143.0	90.0	5.0	270.0	5.0	0.0
R36	Geostationary	11700 12200	63.0/143.0	90.0	5.0	270.0	5.0	0.0
	Geostationary	14000 14500	63.0/143.0	90.0	5.0	270.0	5.0	0.0
R37	Geostationary	11700 12200	63.0/143.0	90.0	5.0	270.0	5.0	0.0
	Geostationary	14000 14500	63.0/143.0	90.0	5.0	270.0	5.0	0.0
R38	Geostationary	11700 12200	63.0/143.0	90.0	5.0	270.0	5.0	0.0
	Geostationary	14000 14500	63.0/143.0	90.0	5.0	270.0	5.0	0.0
R39	Geostationary	11700 12200	63.0/143.0	90.0	5.0	270.0	5.0	0.0
	Geostationary	14000 14500	63.0/143.0	90.0	5.0	270.0	5.0	0.0

R40	Geostationary	11700 12200	63.0/143.0	90.0	5.0	270.0	5.0	0.0
	Geostationary	14000 14500	63.0/143.0	90.0	5.0	270.0	5.0	0.0
R41	Geostationary	11700 12200	63.0/143.0	90.0	5.0	270.0	5.0	0.0
	Geostationary	14000 14500	63.0/143.0	90.0	5.0	270.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E66. Phone Number	
E62. Street Address			
E63. City	E68. County	E67/68. State/Country /	E64. Zip Code

FCC NOTICE REQUIRED BY THE PAPERWORK REDUCTION ACT

The public reporting for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the required data, and completing and reviewing the collection of information. If you have any comments on this burden estimate, or how we can improve the collection and reduce the burden it causes you, please write to the Federal Communications Commission, AMD–PERM, Paperwork Reduction Project (3060–0678), Washington, DC 20554. We will also accept your comments regarding the Paperwork Reduction Act aspects of this collection via the Internet if you send them to PRA@fcc.gov. PLEASE DO NOT SEND COMPLETED FORMS TO THIS ADDRESS.

Remember – You are not required to respond to a collection of information sponsored by the Federal government, and the government may not conduct or sponsor this collection, unless it displays a currently valid OMB control number or if we fail to provide you with this notice. This collection has been assigned an OMB control number of 3060–0678.

THE FOREGOING NOTICE IS REQUIRED BY THE PAPERWORK REDUCTION ACT OF 1995, PUBLIC LAW 104–13, OCTOBER 1, 1995, 44 U.S.C. SECTION 3507.

43. Description. (Summarize the nature of the application and the services to be provided).

MCI Communications Services, Inc (Verizon) wishes to add an additional VSAT hub and remote antennas to the current existing VSAT network. The VSAT network will provide digital video and data services. The new antennas will be used to facilitate customer communication requirements including full-time traffic, back-up services, and disaster recovery such as hurricanes and other natural disasters as well as terrestrial service outages.