

Date & Time Filed: Dec 14 2020 7:40:52:916PM
File Number: SES-MOD-INTR2020-03774

FCC APPLICATION FOR SPACE AND EARTH STATION:MOD OR AMD – MAIN FORM	FCC Use Only
FCC 312 MAIN FORM FOR OFFICIAL USE ONLY	

APPLICANT INFORMATION

Enter a description of this application to identify it on the main menu:
VSAT License MOD (December 2020)

1-8. Legal Name of Applicant			
Name:	Alaska Communications Internet, LLC	Phone Number:	907-297-3000
DBA Name:		Fax Number:	907-297-3153
Street:	600 Telephone Avenue MS #60	E-Mail:	Lisa.Phillips@acsalaska.com
City:	Anchorage	State:	AK
Country:	USA	Zipcode:	90503 -
Attention:	Ms Lisa Phillips		

9-16. Name of Contact Representative

Name:	Richard Cameron	Phone Number:	2022304962
Company:	LMI Advisors	Fax Number:	
Street:	2550 M Street NW Suite 343	E-Mail:	rcameron@lmiadvisors.com
City:	Washington	State:	DC
Country:	USA	Zipcode:	20037-
Attention:	Mr. Richard Cameron	Relationship:	Other

CLASSIFICATION OF FILING

17. Choose the button next to the classification that applies to this filing for both questions a. and b. Choose only one for 17a and only one for 17b.

- a1. Earth Station
- a2. Space Station

- (N/A) b1. Application for License of New Station
- (N/A) b2. Application for Registration of New Domestic Receive-Only Station
- b3. Amendment to a Pending Application
- b4. Modification of License or Registration
- b5. Assignment of License or Registration
- b6. Transfer of Control of License or Registration
- b7. Notification of Minor Modification
- (N/A) b8. Application for License of New Receive-Only Station Using Non-U.S. Licensed Satellite
- (N/A) b9. Letter of Intent to Use Non-U.S. Licensed Satellite to Provide Service in the United States
- (N/A) b10. Other (Please specify)
- (N/A) b11. Application for Earth Station to Access a Non-U.S. satellite Not Currently Authorized to Provide the Proposed Service in the Proposed Frequencies in the United States
- (N/A) b12. Application for Database Entry
- b13. Amendment to a Pending Database Entry Application
- b14. Modification of Database Entry

<p>17c. Is a fee submitted with this application?</p> <p><input checked="" type="radio"/> If Yes, complete and attach FCC Form 159. If No, indicate reason for fee exemption (see 47 C.F.R. Section 1.1114).</p> <p><input type="radio"/> Governmental Entity <input type="radio"/> Noncommercial educational licensee</p> <p><input type="radio"/> Other (please explain):</p>	
<p>17d.</p> <p>Fee Classification CGX – Fixed Satellite Transmit/Receive Earth Station</p>	
<p>18. If this filing is in reference to an existing station, enter:</p> <p>(a) Call sign of station: E170205</p>	<p>19. If this filing is an amendment to a pending application enter both fields, if this filing is a modification please enter only the file number:</p> <p>(a) Date pending application was filed:</p> <p>(b) File number: SESMOD2019082801106</p>

TYPE OF SERVICE

<p>20. NATURE OF SERVICE: This filing is for an authorization to provide or use the following type(s) of service(s): Select all that apply:</p> <p><input checked="" type="checkbox"/> a. Fixed Satellite <input type="checkbox"/> b. Mobile Satellite <input type="checkbox"/> c. Radiodetermination Satellite <input type="checkbox"/> d. Earth Exploration Satellite <input type="checkbox"/> e. Direct to Home Fixed Satellite <input type="checkbox"/> f. Digital Audio Radio Service <input type="checkbox"/> g. Other (please specify)</p>	
<p>21. STATUS: Choose the button next to the applicable status. Choose only one.</p> <p><input type="radio"/> Common Carrier <input checked="" type="radio"/> Non-Common Carrier</p>	<p>22. If earth station applicant, check all that apply.</p> <p><input type="checkbox"/> Using U.S. licensed satellites <input checked="" type="checkbox"/> Using Non-U.S. licensed satellites</p>
<p>23. If applicant is providing INTERNATIONAL COMMON CARRIER service, see instructions regarding Sec. 214 filings. Choose one. Are these facilities:</p> <p><input type="radio"/> Connected to a Public Switched Network <input type="radio"/> Not connected to a Public Switched Network <input checked="" type="radio"/> N/A</p>	
<p>24. FREQUENCY BAND(S): Place an 'X' in the box(es) next to all applicable frequency band(s).</p> <p><input checked="" type="checkbox"/> a. C-Band (4/6 GHz) <input type="checkbox"/> b. Ku-Band (12/14 GHz) <input type="checkbox"/> c. Other (Please specify upper and lower frequencies in MHz.)</p> <p>Frequency Lower: Frequency Upper: (Please specify additional frequencies in an attachment)</p>	

TYPE OF STATION

25. CLASS OF STATION: Choose the button next to the class of station that applies. Choose only one.

- a. Fixed Earth Station
- b. Temporary–Fixed Earth Station
- c. 12/14 GHz VSAT Network
- d. Mobile Earth Station
- e. Geostationary Space Station
- f. Non–Geostationary Space Station
- g. Other (please specify)

26. TYPE OF EARTH STATION FACILITY:

- Transmit/Receive Transmit–Only Receive–Only N/A

"For Space Station applications, select N/A."

PURPOSE OF MODIFICATION

27. The purpose of this proposed modification is to: (Place an 'X' in the box(es) next to all that apply.)

- a -- authorization to add new emission designator and related service
- b -- authorization to change emission designator and related service
- c -- authorization to increase EIRP and EIRP density
- d -- authorization to replace antenna
- e -- authorization to add antenna
- f -- authorization to relocate fixed station
- g -- authorization to change frequency(ies)
- h -- authorization to add frequency
- i -- authorization to add Points of Communication (satellites & countries)
- j -- authorization to change Points of Communication (satellites & countries)
- k -- authorization for facilities for which environmental assessment and radiation hazard reporting is required
- l -- authorization to change orbit location
- m -- authorization to perform fleet management
- n -- authorization to extend milestones
- o -- Other (Please specify)

ENVIRONMENTAL POLICY

28. Would a Commission grant of any proposal in this application or amendment have a significant environmental impact as defined by 47 CFR 1.1307? If YES, submit the statement as required by Sections 1.1308 and 1.1311 of the Commission’s rules, 47 C.F.R. 1.1308 and 1.1311, as an exhibit to this application. A Radiation Hazard Study must accompany all applications for new transmitting facilities, major modifications, or major amendments. Yes No

ALIEN OWNERSHIP Earth station applicants not proposing to provide broadcast, common carrier, aeronautical en route or aeronautical fixed radio station services are not required to respond to Items 30–34.

29. Is the applicant a foreign government or the representative of any foreign government? Yes No

30. Is the applicant an alien or the representative of an alien? Yes No N/A

31. Is the applicant a corporation organized under the laws of any foreign government? Yes No N/A

32. Is the applicant a corporation of which more than one–fifth of the capital stock is owned of record or voted by aliens or their representatives or by a foreign government or representative thereof or by any corporation organized under the laws of a foreign country? Yes No N/A

33. Is the applicant a corporation directly or indirectly controlled by any other corporation of which more than one-fourth of the capital stock is owned of record or voted by aliens, their representatives, or by a foreign government or representative thereof or by any corporation organized under the laws of a foreign country?

Yes No N/A

34. If any answer to questions 29, 30, 31, 32 and/or 33 is Yes, attach as an exhibit an identification of the aliens or foreign entities, their nationality, their relationship to the applicant, and the percentage of stock they own or vote.

BASIC QUALIFICATIONS

35. Does the Applicant request any waivers or exemptions from any of the Commission's Rules?
If Yes, attach as an exhibit, copies of the requests for waivers or exceptions with supporting documents.

Yes No

36. Has the applicant or any party to this application or amendment had any FCC station authorization or license revoked or had any application for an initial, modification or renewal of FCC station authorization, license, or construction permit denied by the Commission? If Yes, attach as an exhibit, an explanation of circumstances.

Yes No

37. Has the applicant, or any party to this application or amendment, or any party directly or indirectly controlling the applicant ever been convicted of a felony by any state or federal court? If Yes, attach as an exhibit, an explanation of circumstances.

Yes No

38. Has any court finally adjudged the applicant, or any person directly or indirectly controlling the applicant, guilty of unlawfully monopolizing or attempting unlawfully to monopolize radio communication, directly or indirectly, through control of manufacture or sale of radio apparatus, exclusive traffic arrangement or any other means or unfair methods of competition? If Yes, attach as an exhibit, an explanation of circumstances

Yes No

39. Is the applicant, or any person directly or indirectly controlling the applicant, currently a party in any pending matter referred to in the preceding two items? If yes, attach as an exhibit, an explanation of the circumstances.

Yes No

40. If the applicant is a corporation and is applying for a space station license, attach as an exhibit the names, address, and citizenship of those stockholders owning a record and/or voting 10 percent or more of the Filer's voting stock and the percentages so held. In the case of fiduciary control, indicate the beneficiary(ies) or class of beneficiaries. Also list the names and addresses of the officers and directors of the Filer.

41. By checking Yes, the undersigned certifies, that neither applicant nor any other party to the application is subject to a denial of Federal benefits that includes FCC benefits pursuant to Section 5301 of the Anti-Drug Act of 1988, 21 U.S.C. Section 862, because of a conviction for possession or distribution of a controlled substance. See 47 CFR 1.2002(b) for the meaning of "party to the application" for these purposes.

Yes No

42a. Does the applicant intend to use a non-U.S. licensed satellite to provide service in the United States? If Yes, answer 42b and attach an exhibit providing the information specified in 47 C.F.R. 25.137, as appropriate. If No, proceed to question 43.

Yes No

Technical Appendix

42b. What administration has licensed or is in the process of licensing the space station? If no license will be issued, what administration has coordinated or is in the process of coordinating the space station? Mexico

43. Description. (Summarize the nature of the application and the services to be provided). (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

VSAT Blanket License MOD to add 11 new sites.

Narrative

43a. Geographic Service Rule Certification

By selecting A, the undersigned certifies that the applicant is not subject to the geographic service or geographic coverage requirements specified in 47 C.F.R. Part 25.

A

By selecting B, the undersigned certifies that the applicant is subject to the geographic service or geographic coverage requirements specified in 47 C.F.R. Part 25 and will comply with such requirements.

B

By selecting C, the undersigned certifies that the applicant is subject to the geographic service or geographic coverage requirements specified in 47 C.F.R. Part 25 and will not comply with such requirements because it is not feasible as a technical matter to do so, or that, while technically feasible, such services would require so many compromises in satellite design and operation as to make it economically unreasonable. A narrative description and technical analysis demonstrating this claim are attached.

C

CERTIFICATION

The Applicant waives any claim to the use of any particular frequency or of the electromagnetic spectrum as against the regulatory power of the United States because of the previous use of the same, whether by license or otherwise, and requests an authorization in accordance with this application. The applicant certifies that grant of this application would not cause the applicant to be in violation of the spectrum aggregation limit in 47 CFR Part 20. All statements made in exhibits are a material part hereof and are incorporated herein as if set out in full in this application. The undersigned, individually and for the applicant, hereby certifies that all statements made in this application and in all attached exhibits are true, complete and correct to the best of his or her knowledge and belief, and are made in good faith.

44. Applicant is a (an): (Choose the button next to applicable response.)

- Individual
- Unincorporated Association
- Partnership
- Corporation
- Governmental Entity
- Other (please specify)

45. Name of Person Signing

Rick Benken

46. Title of Person Signing

VP

--->

WILLFUL FALSE STATEMENTS MADE ON THIS FORM ARE PUNISHABLE BY FINE AND / OR IMPRISONMENT
(U.S. Code, Title 18, Section 1001), AND/OR REVOCATION OF ANY STATION AUTHORIZATION
(U.S. Code, Title 47, Section 312(a)(1)), AND/OR FORFEITURE (U.S. Code, Title 47, Section 503).

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1. Site Identifier:	Yakutat	E5. Call Sign:	
E2. Contact Name	Greg Tooke	E6. Phone Number:	(907) 550-8364
E3. Street:	Ocean Cape Road	E7. City:	Yukatat
E4. State	AK	E8. County:	
E10. Area of Operation:	Yakutat, AK		
E11. Latitude:	59 °32 '23.2 "N		
E12. Longitude:	139 °44 '12.9 "W		
E13. Lat/Lon Coordinates are:	<input type="radio"/> NAD-27	<input checked="" type="radio"/> NAD-83	<input type="radio"/> N/A
E14. Site Elevation (AMSL):	22.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.

Yes No N/A

E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input type="radio"/> Yes <input checked="" type="radio"/> No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	<input checked="" type="radio"/> Yes <input type="radio"/> No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
<p>E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation?</p> <p>FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.</p>	<input type="radio"/> Yes <input checked="" type="radio"/> No

POINTS OF COMMUNICATION

Satellite Name: EUTELSAT115WB(S2938) EUTELSAT 115 WB 114.9 W.L. If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
-----------------------	--

E26. Common Name:	E27. Country:
-------------------	---------------

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at ____ GHz)	
Yakutat	31YAKUTAT	1	Prodelin	1385	3.8	42.0 dBi at 3.950	
Yakutat	31YAKUTAT	1	Prodelin	1385	3.8	46.5 dBi at 5.965	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
31YAKUTAT	0.0/0.0	1.8	22.0	0.0	80.0	0.0	65.53

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
31YAKUTAT	5925 6425	T	Horizontal and Vertical	36M0G7W	65.53	26.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital

31YAKUTAT	5925	6425	T	Horizontal and Vertical	5M60G7W	65.53	34.1
-----------	------	------	---	-------------------------	---------	-------	------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital

31YAKUTAT	3700	4200	R	Horizontal and Vertical	72M0G7W	0.0	0.0
-----------	------	------	---	-------------------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Modulation and Services Digital

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/Western Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
31YAKUTAT	Geostationary	3700 4200	114.0/116.0	93.22	10.43	151.88	19.22	0.0
	Geostationary	5925 6425	114.0/116.0	93.22	10.43	151.88	19.22	-19.91

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E66. Phone Number	
E62. Street Address			
E63. City	E68. County	E67/68. State/Country /	E64. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site			
E1. Site Identifier:	KANA Old Harbor	E5. Call Sign:	
E2. Contact Name	Greg Tooke	E6. Phone Number:	(907) 550-8364
E3. Street:	Elderberry Street	E7. City:	Old Harbor
		E8. County:	
E4. State	AK	E9. Zip Code	99643
E10. Area of Operation:	Old Harbor, AK		
E11. Latitude:	57 ° 12 ' 48.71 " N		
E12. Longitude:	153 ° 17 ' 0.68 " W		
E13. Lat/Lon Coordinates are:	<input type="radio"/> NAD-27	<input checked="" type="radio"/> NAD-83	<input type="radio"/> N/A
E14. Site Elevation (AMSL):	10.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	<input type="radio"/> Yes	<input checked="" type="radio"/> No	<input type="radio"/> N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes	<input type="radio"/> No	<input checked="" type="radio"/> N/A

E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	<input checked="" type="radio"/> Yes <input type="radio"/> No
--	---

E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

<p>E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA’s study regarding the potential hazard of the structure to aviation?</p> <p>FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.</p>	<input type="radio"/> Yes <input checked="" type="radio"/> No
---	---

POINTS OF COMMUNICATION

Satellite Name: EUTELSAT115WB(S2938) EUTELSAT 115 WB 114.9 W.L. If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at _____ GHz)	
KANA Old Harbor	32OLDHAR	1	General Dynamics	1241	2.4	37.6 dBi at 3.740	
KANA Old Harbor	32OLDHAR	1	General Dynamics	1241	2.4	41.6 dBi at 5.9650	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
32OLDHAR	0.0/0.0	8.0	10.0	0.0	10.0	0.0	51.7

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
32OLDHAR	3700 4200	R	Horizontal and Vertical	72M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital

32OLDHAR	5925 6019.15	T	Horizontal and Vertical	2M60G7W	51.7	23.87
----------	-----------------	---	----------------------------	---------	------	-------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital

32OLDHAR	5925 6019.15	T	Horizontal and Vertical	5M60G7W	51.7	20.74
----------	-----------------	---	----------------------------	---------	------	-------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital

32OLDHAR	6108.45 6425	T	Horizontal and Vertical	2M60G7W	51.7	23.87
----------	-----------------	---	----------------------------	---------	------	-------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital

32OLDHAR	6108.45	6425	T	Horizontal and Vertical	5M60G7W	51.7	20.74
----------	---------	------	---	-------------------------	---------	------	-------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital

32OLDHAR	6049.15 6078.45		T	Horizontal and Vertical	2M60G7W	51.7	23.87
----------	--------------------	--	---	-------------------------	---------	------	-------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital

32OLDHAR	6049.15 6078.45		T	Horizontal and Vertical	5M60G7W	51.7	20.74
----------	--------------------	--	---	-------------------------	---------	------	-------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/Western Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
32OLDHAR	Geostationary	3700 4200	114.0/116.0	135.78	16.46	136.81	16.85	0.0
	Geostationary	5925 6019.15	114.0/116.0	135.78	16.46	136.81	16.85	-60.31
	Geostationary	6108.45 6425	114.0/116.0	135.78	16.46	136.81	16.85	-60.31
	Geostationary	6049.15 6078.45	114.0/116.0	135.78	16.46	136.81	16.85	-60.31

REMOTE CONTROL POINT LOCATION

<p>E61. Call Sign</p> <p>NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.</p>	<p>E66. Phone Number</p>
--	--------------------------

E62. Street Address			
E63. City	E68. County	E67/68. State/Country /	E64. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
 FCC Form 312 – Schedule B:(Technical and Operational Description)
 FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier: KANA Akhiok E5. Call Sign:
 E2: Contact Name Greg Tooke E6. Phone (907) 550-8364
 Number:
 E3. Street: Airport Way E7. City: Akhiok
 E8. County:
 E4. State AK E9. Zip Code 99615
 E10. Area of Operation: Akhiok, AK
 E11. Latitude: 56 °56 '43.67 "N
 E12. Longitude: 154 °10 '26.99 "W
 E13. Lat/Lon Coordinates are: NAD-27 NAD-83 N/A
 E14. Site Elevation (AMSL): 11.0 meters

<p>E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.</p>	<p><input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> N/A</p>
<p>E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?</p>	<p><input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A</p>
<p>E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.</p>	<p><input type="radio"/> Yes <input checked="" type="radio"/> No</p>

<p>E18. Is frequency coordination required? If YES, attach a frequency coordination report as</p>	<p><input checked="" type="radio"/> Yes <input type="radio"/> No</p>
<p>E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as</p>	<p><input type="radio"/> Yes <input checked="" type="radio"/> No</p>
<p>E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.</p>	<p><input type="radio"/> Yes <input checked="" type="radio"/> No</p>

POINTS OF COMMUNICATION

<p>Satellite Name: EUTELSAT115WB(S2938) EUTELSAT 115 WB 114.9 W.L. If you selected OTHER, please enter the following:</p>

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (___ dBi at ___ GHz)	
KANA Akhiok	33AKHIOK	1	General Dynamics	2244	2.4	38.3 dBi at 3.740	
KANA Akhiok	33AKHIOK	1	General Dynamics	2244	2.4	42.2 dBi at 5.9650	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
33AKHIOK	0.0/0.0	9.0	11.0	0.0	10.0	0.0	51.7

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)

33AKHIOK	3700	4200	T	Horizontal and Vertical	72M0G7W	0.0	0.0
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)							
Digital							
33AKHIOK	5925		T	Horizontal and Vertical	2M60G7W	51.7	24.07
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)							
Digital							
33AKHIOK	5925		T	Horizontal and Vertical	5M60G7W	51.7	20.74
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)							
Digital							

33AKHIOK	6360.49	6425	T	Horizontal and Vertical	2M60G7W	51.7	24.07
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)							
Digital							
33AKHIOK	6360.49	6425	T	Horizontal and Vertical	5M60G7W	51.7	20.74
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)							
Digital							
33AKHIOK	6301.19 6330.49		T	Horizontal and Vertical	2M60G7W	51.7	24.07
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)							
Digital							

33AKHIOK	6301.19 6330.49	T	Horizontal and Vertical	5M60G7W	51.7	20.74
----------	--------------------	---	----------------------------	---------	------	-------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
33AKHIOK	Geostationary	3700 4200	114.0/116.0	134.79	16.3	135.81	16.7	0.0
	Geostationary	5925 6271.19	114.0/116.0	134.79	16.3	135.81	16.7	-60.21
	Geostationary	6360.49 6425	114.0/116.0	134.79	16.3	135.81	16.7	-60.21
	Geostationary	6301.19 6330.49	114.0/116.0	134.79	16.3	135.81	16.7	-60.21

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E66. Phone Number	
E62. Street Address			
E63. City	E68. County	E67/68. State/Country /	E64. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site			
E1: Site Identifier:	KANA Larsen Bay	E5. Call Sign:	
E2: Contact Name	Greg Tooke	E6. Phone Number:	(907) 550-8364
E3. Street:	3rd Street	E7. City:	Larsen Bay
		E8. County:	
E4. State	AK	E9. Zip Code	99624
E10. Area of Operation:	Larsen Bay, AK		
E11. Latitude:	57 °32 '11.34 "N		
E12. Longitude:	153 °58 '44.81 "W		
E13. Lat/Lon Coordinates are:	<input type="radio"/> NAD-27	<input checked="" type="radio"/> NAD-83	<input type="radio"/> N/A
E14. Site Elevation (AMSL):	18.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	<input type="radio"/> Yes	<input checked="" type="radio"/> No	<input type="radio"/> N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes	<input type="radio"/> No	<input checked="" type="radio"/> N/A

E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	<input checked="" type="radio"/> Yes <input type="radio"/> No
--	---

E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

<p>E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA’s study regarding the potential hazard of the structure to aviation?</p> <p>FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.</p>	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

POINTS OF COMMUNICATION

Satellite Name: EUTELSAT115WB(S2938) EUTELSAT 115 WB 114.9 W.L. If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at _____ GHz)	
KANA Larsen Bay	34LARBAY	1	General Dynamics	1241	2.4	37.6 dBi at 3.740	
KANA Larsen Bay	34LARBAY	1	General Dynamics	1241	2.4	41.6 dBi at 5.9650	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
34LARBAY	0.0/0.0	16.0	18.0	0.0	10.0	0.0	51.7

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
34LARBAY	3700 4200	R	Horizontal and Vertical	72M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital						
34LARBAY	5925 6050.625	T	Horizontal and Vertical	2M60G7W	51.7	23.87
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital						
34LARBAY	5925 6050.625	T	Horizontal and Vertical	5M60G7W	51.7	20.74
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital						
34LARBAY	6417.965 6425	T	Horizontal and Vertical	2M60G7W	51.7	23.87

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital

34LARBAY	6417.965 6425	T	Horizontal and Vertical	5M60G7W	51.7	20.74
----------	------------------	---	----------------------------	---------	------	-------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital

34LARBAY	6106.625 6109.925	T	Horizontal and Vertical	2M60G7W	51.7	23.87
----------	----------------------	---	----------------------------	---------	------	-------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital

34LARBAY	6106.625 6109.925	T	Horizontal and Vertical	5M60G7W	51.7	20.74
----------	----------------------	---	----------------------------	---------	------	-------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital

34LARBAY	6165.925 6302.665	T	Horizontal and Vertical	2M60G7W	51.7	23.87
----------	----------------------	---	----------------------------	---------	------	-------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital

34LARBAY	6165.925 6302.665	T	Horizontal and Vertical	5M60G7W	51.7	20.74
----------	----------------------	---	----------------------------	---------	------	-------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital

34LARBAY	6358.665 6361.965	T	Horizontal and Vertical	2M60G7W	51.7	23.87
----------	----------------------	---	----------------------------	---------	------	-------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital

34LARBAY	6358.665 6361.965	T	Horizontal and Vertical	5M60G7W	51.7	20.74
----------	----------------------	---	----------------------------	---------	------	-------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/West ern Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
34LARBAY	Geostationary	3700 4200	114.0/116.0	135.18	15.94	136.2	16.33	0.0
	Geostationary	5925 6050.625	114.0/116.0	135.18	15.94	136.2	16.33	-59.98

	Geostationary	6417.965 6425	114.0/116.0	135.18	15.94	136.2	16.33	-59.98
	Geostationary	6106.625 6109.925	114.0/116.0	135.18	15.94	136.2	16.33	-59.98
	Geostationary	6165.925 6302.665	114.0/116.0	135.18	15.94	136.2	16.33	-59.98
	Geostationary	6358.666 6361.965	114.0/116.0	135.18	15.94	136.2	16.33	-59.98

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E66. Phone Number	
E62. Street Address			
E63. City	E68. County	E67/68. State/Country /	E64. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site			
E1. Site Identifier:	KANA Ouzinkie	E5. Call Sign:	
E2. Contact Name	Greg Tooke	E6. Phone Number:	(907) 550-8364
E3. Street:	F Street	E7. City:	Ouzinkie
		E8. County:	
E4. State	AK	E9. Zip Code	99644
E10. Area of Operation:	Ouzinkie, AK		
E11. Latitude:	57 °55 '28.3 "N		
E12. Longitude:	152 °29 '58.29 "W		
E13. Lat/Lon Coordinates are:	<input type="radio"/> NAD-27	<input checked="" type="radio"/> NAD-83	<input type="radio"/> N/A
E14. Site Elevation (AMSL):	17.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	<input type="radio"/> Yes	<input checked="" type="radio"/> No	<input type="radio"/> N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes	<input type="radio"/> No	<input checked="" type="radio"/> N/A

E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	<input checked="" type="radio"/> Yes <input type="radio"/> No
--	---

E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

<p>E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA’s study regarding the potential hazard of the structure to aviation?</p> <p>FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.</p>	<input type="radio"/> Yes <input checked="" type="radio"/> No
---	---

POINTS OF COMMUNICATION

Satellite Name: EUTELSAT115WB(S2938) EUTELSAT 115 WB 114.9 W.L. If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at _____ GHz)	
KANA Ouzinkie	35OUZINKIE	1	General Dynamics	1241	2.4	37.6 dBi at 3.740	
KANA Ouzinkie	35OUZINKIE	1	General Dynamics	1241	2.4	41.6 dBi at 5.9650	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
35OUZINKIE	0.0/0.0	15.0	17.0	0.0	10.0	0.0	51.7

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
35OUZINKIE	3700 4200	R	Horizontal and Vertical	72M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital

35OUZINKIE	5925	6425	T	Horizontal and Vertical	2M60G7W	51.7	23.87
------------	------	------	---	-------------------------	---------	------	-------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital

35OUZINKIE	5925	6425	T	Horizontal and Vertical	5M60G7W	51.7	20.74
------------	------	------	---	-------------------------	---------	------	-------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/Western Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
35OUZINKIE	Geostationary	3700 4200	114.0/116.0	136.81	16.22	137.84	16.6	0.0
	Geostationary	5925 6425	114.0/116.0	136.81	16.22	137.84	16.6	-60.15

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E66. Phone Number	
E62. Street Address			
E63. City	E68. County	E67/68. State/Country /	E64. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site			
E1. Site Identifier:	OTZ Kobuk	E5. Call Sign:	
E2. Contact Name	Greg Tooke	E6. Phone Number:	(907) 550-8364
E3. Street:	Dahl Creek Road	E7. City:	Kobuk
E4. State	AK	E8. County:	
E10. Area of Operation:		E9. Zip Code	99751
E11. Latitude:	66 °54 '27.3 "N	E10. Area of Operation:	Kobuk, AK
E12. Longitude:	156 °53 '1.0 "W		
E13. Lat/Lon Coordinates are:	<input type="radio"/> NAD-27	<input checked="" type="radio"/> NAD-83	<input type="radio"/> N/A
E14. Site Elevation (AMSL):	44.2 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A

E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	<input checked="" type="radio"/> Yes <input type="radio"/> No
--	---

E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

<p>E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA’s study regarding the potential hazard of the structure to aviation?</p> <p>FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.</p>	<input type="radio"/> Yes <input checked="" type="radio"/> No
---	---

POINTS OF COMMUNICATION

Satellite Name: EUTELSAT115WB(S2938) EUTELSAT 115 WB 114.9 W.L. If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at _____ GHz)	
OTZ Kobuk	36KOBUK	1	General Dynamics	1241	2.4	37.6 dBi at 3.740	
OTZ Kobuk	36KOBUK	1	General Dynamics	1241	2.4	41.6 dBi at 5.9650	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
36KOBUK	0.0/0.0	2.0	44.2	0.0	20.0	0.0	54.7

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
36KOBUK	3700 4200	R	Horizontal and Vertical	72M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital

36KOBUK	5925	6425	T	Horizontal and Vertical	5M60G7W	54.7	23.24
---------	------	------	---	-------------------------	---------	------	-------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/Western Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
36KOBUK	Geostationary	3700 4200	114.0/116.0	134.73	8.11	135.73	8.39	0.0
	Geostationary	5925 6425	114.0/116.0	134.73	8.11	135.73	8.39	-54.31

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E66. Phone Number	
E62. Street Address			
E63. City	E68. County	E67/68. State/Country /	E64. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site			
E1. Site Identifier:	8 Mile	E5. Call Sign:	
E2. Contact Name	Greg Tooke	E6. Phone Number:	(907) 550-8364
E3. Street:	Alaska Penninsula Highway	E7. City:	
E4. State	AK	E8. County:	
E10. Area of Operation:		E9. Zip Code	99633
E11. Latitude:	58 °43 '41.0 "N		
E12. Longitude:	156 °48 '59.2 "W		
E13. Lat/Lon Coordinates are:	<input type="radio"/> NAD-27	<input checked="" type="radio"/> NAD-83	<input type="radio"/> N/A
E14. Site Elevation (AMSL):	40.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A

E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	<input checked="" type="radio"/> Yes <input type="radio"/> No
--	---

E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

<p>E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA’s study regarding the potential hazard of the structure to aviation?</p> <p>FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.</p>	<input type="radio"/> Yes <input checked="" type="radio"/> No
---	---

POINTS OF COMMUNICATION

Satellite Name: EUTELSAT115WB(S2938) EUTELSAT 115 WB 114.9 W.L. If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at _____ GHz)	
8 Mile	37EIGHTMIL	1	General Dynamics	1241	2.4	37.6 dBi at 3.740	
8 Mile	37EIGHTMIL	1	General Dynamics	1241	2.4	41.6 dBi at 5.9650	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
37EIGHTMIL	0.0/0.0	2.0	40.0	0.0	20.0	0.0	54.7

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
37EIGHTMIL	3700 4200	R	Horizontal and Vertical	72M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital

37EIGHTMIL	5925	6425	T	Horizontal and Vertical	5M60G7W	54.7	23.55
------------	------	------	---	-------------------------	---------	------	-------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/Western Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
37EIGHTMIL	Geostationary	3700 4200	114.0/116.0	108.0	18.84	133.69	14.35	0.0
	Geostationary	5925 6425	114.0/116.0	108.0	18.84	133.69	14.35	-60.04

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E66. Phone Number	
E62. Street Address			
E63. City	E68. County	E67/68. State/Country /	E64. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site			
E1. Site Identifier:	Silver Bay Naknek	E5. Call Sign:	
E2. Contact Name	Greg Tooke	E6. Phone Number:	9075508364
E3. Street:	Olga Street	E7. City:	Naknek
		E8. County:	
E4. State	AK	E9. Zip Code	99633
E10. Area of Operation:	Naknek, AK		
E11. Latitude:	58 °44 '41.4 "N		
E12. Longitude:	156 °57 '14.4 "W		
E13. Lat/Lon Coordinates are:	<input type="radio"/> NAD-27	<input checked="" type="radio"/> NAD-83	<input type="radio"/> N/A
E14. Site Elevation (AMSL):	24.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> N/A

E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	<input checked="" type="radio"/> Yes <input type="radio"/> No
--	---

E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

<p>E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA’s study regarding the potential hazard of the structure to aviation?</p> <p>FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.</p>	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

POINTS OF COMMUNICATION

Satellite Name: EUTELSAT115WB(S2938) EUTELSAT 115 WB 114.9 W.L. If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at _____ GHz)	
Silver Bay Naknek	38SILVNAK	1	General Dynamics	1241	2.4	37.6 dBi at 3.740	
Silver Bay Naknek	38SILVNAK	1	General Dynamics	1241	2.4	41.6 dBi at 5.9650	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
38SILVNAK	0.0/0.0	24.0	0.0	0.0	20.0	0.0	54.7

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
38SILVNAK	3700 4200	R	Horizontal and Vertical	72M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital

38SILVNAK	5925	6425	T	Horizontal and Vertical	5M60G7W	54.7	23.25
-----------	------	------	---	-------------------------	---------	------	-------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/Western Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
38SILVNAK	Geostationary	3700 4200	114.0/116.0	132.56	13.89	134.57	14.67	0.0
	Geostationary	5925 6425	114.0/116.0	132.56	13.89	134.57	14.67	-60.03

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E66. Phone Number	
E62. Street Address			
E63. City	E68. County	E67/68. State/Country /	E64. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site			
E1. Site Identifier:	Red Dog Mine	E5. Call Sign:	
E2. Contact Name	Greg Tooke	E6. Phone Number:	9075508364
E3. Street:	Third Ave	E7. City:	Kotzebue
		E8. County:	
E4. State	AK	E9. Zip Code	99752
E10. Area of Operation:	Kotzebue, AK		
E11. Latitude:	67 °34 '39.8 "N		
E12. Longitude:	164 °3 '27.7 "W		
E13. Lat/Lon Coordinates are:	<input type="radio"/> NAD-27	<input checked="" type="radio"/> NAD-83	<input type="radio"/> N/A
E14. Site Elevation (AMSL):	7.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	<input type="radio"/> Yes	<input checked="" type="radio"/> No	<input type="radio"/> N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes	<input type="radio"/> No	<input checked="" type="radio"/> N/A

E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	<input checked="" type="radio"/> Yes <input type="radio"/> No
--	---

E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

<p>E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA’s study regarding the potential hazard of the structure to aviation?</p> <p>FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.</p>	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

POINTS OF COMMUNICATION

Satellite Name: EUTELSAT115WB(S2938) EUTELSAT 115 WB 114.9 W.L. If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at _____ GHz)	
Red Dog Mine	39REDDOG	1	General Dynamics	1241	2.4	37.6 dBi at 3.740	
Red Dog Mine	39REDDOG	1	General Dynamics	1241	2.4	41.6 dBi at 5.9650	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
39REDDOG	0.0/0.0	7.0	0.0	0.0	20.0	0.0	54.7

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
39REDDOG	3700 4200	R	Horizontal and Vertical	72M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital

39REDDOG	5925	6425	T	Horizontal and Vertical	12M4G7W	54.7	24.56
----------	------	------	---	-------------------------	---------	------	-------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/Western Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
39REDDOG	Geostationary	3700 4200	114.0/116.0	127.74	5.53	129.71	6.14	0.0
	Geostationary	5925 6425	114.0/116.0	127.74	5.53	129.71	6.14	-48.91

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E66. Phone Number	
E62. Street Address			
E63. City	E68. County	E67/68. State/Country /	E64. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site			
E1. Site Identifier:	Shungnak	E5. Call Sign:	
E2. Contact Name	Greg Tooke	E6. Phone Number:	907 550 8364
E3. Street:	Wendy St	E7. City:	Shungnak
E4. State	AK	E8. County:	
E10. Area of Operation:	Shungnak, AK		
E11. Latitude:	66 °53 '16.8 "N		
E12. Longitude:	157 °8 '18.9 "W		
E13. Lat/Lon Coordinates are:	<input type="radio"/> NAD-27	<input checked="" type="radio"/> NAD-83	<input type="radio"/> N/A
E14. Site Elevation (AMSL):	55.78 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	<input type="radio"/> Yes	<input checked="" type="radio"/> No	<input type="radio"/> N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes	<input type="radio"/> No	<input checked="" type="radio"/> N/A

E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	<input checked="" type="radio"/> Yes <input type="radio"/> No
--	---

E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

<p>E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA’s study regarding the potential hazard of the structure to aviation?</p> <p>FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.</p>	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

POINTS OF COMMUNICATION

Satellite Name: EUTELSAT115WB(S2938) EUTELSAT 115 WB 114.9 W.L. If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at _____ GHz)	
Shungnak	40SHUNGNAK	1	General Dynamics	1241	2.4	37.6 dBi at 3.740	
Shungnak	40SHUNGNAK	1	General Dynamics	1241	2.4	41.7 dBi at 5.9650	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
40SHUNGNAK	0.0/0.0	3.0	55.78	0.0	20.0	0.0	54.7

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
40SHUNGNAK	3700 4200	R	Horizontal and Vertical	72M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital

40SHUNGNAK	5925	6425	T	Horizontal and Vertical	5M60G7W	54.7	23.24
------------	------	------	---	-------------------------	---------	------	-------

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/Western Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
40SHUNGNAK	Geostationary	3700 4200	95.0/191.0	115.93	1.89	216.11	10.49	0.0
	Geostationary	5925 6425	95.0/191.0	115.93	1.89	216.11	10.49	-54.24

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E66. Phone Number	
E62. Street Address			
E63. City	E68. County	E67/68. State/Country /	E64. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site			
E1. Site Identifier:	Hooper Bay	E5. Call Sign:	
E2. Contact Name	Greg Tooke	E6. Phone Number:	907 550 8364
E3. Street:	Blackberry Street	E7. City:	Hooper Bay
E4. State	AK	E8. County:	
E10. Area of Operation:		E9. Zip Code	99604
E11. Latitude:	61 °31 '40.0 "N		
E12. Longitude:	166 °6 '22.5 "W		
E13. Lat/Lon Coordinates are:	<input type="radio"/> NAD-27	<input checked="" type="radio"/> NAD-83	<input type="radio"/> N/A
E14. Site Elevation (AMSL):	7.92 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	<input type="radio"/> Yes	<input checked="" type="radio"/> No	<input type="radio"/> N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	<input type="radio"/> Yes	<input type="radio"/> No	<input checked="" type="radio"/> N/A

E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	<input checked="" type="radio"/> Yes <input type="radio"/> No
--	---

E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

<p>E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA’s study regarding the potential hazard of the structure to aviation?</p> <p>FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.</p>	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	---

POINTS OF COMMUNICATION

Satellite Name: EUTELSAT115WB(S2938) EUTELSAT 115 WB 114.9 W.L. If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna Gain Transmint and/or Recieve (____ dBi at _____ GHz)	
Hooper Bay	41HOOPBAY	1	General Dynamics	1385	3.8	0.0 dBi at	

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level(meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers(dBW)
41HOOPBAY	0.0/0.0	4.0	7.92	0.0	40.0	0.0	62.5

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)		E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
41HOOPBAY	3700	4200	R	Horizontal and Vertical	72M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital

41HOOPBAY	5925 6137.75	T	Horizontal and Vertical	12M4G7W	62.5	27.31	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)							
Digital							
41HOOPBAY	5925 6137.75	T	Horizontal and Vertical	5M60G7W	62.5	30.76	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)							
Digital							
41HOOPBAY	6419.79	6425	T	Horizontal and Vertical	12M4G7W	62.5	27.31
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)							
Digital							

41HOOPBAY	6419.79	6425	T	Horizontal and Vertical	5M60G7W	62.5	30.76
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)							
Digital							
41HOOPBAY	6167.75		T	Horizontal and Vertical	12M4G7W	62.5	27.31
	6389.79						
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)							
Digital							
41HOOPBAY	6167.75		T	Horizontal and Vertical	5M60G7W	62.5	30.76
	6389.79						
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)							
Digital							

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc Eastern/Western Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
41HOOPBAY	Geostationary	3700 4200	95.0/191.0	106.74	0.2	207.83	17.34	0.0
	Geostationary	5925 6137.75	95.0/191.0	106.74	0.2	207.83	17.34	-60.0
	Geostationary	6419.79 6425	95.0/191.0	106.74	0.2	207.83	17.34	-60.0
	Geostationary	6167.75 6389.79	95.0/191.0	106.74	0.2	207.83	17.34	-60.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E66. Phone Number	
E62. Street Address			
E63. City	E68. County	E67/68. State/Country /	E64. Zip Code

FCC NOTICE REQUIRED BY THE PAPERWORK REDUCTION ACT

The public reporting for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the required data, and completing and reviewing the collection of information. If you have any comments on this burden estimate, or how we can improve the collection and reduce the burden it causes you, please write to the Federal Communications Commission, AMD–PERM, Paperwork Reduction Project (3060–0678), Washington, DC 20554. We will also accept your comments regarding the Paperwork Reduction Act aspects of this collection via the Internet if you send them to PRA@fcc.gov. PLEASE DO NOT SEND COMPLETED FORMS TO THIS ADDRESS.

Remember – You are not required to respond to a collection of information sponsored by the Federal government, and the government may not conduct or sponsor this collection, unless it displays a currently valid OMB control number or if we fail to provide you with this notice. This collection has been assigned an OMB control number of 3060–0678.

THE FOREGOING NOTICE IS REQUIRED BY THE PAPERWORK REDUCTION ACT OF 1995, PUBLIC LAW 104–13, OCTOBER 1, 1995, 44 U.S.C. SECTION 3507.