



# UNITED STATES OF AMERICA FEDERAL COMMUNICATIONS COMMISSION

## EARTH STATION AUTHORIZATION

**Name:** US Teleport Holdco, Inc.

**Call Sign:** E050018

**Authorization Type:** Modification

**File Number:** SES-MOD-20210921-01610

**Grant Date:** 2026-04-07 **Expiration Date:** 2035-03-23

**Nature of Service:** Fixed-Satellite Service

**Class of Station:** FES

### A) Site Location(s):

| # | Site ID | Address                                          | Latitude           | Longitude        | Elevation<br>(Meters) | NAD    | Special Provisions<br>(Refer to Section H) |
|---|---------|--------------------------------------------------|--------------------|------------------|-----------------------|--------|--------------------------------------------|
| 1 | 1       | 15590 N.W. 15TH AVE.<br>MIAMI, DADE,<br>FL 33169 | 25 ° 54 ' 59.3 " N | 80 ° 13 ' 29.2 W | 1.83                  | NAD-83 |                                            |

Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209



# UNITED STATES OF AMERICA FEDERAL COMMUNICATIONS COMMISSION

## EARTH STATION AUTHORIZATION

**Name:** US Teleport Holdco, Inc.

**Call Sign:** E050018

**Authorization Type:** Modification

**File Number:** SES-MOD-20210921-01610

**Grant Date:** 2026-04-07 **Expiration Date:** 2035-03-23

*Subject to the provisions of the Communications Act of 1934, The Communications Satellite Act of 1962, subsequent acts and treaties, and all present and future regulations made by this Commission, and further subject to the conditions and requirements set forth in this license, the grantee is authorized to construct, use and operate the radio facilities described below for radio communications for the term beginning Monday, March 23, 2020 (3 AM Eastern Standard Time) and ending Friday, March 23, 2035 (3 AM Eastern Standard Time). The required date of completion of construction and commencement of operation is Wednesday, April 7, 2027. Grantee must file with the Commission a certification upon completion of construction and commencement of operation.*

### B) Particulars of Operation

The General Provision 1010 applies to all receiving frequency bands.

The General Provision 1900 applies to all transmitting frequency bands.

For the text of these provisions, refer to Section H.

| # | Frequency (MHz) | Polarization Code | Emission | Tx/Rx Mode     | Max EIRP /Carrier (dBW) | Max EIRP Density /Carrier (dBW) | Associated Antenna | Special Provisions (Refer to Section H) | Modulation/ Services                     |
|---|-----------------|-------------------|----------|----------------|-------------------------|---------------------------------|--------------------|-----------------------------------------|------------------------------------------|
| 1 | 14000 - 14500   |                   | 128KG7D  | Earth-to-Space | 54.95                   | 39.9                            | 1                  |                                         | digital w/various modulation, forward er |
| 2 | 13750 - 14000   |                   | 128KG7D  | Earth-to-Space | 54.95                   | 39.9                            | 1                  |                                         | DIGITAL MODULATION, VOICE AND DATA SERVI |
| 3 | 11700 - 12200   |                   | 128KG7D  | Space-to-Earth |                         |                                 | 1                  |                                         | digital w/various modulation, forward er |
| 4 | 5925 - 6425     |                   | 1M00G7D  | Earth-to-Space | 48.9                    | 24.9                            | 1                  |                                         | DIGITAL                                  |
| 5 | 13750 - 14000   |                   | 9M00G7D  | Earth-to-Space | 64.04                   | 30.5                            | 1                  |                                         | DIGITAL                                  |
| 6 | 11450 - 11700   |                   | 36M0G7D  | Space-to-Earth |                         |                                 | 1                  |                                         | DIGITAL                                  |
| 7 | 14000 - 14500   |                   | 51K2G7W  | Earth-to-Space | 54.17                   | 43.1                            | 1                  |                                         | Data                                     |

|    |                  |         |                        |       |       |   |                                                   |
|----|------------------|---------|------------------------|-------|-------|---|---------------------------------------------------|
| 8  | 11700 -<br>12200 | 51K2G7W | Space-<br>to-<br>Earth |       |       | 1 | Data                                              |
| 9  | 6168 -<br>6240   | 45M0G7W | Earth-<br>to-<br>Space | 67.7  | 27.16 | 1 | digital<br>modulation,<br>voice and data<br>servi |
| 10 | 5925 -<br>6425   | 128KG7D | Earth-<br>to-<br>Space | 52.8  | 37.75 | 1 | digital<br>modulation.<br>voice and data<br>servi |
| 11 | 6391 -<br>6425   | 34M0G7W | Earth-<br>to-<br>Space | 67.7  | 28.4  | 1 | digital<br>modulation,<br>voice and data<br>servi |
| 12 | 6079 -<br>6107   | 28M0G7W | Earth-<br>to-<br>Space | 67.7  | 29.22 | 1 | digital<br>modulation,<br>voice and data<br>servi |
| 13 | 5925 -<br>5929   | 4M00G7W | Earth-<br>to-<br>Space | 59    | 29    | 1 | digital<br>modulation,<br>voice and data<br>servi |
| 14 | 6331 -<br>6359   | 28M0G7W | Earth-<br>to-<br>Space | 67.7  | 29.22 | 1 | digital<br>modulation,<br>voice and data<br>servi |
| 15 | 6020 -<br>6047   | 27M0G7W | Earth-<br>to-<br>Space | 67.7  | 29.4  | 1 | digital<br>modulation,<br>voice and data<br>servi |
| 16 | 4000 -<br>4200   | 45M0G7W | Space-<br>to-<br>Earth |       |       | 1 | digital<br>modulation,<br>voice and data<br>servi |
| 17 | 6272 -<br>6299   | 128KG7D | Earth-<br>to-<br>Space | 59    | 43.95 | 1 | digital<br>modulation,<br>voice and data<br>servi |
| 18 | 5961 -<br>5988   | 27M0G7W | Earth-<br>to-<br>Space | 67.7  | 29.4  | 1 | digital<br>modulation,<br>voice and data<br>servi |
| 19 | 14000 -<br>14500 | 128KG7D | Earth-<br>to-<br>Space | 54.95 | 39.9  | 1 | digital<br>modulation,<br>voice and data<br>servi |
| 20 | 11700 -<br>12200 | 128KG7D | Space-<br>to-<br>Earth |       |       | 1 | digital<br>modulation,<br>voice and data<br>servi |
| 21 | 14000 -<br>14500 | 128KG7D | Earth-<br>to-<br>Space | 60.75 | 45.7  | 1 | DIGITAL                                           |
| 22 | 11700 -<br>12200 | 45M0G7W | Space-<br>to-          |       |       | 1 | DIGITAL                                           |

|    |                        |         |                        |       |       |   |                                                |
|----|------------------------|---------|------------------------|-------|-------|---|------------------------------------------------|
|    |                        |         | Earth                  |       |       |   |                                                |
| 23 | 5925 -<br>6425         | 1M00G7D | Earth-<br>to-<br>Space | 48.9  | 24.9  | 1 | DIGITAL                                        |
| 24 | 11700 -<br>12200       | 150KG7D | Space-<br>to-<br>Earth |       |       | 1 | Data                                           |
| 25 | 14000 -<br>14500       | 36M0G7D | Earth-<br>to-<br>Space | 82.84 | 43.3  | 1 | Data                                           |
| 26 | 11700 -<br>12200       | 45M0G7W | Space-<br>to-<br>Earth |       |       | 1 | digital w/various<br>modulation,<br>forward er |
| 27 | 14000 -<br>14500       | 128KG7D | Earth-<br>to-<br>Space | 56.05 | 41    | 1 | digital w/various<br>modulation,<br>forward er |
| 28 | 14000 -<br>14500       | 45M0G7W | Earth-<br>to-<br>Space | 65.96 | 25.44 | 1 | DIGITAL                                        |
| 29 | 11700 -<br>12200       | 128KG7D | Space-<br>to-<br>Earth |       |       | 1 | DIGITAL                                        |
| 30 | 6419.965 -<br>6425     | 299KG7W | Earth-<br>to-<br>Space | 44.9  | 26.17 | 1 | DIGITAL                                        |
| 31 | 6167.925 -<br>6182.065 | 299KG7W | Earth-<br>to-<br>Space | 44.9  | 26.17 | 1 | DIGITAL                                        |
| 32 | 5925 -<br>5930.2       | 299KG7W | Earth-<br>to-<br>Space | 44.9  | 26.17 | 1 | DIGITAL                                        |
| 33 | 14000 -<br>14500       | 160MD7W | Earth-<br>to-<br>Space | 74.7  | 28.68 | 1 | DIGITAL                                        |
| 34 | 11700 -<br>12200       | 160MD7W | Space-<br>to-<br>Earth |       |       | 1 | DIGITAL                                        |
| 35 | 6272 -<br>6299         | 128KG7D | Earth-<br>to-<br>Space | 59    | 43.95 | 1 | digital w/various<br>modulation,<br>forward er |
| 36 | 5961 -<br>5988         | 128KG7D | Earth-<br>to-<br>Space | 59    | 43.95 | 1 | digital w/various<br>modulation,<br>forward er |
| 37 | 6168 -<br>6240         | 128KG7D | Earth-<br>to-<br>Space | 59    | 43.95 | 1 | digital w/various<br>modulation,<br>forward er |
| 38 | 5925 -<br>6425         | 128KG7D | Earth-<br>to-<br>Space | 52.8  | 37.75 | 1 | digital w/various<br>modulation,<br>forward er |
| 39 | 5925 -<br>5929         | 128KG7D | Earth-<br>to-<br>Space | 59.05 | 44    | 1 | digital w/various<br>modulation,<br>forward er |
| 40 | 6391 -<br>6425         | 34M0G7W | Earth-<br>to-<br>Space | 67.7  | 28.4  | 1 | digital w/various<br>modulation,<br>forward er |

|    |                |         |                        |      |       |   |                                                |
|----|----------------|---------|------------------------|------|-------|---|------------------------------------------------|
| 41 | 6079 -<br>6107 | 28M0G7W | Earth-<br>to-<br>Space | 67.7 | 29.22 | 1 | digital w/various<br>modulation,<br>forward er |
| 42 | 6020 -<br>6047 | 128KG7W | Earth-<br>to-<br>Space | 59   | 43.95 | 1 | digital w/various<br>modulation,<br>forward er |
| 43 | 4000 -<br>4200 | 128KG7D | Space-<br>to-<br>Earth |      |       | 1 | digital w/various<br>modulation,<br>forward er |
| 44 | 6331 -<br>6359 | 128KG7D | Earth-<br>to-<br>Space | 59   | 43.95 | 1 | digital w/various<br>modulation,<br>forward er |
| 45 | 5925 -<br>6425 | 1M00G7D | Earth-<br>to-<br>Space | 48.9 | 24.9  | 1 | DIGITAL                                        |



# UNITED STATES OF AMERICA FEDERAL COMMUNICATIONS COMMISSION

## EARTH STATION AUTHORIZATION

**Name:** US Teleport Holdco, Inc.

**Call Sign:** E050018

**Authorization Type:** Modification

**File Number:** SES-MOD-20210921-01610

**Grant Date:** 2026-04-07 **Expiration Date:** 2035-03-23

### C) Frequency Coordination Limits

| #  | Frequency Limits<br>(MHz) | Satellite Arc<br>Deg. Long. |               | Elevation<br>(Degrees) |               | Azimuth<br>(Degrees) |               | Max EIRP<br>Density toward<br>Horizon<br>(dBW/4kHz) | Associated<br>Antenna(s) |
|----|---------------------------|-----------------------------|---------------|------------------------|---------------|----------------------|---------------|-----------------------------------------------------|--------------------------|
|    |                           | East<br>Limit               | West<br>Limit | East<br>Limit          | West<br>Limit | East<br>Limit        | West<br>Limit |                                                     |                          |
| 1  | 14000 - 14500             | 15                          | 143           | 13.7                   | 15.94         | 101.4                | 257.3         | -10.47                                              | 1                        |
| 2  | 13750 - 14000             | 61                          | 61            | 52.9                   | 52.9          | 141.4                | 141.4         | -10.47                                              | 1                        |
| 3  | 11700 - 12200             | 15                          | 143           | 13.7                   | 15.94         | 101.4                | 257.3         |                                                     | 1                        |
| 4  | 5925 - 6425               | 15                          | 143           | 13.7                   | 15.94         | 101.4                | 257.3         | -12                                                 | 1                        |
| 5  | 13750 - 14000             | 117                         | 117           | 39.38                  | 39.38         | 239.84               | 239.84        | -32.61                                              | 1                        |
| 6  | 11450 - 11700             | 117                         | 117           | 39.38                  | 39.38         | 239.84               | 239.84        |                                                     | 1                        |
| 7  | 14000 - 14500             | 15                          | 143           | 13.7                   | 15.94         | 101.4                | 257.3         | -6.2                                                | 1                        |
| 8  | 11700 - 12200             | 15                          | 143           | 13.7                   | 15.94         | 101.4                | 257.3         |                                                     | 1                        |
| 9  | 6168 - 6240               | 15                          | 143           | 13.7                   | 15.94         | 101.4                | 257.3         | 0.24                                                | 1                        |
| 10 | 5925 - 6425               | 15                          | 143           | 13.7                   | 15.94         | 101.4                | 257.3         | -5.96                                               | 1                        |
| 11 | 6391 - 6425               | 15                          | 143           | 13.7                   | 15.94         | 101.4                | 257.3         | 0.24                                                | 1                        |
| 12 | 6079 - 6107               | 15                          | 143           | 13.7                   | 15.94         | 101.4                | 257.3         | 0.24                                                | 1                        |
| 13 | 5925 - 5929               | 15                          | 143           | 13.7                   | 15.94         | 101.4                | 257.3         | 0.24                                                | 1                        |
| 14 | 6331 - 6359               | 15                          | 143           | 13.7                   | 15.94         | 101.4                | 257.3         | 0.24                                                | 1                        |
| 15 | 6020 - 6047               | 15                          | 143           | 13.7                   | 15.94         | 101.4                | 257.3         | 0.24                                                | 1                        |
| 16 | 6272 - 6299               | 15                          | 143           | 13.7                   | 15.94         | 101.4                | 257.3         | 0.24                                                | 1                        |
| 17 | 5961 - 5988               | 15                          | 143           | 13.7                   | 15.94         | 101.4                | 257.3         | 0.24                                                | 1                        |
| 18 | 14000 - 14500             | 15                          | 143           | 13.7                   | 15.94         | 101.4                | 257.3         | -10.47                                              | 1                        |
| 19 | 11700 - 12200             | 15                          | 143           | 13.7                   | 15.94         | 101.4                | 257.3         |                                                     | 1                        |
| 20 | 14000 - 14500             | 15                          | 143           | 13.7                   | 15.94         | 101.4                | 257.3         | -11                                                 | 1                        |
| 21 | 11700 - 12200             | 15                          | 143           | 13.7                   | 15.94         | 101.4                | 257.3         |                                                     | 1                        |
| 22 | 5925 - 6425               | 15                          | 143           | 13.7                   | 15.94         | 101.4                | 257.3         | -9.5                                                | 1                        |
| 23 | 11700 - 12200             | 15                          | 143           | 13.7                   | 15.94         | 101.4                | 257.3         |                                                     | 1                        |
| 24 | 14000 - 14500             | 15                          | 143           | 13.7                   | 15.94         | 101.4                | 257.3         | -15.84                                              | 1                        |
| 25 | 11700 - 12200             | 15                          | 143           | 13.7                   | 15.94         | 101.4                | 257.3         |                                                     | 1                        |
| 26 | 14000 - 14500             | 15                          | 143           | 13.7                   | 15.94         | 101.4                | 257.3         | -15                                                 | 1                        |
| 27 | 14000 - 14500             | 15                          | 143           | 13.7                   | 15.94         | 101.4                | 257.3         | -11                                                 | 1                        |
| 28 | 11700 - 12200             | 15                          | 143           | 13.7                   | 15.94         | 101.4                | 257.3         |                                                     | 1                        |
| 29 | 6419.965 - 6425           | 114                         | 115           | 41.94                  | 41.1          | 236.84               | 237.81        | -32.4                                               | 1                        |
| 30 | 6167.925 - 6182.065       | 114                         | 115           | 41.94                  | 41.1          | 236.84               | 237.81        | -32.4                                               | 1                        |
| 31 | 5925 - 5930.2             | 114                         | 115           | 41.94                  | 41.1          | 236.84               | 237.81        | -32.4                                               | 1                        |
| 32 | 14000 - 14500             | 29                          | 30            | 26.5                   | 27.4          | 109.3                | 110           | -39.6                                               | 1                        |

|    |               |    |     |      |       |       |       |       |   |
|----|---------------|----|-----|------|-------|-------|-------|-------|---|
| 33 | 11700 - 12200 | 29 | 30  | 26.5 | 27.4  | 109.3 | 110   |       | 1 |
| 34 | 6272 - 6299   | 15 | 143 | 13.7 | 15.94 | 101.4 | 257.3 | 0.24  | 1 |
| 35 | 5961 - 5988   | 15 | 143 | 13.7 | 15.94 | 101.4 | 257.3 | 0.24  | 1 |
| 36 | 6168 - 6240   | 15 | 143 | 13.7 | 15.94 | 101.4 | 257.3 | 0.24  | 1 |
| 37 | 5925 - 6425   | 15 | 143 | 13.7 | 15.94 | 101.4 | 257.3 | -5.96 | 1 |
| 38 | 5925 - 5929   | 15 | 143 | 13.7 | 15.94 | 101.4 | 257.3 | 0.24  | 1 |
| 39 | 6391 - 6425   | 15 | 143 | 13.7 | 15.94 | 101.4 | 257.3 | 0.24  | 1 |
| 40 | 6079 - 6107   | 15 | 143 | 13.7 | 15.94 | 101.4 | 257.3 | 0.24  | 1 |
| 41 | 6020 - 6047   | 15 | 143 | 13.7 | 15.94 | 101.4 | 257.3 | 0.24  | 1 |
| 42 | 6331 - 6359   | 15 | 143 | 13.7 | 15.94 | 101.4 | 257.3 | 0.24  | 1 |
| 43 | 5925 - 6425   | 15 | 143 | 13.7 | 15.94 | 101.4 | 257.3 | -12   | 1 |



# UNITED STATES OF AMERICA FEDERAL COMMUNICATIONS COMMISSION

## EARTH STATION AUTHORIZATION

**Name:** US Teleport Holdco, Inc.

**Call Sign:** E050018

**Authorization Type:** Modification

**File Number:** SES-MOD-20210921-01610

**Grant Date:** 2026-04-07 **Expiration Date:** 2035-03-23

### D) Points of Communications

| # | Common Name           | ITU Name                | Orbit Location | Country | Destination Points | Permitted List |
|---|-----------------------|-------------------------|----------------|---------|--------------------|----------------|
| 1 | EUTELSAT115WB(S2938)  | EUTELSAT 115 WB         | 114.9 W.L.     |         |                    | False          |
| 2 | INTELSAT 904 (S2408)  | Intelsat 904(S2408)     | 29.5           |         |                    | False          |
| 3 | EUTELSAT117WB (S2926) | EUTELSAT 117 WB (S2926) | 117 W.L.       |         |                    | False          |
| 4 | HISPASAT              | HISPASAT                | 30.0 W.L.      |         |                    | False          |
| 5 | PERMITTED LIST        |                         |                |         |                    | False          |





# UNITED STATES OF AMERICA FEDERAL COMMUNICATIONS COMMISSION

## EARTH STATION AUTHORIZATION

**Name:** US Teleport Holdco, Inc.

**Call Sign:** E050018

**Authorization Type:** Modification

**File Number:** SES-MOD-20210921-01610

**Grant Date:** 2026-04-07 **Expiration Date:** 2035-03-23

### E) Antenna Facilities

| # | Site ID | Antenna ID | Units | Manufacturer       | Model Number | Site Elevation (Meters) | Max Antenna Height (Meters) | Special Provisions (Refer to Section H)                                                                                                 |
|---|---------|------------|-------|--------------------|--------------|-------------------------|-----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| 1 | 1       | ES 2Ku     | 1     | ANDREW CORPORATION | ES45MP-1     |                         | 5.2                         |                                                                                                                                         |
|   |         |            |       |                    |              |                         |                             | Max Gains(s):<br>Maximum aggregate output EIRP for all carriers(dBW): 125<br>Maximum total input power at antenna flange(Watts): 74.86  |
| 2 | 1       | V249MTC    | 1     | INTELLIAN          | V240MT       |                         | 5.2                         |                                                                                                                                         |
|   |         |            |       |                    |              |                         |                             | Max Gains(s):<br>Maximum aggregate output EIRP for all carriers(dBW): 120.2<br>Maximum total input power at antenna flange(Watts): 61.9 |
| 3 | 1       | ASC5.6     | 1     | ASC SIGNAL         | 5.6MESA      |                         | 6                           |                                                                                                                                         |
|   |         |            |       |                    |              |                         |                             | Max Gains(s):<br>Maximum aggregate output EIRP for all carriers(dBW): 750<br>Maximum total input power at antenna flange(Watts): 85.85  |
| 4 | 1       | 4.5 C      | 1     | ANDREW CORPORATION | 4.5 Meter    |                         | 5.2                         |                                                                                                                                         |
|   |         |            |       |                    |              |                         |                             | Max Gains(s):<br>Maximum aggregate output EIRP for all carriers(dBW): 125<br>Maximum total input power at antenna flange(Watts): 67.7   |
| 5 | 1       | 4.5 Ku     | 1     | ANDREW CORPORATION | ES45MP-1     |                         | 5.2                         |                                                                                                                                         |
|   |         |            |       |                    |              |                         |                             | Max Gains(s):<br>Maximum aggregate output EIRP for all carriers(dBW): 125<br>Maximum total input power at antenna flange(Watts): 74.86  |

|   |   |        |   |                                  |        |      |
|---|---|--------|---|----------------------------------|--------|------|
| 6 | 1 | ES 4KU | 1 | GENERAL DYNAMICS<br>(VERTEX/RSI) | GD 8.1 | 10.1 |
|---|---|--------|---|----------------------------------|--------|------|

|   |   |        |   |        |       |     |
|---|---|--------|---|--------|-------|-----|
| 7 | 1 | 9797BC | 1 | SEATEL | 9797B | 5.2 |
|---|---|--------|---|--------|-------|-----|

Max Gains(s):

Maximum aggregate output EIRP for all carriers(dBW): 37.15

Maximum total input power at antenna flange(Watts): 57.4

|   |   |         |   |        |        |   |
|---|---|---------|---|--------|--------|---|
| 8 | 1 | VTEX6.1 | 1 | VERTEX | 6.1KPK | 7 |
|---|---|---------|---|--------|--------|---|

Max Gains(s):

Maximum aggregate output EIRP for all carriers(dBW): 660

Maximum total input power at antenna flange(Watts): 85.55

|   |   |      |   |                    |              |     |
|---|---|------|---|--------------------|--------------|-----|
| 9 | 1 | ES 3 | 1 | ANDREW CORPORATION | ES46MP-<br>1 | 4.9 |
|---|---|------|---|--------------------|--------------|-----|

Max Gains(s):

Maximum aggregate output EIRP for all carriers(dBW): 125

Maximum total input power at antenna flange(Watts): 75.96

|    |   |        |   |         |      |   |
|----|---|--------|---|---------|------|---|
| 10 | 1 | ES 5KU | 1 | PRDELIN | 1385 | 5 |
|----|---|--------|---|---------|------|---|

Max Gains(s):

Maximum aggregate output EIRP for all carriers(dBW): 18.9

Maximum total input power at antenna flange(Watts): 65.96

|    |   |       |   |          |      |    |
|----|---|-------|---|----------|------|----|
| 11 | 1 | 1251C | 1 | PRODELIN | 1251 | 16 |
|----|---|-------|---|----------|------|----|

Max Gains(s):

Maximum aggregate output EIRP for all carriers(dBW): 30

Maximum total input power at antenna flange(Watts): 56.77

|    |   |        |   |        |      |    |
|----|---|--------|---|--------|------|----|
| 12 | 1 | VERTEX | 1 | VERTEX | K13K | 16 |
|----|---|--------|---|--------|------|----|

Max Gains(s):

Maximum aggregate output EIRP for all carriers(dBW): 12.6

Maximum total input power at antenna flange(Watts): 74.7

|    |   |       |   |                    |              |     |
|----|---|-------|---|--------------------|--------------|-----|
| 13 | 1 | ES 2C | 1 | ANDREW CORPORATION | ES45MP-<br>1 | 5.2 |
|----|---|-------|---|--------------------|--------------|-----|

Max Gains(s):

Maximum aggregate output EIRP for all carriers(dBW): 125

Maximum total input power at antenna flange(Watts): 67.7

|    |   |        |   |           |       |     |
|----|---|--------|---|-----------|-------|-----|
| 14 | 1 | V240MC | 1 | INTELLIAN | V240M | 5.2 |
|----|---|--------|---|-----------|-------|-----|

---

**G) Antenna Structure marking and lighting requirements:**

None unless otherwise specified under Special and General Provisions.



# UNITED STATES OF AMERICA FEDERAL COMMUNICATIONS COMMISSION

## EARTH STATION AUTHORIZATION

**Name:** US Teleport Holdco, Inc.

**Call Sign:** E050018

**Authorization Type:** Modification

**File Number:** SES-MOD-20210921-01610

**Grant Date:** 2026-04-07 **Expiration Date:** 2035-03-23

### H) Special and General Provisions:

**A)** This EARTH STATION AUTHORIZATION is granted subject to the following special provisions and general conditions.

- 4 --- Licensee must ensure that a current listing of the name, title, mailing address, email address, and telephone number of the responsible point of contact are on file at the FCC. Any changes must be filed electronically in the International Communications Filing System (ICFS) using the "Pleadings and Comments" link on the ICFS homepage within 10 days of the change.
- 8 --- Licensee must notify the Commission when all earth stations under this authorization are no longer operational or when they have not been used to provide service during any continuous six-month period.
- 182 --- Operations in the 13.75-14.0 GHz band below 68 dBW (Footnote US356 of the Table of Frequency Allocations) are permitted on an unprotected basis.
- 521 --- The grant of this application is subject to Licensee submitting an acceptable radiation hazard analysis report with the new near field power density formula in accordance with IEEE Std. C95.3-2021, Section D.4.4. "S<sub>nf</sub> limit 16P/((E<sub>t</sub>)(P<sub>i</sub>)(D<sub>squared</sub>))", within 180 calendar days of the publishing of the updated radiation hazard in OET's Bulletin 65. Licensee should not contemplate extension-of-time to meet this condition.
- 90900 --- Grant of the instant application is subject to the terms and condition of all associated current or future space station authorization(s) or grant(s) of market access. Operations pursuant to the instant authorization must be consistent with the associated space station(s) authorizations(s) or grant(s) of market access.

**B)** This RADIO STATION AUTHORIZATION is granted subject to the additional conditions specified below:

This authorization is issued on the grantee's representation that the statements contained in the application are true and that the undertakings described will be carried out in good faith.

This authorization shall not be construed in any manner as a finding by the Commission on the question of marking or lighting of the antenna system should future conditions require. The grantee expressly agrees to install such marking or lighting as the Commission may require under the provisions of Section 303(q) of the Communications Act. 47 U.S.C. § 303(q).

Neither this authorization nor the right granted by this authorization shall be assigned or otherwise transferred to any person, firm, company or corporation without the written consent of the Commission. This authorization is subject to the right of use or control by the government of the United States conferred by Section 706 of the Communications Act. 47 U.S.C. § 706. Operation of this station is governed by Part 25 of the Commission's Rules. 47 C.F.R. Part 25.

This authorization shall not vest in the licensee any right to operate this station nor any right in the use of the designated frequencies beyond the term of this license, nor in any other manner than authorized herein.

This authorization is issued on the grantee's representation that the station is in compliance with environmental requirements set forth in Section 1.1307 of the Commission's Rules. 47 C.F.R. § 1.1307.

This authorization is issued on the grantee's representation that the station is in compliance with the Federal Aviation Administration (FAA) requirements as set forth in Section 17.4 of the Commission's Rules. 47 C.F.R. § 17.4.

The following condition applies when this authorization permits construction of or modifies the construction permit of a radio station.

This authorization shall be automatically forfeited if the station does not meet each required construction deadline by the required date of completion unless, before such date(s), a specific application is timely filed to request an extension of the construction deadline(s), supported with good cause why that failure to construct by the required date was due to factors not under control of the grantee.

**Licensees are required to pay annual regulatory fees related to this authorization. The requirement to collect annual regulatory fees from regulatees is contained in Public Law 103-66, "The Omnibus Budget Reconciliation Act of 1993." These regulatory fees, which are likely to change each fiscal year, are used to offset costs associated with the Commission's enforcement, public service, international and policy and rulemaking activities. The Commission issues a Report and Order each year, setting the new regulatory fee rates. Receive only earth stations are exempt from payment of regulatory fees.**