

EARTH STATION AUTHORIZATION

Grant Date: 2024-04-04 **Expiration Date:** 2032-08-24

A) Site Location(s):

#	Site ID	Address	Latitude	Longitude	Elevation (Meters)	NAD	Special Provisions (Refer to Section H)
1	ESAA	United States, U.S. territorial waters, and international waters US&P, ., .	0 ° 0 ' 0 " X	0 ° 0 ' 0 X		NAD-83	Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209
2	ESIM-Pro	United States, U.S. territorial waters, and international waters ., ., .	0 ° 0 ' 0 " X	0 ° 0 ' 0 X		N/A	Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209
3	VMES	United States, U.S. territorial waters, and international waters ., ., .	0 ° 0 ' 0 " X	0 ° 0 ' 0 X		N/A	Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209
4	ESIM	United States territories and possessions U.S. territorial waters, International waters, .	0 ° 0 ' 0 " X	0 ° 0 ' 0 X		NAD-83	Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209



UNITED STATES OF AMERICA FEDERAL COMMUNICATIONS COMMISSION

EARTH STATION AUTHORIZATION

Name: Kymeta Corporation

Call Sign: E170070

Authorization Type: Modification

File Number: SES-MOD-20251117-00823

Grant Date: 2024-04-04 **Expiration Date:** 2032-08-24

Subject to the provisions of the Communications Act of 1934, The Communications Satellite Act of 1962, subsequent acts and treaties, and all present and future regulations made by this Commission, and further subject to the conditions and requirements set forth in this license, the grantee is authorized to construct, use and operate the radio facilities described below for radio communications for the term beginning Thursday, August 24, 2017 (3 AM Eastern Standard Time) and ending Tuesday, August 24, 2032 (3 AM Eastern Standard Time). The required date of completion of construction and commencement of operation is Saturday, August 14, 2027. Grantee must file with the Commission a certification upon completion of construction and commencement of operation.

B) Particulars of Operation

The General Provision 1010 applies to all receiving frequency bands.

The General Provision 1900 applies to all transmitting frequency bands.

For the text of these provisions, refer to Section H.

#	Frequency (MHz)	Polarization Code	Emission	Tx/Rx Mode	Max EIRP /Carrier (dBW)	Max EIRP Density /Carrier (dBW)	Associated Antenna	Special Provisions (Refer to Section H)	Modulation/ Services
1	14000 - 14500		611KG1D	Earth- to- Space	42.76	20.92	u8Pro1		Digital
2	14000 - 14500		125KG1D	Earth- to- Space	35.87	20.92	u8Pro1		Digital
3	14000 - 14500		15M0G1D	Earth- to- Space	51.1	15.36	u8Pro1		Digital
4	14000 - 14500		1M50G1D	Earth- to- Space	46.66	20.92	u8Pro1		Digital
5	14000 - 14500		2M00G1D	Earth- to- Space	47.91	20.92	u8Pro1		Digital
6	14000 - 14500		36M0G1D	Earth- to- Space	51.12	11.58	u8Pro1		Digital
7	14000 - 14500		3M00G1D	Earth- to- Space	49.67	20.92	u8Pro1		Digital
8	14000 -		6M96G1D	Earth-	51.1	18.69	u8Pro1		Digital

#	Frequency (MHz)	Polarization Code	Emission	Tx/Rx Mode	Max EIRP /Carrier (dBW)	Max EIRP Density /Carrier (dBW)	Associated Antenna	Special Provisions (Refer to Section H)	Modulation/ Services
	14500			to- Space					
9	14000 - 14500		36M0G1D	Earth- to- Space	51.12	11.58	u8Pro		Digital
10	14000 - 14500		3M00G1D	Earth- to- Space	49.67	20.92	u8Pro		Digital
11	14000 - 14500		2M00G1D	Earth- to- Space	47.91	20.92	u8Pro		Digital
12	14000 - 14500		15M0G1D	Earth- to- Space	51.1	15.36	u8Pro		Digital
13	14000 - 14500		6M96G1D	Earth- to- Space	51.1	18.69	u8Pro		Digital
14	14000 - 14500		611KG1D	Earth- to- Space	42.76	20.92	u8Pro		Digital
15	14000 - 14500		125KG1D	Earth- to- Space	35.87	20.92	u8Pro		Digital
16	14000 - 14500		1M50G1D	Earth- to- Space	46.66	20.92	u8Pro		Digital
17	12200 - 12700		15M0G1D	Space- to-Earth			u8Pro		Digital
18	12200 - 12700		36M0G1D	Space- to-Earth			u8Pro		Digital
19	12200 - 12700		125KG1D	Space- to-Earth			u8Pro		Digital
20	12200 - 12700		611KG1D	Space- to-Earth			u8Pro		Digital
21	12200 - 12700		3M00G1D	Space- to-Earth			u8Pro		Digital
22	12200 - 12700		1M50G1D	Space- to-Earth			u8Pro		Digital
23	12200 - 12700		2M00G1D	Space- to-Earth			u8Pro		Digital
24	14000 - 14500		1M50G1D	Earth- to- Space	44.74	19	KyWay 1		Data
25	14000 - 14500		2M00G1D	Earth- to- Space	45.04	18.05	KyWay 1		Data
26	14000 - 14500		3M00G1D	Earth- to- Space	45.04	16.29	KyWay 1		Data
27	14000 -		3M48G1D	Earth-	45.04	15.64	KyWay 1		Data

#	Frequency (MHz)	Polarization Code	Emission	Tx/Rx Mode	Max EIRP /Carrier (dBW)	Max EIRP Density /Carrier (dBW)	Associated Antenna	Special Provisions (Refer to Section H)	Modulation/ Services
	14500			to- Space					
28	14000 - 14500		5M00G1D	Earth- to- Space	45.04	14.07	KyWay 1		Data
29	14000 - 14500		611KG1D	Earth- to- Space	40.84	19	KyWay 1		Data
30	14000 - 14500		6M96G1D	Earth- to- Space	45.04	12.63	KyWay 1		Data
31	10950 - 11200		1M50G1D	Space- to-Earth			KyWay 1		Data
32	10950 - 11200		36M0G1D	Space- to-Earth			KyWay 1		Data
33	11450 - 11700		1M50G1D	Space- to-Earth			KyWay 1		Data
34	11450 - 11700		36M0G1D	Space- to-Earth			KyWay 1		Data
35	11700 - 12200		1M50G1D	Space- to-Earth			KyWay 1		Data
36	11700 - 12200		36M0G1D	Space- to-Earth			KyWay 1		Data
37	11700 - 12200		36M0G1D	Space- to-Earth			u5 GEO		
38	11700 - 12200		1M50G1D	Space- to-Earth			u5 GEO		
39	11700 - 12200		15M0G1D	Space- to-Earth			u5 GEO		
40	11700 - 12200		6M96G1D	Space- to-Earth			u5 GEO		
41	11700 - 12200		2M00G1D	Space- to-Earth			u5 GEO		
42	11700 - 12200		125KG1D	Space- to-Earth			u5 GEO		
43	11700 - 12200		611KG1D	Space- to-Earth			u5 GEO		
44	11700 - 12200		3M00G1D	Space- to-Earth			u5 GEO		
45	14000 - 14500		2M00G1D	Earth- to- Space	42.79	15.8	u5 GEO		Digital
46	14000 - 14500		3M00G1D	Earth- to- Space	44.55	15.79	u5 GEO		Digital
47	14000 - 14500		1M50G1D	Earth- to- Space	41.54	15.79	u5 GEO		Digital
48	14000 -		611KG1D	Earth-	37.64	15.8	u5 GEO		Digital

#	Frequency (MHz)	Polarization Code	Emission	Tx/Rx Mode	Max EIRP /Carrier (dBW)	Max EIRP Density /Carrier (dBW)	Associated Antenna	Special Provisions (Refer to Section H)	Modulation/ Services
	14500			to- Space					
49	14000 - 14500		125KG1D	Earth- to- Space	30.75	15.8	u5 GEO		Digital
50	14000 - 14500		15M0G1D	Earth- to- Space	45.948	10.21	u5 GEO		Digital
51	14000 - 14500		6M96G1D	Earth- to- Space	45.948	13.54	u5 GEO		Digital
52	14000 - 14500		36M0G1D	Earth- to- Space	45.948	6.41	u5 GEO		Digital
53	12200 - 12700		36M0G1D	Space- to-Earth			u5 LEO		
54	12200 - 12700		1M50G1D	Space- to-Earth			u5 LEO		
55	12200 - 12700		3M00G1D	Space- to-Earth			u5 LEO		
56	12200 - 12700		6M96G1D	Space- to-Earth			u5 LEO		
57	12200 - 12700		125KG1D	Space- to-Earth			u5 LEO		
58	12200 - 12700		611KG1D	Space- to-Earth			u5 LEO		
59	12200 - 12700		2M00G1D	Space- to-Earth			u5 LEO		
60	12200 - 12700		15M0G1D	Space- to-Earth			u5 LEO		
61	11450 - 11700		2M00G1D	Space- to-Earth			u5 LEO		
62	11450 - 11700		15M0G1D	Space- to-Earth			u5 LEO		
63	11450 - 11700		1M50G1D	Space- to-Earth			u5 LEO		
64	11450 - 11700		611KG1D	Space- to-Earth			u5 LEO		
65	11450 - 11700		6M96G1D	Space- to-Earth			u5 LEO		
66	11450 - 11700		3M00G1D	Space- to-Earth			u5 LEO		
67	11450 - 11700		36M0G1D	Space- to-Earth			u5 LEO		
68	11450 - 11700		125KG1D	Space- to-Earth			u5 LEO		
69	10950 - 11200		125KG1D	Space- to-Earth			u5 LEO		
70	10950 -		3M00G1D	Space-			u5 LEO		

#	Frequency (MHz)	Polarization Code	Emission	Tx/Rx Mode	Max EIRP /Carrier (dBW)	Max EIRP Density /Carrier (dBW)	Associated Antenna	Special Provisions (Refer to Section H)	Modulation/ Services
	11200			to-Earth					
71	10950 - 11200		6M96G1D	Space- to-Earth			u5 LEO		
72	10950 - 11200		611KG1D	Space- to-Earth			u5 LEO		
73	10950 - 11200		2M00G1D	Space- to-Earth			u5 LEO		
74	10950 - 11200		1M50G1D	Space- to-Earth			u5 LEO		
75	10950 - 11200		15M0G1D	Space- to-Earth			u5 LEO		
76	14000 - 14500		1M50G1D	Earth- to- Space	41.54	15.79	u5 LEO		Digital
77	14000 - 14500		611KG1D	Earth- to- Space	37.64	15.8	u5 LEO		Digital
78	14000 - 14500		15M0G1D	Earth- to- Space	42.32	6.58	u5 LEO		Digital
79	14000 - 14500		6M96G1D	Earth- to- Space	42.32	9.91	u5 LEO		Digital
80	14000 - 14500		36M0G1D	Earth- to- Space	42.32	2.78	u5 LEO		Digital
81	14000 - 14500		2M00G1D	Earth- to- Space	42.32	15.33	u5 LEO		Digital
82	14000 - 14500		125KG1D	Earth- to- Space	30.75	15.8	u5 LEO		Digital
83	14000 - 14500		3M00G1D	Earth- to- Space	42.32	13.57	u5 LEO		Digital
84	14000 - 14500		180MG1D	Earth- to- Space	47.2	0.663	u8Com		Digital
85	12200 - 12700		125KG1D	Space- to-Earth			u8Com		Digital
86	12200 - 12700		15M0G1D	Space- to-Earth			u8Com		Digital
87	12200 - 12700		1M50G1D	Space- to-Earth			u8Com		Digital
88	12200 - 12700		2M00G1D	Space- to-Earth			u8Com		Digital
89	12200 - 12700		36M0G1D	Space- to-Earth			u8Com		Digital
90	12200 -		3M00G1D	Space-			u8Com		Digital

#	Frequency (MHz)	Polarization Code	Emission	Tx/Rx Mode	Max EIRP /Carrier (dBW)	Max EIRP Density /Carrier (dBW)	Associated Antenna	Special Provisions (Refer to Section H)	Modulation/ Services
	12700			to-Earth					
91	12200 - 12700		611KG1D	Space- to-Earth			u8Com		Digital
92	11700 - 12200		125KG1D	Space- to-Earth			u8Com		Digital
93	11700 - 12200		15M0G1D	Space- to-Earth			u8Com		Digital
94	11700 - 12200		1M50G1D	Space- to-Earth			u8Com		Digital
95	11700 - 12200		2M00G1D	Space- to-Earth			u8Com		Digital
96	11700 - 12200		36M0G1D	Space- to-Earth			u8Com		Digital
97	11700 - 12200		3M00G1D	Space- to-Earth			u8Com		Digital
98	11700 - 12200		611KG1D	Space- to-Earth			u8Com		Digital
99	11700 - 12200		6M96G1D	Space- to-Earth			u8Com		Digital
100	11450 - 11700		125KG1D	Space- to-Earth			u8Com		Digital
101	11450 - 11700		15M0G1D	Space- to-Earth			u8Com		Digital
102	11450 - 11700		1M50G1D	Space- to-Earth			u8Com		Digital
103	11450 - 11700		2M00G1D	Space- to-Earth			u8Com		Digital
104	11450 - 11700		3M00G1D	Space- to-Earth			u8Com		Digital
105	11450 - 11700		611KG1D	Space- to-Earth			u8Com		Digital
106	11450 - 11700		6M96G1D	Space- to-Earth			u8Com		Digital
107	10950 - 11200		125KG1D	Space- to-Earth			u8Com		Digital
108	10950 - 11200		15M0G1D	Space- to-Earth			u8Com		Digital
109	10950 - 11200		1M50G1D	Space- to-Earth			u8Com		Digital
110	10950 - 11200		2M00G1D	Space- to-Earth			u8Com		Digital
111	10950 - 11200		611KG1D	Space- to-Earth			u8Com		Digital
112	10950 - 11200		6M96G1D	Space- to-Earth			u8Com		Digital
113	10950 - 11200		3M00G1D	Space- to-Earth			u8Com		Digital



UNITED STATES OF AMERICA FEDERAL COMMUNICATIONS COMMISSION

EARTH STATION AUTHORIZATION

Name: Kymeta Corporation

Call Sign: E170070

Authorization Type: Modification

File Number: SES-MOD-20251117-00823

Grant Date: 2024-04-04 **Expiration Date:** 2032-08-24

C) Frequency Coordination Limits

#	Frequency Limits (MHz)	Satellite Arc Deg. Long.		Elevation (Degrees)		Azimuth (Degrees)		Max EIRP Density toward Horizon (dBW/4kHz)	Associated Antenna(s)
		East Limit	West Limit	East Limit	West Limit	East Limit	West Limit		
1	14000 - 14500	8W	177W	15	15	0	360	15.8	u8Pro1
2	14000 - 14500	8W	177W	15	15	0	360	15.8	u8Pro
3	12200 - 12700			15	15	0	360		u8Pro
4	14000 - 14500	8W	177W	15	15	0	360	15.8	KyWay 1
5	10950 - 11200	8W	177W	15	15	0	360		KyWay 1
6	11450 - 11700	8W	177W	15	15	0	360		KyWay 1
7	11700 - 12200	8W	177W	15	15	0	360		KyWay 1
8	11700 - 12200	8W	177W	15	15	0	360		u5 GEO
9	14000 - 14500	8W	177W	15	15	0	360	15.8	u5 GEO
10	12200 - 12700			15	15	0	360		u5 LEO
11	11450 - 11700			15	15	0	360		u5 LEO
12	10950 - 11200			15	15	0	360		u5 LEO
13	14000 - 14500			15	15	0	360	15.8	u5 LEO
14	14000 - 14500	8W	177W	15	15	0	360	15.8	u8Com
15	14000 - 14500			15	15	0	360	15.8	u8Com
16	12200 - 12700			15	15	0	360		u8Com
17	11700 - 12200	8W	117W	15	15	0	360		u8Com
18	11450 - 11700			15	15	0	360		u8Com
19	10950 - 11200			15	15	0	360		u8Com



UNITED STATES OF AMERICA FEDERAL COMMUNICATIONS COMMISSION

EARTH STATION AUTHORIZATION

Name: Kymeta Corporation

Call Sign: E170070

Authorization Type: Modification

File Number: SES-MOD-20251117-00823

Grant Date: 2024-04-04 **Expiration Date:** 2032-08-24

D) Points of Communications

The following stations located in the Satellite orbits consistent with Sections B and C of this Entry:

- 1) ESAA to OneWeb (S2963) Non-Geo (U.S.-licensed satellite)
- 2) ESAA to PERMITTED LIST Geo (U.S.-licensed satellite)
- 3) ESAA to MULTUS (S2981) Non-Geo (U.S.-licensed satellite)
- 4) ESIM-Pro to MULTUS (S2981) Non-Geo (U.S.-licensed satellite)
- 5) ESIM-Pro to OneWeb (S2963) Non-Geo (U.S.-licensed satellite)
- 6) VMES to PERMITTED LIST Geo (U.S.-licensed satellite)
- 7) ESIM to PERMITTED LIST Geo (U.S.-licensed satellite)
- 8) ESIM to Kepler MULTUS (S2981) Non-Geo (U.S.-licensed satellite)
- 9) ESIM to OneWeb (S2963) Non-Geo (U.S.-licensed satellite)



UNITED STATES OF AMERICA FEDERAL COMMUNICATIONS COMMISSION

EARTH STATION AUTHORIZATION

Name: Kymeta Corporation

Call Sign: E170070

Authorization Type: Modification

File Number: SES-MOD-20251117-00823

Grant Date: 2024-04-04 **Expiration Date:** 2032-08-24

E) Antenna Facilities

#	Site ID	Antenna ID	Units	Diameter (Meters)	Manufacturer	Model Number	Site Elevation (Meters)	Max Antenna Height (Meters)	Special Provisions (Refer to Section H)
1	ESAA	u8Pro1	1,000	0.82	Kymeta Corporation	u8 Pro		AGL / AMSL	
Max Gains(s): Maximum total input power at antenna flange(Watts): 40 Maximum aggregate output EIRP for all carriers(dBW): 51.12									
2	ESIM-Pro	u8Pro	5,000	0.82	Kymeta Corporation	u8		AGL / AMSL	
Max Gains(s): Maximum total input power at antenna flange(Watts): 40 Maximum aggregate output EIRP for all carriers(dBW): 51.12									
3	VMES	KyWay 1	1,000	0.7	Kymeta Corporation	Type 1		0 AGL / AMSL	
Max Gains(s): Maximum total input power at antenna flange(Watts): 16 Maximum aggregate output EIRP for all carriers(dBW): 45.04									
4	ESIM	u5 GEO	10,000	0.536	Kymeta Corporation	u5 GEO		AGL / AMSL	
Max Gains(s): Maximum total input power at antenna flange(Watts): 23.7 Maximum aggregate output EIRP for all carriers(dBW): 45.95									
5	ESIM	u5 LEO	10,000	0.536	Kymeta Corporation	u5 LEO		AGL / AMSL	
Max Gains(s): Maximum total input power at antenna flange(Watts): 9.6 Maximum aggregate output EIRP for all carriers(dBW): 42.32									
6	ESIM	u8Com	20,000	0.82	Kymeta Corporation	u8		AGL / AMSL	

							Max	Special
							Antenna	Provisions
							Height	(Refer to
							(Meters)	Section
								H)
#	Site ID	Antenna ID	Units	Diameter (Meters)	Manufacturer	Model Number	Site Elevation (Meters)	
Max Gains(s):								
Maximum total input power at antenna flange(Watts): 16.2								
Maximum aggregate output EIRP for all carriers(dBW): 47.2								

G) Antenna Structure marking and lighting requirements:

None unless otherwise specified under Special and General Provisions.



UNITED STATES OF AMERICA FEDERAL COMMUNICATIONS COMMISSION

EARTH STATION AUTHORIZATION

Name: Kymeta Corporation

Authorization Type: Modification

Call Sign: E170070

File Number: SES-MOD-20251117-00823

Grant Date: 2024-04-04 **Expiration Date:** 2032-08-24

H) Special and General Provisions:

A) This EARTH STATION AUTHORIZATION is granted subject to the following special provisions and general conditions.

- 4 --- Licensee must ensure that a current listing of the name, title, mailing address, email address, and telephone number of the responsible point of contact are on file at the FCC. Any changes must be filed electronically in the International Communications Filing System (ICFS) using the "Pleadings and Comments" link on the ICFS homepage within 10 days of the change.
- 8 --- Licensee must notify the Commission when all earth stations under this authorization are no longer operational or when they have not been used to provide service during any continuous six-month period.
- 90123 --- Operations authorized pursuant to this license are operations by U.S.-registered aircraft anywhere within the coverage area/frequency bands identified in the application for the satellites listed as points of communication. Operations authorized pursuant to this license also include operations by non-U.S.-registered aircraft within U.S. territory, including territorial waters. Authorization for operations by U.S.-registered aircraft outside U.S. territory, pursuant to this license, does not constitute a grant of access to the market in the United States under the Commission's DISCO II policies.
- 90248 --- Stations authorized herein must not be used to provide air traffic control communications.
- 90304 --- Operation pursuant to this authorization must be in compliance with the terms of the licensee's coordination agreements with the National Science Foundation and the National Aeronautics and Space Administration pertaining to operation of ESAAs in the Ku-Band.
- 90862 --- Operations in the 12.2-12.7 GHz band are on a non-interference basis (NIB) and non-interference protected (NIP), i.e., unprotected, basis with respect to terrestrial fixed operations.
- 90900 --- Grant of the instant application is subject to the terms and condition of all associated current or future space station authorization(s) or grant(s) of market access. Operations pursuant to the instant authorization must be consistent with the associated space station(s) authorizations(s) or grant(s) of market access.
- 900606 --- Operations of Kymeta Corporation antennaID u8Com antenna in close proximity to humans may exceed FCC limits for individuals within 1.55 meters (5 feet and 1 inch) of the edge of the antenna when operating at maximum duty cycle of 30%. Operations above 30% duty cycle are not authorized. A notice must be attached to the visible edge of the antenna which visibly states, "Radiofrequency fields may exceed FCC safety limits for the general public standing within 1.55 meters (5 feet and 1 inch) of the edge of this terminal. Terminal installations and operations must inhibit public access to the 1.55 meter area."

900647 --- Operations of Kymeta Corporation antennaID u8Pro antenna in close proximity to humans may exceed FCC limits for individuals within 2 meters of the edge of the antenna when operating at maximum duty cycle of 30%. Operations above 30% duty cycle are not authorized. A notice must be attached to the visible edge of the antenna which visibly states, "Radiofrequency fields may exceed FCC safety limits for the general public standing within 2 meters of the edge of this terminal. Terminal installations and operations must inhibit public access to the 2-meter area."

B) This RADIO STATION AUTHORIZATION is granted subject to the additional conditions specified below:

This authorization is issued on the grantee's representation that the statements contained in the application are true and that the undertakings described will be carried out in good faith.

This authorization shall not be construed in any manner as a finding by the Commission on the question of marking or lighting of the antenna system should future conditions require. The grantee expressly agrees to install such marking or lighting as the Commission may require under the provisions of Section 303(q) of the Communications Act. 47 U.S.C. § 303(q).

Neither this authorization nor the right granted by this authorization shall be assigned or otherwise transferred to any person, firm, company or corporation without the written consent of the Commission. This authorization is subject to the right of use or control by the government of the United States conferred by Section 706 of the Communications Act. 47 U.S.C. § 706. Operation of this station is governed by Part 25 of the Commission's Rules. 47 C.F.R. Part 25.

This authorization shall not vest in the licensee any right to operate this station nor any right in the use of the designated frequencies beyond the term of this license, nor in any other manner than authorized herein.

This authorization is issued on the grantee's representation that the station is in compliance with environmental requirements set forth in Section 1.1307 of the Commission's Rules. 47 C.F.R. § 1.1307.

This authorization is issued on the grantee's representation that the station is in compliance with the Federal Aviation Administration (FAA) requirements as set forth in Section 17.4 of the Commission's Rules. 47 C.F.R. § 17.4.

The following condition applies when this authorization permits construction of or modifies the construction permit of a radio station.

This authorization shall be automatically forfeited if the station does not meet each required construction deadline by the required date of completion unless, before such date(s), a specific application is timely filed to request an extension of the construction deadline(s), supported with good cause why that failure to construct by the required date was due to factors not under control of the grantee.

Licensees are required to pay annual regulatory fees related to this authorization. The requirement to collect annual regulatory fees from regulatees is contained in Public Law 103-66, "The Omnibus Budget Reconciliation Act of 1993." These regulatory fees, which are likely to change each fiscal year, are used to offset costs associated with the Commission's enforcement, public service, international, policy, and rulemaking activities. The Commission issues a Report and Order each year, setting the new regulatory fee rates. Receive-only earth stations are exempt from payment of regulatory fees.