

GUSA Licensee LLC
Response to FCC Form 312, Schedule B, Question E18
Page 1 of 1

Attachment 1: Comsearch Frequency Coordination and Interference Analysis Report

Attachment 2: Information on Microwave Landing System Sites

ATTACHMENT 1

**FREQUENCY COORDINATION AND INTERFERENCE
ANALYSIS REPORT**

Prepared for
GUSA Licensee, LLC
SEBRING 4, FL
Satellite Earth Station

Prepared By:
COMSEARCH
19700 Janelia Farm Boulevard
Ashburn, VA 20147
December 03, 2020

TABLE OF CONTENTS

1. CONCLUSIONS	3
2. SUMMARY OF RESULTS	4
3. SUPPLEMENTAL SHOWING	5
4. EARTH STATION COORDINATION DATA.....	7
5. CERTIFICATION.....	11

1. CONCLUSIONS

An interference study considering all existing, proposed and prior coordinated microwave facilities within the coordination contours of the proposed earth station demonstrates that this site will operate satisfactorily with the common carrier microwave environment. Further, there will be no restrictions of its operation due to interference considerations.

2. SUMMARY OF RESULTS

A number of great circle interference cases were identified during the interference study of the proposed earth station. Each of the cases, which exceeded the interference objective on a line-of-sight basis, was profiled and the propagation losses estimated using NBS TN101 (Revised) techniques. The losses were found to be sufficient to reduce the signal levels to acceptable magnitudes in every case.

3. SUPPLEMENTAL SHOWING

Pursuant to Part 25.203(c) of the FCC Rules and Regulations, the satellite earth station proposed in this application was coordinated by Comsearch using computer techniques and in accordance with Part 25 of the FCC Rules and Regulations.

Coordination data for this earth station was sent to the below listed carriers with a letter dated 10/30/2020.

Company

American Broadcasting Companies, Inc.
Board of Trustees Fla Gulf Coast Univ
CBS Television Stations
Cbs Operations Investments, Inc.
Christian Television of Palm Beach Cnty
Daytona State College, Inc.
Eastern Florida State College
Entravision Holdings, LLC
Florida West Coast Public Broadcasting I
Fort Myers Broadcasting Company
Fox Television Stations, LLC
Good Life Broadcasting, Inc.
Graham Media Group, Inc.
Graham Media Group, Orlando, Inc
Gray Television Licensee, LLC
Hearst Properties Inc.
Ion Media Orlando License, Inc.
Meycom Inc.
Miami Television Station WBFS Inc
Montclair Communications Inc.
Montclair Communications Inc.
NBC Telemundo License LLC
NEXSTAR BROADCASTING, INC.
New World Communications of Tampa, Inc.
Orlando Hearst Television, Inc.
Pacific and Southern, LLC
School Board of Broward County
Scripps Broadcasting Holdings, LLC
Scripps Broadcasting Holdings, LLC,
Scripps Media, Inc. - WFTS TV
Scripps Media, Inc. - WPTV
South Florida PBS, Inc
South Florida PBS, Inc
Storer Broadcasting Co
Sun Broadcasting, Inc.
Sunbeam Television Corp.
Unimas Miami LLC
University of Central Florida
WFTV, Inc.
WLTV License Partnership, G.P.

WPEC Licensee, LLC
WPLG, Inc.
WTVX Licensee, LLC
WWSB License Subsidiary, LLC
Waterman Broadcasting

4. EARTH STATION COORDINATION DATA

This section presents the data pertinent to frequency coordination of the proposed earth station that was circulated to all carriers within its coordination contours.

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Date: 12/03/2020
Job Number: 201030COMSGE03

Administrative Information

Status ENGINEER PROPOSAL
Call Sign
Licensee Code ZAIRSA
Licensee Name GUSA Licensee, LLC

Site Information SEBRING 4, FL

Venue Name
Latitude (NAD 83) 27° 27' 35.6" N
Longitude (NAD 83) 81° 21' 26.8" W
Climate Zone A
Rain Zone 1
Ground Elevation (AMSL) 15.2 m / 49.9 ft

Link Information

Satellite Type Low Earth Orbit
Mode TR - Transmit-Receive
Modulation Analog and Digital
Minimum Elevation Angle 5.0°
Azimuth Range 0.0° to 360°
Antenna Centerline (AGL) 8.69 m / 28.5 ft

Antenna Information

	Receive - FCC32	Transmit - FCC32
Manufacturer	Cobham	Cobham
Model	Tracker T 6000	Tracker T 6000
Gain / Diameter	51.2 dBi / 6.0 m	47.6 dBi / 6.0 m
3-dB / 15-dB Beamwidth	0.44° / 0.88°	0.60° / 2.00°
Max Available RF Power (dBW/4 kHz)		10.9
(dBW/MHz)		20.9
Maximum EIRP (dBW/4 kHz)		58.5
(dBW/MHz)		68.5
Interference Objectives:	Long Term -153.0 dBW/MHz 20%	-140.0 dBW/4 kHz 20%
	Short Term -143.0 dBW/MHz 0.01%	-103.0 dBW/4 kHz 0.0025%

Frequency Information

Emission / Frequency Range (MHz)	Receive 7.0 GHz	Transmit 5.1 GHz
	2M50G7D / 6900.0 - 7055.0	4M50G7D / 5096.0 - 5250.0
	1M23G7W - 1M23XXX / 6900.0 - 7055.0	1M23G7W - 1M23XXX / 5096.0 - 5250.0
	200KG7D / 6900.0 - 7055.0	76K0F2D / 5091.0 - 5092.0
	70K0G7D / 6875.9 - 6879.1	50K0N0N / 5091.0 - 5092.0
	50K0N0N / 6900.0 - 7055.0	40K0G2D / 5091.0 - 5092.0
	7K00G1D / 6875.9 - 6879.1	
Max Great Circle Coordination Distance	226.0 km / 140.4 mi	285.0 km / 177.1 mi
Precipitation Scatter Contour Radius	533.2 km / 331.3 mi	100.0 km / 62.1 mi

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values

SEBRING 4, FL

Licensee Name GUSA Licensee, LLC
Latitude (NAD 83) 27° 27' 35.6" N
Longitude (NAD 83) 81° 21' 26.8" W
Ground Elevation (AMSL) 15.2 m / 49.9 ft
Antenna Centerline (AGL) 8.69 m / 28.5 ft
Antenna Model Cobham Satcom 6 meter
Antenna Mode Receive 7.0 GHz Transmit 5.1 GHz
Interference Objectives: Long Term -153.0 dBW/MHz 20% -140.0 dBW/4 kHz 20%
Short Term -143.0 dBW/MHz 0.01% -103.0 dBW/4 kHz 0.0025%
Max Available RF Power 10.9 (dBW/4 kHz)

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Receive 7.0 GHz		Transmit 5.1 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)	Horizon Gain (dBi)	Coordination Distance (km)
0	0.00	94.01	10.40	226.00	10.40	285.00
5	0.00	89.01	10.40	226.00	10.40	285.00
10	0.00	84.01	10.40	226.00	10.40	285.00
15	0.00	79.01	10.40	226.00	10.40	285.00
20	0.00	74.01	10.40	226.00	10.40	285.00
25	0.00	69.02	10.40	226.00	10.40	285.00
30	0.00	64.02	10.40	226.00	10.40	285.00
35	0.00	59.02	10.40	226.00	10.40	285.00
40	0.00	54.02	10.40	226.00	10.40	285.00
45	0.00	49.02	10.40	226.00	10.40	285.00
50	0.00	44.02	10.40	226.00	10.40	285.00
55	0.00	39.02	10.40	226.00	10.40	285.00
60	0.00	34.03	10.40	226.00	10.40	285.00
65	0.00	29.03	10.40	226.00	10.40	285.00
70	0.00	24.03	10.40	226.00	10.40	285.00
75	0.00	19.04	10.40	226.00	10.40	285.00
80	0.00	14.05	10.40	226.00	10.40	285.00
85	0.00	9.07	10.40	226.00	10.40	285.00
90	0.00	4.14	10.40	226.00	10.40	285.00
95	0.00	1.43	10.40	226.00	10.40	285.00
100	0.00	6.08	10.40	226.00	10.40	285.00
105	0.00	11.04	10.40	226.00	10.40	285.00
110	0.00	16.02	10.40	226.00	10.40	285.00
115	0.00	21.01	10.40	226.00	10.40	285.00
120	0.00	26.01	10.40	226.00	10.40	285.00
125	0.00	31.00	10.40	226.00	10.40	285.00
130	0.00	36.00	10.40	226.00	10.40	285.00
135	0.00	41.00	10.40	226.00	10.40	285.00
140	0.00	46.00	10.40	226.00	10.40	285.00
145	0.00	51.00	10.40	226.00	10.40	285.00
150	0.00	55.99	10.40	226.00	10.40	285.00
155	0.00	60.99	10.40	226.00	10.40	285.00
160	0.00	65.99	10.40	226.00	10.40	285.00
165	0.00	70.99	10.40	226.00	10.40	285.00
170	0.00	75.99	10.40	226.00	10.40	285.00
175	0.00	80.99	10.40	226.00	10.40	285.00
180	0.00	85.99	10.40	226.00	10.40	285.00
185	0.00	90.99	10.40	226.00	10.40	285.00

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values


SEBRING 4, FL

Licensee Name GUSA Licensee, LLC
Latitude (NAD 83) 27° 27' 35.6" N
Longitude (NAD 83) 81° 21' 26.8" W
Ground Elevation (AMSL) 15.2 m / 49.9 ft
Antenna Centerline (AGL) 8.69 m / 28.5 ft
Antenna Model Cobham Satcom 6 meter
Antenna Mode Receive 7.0 GHz Transmit 5.1 GHz
Interference Objectives: Long Term -153.0 dBW/MHz 20% -140.0 dBW/4 kHz 20%
Short Term -143.0 dBW/MHz 0.01% -103.0 dBW/4 kHz 0.0025%
Max Available RF Power 10.9 (dBW/4 kHz)

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Receive 7.0 GHz		Transmit 5.1 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)	Horizon Gain (dBi)	Coordination Distance (km)
190	0.00	95.99	10.40	226.00	10.40	285.00
195	0.00	100.99	10.40	226.00	10.40	285.00
200	0.00	105.99	10.40	226.00	10.40	285.00
205	0.00	110.99	10.40	226.00	10.40	285.00
210	0.00	115.98	10.40	226.00	10.40	285.00
215	0.00	120.98	10.40	226.00	10.40	285.00
220	0.00	125.98	10.40	226.00	10.40	285.00
225	0.00	130.98	10.40	226.00	10.40	285.00
230	0.00	135.98	10.40	226.00	10.40	285.00
235	0.00	140.98	10.40	226.00	10.40	285.00
240	0.00	145.97	10.40	226.00	10.40	285.00
245	0.00	150.97	10.40	226.00	10.40	285.00
250	0.00	155.97	10.40	226.00	10.40	285.00
255	0.00	160.96	10.40	226.00	10.40	285.00
260	0.00	165.95	10.40	226.00	10.40	285.00
265	0.20	170.90	10.40	226.00	10.40	285.00
270	0.24	175.79	10.40	226.00	10.40	285.00
275	0.29	178.35	10.40	226.00	10.40	285.00
280	0.22	173.88	10.40	226.00	10.40	285.00
285	0.00	168.96	10.40	226.00	10.40	285.00
290	0.00	163.98	10.40	226.00	10.40	285.00
295	0.00	158.99	10.40	226.00	10.40	285.00
300	0.00	153.99	10.40	226.00	10.40	285.00
305	0.00	149.00	10.40	226.00	10.40	285.00
310	0.00	144.00	10.40	226.00	10.40	285.00
315	0.00	139.00	10.40	226.00	10.40	285.00
320	0.00	134.00	10.40	226.00	10.40	285.00
325	0.00	129.00	10.40	226.00	10.40	285.00
330	0.00	124.01	10.40	226.00	10.40	285.00
335	0.00	119.01	10.40	226.00	10.40	285.00
340	0.00	114.01	10.40	226.00	10.40	285.00
345	0.00	109.01	10.40	226.00	10.40	285.00
350	0.00	104.01	10.40	226.00	10.40	285.00
355	0.00	99.01	10.40	226.00	10.40	285.00

5. CERTIFICATION

I HEREBY CERTIFY THAT I AM THE TECHNICALLY QUALIFIED PERSON RESPONSIBLE FOR THE PREPARATION OF THE FREQUENCY COORDINATION DATA CONTAINED IN THIS APPLICATION, THAT I AM FAMILIAR WITH PARTS 101 AND 25 OF THE FCC RULES AND REGULATIONS, THAT I HAVE EITHER PREPARED OR REVIEWED THE FREQUENCY COORDINATION DATA SUBMITTED WITH THIS APPLICATION, AND THAT IT IS COMPLETE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

BY: 

Gary K. Edwards
Senior Manager
COMSEARCH
19700 Janelia Farm Boulevard
Ashburn, VA 20147

DATED: December 03, 2020

ATTACHMENT 2

Information on Microwave Landing System Sites

For the Sebring, Florida, Globalstar gateway site, there are three potential MLS sites, i.e., Category III airports, within the 213 nautical mile transmit coordination distance. The Sebring site is located at 27-27-35.6 N, 81-21-26.8 W. The airports are:

JAX	Jacksonville International Airport, approximately 182 nautical miles from Sebring
TPA	Tampa International Airport, approximately 70 nautical miles away
MCO	Orlando International Airport, approximately 58 nautical miles away

These sites fall outside the 39.8 nautical mile maximum trigger distance for MLS/MSS coordination. In addition, based on a directory used for MLS coordination purposes, and to the best of its knowledge, GUSA believes that MLS is not active at any of those sites.