

Micronet Communications, Inc.

720 F Avenue, Suite 100
Plano, Texas 75074
972-422-7200

SUPPLEMENTAL SHOWING PART 101.103(D)

File Number: G1213609

3.70 GHz

Licensee: KUVS LICENSE PARTNERSHIP GP (UNIVISION TELEVISION GROUP INC)

Page 1

Pursuant to Parts 25.203 and 101.103(d) of the FCC Rules and Regulations, a frequency coordination study was conducted by Micronet Communications, Inc. for the following proposed earth station:

Sacramento, NC

The results of the study indicate that no unacceptable interference will result with existing, proposed or prior coordinated radio facilities.

Coordination was performed with existing, proposed and prior coordinated carriers within coordination range on the following dates:

07/23/2012 Original PCN

There were no unresolved interference objections.

The attached coordination data was forwarded on the latest date to the following parties within coordination range or their authorized coordination agents:

AMERICAN TOWER LLC
AT&T CALIFORNIA
AT&T CALIFORNIA - SACRAMENTO REGION
COMSEARCH INC
RADIO DYNAMICS

Respectfully Submitted,



Jeremy Lewis
Systems Engineer

Attached: 1 data sheet

Micronet Communications, Inc.
720 F Avenue, Suite 100
Plano, Texas 75074
972-422-7200

File: G1213609

=====

TECHNICAL CHARACTERISTICS OF RECEIVE ONLY EARTH STATION

=====

Company:	KUVS LICENSE PARTNERSHIP GP (UNIVISION TELEVISION GROUP INC)		
Site Name, State:	Sacramento, NC		
Call Sign:			
Latitude	(NAD83)	38 35	54.4 N
Longitude	(NAD83)	121 25	35.1 W
Elevation AMSL	(ft/m)	498.69	152.00
Receive Frequency Range	(MHz)	3700-4200	
Transmit Frequency Range	(MHz)		
Range of Satellite Orbital Long.	(deg W)	74.00	139.00
Range of Azimuths from North	(deg)	119.82	206.91
Antenna Centerline	(ft/m)	39.37	12.00
Antenna Elevation Angles	(deg)	23.99	41.69

Equipment Parameters	Receive
----------------------	---------

Antenna Gain, Main Beam	(dbI)	43.50
15 DB Half Beamwidth	(deg)	2.20

Antennas Receive: EASI 4.5 METER

Max Transmitter Power	(dbW/4KHz)	
Max EIRP Main Beam	(dbW/4KHz)	
Modulation / Emission Designator	ANALOG	36M0G7W 2M63G7W 2M50G7D1M20G7D

Coordination Parameters	Receive
-------------------------	---------

Max Greater Circle Distances	(km)	263.87
Max Rain Scatter Distances	(km)	169.45
Max Interference Power Long Term	(dbW)	-140.60
Max Interference Power Short Term	(dbW)	-118.40
Rain Zone / Radio Zone		3 B