Micronet Communications, Inc.

720 F Avenue, Suite 100 Plano, Texas 75074 972-422-7200

SUPPLEMENTAL SHOWING PART 101.103(D)

File Number: N1213609 3.70 GHz

Licensee: KDTV LICENSE PARTNERSHIP GP (UNIVISION TV GROUP INC) Page 1

Pursuant to Parts 25.203 and 101.103(d) of the FCC Rules and Regulations, a frequency coordination study was conducted by Micronet Communications, Inc. for the following proposed earth station:

San Francisco, CA

The results of the study indicate that no unacceptable interference will result with existing, proposed or prior coordinated radio facilities.

Coordination was performed with existing, proposed and prior coordinated carriers within coordination range on the following dates:

07/19/2012 Original PCN
There were no unresolved interference objections.

The attached coordination data was forwarded on the latest date to the following parties within coordination range or their authorized coordination agents:

AMERICAN TOWER LLC

AT&T CALIFORNIA

AT&T CALIFORNIA - SACRAMENTO REGION

COMSEARCH INC

RADIO DYNAMICS

Respectfully Submitted,

Jeremy & Lewis

Jeremy Lewis Systems Engineer

Attached: 1 data sheet

Micronet Communications, Inc. 720 F Avenue, Suite 100 Plano, Texas 75074 972-422-7200

File: N1213609

Max Interference Power Long Term (dbW)

Max Interference Power Short Term (dbW)

Rain Zone / Radio Zone

TECHNICAL CHARACTERISTICS OF RECEIVE ONLY EARTH STATION				
			=========	====
Company:	KDTV LICENSE P	ARTNERSHIP	GP (UNIVISION	TV GROUP INC)
Site Name, State:	San Francisco,	CA		
Call Sign:				
Latitude	(NAD83)			
Longitude	(NAD83)			
Elevation AMSL	(ft/m)			
Receive Frequency Range		3700-4200		
Transmit Frequency Range				
Range of Satellite Orbital Long				
Range of Azimuths from North				
Antenna Centerline	(ft/m)	711.94	217.00	
Antenna Elevation Angles	(deg)	23.70	42.88	
Equipment Parameters		Receive		
Antenna Gain, Main Beam				
15 DB Half Beamwidth	(deg)	2.20		
Antennas Receive: COMTEC	H 3.8 METER			
Max Transmitter Power	(dbW/4KHz)			
Max EIRP Main Beam	(dbW/4KHz)			
Modulation / Emission Designator 2M50G7D1M20G7D			3G7W	
Coordination Parameters		Receive		
Max Greater Circle Distances	(km)	263 96		
Max Rain Scatter Distances	, ,			
TIGN MATH DEACECT DISCARGES	(17111)	100.00		

-140.60 -118.40

3

В