Micronet Communications, Inc.

720 F Avenue, Suite 100 Plano, Texas 75074 972-422-7200

SUPPLEMENTAL SHOWING PART 101.103(D)

File Number: S1213608 3.70 GHz

Licensee: WXTV LICENSE PARTNERSHIP G P (UNIVISION TELEVISION GROUP INC) Page 1

Pursuant to Parts 25.203 and 101.103(d) of the FCC Rules and Regulations, a frequency coordination study was conducted by Micronet Communications, Inc. for the following proposed earth station:

Philadelphia, NJ

The results of the study indicate that no unacceptable interference will result with existing, proposed or prior coordinated radio facilities.

Coordination was performed with existing, proposed and prior coordinated carriers within coordination range on the following dates:

07/18/2012 Original PCN
There were no unresolved interference objections.

The attached coordination data was forwarded on the latest date to the following parties within coordination range or their authorized coordination agents:

AT&T CORP COMSEARCH INC RADIO DYNAMICS VERIZON COMMUNICATIONS INC

Respectfully Submitted,

Jeremy S. Lewis

Jeremy Lewis Systems Engineer

Attached: 1 data sheet

Micronet Communications, Inc. 720 F Avenue, Suite 100 Plano, Texas 75074 972-422-7200

File: S1213608

Max Interference Power Long Term (dbW)

Max Interference Power Short Term (dbW)

Rain Zone / Radio Zone

| TECHNICAL CHARACTERISTICS OF RECEIVE ONLY EARTH STATION | | | | |
|--|------------------|------------------------|--------|--|
| | | | | |
| GROUP INC) | | | | |
| Site Name, State: | Philadelphia, NJ | | | |
| Call Sign: | | | | |
| Latitude | (NAD83) | 39 33 75 2 21.33 | 15.8 N | |
| Longitude | (NAD83) | 75 2 | 58.9 W | |
| Elevation AMSL | (ft/m) | 21.33 | 6.50 | |
| Receive Frequency Range | (MHz) | 3700-4200 | | |
| Transmit Frequency Range | (MHz) | | | |
| Range of Satellite Orbital Long. Range of Azimuths from North Antenna Centerline | \cdot (deg W) | 74.00 | 139.00 | |
| Range of Azimuths from North | (deg) | 178.35 | 252.71 | |
| Antenna Centerline | (ft/m) | 132.22 | 40.30 | |
| Antenna Elevation Angles | (deg) | 44.22 | 11.28 | |
| | | | | |
| Equipment Parameters | | Receive | | |
| | | | | |
| Antenna Gain, Main Beam | | | | |
| 15 DB Half Beamwidth | (deg) | 2.20 | | |
| Antennas Receive: VERTEX | 6.1 KPC | | | |
| Max Transmitter Power | (dbW/4KHz) | | | |
| Max EIRP Main Beam | | | | |
| Modulation / Emission Designator 2M50G7D1M20G7D | | | | |
| Coordination Parameters | | Receive | | |
| | | | | |
| Max Greater Circle Distances | (km) | 316.70 | | |
| Max Rain Scatter Distances | (km) | 249.93 | | |

-140.60 -118.40

2

В