

**Micronet Communications, Inc.**

720 F Avenue, Suite 100  
Plano, Texas 75074  
972-422-7200

SUPPLEMENTAL SHOWING PART 101.103(D)

File Number: F1302205 3.70 GHz  
Licensee: CBS COMMUNICATION SERVICES INC

Page 1

---

Pursuant to Parts 25.203 and 101.103(d) of the FCC Rules and Regulations, a frequency coordination study was conducted by Micronet Communications, Inc. for the following proposed earth station:

CHARLOTTE, NC

The results of the study indicate that no unacceptable interference will result with existing, proposed or prior coordinated radio facilities.


Coordination was performed with existing, proposed and prior coordinated carriers within coordination range on the following dates:

02/08/2013 No-impact change notification pursuant to Section  
101.103(d)(2)(ix) - No response required.  
02/07/2013 Original PCN  
There were no unresolved interference objections.

The attached coordination data was forwarded on the latest date to the following parties within coordination range or their authorized coordination agents:

AT&T COMMUNICATIONS OF THE SOUTH CENTRAL STATES INC  
AT&T CORP  
COMSEARCH INC  
RADIO DYNAMICS

Respectfully Submitted,



JoEtta Hardy  
Systems Engineer

Attached: 1 data sheet

Micronet Communications, Inc.  
720 F Avenue, Suite 100  
Plano, Texas 75074  
972-422-7200

File: F1302205

=====

TECHNICAL CHARACTERISTICS OF RECEIVE ONLY EARTH STATION

=====

Company:	CBS COMMUNICATION SERVICES INC		
Site Name, State:	CHARLOTTE, NC		
Call Sign:			
Latitude	(NAD83)	35 12	50.9 N
Longitude	(NAD83)	80 51	20.4 W
Elevation AMSL	(ft/m)	735.70	224.24
Receive Frequency Range	(MHz)	3700-4200	
Transmit Frequency Range	(MHz)		
Range of Satellite Orbital Long.	(deg W)	74.00	139.00
Range of Azimuths from North	(deg)	168.22	250.29
Antenna Centerline	(ft/m)	35.00	10.67
Antenna Elevation Angles	(deg)	48.47	17.26

-----

Equipment Parameters Receive

-----

Antenna Gain, Main Beam	(dbI)	41.00
15 DB Half Beamwidth	(deg)	1.50

Antennas Receive: KAUL TRONICS XTI-10 (3M)

Max Transmitter Power	(dbW/4KHz)	
Max EIRP Main Beam	(dbW/4KHz)	
Modulation / Emission Designator	DIGITAL	36M0G7W

-----

Coordination Parameters Receive

-----

Max Greater Circle Distances	(km)	325.14	
Max Rain Scatter Distances	(km)	525.63	
Max Interference Power Long Term	(dbW)	-140.60	
Max Interference Power Short Term	(dbW)	-118.40	
Rain Zone / Radio Zone		1	A