Micronet Communications, Inc.

720 F Avenue, Suite 100 Plano, Texas 75074 972-422-7200

SUPPLEMENTAL SHOWING PART 101.103(D)

File Number: M1404511 3.70 GHz

Licensee: WGBO LICENSE PARTNERSHIP G P Page 1

Pursuant to Parts 25.203 and 101.103(d) of the FCC Rules and Regulations, a frequency coordination study was conducted by Micronet Communications, Inc. for the following proposed earth station:

Chicago, IL

The results of the study indicate that no unacceptable interference will result with existing, proposed or prior coordinated radio facilities.

Coordination was performed with existing, proposed and prior coordinated carriers within coordination range on the following dates:

02/20/2014 No-impact change notification pursuant to Section 101.103(d)(2)(ix) - No response required.

The attached coordination data was forwarded on the latest date to the following parties within coordination range or their authorized coordination agents:

AETHER GROUP LLC
COMSEARCH INC
OPEN LINE COMMUNICATIONS
WIRELESS WORLD ENTERPRISES LLC

Respectfully Submitted,

Jeremy S. Lewis

Jeremy Lewis Systems Engineer

Attached: 1 data sheet

Micronet Communications, Inc. 720 F Avenue, Suite 100 Plano, Texas 75074 972-422-7200

File: M1404511

TECHNICAL CHARACTERISTICS OF RECEIVE ONLY EARTH STATION			
- 1 - 2 -		PARTNERSHIP	G P
	nicago, IL		
Call Sign:	(333 500)	41 50	20.0.17
Latitude	(NAD83) (NAD83)	41 53	32.U N
Longitude Elevation AMSL	(NAD83)	87 37 590.00	170 93
Receive Frequency Range			1/9.63
Transmit Frequency Range		3700-4200	
Range of Satellite Orbital Long.		74 00	130 00
Range of Azimuths from North			
		412.00	
Antenna Elevation Angles	(dea)	39.67	19.51
Intellina Dievacion Intgreb	(acg)	33.07	13.01
Equipment Parameters		Receive	
Antenna Gain, Main Beam	(dhT)	13 90	
	(db1)		
15 bb hair beamwiden	(acg)	1.20	
Antennas Receive: COMMSCOPE ESA45AA-1 (4.5M)			
Max Transmitter Power	(dbW/4KHz)		
Max Transmitter Power Max EIRP Main Beam	(dbW/4KHz)		
Modulation / Emission Designator			
·			
Coordination Parameters			
		Receive 	
Max Greater Circle Distances	(km)	276.20	
Max Rain Scatter Distances	(km)	242.88	
Max Interference Power Long Term			
	(dbW)	-118.40	
Rain Zone / Radio Zone		2	A
Max Rain Scatter Distances	(km) (dbW)	242.88 -140.60 -118.40	A