

FREQUENCY COORDINATION AND INTERFERENCE ANALYSIS REPORT

Prepared for
Fox Broadcasting Company
CULVER CITY, CA
Satellite Earth Station

Prepared By:
COMSEARCH
19700 Janelia Farm Boulevard
Ashburn, VA 20147
June 06, 2018

TABLE OF CONTENTS

1. CONCLUSIONS.....	3
2. SUMMARY OF RESULTS	4
3. SUPPLEMENTAL SHOWING	5
4. EARTH STATION COORDINATION DATA.....	6
5. CERTIFICATION.....	10

2. SUMMARY OF RESULTS

A number of great circle interference cases were identified during the interference study of the proposed earth station. Each of the cases, which exceeded the interference objective on a line-of-sight basis, was profiled and the propagation losses estimated using NBS TN101 (Revised) techniques. The losses were found to be sufficient to reduce the signal levels to acceptable magnitudes in every case.

3. SUPPLEMENTAL SHOWING

Pursuant to Part 25.203(c) of the FCC Rules and Regulations, the satellite earth station proposed in this application was coordinated by Comsearch using computer techniques and in accordance with Part 25 of the FCC Rules and Regulations.

Coordination data for this earth station was sent to the below listed carriers with a letter dated 06/06/2018.

Company
American Tower, LLC

4. EARTH STATION COORDINATION DATA

This section presents the data pertinent to frequency coordination of the proposed earth station that was circulated to all carriers within its coordination contours.

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Date: 06/06/2018
Job Number: 180606COMSTC24

Administrative Information

Licensee Code: FOXBRO
Licensee Name: Fox Broadcasting Company

Site Information

CULVER CITY, CA
Latitude (NAD 83): 34° 3' 3.3" N
Longitude (NAD 83): 118° 26' 48.5" W
Climate Zone: A
Rain Zone: 4
Ground Elevation (AMSL): 83.18 m / 272.9 ft

Link Information

Satellite Type: Geostationary
Mode: RO - Receive-Only
Modulation: Digital
Satellite Arc: 60° W to 143° West Longitude
Azimuth Range: 109.0° to 219.2°
Corresponding Elevation Angles: 17.4° / 42.5°
Antenna Centerline (AGL): 13.72 m / 45.0 ft

Antenna Information

Receive - A40451
Manufacturer: ANDREW CORPORATION
Model: ESA45-46A
Gain / Diameter: 43.9 dBi / 4.5 m
3-dB / 15-dB Beamwidth: 1.20° / 2.40°

Interference Objectives: Long Term -156.0 dBW/MHz 20%
Short Term -146.0 dBW/MHz 0.01%

Frequency Information

Receive 4.0 GHz
Emission / Frequency Range (MHz): 36M0G7W / 3700.0 - 4200.0

Max Great Circle Coordination Distance: 348.5 km / 216.5 mi
Precipitation Scatter Contour Radius: 372.7 km / 231.6 mi

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values	CULVER CITY, CA
Licensee Name	Fox Broadcasting Company
Latitude (NAD 83)	34° 3' 3.3" N
Longitude (NAD 83)	118° 26' 48.5" W
Ground Elevation (AMSL)	83.18 m / 272.9 ft
Antenna Centerline (AGL)	13.72 m / 45.0 ft
Antenna Model	Andrew Corporation ESA45-46A
Antenna Mode	Receive 4.0 GHz
Interference Objectives: Long Term	-156.0 dBW/MHz 20%
Short Term	-146.0 dBW/MHz 0.01%

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Receive 4.0 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)
0	1.99	108.27	-8.72	200.66
5	2.35	103.49	-6.10	205.03
10	2.29	98.66	-6.10	206.27
15	2.65	93.85	-6.10	198.66
20	2.30	89.01	-6.10	206.05
25	2.07	84.19	-6.10	208.78
30	1.90	79.38	-6.10	213.21
35	2.19	74.55	-6.10	206.15
40	2.09	69.76	-6.10	208.22
45	1.67	65.02	-6.10	219.90
50	0.69	60.42	-6.10	260.92
55	0.00	55.86	-6.10	311.30
60	0.00	51.22	-6.10	311.30
65	0.00	46.63	-6.10	311.30
70	0.00	42.11	-6.10	311.30
75	0.00	37.69	-6.10	311.30
80	0.00	33.41	-6.10	311.30
85	0.00	29.32	-4.96	319.94
90	0.00	25.53	-4.21	325.37
95	0.00	22.18	-2.97	334.33
100	0.00	19.51	-1.90	342.21
105	0.00	17.83	-1.23	347.25
110	0.00	17.43	-1.07	348.47
115	0.00	18.38	-1.45	345.60
120	0.00	20.50	-2.30	339.27
125	0.00	23.48	-3.49	330.52
130	0.00	27.03	-4.51	323.20
135	0.00	30.68	-5.37	317.06
140	0.00	34.17	-6.77	306.68
145	0.00	37.46	-7.59	301.05
150	0.00	40.53	-8.21	296.95
155	0.00	43.30	-8.76	293.29
160	0.00	45.71	-9.24	290.15
165	0.00	47.70	-9.64	287.58
170	0.00	49.18	-9.94	285.68
175	0.00	50.11	-10.10	284.64
180	0.00	50.42	-10.10	284.64
185	0.00	50.11	-10.10	284.64

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values	CULVER CITY, CA
Licensee Name	Fox Broadcasting Company
Latitude (NAD 83)	34° 3' 3.3" N
Longitude (NAD 83)	118° 26' 48.5" W
Ground Elevation (AMSL)	83.18 m / 272.9 ft
Antenna Centerline (AGL)	13.72 m / 45.0 ft
Antenna Model	Andrew Corporation ESA45-46A
Antenna Mode	Receive 4.0 GHz
Interference Objectives: Long Term	-156.0 dBW/MHz 20%
Short Term	-146.0 dBW/MHz 0.01%

Receive 4.0 GHz

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Horizon Gain (dBi)	Coordination Distance (km)
190	0.00	49.19	-9.94	285.68
195	0.00	47.70	-9.64	287.58
200	0.00	45.88	-9.28	289.93
205	0.00	44.38	-6.10	311.30
210	0.00	43.30	-6.10	311.30
215	0.00	42.67	-6.10	311.30
220	0.00	42.51	-6.10	311.30
225	0.00	42.82	-6.10	311.30
230	0.00	43.60	-6.10	311.30
235	0.00	44.81	-6.10	311.30
240	0.00	46.43	-6.10	311.30
245	0.00	48.41	-6.10	311.30
250	0.00	50.71	-6.10	311.30
255	0.23	53.12	-6.10	307.56
260	0.00	56.07	-6.10	311.30
265	0.00	59.07	-6.10	311.30
270	0.33	62.06	-6.10	294.26
275	0.85	65.16	-6.10	251.13
280	1.43	68.42	-6.10	227.32
285	2.14	71.79	-6.10	207.30
290	2.48	75.41	-6.10	202.37
295	1.59	79.31	-6.10	222.27
300	2.12	83.00	-6.10	207.63
305	2.40	86.78	-6.10	204.12
310	2.82	90.61	-6.10	195.02
315	3.07	94.47	-6.10	189.54
320	3.26	98.34	-6.10	185.45
325	3.39	102.19	-6.10	182.52
330	2.60	105.80	-6.74	196.61
335	2.61	109.50	-9.70	181.89
340	2.89	113.23	-11.39	165.01
345	2.70	116.70	-13.12	160.83
350	2.49	117.92	-13.85	161.95
355	2.37	113.11	-11.34	179.35

5. CERTIFICATION

I HEREBY CERTIFY THAT I AM THE TECHNICALLY QUALIFIED PERSON RESPONSIBLE FOR THE PREPARATION OF THE FREQUENCY COORDINATION DATA CONTAINED IN THIS APPLICATION, THAT I AM FAMILIAR WITH PARTS 101 AND 25 OF THE FCC RULES AND REGULATIONS, THAT I HAVE EITHER PREPARED OR REVIEWED THE FREQUENCY COORDINATION DATA SUBMITTED WITH THIS APPLICATION, AND THAT IT IS COMPLETE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.



Timothy O. Crutcher
Frequency Planner
COMSEARCH
19700 Janelia Farm Boulevard
Ashburn, VA 20147

DATED: June 06, 2018

FREQUENCY COORDINATION AND INTERFERENCE ANALYSIS REPORT

Prepared for
Fox Broadcasting Company
CULVER CITY, CA
Satellite Earth Station

Prepared By:
COMSEARCH
19700 Janelia Farm Boulevard
Ashburn, VA 20147
June 06, 2018

TABLE OF CONTENTS

1. CONCLUSIONS.....	3
2. SUMMARY OF RESULTS	4
3. SUPPLEMENTAL SHOWING.....	5
4. EARTH STATION COORDINATION DATA.....	6
5. CERTIFICATION.....	10

1. CONCLUSIONS

A γ interference study considering all existing, proposed and prior coordinated microwave facilities within the coordination contours of the proposed earth station demonstrates that this site will operate satisfactorily with the common carrier microwave environment. Further, there will be no restrictions of its operation due to interference considerations.

2. SUMMARY OF RESULTS

A number of great circle interference cases were identified during the interference study of the proposed earth station. Each of the cases, which exceeded the interference objective on a line-of-sight basis, was profiled and the propagation losses estimated using NBS TN101 (Revised) techniques. The losses were found to be sufficient to reduce the signal levels to acceptable magnitudes in every case.

3. SUPPLEMENTAL SHOWING

Pursuant to Part 25.203(c) of the FCC Rules and Regulations, the satellite earth station proposed in this application was coordinated by Comsearch using computer techniques and in accordance with Part 25 of the FCC Rules and Regulations.

Coordination data for this earth station was sent to the below listed carriers with a letter dated 06/06/2018.

Company
American Tower, LLC

4. EARTH STATION COORDINATION DATA

This section presents the data pertinent to frequency coordination of the proposed earth station that was circulated to all carriers within its coordination contours.

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Date: 06/06/2018
Job Number: 180606COMSTC25

Administrative Information

Licensee Code: FOXBRO
Licensee Name: Fox Broadcasting Company

Site Information

CULVER CITY, CA
Latitude (NAD 83): 34° 3' 3.3" N
Longitude (NAD 83): 118° 26' 48.5" W
Climate Zone: A
Rain Zone: 4
Ground Elevation (AMSL): 83.18 m / 272.9 ft

Link Information

Satellite Type: Geostationary
Mode: RO - Receive-Only
Modulation: Digital
Satellite Arc: 60° W to 143° West Longitude
Azimuth Range: 109.0° to 219.2°
Corresponding Elevation Angles: 17.4° / 42.5°
Antenna Centerline (AGL): 13.72 m / 45.0 ft

Antenna Information

Receive - C40381
Manufacturer: COMTECH ANTENNA SYSTEMS
Model: 3.8 METER PF
Gain / Diameter: 42.9 dBi / 3.8 m
3-dB / 15-dB Beamwidth: 1.40° / 2.80°

Interference Objectives: Long Term: -156.0 dBW/MHz 20%
Short Term: -146.0 dBW/MHz 0.01%

Frequency Information

Receive 4.0 GHz
Emission / Frequency Range (MHz): 36M0G7W / 3700.0 - 4200.0

Max Great Circle Coordination Distance: 360.3 km / 223.8 mi
Precipitation Scatter Contour Radius: 372.7 km / 231.6 mi

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values	CULVER CITY, CA
Licensee Name	Fox Broadcasting Company
Latitude (NAD 83)	34° 3' 3.3" N
Longitude (NAD 83)	118° 26' 48.5" W
Ground Elevation (AMSL)	83.18 m / 272.9 ft
Antenna Centerline (AGL)	13.72 m / 45.0 ft
Antenna Model	COMTECH ANTENNA SYSTEMS 3.8 METER PF
Antenna Mode	Receive 4.0 GHz
Interference Objectives: Long Term	-156.0 dBW/MHz 20%
Short Term	-146.0 dBW/MHz 0.01%

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Receive 4.0 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)
0	1.99	108.27	-8.10	203.51
5	2.35	103.49	-8.10	195.57
10	2.29	98.66	-8.10	196.86
15	2.65	93.85	-8.10	188.94
20	2.30	89.01	-8.10	196.64
25	2.07	84.19	-8.10	201.81
30	1.90	79.38	-8.10	206.04
35	2.19	74.55	-8.10	199.18
40	2.09	69.76	-8.10	201.26
45	1.67	65.02	-8.10	209.86
50	0.69	60.42	-8.10	248.57
55	0.00	55.86	-8.10	297.65
60	0.00	51.22	-8.10	297.65
65	0.00	46.63	-8.10	297.65
70	0.00	42.11	-7.94	298.69
75	0.00	37.69	-6.64	307.57
80	0.00	33.41	-6.10	311.30
85	0.00	29.32	-5.83	313.84
90	0.00	25.53	-4.31	324.61
95	0.00	22.18	-2.97	334.33
100	0.00	19.51	-1.61	344.40
105	0.00	17.83	0.07	357.13
110	0.00	17.43	0.47	360.25
115	0.00	18.38	-0.48	352.95
120	0.00	20.50	-2.30	339.27
125	0.00	23.48	-3.49	330.52
130	0.00	27.03	-4.91	320.30
135	0.00	30.68	-6.10	311.30
140	0.00	34.17	-6.10	311.30
145	0.00	37.46	-6.59	307.88
150	0.00	40.53	-7.31	302.97
155	0.00	43.30	-8.42	295.54
160	0.00	45.71	-9.24	290.15
165	0.00	47.70	-9.64	287.58
170	0.00	49.18	-9.94	285.68
175	0.00	50.11	-10.10	284.64
180	0.00	50.42	-10.10	284.64
185	0.00	50.11	-10.10	284.64

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values	CULVER CITY, CA
Licensee Name	Fox Broadcasting Company
Latitude (NAD 83)	34° 3' 3.3" N
Longitude (NAD 83)	118° 26' 48.5" W
Ground Elevation (AMSL)	83.18 m / 272.9 ft
Antenna Centerline (AGL)	13.72 m / 45.0 ft
Antenna Model	COMTECH ANTENNA SYSTEMS 3.8 METER PF
Antenna Mode	Receive 4.0 GHz
Interference Objectives: Long Term	-156.0 dBW/MHz 20%
Short Term	-146.0 dBW/MHz 0.01%

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Receive 4.0 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)
190	0.00	49.19	-9.94	285.68
195	0.00	47.70	-9.64	287.58
200	0.00	45.88	-9.28	289.93
205	0.00	44.38	-8.85	292.68
210	0.00	43.30	-8.42	295.52
215	0.00	42.67	-8.17	297.19
220	0.00	42.51	-8.10	297.65
225	0.00	42.82	-8.10	297.65
230	0.00	43.60	-8.10	297.65
235	0.00	44.81	-8.10	297.65
240	0.00	46.43	-8.10	297.65
245	0.00	48.41	-8.10	297.65
250	0.00	50.71	-8.10	297.65
255	0.23	53.12	-8.10	293.99
260	0.00	56.07	-8.10	297.65
265	0.00	59.07	-8.10	297.65
270	0.33	62.06	-8.10	281.01
275	0.85	65.16	-8.10	239.19
280	1.43	68.42	-8.10	216.78
285	2.14	71.79	-8.10	200.34
290	2.48	75.41	-8.10	192.80
295	1.59	79.31	-8.10	212.06
300	2.12	83.00	-8.10	200.67
305	2.40	86.78	-8.10	194.62
310	2.82	90.61	-8.10	185.16
315	3.07	94.47	-8.10	179.46
320	3.26	98.34	-8.10	175.20
325	3.39	102.19	-8.10	172.15
330	2.60	105.80	-8.10	190.03
335	2.61	109.50	-8.10	189.75
340	2.89	113.23	-8.10	183.47
345	2.70	116.70	-8.78	184.61
350	2.49	117.92	-9.27	186.81
355	2.37	113.11	-8.10	195.07

5. CERTIFICATION

I HEREBY CERTIFY THAT I AM THE TECHNICALLY QUALIFIED PERSON RESPONSIBLE FOR THE PREPARATION OF THE FREQUENCY COORDINATION DATA CONTAINED IN THIS APPLICATION, THAT I AM FAMILIAR WITH PARTS 101 AND 25 OF THE FCC RULES AND REGULATIONS, THAT I HAVE EITHER PREPARED OR REVIEWED THE FREQUENCY COORDINATION DATA SUBMITTED WITH THIS APPLICATION, AND THAT IT IS COMPLETE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.



Timothy O. Crutcher
Frequency Planner
COMSEARCH
19700 Janelia Farm Boulevard
Ashburn, VA 20147

DATED: June 06, 2018

FREQUENCY COORDINATION AND INTERFERENCE ANALYSIS REPORT

Prepared for
Fox Broadcasting Company
CULVER CITY, CA
Satellite Earth Station

Prepared By:
COMSEARCH
19700 Janelia Farm Boulevard
Ashburn, VA 20147
June 06, 2018

TABLE OF CONTENTS

1. CONCLUSIONS	3
2. SUMMARY OF RESULTS	4
3. SUPPLEMENTAL SHOWING	5
4. EARTH STATION COORDINATION DATA	6
5. CERTIFICATION	10

1. CONCLUSIONS

An interference study considering all existing, proposed and prior coordinated microwave facilities within the coordination contours of the proposed earth station demonstrates that this site will operate satisfactorily with the common carrier microwave environment. Further, there will be no restrictions of its operation due to interference considerations.

2. SUMMARY OF RESULTS

There were no great circle interference cases identified during the interference study of the proposed earth station

3. SUPPLEMENTAL SHOWING

Pursuant to Part 25.203(c) of the FCC Rules and Regulations, the satellite earth station proposed in this application was coordinated by Comsearch using computer techniques and in accordance with Part 25 of the FCC Rules and Regulations.

Coordination data for this earth station was sent on 06/06/2018.

4. EARTH STATION COORDINATION DATA

This section presents the data pertinent to frequency coordination of the proposed earth station that was circulated to all carriers within its coordination contours.

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Date: 06/06/2018
Job Number: 180606COMSTC26

Administrative Information

Licensee Code: FOXBRO
Licensee Name: Fox Broadcasting Company

Site Information

CULVER CITY, CA
Latitude (NAD 83): 34° 3' 3.3" N
Longitude (NAD 83): 118° 26' 48.5" W
Climate Zone: A
Rain Zone: 4
Ground Elevation (AMSL): 83.18 m / 272.9 ft

Link Information

Satellite Type: Geostationary
Mode: RO - Receive-Only
Modulation: Digital
Satellite Arc: 60° W to 143° West Longitude
Azimuth Range: 109.0° to 219.2°
Corresponding Elevation Angles: 17.4° / 42.5°
Antenna Centerline (AGL): 13.72 m / 45.0 ft

Antenna Information

Receive
Manufacturer: Patriot
Model: 3.8M
Gain / Diameter: 42.9 dBi / 3.8 m
3-dB / 15-dB Beamwidth: 1.40° / 2.80°

Interference Objectives: Long Term -156.0 dBW/MHz 20%
Short Term -146.0 dBW/MHz 0.01%

Frequency Information

Receive 4.0 GHz
Emission / Frequency Range (MHz): 36M0G7W / 3700.0 - 4200.0

Max Great Circle Coordination Distance: 364.1 km / 226.2 mi
Precipitation Scatter Contour Radius: 372.7 km / 231.6 mi

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values	CULVER CITY, CA
Licensee Name	Fox Broadcasting Company
Latitude (NAD 83)	34° 3' 3.3" N
Longitude (NAD 83)	118° 26' 48.5" W
Ground Elevation (AMSL)	83.18 m / 272.9 ft
Antenna Centerline (AGL)	13.72 m / 45.0 ft
Antenna Mode	Receive 4.0 GHz
Interference Objectives: Long Term	-156.0 dBW/MHz 20%
Short Term	-146.0 dBW/MHz 0.01%

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Receive 4.0 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)
0	1.99	108.27	-10.00	194.70
5	2.35	103.49	-10.00	186.47
10	2.29	98.66	-10.00	187.81
15	2.65	93.85	-10.00	179.59
20	2.30	89.01	-10.00	187.57
25	2.07	84.19	-10.00	192.94
30	1.90	79.38	-10.00	197.33
35	2.19	74.55	-10.00	190.21
40	2.09	69.76	-10.00	192.37
45	1.67	65.02	-10.00	203.54
50	0.69	60.42	-10.00	237.71
55	0.00	55.86	-10.00	285.28
60	0.00	51.22	-10.00	285.28
65	0.00	46.63	-9.72	287.09
70	0.00	42.11	-8.61	294.27
75	0.00	37.69	-7.41	302.32
80	0.00	33.41	-6.10	311.33
85	0.00	29.32	-4.68	321.97
90	0.00	25.53	-3.17	332.84
95	0.00	22.18	-1.65	344.12
100	0.00	19.51	-0.26	354.63
105	0.00	17.83	0.72	362.15
110	0.00	17.43	0.97	364.09
115	0.00	18.38	0.39	359.62
120	0.00	20.50	-0.80	350.55
125	0.00	23.48	-2.27	339.51
130	0.00	27.03	-3.80	328.31
135	0.00	30.68	-5.17	318.48
140	0.00	34.17	-6.34	309.63
145	0.00	37.46	-7.34	302.76
150	0.00	40.53	-8.19	297.03
155	0.00	43.30	-8.91	292.30
160	0.00	45.71	-9.50	288.48
165	0.00	47.70	-9.96	285.52
170	0.00	49.18	-10.00	285.28
175	0.00	50.11	-10.00	285.28
180	0.00	50.42	-10.00	285.28
185	0.00	50.11	-10.00	285.28

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values	CULVER CITY, CA
Licensee Name	Fox Broadcasting Company
Latitude (NAD 83)	34° 3' 3.3" N
Longitude (NAD 83)	118° 26' 48.5" W
Ground Elevation (AMSL)	83.18 m / 272.9 ft
Antenna Centerline (AGL)	13.72 m / 45.0 ft
Antenna Mode	Receive 4.0 GHz
Interference Objectives: Long Term	-156.0 dBW/MHz 20%
Short Term	-146.0 dBW/MHz 0.01%

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Receive 4.0 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)
190	0.00	49.19	-10.00	285.28
195	0.00	47.70	-9.96	285.52
200	0.00	45.88	-9.54	288.22
205	0.00	44.38	-9.18	290.55
210	0.00	43.30	-8.91	292.29
215	0.00	42.67	-8.75	293.33
220	0.00	42.51	-8.71	293.60
225	0.00	42.82	-8.79	293.08
230	0.00	43.60	-8.99	291.81
235	0.00	44.81	-9.29	289.87
240	0.00	46.43	-9.67	287.38
245	0.00	48.41	-10.00	285.28
250	0.00	50.71	-10.00	285.28
255	0.23	53.12	-10.00	281.70
260	0.00	56.07	-10.00	285.28
265	0.00	59.07	-10.00	285.28
270	0.33	62.06	-10.00	269.05
275	0.85	65.16	-10.00	228.76
280	1.43	68.42	-10.00	207.66
285	2.14	71.79	-10.00	191.42
290	2.48	75.41	-10.00	183.59
295	1.59	79.31	-10.00	205.65
300	2.12	83.00	-10.00	191.76
305	2.40	86.78	-10.00	185.48
310	2.82	90.61	-10.00	175.67
315	3.07	94.47	-10.00	169.75
320	3.26	98.34	-10.00	163.63
325	3.39	102.19	-10.00	160.62
330	2.60	105.80	-10.00	180.72
335	2.61	109.50	-10.00	180.42
340	2.89	113.23	-10.00	173.91
345	2.70	116.70	-10.00	178.56
350	2.49	117.92	-10.00	183.24
355	2.37	113.11	-10.00	185.95

5. CERTIFICATION

I HEREBY CERTIFY THAT I AM THE TECHNICALLY QUALIFIED PERSON RESPONSIBLE FOR THE PREPARATION OF THE FREQUENCY COORDINATION DATA CONTAINED IN THIS APPLICATION, THAT I AM FAMILIAR WITH PARTS 101 AND 25 OF THE FCC RULES AND REGULATIONS, THAT I HAVE EITHER PREPARED OR REVIEWED THE FREQUENCY COORDINATION DATA SUBMITTED WITH THIS APPLICATION, AND THAT IT IS COMPLETE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.



Timothy O. Crutcher
Frequency Planner
COMSEARCH
19700 Janelia Farm Boulevard
Ashburn, VA 20147

DATED: June 06, 2018