

Entravision Communications, LLC Santa Barbara Site Coordinates: 34-54-51.9 N, 120-27-50.0 W (NAD 83)



Micronet Communications, Inc.

720 F Avenue, Suite 100 Plano, Texas 75074 972-422-7200

SUPPLEMENTAL SHOWING PART 101.103(D)

File Number: B1821105 3.70 GHz

Licensee: Entravision Communications Company, L.L.C.

Pursuant to Parts 25.203 and 101.103(d) of the FCC Rules and Regulations, a frequency coordination study was conducted by Micronet Communications, Inc. for the following proposed earth station:

Santa Barabara, CA

The results of the study indicate that no unacceptable interference will result with existing, proposed or prior coordinated radio facilities.

Coordination was performed with existing, proposed and prior coordinated carriers within coordination range on the following dates:

08/09/2018 Original PCN

There were no unresolved interference objections.

The attached coordination data was forwarded on the latest date to the following parties within coordination range or their authorized coordination agents:

AMERICAN TOWER, LLC COMSEARCH INC

Respectfully Submitted,

Jeremy S. Lewis

Page 1

Jeremy Lewis Systems Engineer


Attached: 1 data sheet

Micronet Communications, Inc. 720 F Avenue, Suite 100 Plano, Texas 75074 972-422-7200


File: B1821105

	:=======	========	========	
TECHNICAL CHARACTERISTICS OF RECEIVE ONLY EARTH STATION				
		========	=======	======
Company: E	Intravision	Communicatio	ns Company,	L.L.C.
Site Name, State:	Santa Baraba	ra, CA		
Call Sign:				
Latitude	(NAD83)	34 54		
Longitude	(NAD83)	120 27	50.0 W	
Elevation AMSL	(ft/m)	203.41	62.00	
Receive Frequency Range	(MHz)	3700-4200		
Transmit Frequency Range	(MHz)			
Range of Satellite Orbital Long.		96.00	143.00	
Range of Azimuths from North	(deg)	141.52		
Antenna Centerline	(ft/m)	9.84	3.00	
Antenna Elevation Angles	(deg)	41.82	42.88	
Equipment Parameters		Receive		
Antenna Gain, Main Beam	(/	43.50		
15 DB Half Beamwidth	(deg)	1.60		
Antennas Receive: DH SATEL	LITE 4.2M			
Max Transmitter Power	(dbW/4KHz)			
Max EIRP Main Beam	(dbW/4KHz)			
Modulation / Emission Designator	DIGITAL	36M0G7W		
Coordination Parameters		Receive		
		0.45		
	(km)	247.35		
Max Rain Scatter Distances	(km)	265.49		
Max Interference Power Long Term		-140.60		
Max Interference Power Short Term Rain Zone / Radio Zone	i (abw)	-118.40	7.	
Rain Zone / Radio Zone		4	A	


Horizon Angle & Satellite Arc for Santa Barabara, CA Micronet Communications, Inc.



Horizon Gain for Santa Barabara, CA Micronet Communications, Inc.



Minimum Discrimination Angles for Santa Barabara, CA Micronet Communications, Inc.



Final Contour & Rain Scatter for Santa Barabara, CA - Receive

Final Contour Rain Scatter

