



**UNITED STATES OF AMERICA  
FEDERAL COMMUNICATIONS COMMISSION**

**RADIO STATION REGISTRATION**

**Name:** Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

**Call Sign:** E190798

**Authorization Type:** Registration

**File Number:** SES-REG-20180914-04457

Non Common Carrier

**Grant date:**

**Expiration Date:**

**Nature of Service:** Fixed Satellite Service

**Class of Station:** Fixed Earth Stations

**A) Site Location(s)**

#	Site ID	Address	Latitude	Longitude	Elevation (Meters)	Special Provisions NAD (Refer to Section H)
1)	ALDER, BASELINE, SUM	7526 Alder Avenue FONTANA, CA 92336	34°7'1.2"N	117°25'7.7"W	27	Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209
2)	ANZA	39075 Contreras Road ANZA, CA 92539	33°33'13.8"N	116°40'30.3"W	27	Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209
3)	ARLINGTON, ARLINGTON	4375 Jackson Street RIVERSIDE, CA 92503	33°56'1.0"N	117°26'45.8"W	27	Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209
4)	BANNING, BEAUMONT, S	6140 West Wilson Street BANNING, CA 92220	33°55'57.0"N	116°56'38.6"W	27	Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209
5)	BARSTOW	2571 Barstow Road BARSTOW, CA 92311	34°52'26.9"N	117°1'18.9"W	27	Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209
6)	BUTTERFIELD STAGE, L	32374 Pauba Road TEMECULA, CA 92592	33°29'11.4"N	117°4'12.0"W	27	Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209



**UNITED STATES OF AMERICA  
FEDERAL COMMUNICATIONS COMMISSION**

**RADIO STATION REGISTRATION**

**Name:** Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

**Call Sign:** E190798

**Authorization Type:** Registration

**File Number:** SES-REG-20180914-04457

**Non Common Carrier**

**Grant date:**

**Expiration Date:**

**A) Site Location(s)**

#	Site ID	Address	Latitude	Longitude	Elevation (Meters)	Special Provisions NAD (Refer to Section H)
7)	CALIFORNIA OAKS, LAS	24820 Las Brisas Road MURRIETA, CA 92562	33°34'36.9"N	117°10'57.3"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
8)	CARLSBAD 1, 3, 4 &	1975 Chestnut Avenue CARLSBAD, CA 92008	33°9'40.8"N	117°19'37.3"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
9)	CHAFFEY YSA, ONTARIO	522 West Francis Street ONTARIO, CA 91762	34°2'29.1"N	117°39'26.4"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
10)	CHAPARRAL, LAKE SKIN	29657 N General Kearny Rd TEMECULA, CA 92591	33°31'30.6"N	117°8'46.6"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
11)	CHULA VISTA 3, YSA,	1590 East H Street CHULA VISTA, CA 91913	32°38'42.0"N	116°59'45.4"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
12)	CIRCLE CITY, DEL REY	1123 S Lincoln Ave CORONA, CA 92882	33°52'15.8"N	117°35'1.9"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
13)	CORONA SA, EL CERRIT	1510 Taber St CORONA, CA 92881	33°50'27.1"N	117°32'8.3"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				



**UNITED STATES OF AMERICA  
FEDERAL COMMUNICATIONS COMMISSION**

**RADIO STATION REGISTRATION**

**Name:** Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

**Call Sign:** E190798

**Authorization Type:** Registration

**File Number:** SES-REG-20180914-04457

**Non Common Carrier**

**Grant date:**

**Expiration Date:**

**A) Site Location(s)**

#	Site ID	Address	Latitude	Longitude	Elevation (Meters)	Special Provisions NAD (Refer to Section H)
14)	COVENANT HILLS, MSN	27976 Marguerite Parkway MISSION VIEJO, CA 92692	33°34'53.5"N	117°37'49.4"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
15)	CRAFTON HILLS YSA, M	350 S Wabash Ave REDLANDS, CA 92374	34°2'55.7"N	117°8'22.1"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
16)	CRISTIANITOS, LIBERT	310 Avenida Vista Montana SAN CLEMENTE, CA 92672	33°26'40.8"N	117°35'40.1"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
17)	CUCAMONGA (TO), SAN	6829 Etiwanda Avenue RANCHO CUCAMONGA, CA 91739	34°7'47.2"N	117°31'23.0"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
18)	DEL CERRO &	6767 51st Street SAN DIEGO, CA 92120	32°47'42.0"N	117°4'58.8"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
19)	DESERT KNOLLS, MOJAV	15500 Tuscola Road APPLE VALLEY, CA 92307	34°32'0.2"N	117°16'9.7"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
20)	DIAMOND VALLEY, FRUI	425 North Kirby Street HEMET, CA 92545	33°45'10.9"N	116°59'53.6"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				



**UNITED STATES OF AMERICA  
FEDERAL COMMUNICATIONS COMMISSION**

**RADIO STATION REGISTRATION**

**Name:** Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

**Call Sign:** E190798

**Authorization Type:** Registration

**File Number:** SES-REG-20180914-04457

**Non Common Carrier**

**Grant date:**

**Expiration Date:**

**A) Site Location(s)**

#	Site ID	Address	Latitude	Longitude	Elevation (Meters)	Special Provisions NAD (Refer to Section H)
21)	DISCOVERY HILLS, FEL	2255 Felicita Road ESCONDIDO, CA 92029	33°5'32.0"N	117°5'9.4"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
22)	DOS PICOS (SP), HIGH	527 9th Street RAMONA, CA 92065	33°2'24.5"N	116°51'55.1"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
23)	EL NOPAL, WEST HILLS	10052 North Magnolia Avenue SANTEE, CA 92071	32°51'39.6"N	116°58'18.3"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
24)	EL NORTE (SP), ESCON	1917 East Washington Avenue ESCONDIDO, CA 92027	33°8'24.8"N	117°3'18.9"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
25)	FALLBROOK 1, 2, 3 (S)	621 South Stage Coach Ln FALLBROOK, CA 92028	33°22'20.3"N	117°13'42.1"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
26)	FORSTER RANCH, SAN C	470 Camino San Clemente SAN CLEMENTE, CA 92672	33°26'27.9"N	117°38'11.8"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
27)	FUERTE & EL CAJON	1270 South Orange Avenue EL CAJON, CA 92020	32°46'41.6"N	116°57'54.1"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				



**UNITED STATES OF AMERICA  
FEDERAL COMMUNICATIONS COMMISSION**

**RADIO STATION REGISTRATION**

**Name:** Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

**Call Sign:** E190798

**Authorization Type:** Registration

**File Number:** SES-REG-20180914-04457

**Non Common Carrier**

**Grant date:**

**Expiration Date:**

**A) Site Location(s)**

#	Site ID	Address	Latitude	Longitude	Elevation (Meters)	Special Provisions NAD (Refer to Section H)
28)	GREEN TREE, HIGH DES	12100 Ridgecrest Rd VICTORVILLE, CA 92395	34°28'20.1"N	117°16'35.2"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
29)	HIDDEN SPRINGS, MORE	23300 Old Lake Drive MORENO VALLEY, CA 92557	33°58'7.6"N	117°15'22.5"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
30)	IDYLLWILD	53830 Tollgate Rd IDYLLWILD, CA 92549	33°44'16.0"N	116°43'22.6"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
31)	INLAND EMPIRE (SM),	1375 North Willow Avenue RIALTO, CA 92376	34°7'28.6"N	117°22'27.9"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
32)	JULIAN	2353 Ethelwyn Ln JULIAN, CA 92036	33°4'50.5"N	116°35'36.0"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
33)	LAKE ARROWHEAD, RUNN	1160 Golden Rule Ln LAKE ARROWHEAD, CA 92320	34°16'10.7"N	117°10'37.1"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
34)	LAKE ELSINORE, ORTEG	18220 Dexter Avenue LAKE ELSINORE, CA 92532	33°41'52.7"N	117°20'31.9"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				



**UNITED STATES OF AMERICA  
FEDERAL COMMUNICATIONS COMMISSION**

**RADIO STATION REGISTRATION**

**Name:** Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

**Call Sign:** E190798

**Authorization Type:** Registration

**File Number:** SES-REG-20180914-04457

**Non Common Carrier**

**Grant date:**

**Expiration Date:**

**A) Site Location(s)**

#	Site ID	Address	Latitude	Longitude	Elevation (Meters)	Special Provisions NAD (Refer to Section H)
35)	LINDA VISTA 1, SAN D	4741 Mt Abernathy Avenue SAN DIEGO, CA 92117	32°49'46.6"N	117°10'14.7"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
36)	LIVE OAK CANYON, SAN	30522 Via Con Dios RANCHO SANTA MARGARI, CA 92688	33°38'40.6"N	117°35'56.7"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
37)	LUCERNE VALLEY	10865 Post Office Road LUCERNE VALLEY, CA 92356	34°26'59.8"N	116°55'9.0"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
38)	MENIFEE LAKES, PALOM	29725 Bradley Road SUN CITY, CA 92586	33°41'21.2"N	117°11'20.6"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
39)	MISSION (SP), MOUNT	5900 Grand Ave RIVERSIDE, CA 92504	33°57'49.1"N	117°24'40.2"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
40)	NEWBERRY SPRINGS	34380 Newberry Road NEWBERRY SPRINGS, CA 92365	34°52'36.5"N	116°39'46.9"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
41)	OAK HILLS, PHELAN	8889 Sheep Creek Road PHELAN, CA 92371	34°24'41.2"N	117°34'19.1"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				



**UNITED STATES OF AMERICA  
FEDERAL COMMUNICATIONS COMMISSION**

**RADIO STATION REGISTRATION**

**Name:** Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

**Call Sign:** E190798

**Authorization Type:** Registration

**File Number:** SES-REG-20180914-04457

**Non Common Carrier**

**Grant date:**

**Expiration Date:**

**A) Site Location(s)**

#	Site ID	Address	Latitude	Longitude	Elevation (Meters)	NAD	Special Provisions (Refer to Section H)
42)	PARADISE HILLS, SWEE	8472 Blossom Lane LEMON GROVE, CA 91945	32°43'30.7"N	117°1'3.0"W		27	Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209
43)	PENASQUITOS 1, 2, SC	12835 Black Mountain Road SAN DIEGO, CA 92129	32°57'5.0"N	117°7'46.0"W		27	Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209
44)	RIDGECREST 1, 4 &	1031 South Norma Street RIDGECREST, CA 93555	35°36'17.0"N	117°40'46.8"W		27	Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209
45)	SAN DIEGO 1, 8 &	4195 Camino Del Rio South SAN DIEGO, CA 92108	32°46'39.0"N	117°6'14.8"W		27	Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209
46)	UPLAND 1, 2 &	785 North San Antonio Avenue UPLAND, CA 91786	34°6'10.4"N	117°39'41.1"W		27	Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209
47)	VISTA 5, 10	1545 South Melrose Drive VISTA, CA 92081	33°10'3.4"N	117°14'55.4"W		27	Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209
48)	WATERMAN	3860 North Waterman Avenue SAN BERNARDINO, CA 92404	34°9'40.5"N	117°16'45.9"W		27	Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209



**UNITED STATES OF AMERICA  
FEDERAL COMMUNICATIONS COMMISSION**

**RADIO STATION REGISTRATION**

**Name:** Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

**Call Sign:** E190798

**Authorization Type:** Registration

**File Number:** SES-REG-20180914-04457

**Non Common Carrier**

**Grant date:**

**Expiration Date:**

**A) Site Location(s)**

#	Site ID	Address	Latitude	Longitude	Elevation (Meters)	Special Provisions NAD (Refer to Section H)
49)	WRIGHTWOOD	888 Hwy 2 WRIGHTWOOD, CA 92397	34°21'55.4"N	117°38'34.4"W	27	
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
50)	YUCAIPA 2, 3, 5 &	12776 6th Street YUCAIPA, CA 92399	34°1'18.2"N	117°3'39.0"W	27	
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				

*Subject to the provisions of the Communications Act of 1934, The Communications Satellite Act of 1962, subsequent acts and treaties, and all present and future regulations made by this Commission, and further subject to the conditions and requirements set forth in this license, the registrant is registered to operate the radio facilities described below for radio communications for the term beginning 00/00/0000 and ending 00/00/0000. The required date of commencement of operation is 00/00/0000. Registrant must file with the Commission a certification upon commencement of operation.*

**B) Particulars of Operations**

The General Provision 1010 applies to all receiving frequency bands.

The General Provision 1900 applies to all transmitting frequency bands.

For the text of these provisions, refer to Section H.

#	Frequency (MHz)	Polarization Code	Emission	Tx/Rx Mode	Max EIRP /Carrier (dBW)	Max EIRP Density /Carrier (dBW/4kHz)	Associated Antenna	Special Provisions (Refer to Section H)	Modulation/ Services
1)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
2)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
3)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
4)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
5)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
6)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
7)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		





**UNITED STATES OF AMERICA  
FEDERAL COMMUNICATIONS COMMISSION**

**RADIO STATION REGISTRATION**

**Name:** Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

**Call Sign:** E190798

**Authorization Type:** Registration

**File Number:** SES-REG-20180914-04457

Non Common Carrier

**Grant date:**

**Expiration Date:**

**B) Particulars of Operations**

The General Provision 1010 applies to all receiving frequency bands.

The General Provision 1900 applies to all transmitting frequency bands.

For the text of these provisions, refer to Section H.

#	Frequency (MHz)	Polarization Code	Emission	Tx/Rx Mode	Max EIRP /Carrier (dBW)	Max EIRP Density /Carrier (dBW/4kHz)	Associated Antenna	Special Provisions (Refer to Section H)	Modulation/ Services
8)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
9)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
10)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
11)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
12)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
13)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
14)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
15)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
16)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
17)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
18)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
19)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
20)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
21)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
22)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
23)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
24)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
25)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
26)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
27)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
28)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
29)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
30)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
31)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		



**UNITED STATES OF AMERICA  
FEDERAL COMMUNICATIONS COMMISSION**

**RADIO STATION REGISTRATION**

**Name:** Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

**Call Sign:** E190798

**Authorization Type:** Registration

**File Number:** SES-REG-20180914-04457

Non Common Carrier

**Grant date:**

**Expiration Date:**

**B) Particulars of Operations**

The General Provision 1010 applies to all receiving frequency bands.

The General Provision 1900 applies to all transmitting frequency bands.

For the text of these provisions, refer to Section H.

#	Frequency (MHz)	Polarization Code	Emission	Tx/Rx Mode	Max EIRP /Carrier (dBW)	Max EIRP Density /Carrier (dBW/4kHz)	Associated Antenna	Special Provisions (Refer to Section H)	Modulation/ Services
32)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
33)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
34)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
35)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
36)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
37)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
38)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
39)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
40)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
41)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
42)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
43)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
44)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
45)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
46)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
47)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
48)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
49)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		

**C) Frequency Coordination Limits**

#	Frequency Limits (MHz)	Satellite Arc (Deg. Long.)		Elevation (Degrees)		Azimuth (Degrees)		Max EIRP Density toward Horizon (dBW/4kHz)	Associated Antenna(s)
		East Limit	West Limit	East Limit	West Limit	East Limit	West Limit		
1)	3700.0000-4200.0000	9.0E	-223.0E	05.0	-05.0	094.0	-275.0		STANDARD
2)	3700.0000-4200.0000	9.0E	-223.0E	05.0	-05.0	094.0	-275.0		STANDARD



**UNITED STATES OF AMERICA  
FEDERAL COMMUNICATIONS COMMISSION**

**RADIO STATION REGISTRATION**

**Name:** Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

**Call Sign:** E190798

**Authorization Type:** Registration

**File Number:** SES-REG-20180914-04457

Non Common Carrier

**Grant date:**

**Expiration Date:**

**C) Frequency Coordination Limits**

#	Frequency Limits (MHz)	Satellite Arc (Deg. Long.)		Elevation (Degrees)		Azimuth (Degrees)		Max EIRP Density toward Horizon (dBW/4kHz)	Associated Antenna(s)
		East Limit	West Limit	East Limit	West Limit	East Limit	West Limit		
3)	3700.0000-4200.0000	9.0E-223.0E		05.0-05.0		094.0-275.0			STANDARD
4)	3700.0000-4200.0000	9.0E-223.0E		05.0-05.0		094.0-275.0			STANDARD
5)	3700.0000-4200.0000	9.0E-223.0E		05.0-05.0		094.0-275.0			STANDARD
6)	3700.0000-4200.0000	9.0E-223.0E		05.0-05.0		094.0-275.0			STANDARD
7)	3700.0000-4200.0000	9.0E-223.0E		05.0-05.0		094.0-275.0			STANDARD
8)	3700.0000-4200.0000	9.0E-223.0E		05.0-05.0		094.0-275.0			STANDARD
9)	3700.0000-4200.0000	9.0E-223.0E		05.0-05.0		094.0-275.0			STANDARD
10)	3700.0000-4200.0000	9.0E-223.0E		05.0-05.0		094.0-275.0			STANDARD
11)	3700.0000-4200.0000	9.0E-223.0E		05.0-05.0		094.0-275.0			STANDARD
12)	3700.0000-4200.0000	9.0E-223.0E		05.0-05.0		094.0-275.0			STANDARD
13)	3700.0000-4200.0000	9.0E-223.0E		05.0-05.0		094.0-275.0			STANDARD
14)	3700.0000-4200.0000	9.0E-223.0E		05.0-05.0		094.0-275.0			STANDARD
15)	3700.0000-4200.0000	9.0E-223.0E		05.0-05.0		094.0-275.0			STANDARD
16)	3700.0000-4200.0000	9.0E-223.0E		05.0-05.0		094.0-275.0			STANDARD
17)	3700.0000-4200.0000	9.0E-223.0E		05.0-05.0		094.0-275.0			STANDARD
18)	3700.0000-4200.0000	9.0E-223.0E		05.0-05.0		094.0-275.0			STANDARD
19)	3700.0000-4200.0000	9.0E-223.0E		05.0-05.0		094.0-275.0			STANDARD
20)	3700.0000-4200.0000	9.0E-223.0E		05.0-05.0		094.0-275.0			STANDARD
21)	3700.0000-4200.0000	9.0E-223.0E		05.0-05.0		094.0-275.0			STANDARD
22)	3700.0000-4200.0000	9.0E-223.0E		05.0-05.0		094.0-275.0			STANDARD
23)	3700.0000-4200.0000	9.0E-223.0E		05.0-05.0		094.0-275.0			STANDARD
24)	3700.0000-4200.0000	9.0E-223.0E		05.0-05.0		094.0-275.0			STANDARD
25)	3700.0000-4200.0000	9.0E-223.0E		05.0-05.0		094.0-275.0			STANDARD
26)	3700.0000-4200.0000	9.0E-223.0E		05.0-05.0		094.0-275.0			STANDARD
27)	3700.0000-4200.0000	9.0E-223.0E		05.0-05.0		094.0-275.0			STANDARD
28)	3700.0000-4200.0000	9.0E-223.0E		05.0-05.0		094.0-275.0			STANDARD
29)	3700.0000-4200.0000	9.0E-223.0E		05.0-05.0		094.0-275.0			STANDARD
30)	3700.0000-4200.0000	9.0E-223.0E		05.0-05.0		094.0-275.0			STANDARD
31)	3700.0000-4200.0000	9.0E-223.0E		05.0-05.0		094.0-275.0			STANDARD
32)	3700.0000-4200.0000	9.0E-223.0E		05.0-05.0		094.0-275.0			STANDARD
33)	3700.0000-4200.0000	9.0E-223.0E		05.0-05.0		094.0-275.0			STANDARD
34)	3700.0000-4200.0000	9.0E-223.0E		05.0-05.0		094.0-275.0			STANDARD
35)	3700.0000-4200.0000	9.0E-223.0E		05.0-05.0		094.0-275.0			STANDARD
36)	3700.0000-4200.0000	9.0E-223.0E		05.0-05.0		094.0-275.0			STANDARD
37)	3700.0000-4200.0000	9.0E-223.0E		05.0-05.0		094.0-275.0			STANDARD



**UNITED STATES OF AMERICA  
FEDERAL COMMUNICATIONS COMMISSION**

**RADIO STATION REGISTRATION**

**Name:** Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

**Call Sign:** E190798

**Authorization Type:** Registration

**File Number:** SES-REG-20180914-04457

Non Common Carrier

**Grant date:**

**Expiration Date:**

**C) Frequency Coordination Limits**

#	Frequency Limits (MHz)	Satellite Arc (Deg. Long.)		Elevation (Degrees)		Azimuth (Degrees)		Max EIRP Density toward Horizon (dBW/4kHz)	Associated Antenna(s)
		East Limit	West Limit	East Limit	West Limit	East Limit	West Limit		
38)	3700.0000-4200.0000	9.0E	-223.0E	05.0	-05.0	094.0	-275.0		STANDARD
39)	3700.0000-4200.0000	9.0E	-223.0E	05.0	-05.0	094.0	-275.0		STANDARD
40)	3700.0000-4200.0000	9.0E	-223.0E	05.0	-05.0	094.0	-275.0		STANDARD
41)	3700.0000-4200.0000	9.0E	-223.0E	05.0	-05.0	094.0	-275.0		STANDARD
42)	3700.0000-4200.0000	9.0E	-223.0E	05.0	-05.0	094.0	-275.0		STANDARD
43)	3700.0000-4200.0000	9.0E	-223.0E	05.0	-05.0	094.0	-275.0		STANDARD
44)	3700.0000-4200.0000	9.0E	-223.0E	05.0	-05.0	094.0	-275.0		STANDARD
45)	3700.0000-4200.0000	9.0E	-223.0E	05.0	-05.0	094.0	-275.0		STANDARD
46)	3700.0000-4200.0000	9.0E	-223.0E	05.0	-05.0	094.0	-275.0		STANDARD
47)	3700.0000-4200.0000	9.0E	-223.0E	05.0	-05.0	094.0	-275.0		STANDARD
48)	3700.0000-4200.0000	9.0E	-223.0E	05.0	-05.0	094.0	-275.0		STANDARD
49)	3700.0000-4200.0000	9.0E	-223.0E	05.0	-05.0	094.0	-275.0		STANDARD

**D) Points of Communications**

The following stations located in the Satellite orbits consistent with Sections B and C of this Entry:

- 1) JULIAN to Permitted Space Station List
- 2) CHAPARRAL, LAKE SKIN to Permitted Space Station List
- 3) CHAPARRAL, LAKE SKIN to Permitted Space Station List

**E) Antenna Facilities**

Site ID	Antenna ID	Units	Diameter (meters)	Manufacturer	Model number	Site Elevation (Meters)	Max Antenna Height (Meters)	Special Provisions (Refer to Section H)
ANZA	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s):		40.2 dBi @		4.0000 GHz				
Maximum total input power at antenna flange (Watts) =								
Maximum aggregate output EIRP for all carriers (dBW) =								



**UNITED STATES OF AMERICA  
FEDERAL COMMUNICATIONS COMMISSION**

**RADIO STATION REGISTRATION**

**Name:** Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

**Call Sign:** E190798

**Authorization Type:** Registration

**File Number:** SES-REG-20180914-04457

**Non Common Carrier**

**Grant date:**

**Expiration Date:**

**E) Antenna Facilities**

<b>Site ID</b>	<b>Antenna ID</b>	<b>Units</b>	<b>Diameter (meters)</b>	<b>Manufacturer</b>	<b>Model number</b>	<b>Site Elevation (Meters)</b>	<b>Max Antenna Height (Meters)</b>	<b>Special Provisions (Refer to Section H)</b>
JULIAN	STANDARD	1	3.4	General Dynamics	Satcom 1344		4 AGL	
		Max Gains(s): 40.2 dBi @ 4.0000 GHz		Maximum total input power at antenna flange (Watts) =		Maximum aggregate output EIRP for all carriers (dBW) =		
BARSTOW	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
		Max Gains(s): 40.2 dBi @ 4.0000 GHz		Maximum total input power at antenna flange (Watts) =		Maximum aggregate output EIRP for all carriers (dBW) =		
FUERTE &	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
		Max Gains(s): 40.2 dBi @ 4.0000 GHz		Maximum total input power at antenna flange (Watts) =		Maximum aggregate output EIRP for all carriers (dBW) =		
WATERMAN	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
		Max Gains(s): 40.2 dBi @ 4.0000 GHz		Maximum total input power at antenna flange (Watts) =		Maximum aggregate output EIRP for all carriers (dBW) =		
IDYLLWILD	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
		Max Gains(s): 40.2 dBi @ 4.0000 GHz		Maximum total input power at antenna flange (Watts) =		Maximum aggregate output EIRP for all carriers (dBW) =		
WRIGHTWOOD	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
		Max Gains(s): 40.2 dBi @ 4.0000 GHz		Maximum total input power at antenna flange (Watts) =		Maximum aggregate output EIRP for all carriers (dBW) =		



**UNITED STATES OF AMERICA  
FEDERAL COMMUNICATIONS COMMISSION**

**RADIO STATION REGISTRATION**

**Name:** Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

**Call Sign:** E190798

**Authorization Type:** Registration

**File Number:** SES-REG-20180914-04457

**Non Common Carrier**

**Grant date:**

**Expiration Date:**

**E) Antenna Facilities**

<b>Site ID</b>	<b>Antenna ID</b>	<b>Units</b>	<b>Diameter (meters)</b>	<b>Manufacturer</b>	<b>Model number</b>	<b>Site Elevation (Meters)</b>	<b>Max Antenna Height (Meters)</b>	<b>Special Provisions (Refer to Section H)</b>
DEL CERRO &	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
VISTA 5, 10	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
UPLAND 1, 2	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
LUCERNE VALLEY	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
NEWBERRY SPRINGS	STANDARD	1	3.4	GENERAL DYNAMICS	Satcomm1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
SAN DIEGO 1, 8 &	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								



**UNITED STATES OF AMERICA  
FEDERAL COMMUNICATIONS COMMISSION**

**RADIO STATION REGISTRATION**

**Name:** Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

**Call Sign:** E190798

**Authorization Type:** Registration

**File Number:** SES-REG-20180914-04457

**Non Common Carrier**

**Grant date:**

**Expiration Date:**

**E) Antenna Facilities**

<b>Site ID</b>	<b>Antenna ID</b>	<b>Units</b>	<b>Diameter (meters)</b>	<b>Manufacturer</b>	<b>Model number</b>	<b>Site Elevation (Meters)</b>	<b>Max Antenna Height (Meters)</b>	<b>Special Provisions (Refer to Section H)</b>
OAK HILLS, PHELAN	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
RIDGECREST 1 4 &	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
YUCAIPA 2, 3 5 &	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
CARLSBAD 1, 3, 4 &	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
CHULA VISTA 3, YSA,	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
COVENANT HILLS, MSN	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								



**UNITED STATES OF AMERICA  
FEDERAL COMMUNICATIONS COMMISSION**

**RADIO STATION REGISTRATION**

**Name:** Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

**Call Sign:** E190798

**Authorization Type:** Registration

**File Number:** SES-REG-20180914-04457

**Non Common Carrier**

**Grant date:**

**Expiration Date:**

**E) Antenna Facilities**

<b>Site ID</b>	<b>Antenna ID</b>	<b>Units</b>	<b>Diameter (meters)</b>	<b>Manufacturer</b>	<b>Model number</b>	<b>Site Elevation (Meters)</b>	<b>Max Antenna Height (Meters)</b>	<b>Special Provisions (Refer to Section H)</b>
CUCAMONGA (TO), SAN	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
INLAND EMPIR (SM),	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
MISSION (SP) MOUNT	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
ALDER, BASELINE, SUM	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
ARLINGTON, ARLINGTON	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
BANNING, BEAUMONT, S	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								





**UNITED STATES OF AMERICA  
FEDERAL COMMUNICATIONS COMMISSION**

**RADIO STATION REGISTRATION**

**Name:** Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

**Call Sign:** E190798

**Authorization Type:** Registration

**File Number:** SES-REG-20180914-04457

**Non Common Carrier**

**Grant date:**

**Expiration Date:**

**E) Antenna Facilities**

<b>Site ID</b>	<b>Antenna ID</b>	<b>Units</b>	<b>Diameter (meters)</b>	<b>Manufacturer</b>	<b>Model number</b>	<b>Site Elevation (Meters)</b>	<b>Max Antenna Height (Meters)</b>	<b>Special Provisions (Refer to Section H)</b>
BUTTERFIELD STAGE, L	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
CALIFORNIA OAKS, LAS	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
CHAFFEY YSA, ONTARIO	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
CHAPARRAL, LAKE SKIN	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
CIRCLE CITY, DEL REY	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
CORONA SA, E CERRIT	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								



**UNITED STATES OF AMERICA  
FEDERAL COMMUNICATIONS COMMISSION**

**RADIO STATION REGISTRATION**

**Name:** Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

**Call Sign:** E190798

**Authorization Type:** Registration

**File Number:** SES-REG-20180914-04457

**Non Common Carrier**

**Grant date:**

**Expiration Date:**

**E) Antenna Facilities**

<b>Site ID</b>	<b>Antenna ID</b>	<b>Units</b>	<b>Diameter (meters)</b>	<b>Manufacturer</b>	<b>Model number</b>	<b>Site Elevation (Meters)</b>	<b>Max Antenna Height (Meters)</b>	<b>Special Provisions (Refer to Section H)</b>
CRAFTON HILL YSA, M	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
CRISTIANITOS LIBERT	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
DESERT KNOLLS, MOJAV	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
DIAMOND VALLEY, FRUI	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
DISCOVERY HILLS, FEL	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
DOS PICOS (SP), HIGH	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								



**UNITED STATES OF AMERICA  
FEDERAL COMMUNICATIONS COMMISSION**

**RADIO STATION REGISTRATION**

**Name:** Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

**Call Sign:** E190798

**Authorization Type:** Registration

**File Number:** SES-REG-20180914-04457

**Non Common Carrier**

**Grant date:**

**Expiration Date:**

**E) Antenna Facilities**

<b>Site ID</b>	<b>Antenna ID</b>	<b>Units</b>	<b>Diameter (meters)</b>	<b>Manufacturer</b>	<b>Model number</b>	<b>Site Elevation (Meters)</b>	<b>Max Antenna Height (Meters)</b>	<b>Special Provisions (Refer to Section H)</b>
EL NOPAL, WEST HILLS	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
EL NORTE (SP), ESCON	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
FALLBROOK 1, 2, 3 (S	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
FORSTER RANCH, SAN C	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
GREEN TREE, HIGH DES	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
HIDDEN SPRINGS, MORE	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								



**UNITED STATES OF AMERICA  
FEDERAL COMMUNICATIONS COMMISSION**

**RADIO STATION REGISTRATION**

**Name:** Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

**Call Sign:** E190798

**Authorization Type:** Registration

**File Number:** SES-REG-20180914-04457

**Non Common Carrier**

**Grant date:**

**Expiration Date:**

**E) Antenna Facilities**

<b>Site ID</b>	<b>Antenna ID</b>	<b>Units</b>	<b>Diameter (meters)</b>	<b>Manufacturer</b>	<b>Model number</b>	<b>Site Elevation (Meters)</b>	<b>Max Antenna Height (Meters)</b>	<b>Special Provisions (Refer to Section H)</b>
LAKE ARROWHEAD, RUNN	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
LAKE ELSINORE, ORTEG	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
LINDA VISTA 1, SAN D	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
LIVE OAK CANYON, SAN	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
MENIFEE LAKES, PALOM	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
PARADISE HILLS, SWEE	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								



**UNITED STATES OF AMERICA  
FEDERAL COMMUNICATIONS COMMISSION**

**RADIO STATION REGISTRATION**

**Name:** Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

**Call Sign:** E190798

**Authorization Type:** Registration

**File Number:** SES-REG-20180914-04457

Non Common Carrier

**Grant date:**

**Expiration Date:**

**E) Antenna Facilities**

<b>Site ID</b>	<b>Antenna ID</b>	<b>Units</b>	<b>Diameter (meters)</b>	<b>Manufacturer</b>	<b>Model number</b>	<b>Site Elevation (Meters)</b>	<b>Max Antenna Height (Meters)</b>	<b>Special Provisions (Refer to Section H)</b>
PENASQUITOS 1, 2, SC	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s):            40.2 dBi @        4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								

**G) Antenna Structure marking and lighting requirements:**

None unless otherwise specified under Special and General Provisions



UNITED STATES OF AMERICA  
FEDERAL COMMUNICATIONS COMMISSION

**RADIO STATION REGISTRATION**

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of  
Latter-day

Call Sign: E190798

Authorization Type: Registration

File Number: SES-REG-20180914-04457

Non Common Carrier

Grant date:

Expiration Date:

**B)** This RADIO STATION AUTHORIZATION is granted subject to the additional conditions specified below:

This authorization is issued on the grantee's representation that the statements contained in the application are true and that the undertakings described will be carried out in good faith.

This authorization shall not be construed in any manner as a finding by the Commission on the question of marking or lighting of the antenna system should future conditions require. The grantee expressly agrees to install such marking or lighting as the Commission may require under the provisions of Section 303(q) of the Communications Act. 47 U.S.C. § 303(q).

Neither this authorization nor the right granted by this authorization shall be assigned or otherwise transferred to any person, firm, company or corporation without the written consent of the Commission. This authorization is subject to the right of use or control by the government of the United States conferred by Section 706 of the Communications Act. 47 U.S.C. § 706. Operation of this station is governed by Part 25 of the Commission's Rules. 47 C.F.R. Part 25.

This authorization shall not vest in the licensee any right to operate this station nor any right in the use of the designated frequencies beyond the term of this license, nor in any other manner than authorized herein.

This authorization is issued on the grantee's representation that the station is in compliance with environmental requirements set forth in Section 1.1307 of the Commission's Rules. 47 C.F.R. § 1.1307.

This authorization is issued on the grantee's representation that the station is in compliance with the Federal Aviation Administration (FAA) requirements as set forth in Section 17.4 of the Commission's Rules. 47 C.F.R. § 17.4.

The following condition applies when this authorization permits construction of or modifies the construction permit of a radio station.

This authorization shall be automatically forfeited if the station does not meet each required construction deadline by the required date of completion unless, before such date(s), a specific application is timely filed to request an extension of the construction deadline(s), supported with good cause why that failure to construct by the required date was due to factors not under control of the grantee.

**Licensees are required to pay annual regulatory fees related to this authorization. The requirement to collect annual regulatory fees from regulatees is contained in Public Law 103-66, "The Omnibus Budget Reconciliation Act of 1993." These regulatory fees, which are likely to change each fiscal year, are used to offset costs associated with the Commission's enforcement, public service, international and policy and rulemaking activities. The Commission issues a Report and Order each year, setting the new regulatory fee rates. Receive only earth stations are exempt from payment of regulatory fees.**