



**UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION**

RADIO STATION REGISTRATION

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

Call Sign: E190694

Authorization Type: Registration

File Number: SES-REG-20180917-04365

Non Common Carrier

Grant date: 07/23/2020

Expiration Date: 09/17/2033

Nature of Service: Fixed Satellite Service

Class of Station: Fixed Earth Stations

A) Site Location(s)

#	Site ID	Address	Latitude	Longitude	Elevation (Meters)	Special Provisions NAD (Refer to Section H)
1)	AINAOLA, HILO YSA, K	1373 Kilauea Avenue HILO, HI 96720	19°42'33.0"N	155°4'32.4"W	27	
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
2)	AUGUSTA	2108 Eastland Drive AUGUSTA, GA 30904	33°27'39.3"N	82°1'59.9"W	27	
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
3)	BRUNSWICK	3631 Community Road BRUNSWICK, GA 31520	31°11'50.1"N	81°29'21.5"W	27	
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
4)	CALDWELL 1, 3, 6 &	3015 South Kimball Avenue CALDWELL, ID 83605	43°38'35.2"N	116°41'51.9"W	27	
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
5)	CALDWELL 8, 12, 14 &	11792 Linden Road CALDWELL, ID 83605	43°38'58.3"N	116°37'47.0"W	27	
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
6)	CAMBRIDGE	35 Southwest 2nd Street CAMBRIDGE, ID 83610	44°34'22.1"N	116°40'47.4"W	27	
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				



**UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION**

RADIO STATION REGISTRATION

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

Call Sign: E190694

Authorization Type: Registration

File Number: SES-REG-20180917-04365

Non Common Carrier

Grant date: 07/23/2020

Expiration Date: 09/17/2033

A) Site Location(s)

#	Site ID	Address	Latitude	Longitude	Elevation (Meters)	Special Provisions NAD (Refer to Section H)
7)	COEUR D'ALENE 1, 2,	2801 North 4th Street COEUR D'ALENE, ID 83815	47°42'9.5"N	116°46'54.2"W		27 Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209
8)	EVANS, MARTINEZ, STE	835 North Belair Road EVANS, GA 30809	33°33'33.6"N	82°7'35.1"W		27 Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209
9)	GEORGETOWN, POOLER &	1200 King George Boulevard SAVANNAH, GA 31419	31°58'59.4"N	81°13'25.7"W		27 Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209
10)	GROVETOWN, HARLEM	470 North Louisville Street HARLEM, GA 30814	33°25'14.0"N	82°18'40.0"W		27 Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209
11)	HALE LA'A YSA, LAIE	55-220 Kulanui Street LAIE, HI 96762	21°38'35.1"N	157°55'37.8"W		27 Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209
12)	HAUULA 1, 3, 4	54-208 Hauula Homestead Road HAUULA, HI 96717	21°36'28.6"N	157°54'49.5"W		27 Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209
13)	HINESVILLE	220 Sandy Run Drive HINESVILLE, GA 31313	31°50'43.3"N	81°34'50.3"W		27 Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209



**UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION**

RADIO STATION REGISTRATION

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

Call Sign: E190694

Authorization Type: Registration

File Number: SES-REG-20180917-04365

Non Common Carrier

Grant date: 07/23/2020

Expiration Date: 09/17/2033

A) Site Location(s)

#	Site ID	Address	Latitude	Longitude	Elevation (Meters)	Special Provisions NAD (Refer to Section H)
14)	HOLUALOA, KONA 1, 2	75-230 Kalani Street KONA, HI 96740	19°38'29.9"N	155°59'12.4"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
15)	HONOKAA	45-3259 Mamalahoa Hwy HONOKAA, HI 96727	20°4'5.8"N	155°27'33.0"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
16)	HONOLULU 1 (TNGN), 2	1560 S Beretania St HONOLULU, HI 96826	21°17'59.3"N	157°50'11.0"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
17)	HOOLEHUA, KAUNAKAKAI	35-100 Maunaloa Hwy KAUNAKAKAI, HI 96748	21°5'52.7"N	157°2'22.0"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
18)	KA'U	95-5682 Mamalahoa Highway NAALEHU, HI 96772	19°3'37.7"N	155°35'19.9"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
19)	KAILUA, KEOLU	1461 Kanapuu Drive KAILUA, HI 96734	21°22'11.4"N	157°44'6.7"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
20)	KALAHEO	02-2354 Kaunualii Hwy KALAHEO, HI 96741	21°55'29.4"N	159°31'48.3"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				



**UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION**

RADIO STATION REGISTRATION

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

Call Sign: E190694

Authorization Type: Registration

File Number: SES-REG-20180917-04365

Non Common Carrier

Grant date: 07/23/2020

Expiration Date: 09/17/2033

A) Site Location(s)

#	Site ID	Address	Latitude	Longitude	Elevation (Meters)	Special Provisions NAD (Refer to Section H)
21)	KALIHI, MOANALUA 1,	1723 Beckley Street HONOLULU, HI 96819	21°19'57.3"N	157°52'29.1"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
22)	KAMEHAMEHA YSA, WAIE	125 West Kamehameha Avenue KAHULUI, HI 96732	20°53'13.8"N	156°28'9.5"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
23)	KAPAA 1, 2	4561 Ohia St KAPAA, HI 96746	22°4'21.6"N	159°19'12.0"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
24)	KAPOLEI, MAKAKILO 1,	92-900 Makakilo Drive KAPOLEI, HI 96707	21°21'18.6"N	158°5'15.0"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
25)	KEEI	84-5236 Hawaii Belt Road HONAUNAU, HI 96726	19°26'30.5"N	155°52'45.3"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
26)	KEKAHA	4587 Amakihi Rd KEKAHA, HI 96752	21°58'19.5"N	159°43'2.3"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
27)	KIHEI 1, PIILANI (TO	169A Auhana Road KIHEI, HI 96753	20°43'44.8"N	156°26'41.6"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				



**UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION**

RADIO STATION REGISTRATION

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

Call Sign: E190694

Authorization Type: Registration

File Number: SES-REG-20180917-04365

Non Common Carrier

Grant date: 07/23/2020

Expiration Date: 09/17/2033

A) Site Location(s)

#	Site ID	Address	Latitude	Longitude	Elevation (Meters)	Special Provisions NAD (Refer to Section H)
28)	KOHALA	55-524 Hawi Road HAWI, HI 96719	20°14'8.1"N	155°49'55.0"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
29)	KONA YSA, WAIKOLOA,	65-1168 Kapiolani Road KAMUELA, HI 96743	20°1'28.7"N	155°40'8.3"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
30)	LAHAINA 2 (TONGAN)	1585 Malo St LAHAINA, HI 96761	20°53'57.9"N	156°41'3.8"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
31)	LAIE 2, 3, 5 &	55-415 Iosepa Street LAIE, HI 96762	21°38'41.2"N	157°55'14.1"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
32)	LAIE 4, 6, 7 &	55-630 Naniloa Loop LAIE, HI 96762	21°38'57.4"N	157°55'44.9"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
33)	LAKE CITY, PRAIRIE,	2293 West Hanley Avenue COEUR D'ALENE, ID 83814	47°43'51.0"N	116°49'7.5"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
34)	LANAI	348 Jacaranda Street LANAI, HI 96763	20°49'46.2"N	156°55'15.5"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				



**UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION**

RADIO STATION REGISTRATION

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

Call Sign: E190694

Authorization Type: Registration

File Number: SES-REG-20180917-04365

Non Common Carrier

Grant date: 07/23/2020

Expiration Date: 09/17/2033

A) Site Location(s)

#	Site ID	Address	Latitude	Longitude	Elevation (Meters)	Special Provisions NAD (Refer to Section H)
35)	LEWISTON 1, 3 &	836 Preston Avenue LEWISTON, ID 83501	46°23'14.3"N	116°59'12.9"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
36)	LIHUE &	4580 Ehiku Street LIHUE, HI 96766	21°58'58.5"N	159°22'12.4"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
37)	MAKAHA, NANAKULI, WA	85-574 Plantation Road WAIANAE, HI 96792	21°27'4.0"N	158°11'9.8"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
38)	MAKAWAO WARD	3356 Kihapai Place PUKALANI, HI 96768	20°50'18.3"N	156°20'12.5"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
39)	MIDDLETON 1, 3, 6, 1	23644 Old Hwy 30 CALDWELL, ID 83605	43°42'54.5"N	116°41'40.7"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
40)	MILILANI 1, 4 &	95-1039 Meheula Parkway MILILANI, HI 96789	21°27'3.3"N	158°0'50.3"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
41)	MOSCOW ID (UI) INSTI	902 South Deakin Street MOSCOW, ID 83843	46°43'36.3"N	117°0'23.5"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				



**UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION**

RADIO STATION REGISTRATION

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

Call Sign: E190694

Authorization Type: Registration

File Number: SES-REG-20180917-04365

Non Common Carrier

Grant date: 07/23/2020

Expiration Date: 09/17/2033

A) Site Location(s)

#	Site ID	Address	Latitude	Longitude	Elevation (Meters)	Special Provisions NAD (Refer to Section H)
42)	NAMPA 12, 27, 35 &	1500 Smith Avenue NAMPA, ID 83651	43°35'0.9"N	116°35'58.4"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
43)	NEWPORT, PRIEST RIVE	13261 Highway 2 OLDTOWN, ID 83822	48°10'53.9"N	116°58'22.9"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
44)	NEWTON 2 (TO), WAIPA	94-210 Kahualii Street WAIPA, HI 96797	21°23'21.6"N	157°59'44.5"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
45)	PALOUSE RIVER, PARAD	1657 South Blaine Street MOSCOW, ID 83843	46°43'10.3"N	116°59'13.9"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
46)	PIONEER HILL, QUAIL	2600 West A Street MOSCOW, ID 83843	46°44'8.7"N	117°2'18.6"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
47)	RINCON	903 Fort Howard Road RINCON, GA 31326	32°17'34.1"N	81°12'49.0"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
48)	ST MARIES	201 South 23rd Street ST MARIES, ID 83861	47°18'53.2"N	116°35'12.7"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				



**UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION**

RADIO STATION REGISTRATION

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

Call Sign: E190694

Authorization Type: Registration

File Number: SES-REG-20180917-04365

Non Common Carrier

Grant date: 07/23/2020

Expiration Date: 09/17/2033

A) Site Location(s)

#	Site ID	Address	Latitude	Longitude	Elevation (Meters)	Special Provisions NAD (Refer to Section H)
49)	WAYCROSS 1, 2	2095 Central Avenue WAYCROSS, GA 31503	31°12'51.8"N	82°19'30.9"W	27	Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209
50)	WEISER 1, 2, 3 &	300 East Main Street WEISER, ID 83672	44°14'46.0"N	116°57'53.0"W	27	Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209

Subject to the provisions of the Communications Act of 1934, The Communications Satellite Act of 1962, subsequent acts and treaties, and all present and future regulations made by this Commission, and further subject to the conditions and requirements set forth in this license, the registrant is registered to operate the radio facilities described below for radio communications for the term beginning September 17, 2018 (3 AM Eastern Standard Time) and ending September 17, 2033 (3 AM Eastern Standard Time) . The required date of commencement of operation is 00/00/0000. Registrant must file with the Commission a certification upon commencement of operation.

B) Particulars of Operations

The General Provision 1010 applies to all receiving frequency bands.

The General Provision 1900 applies to all transmitting frequency bands.

For the text of these provisions, refer to Section H.

#	Frequency (MHz)	Polarization Code	Emission	Tx/Rx Mode	Max EIRP /Carrier (dBW)	Max EIRP Density /Carrier (dBW/4kHz)	Associated Antenna	Special Provisions (Refer to Section H)	Modulation/ Services
1)	3700.0000-4200.0000	H, V	36M0G7W	Rx			1		NULL
2)	3700.0000-4200.0000	H, V	36M0G7W	Rx			10		NULL
3)	3700.0000-4200.0000	H, V	36M0G7W	Rx			11		NULL
4)	3700.0000-4200.0000	H, V	36M0G7W	Rx			12		NULL
5)	3700.0000-4200.0000	H, V	36M0G7W	Rx			13		NULL
6)	3700.0000-4200.0000	H, V	36M0G7W	Rx			14		NULL
7)	3700.0000-4200.0000	H, V	36M0G7W	Rx			15		NULL



**UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION**

RADIO STATION REGISTRATION

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

Call Sign: E190694

Authorization Type: Registration

File Number: SES-REG-20180917-04365

Non Common Carrier

Grant date: 07/23/2020

Expiration Date: 09/17/2033

B) Particulars of Operations

The General Provision 1010 applies to all receiving frequency bands.

The General Provision 1900 applies to all transmitting frequency bands.

For the text of these provisions, refer to Section H.

#	Frequency (MHz)	Polarization Code	Emission	Tx/Rx Mode	Max EIRP /Carrier (dBW)	Max EIRP Density /Carrier (dBW/4kHz)	Associated Antenna	Special Provisions (Refer to Section H)	Modulation/ Services
8)	3700.0000-4200.0000	H, V	36M0G7W	Rx			16		NULL
9)	3700.0000-4200.0000	H, V	36M0G7W	Rx			17		NULL
10)	3700.0000-4200.0000	H, V	36M0G7W	Rx			18		NULL
11)	3700.0000-4200.0000	H, V	36M0G7W	Rx			19		NULL
12)	3700.0000-4200.0000	H, V	36M0G7W	Rx			2		NULL
13)	3700.0000-4200.0000	H, V	36M0G7W	Rx			20		NULL
14)	3700.0000-4200.0000	H, V	36M0G7W	Rx			21		NULL
15)	3700.0000-4200.0000	H, V	36M0G7W	Rx			22		NULL
16)	3700.0000-4200.0000	H, V	36M0G7W	Rx			23		NULL
17)	3700.0000-4200.0000	H, V	36M0G7W	Rx			24		NULL
18)	3700.0000-4200.0000	H, V	36M0G7W	Rx			25		NULL
19)	3700.0000-4200.0000	H, V	36M0G7W	Rx			26		NULL
20)	3700.0000-4200.0000	H, V	36M0G7W	Rx			27		NULL
21)	3700.0000-4200.0000	H, V	36M0G7W	Rx			28		NULL
22)	3700.0000-4200.0000	H, V	36M0G7W	Rx			29		NULL
23)	3700.0000-4200.0000	H, V	36M0G7W	Rx			3		NULL
24)	3700.0000-4200.0000	H, V	36M0G7W	Rx			30		NULL
25)	3700.0000-4200.0000	H, V	36M0G7W	Rx			31		NULL
26)	3700.0000-4200.0000	H, V	36M0G7W	Rx			32		NULL
27)	3700.0000-4200.0000	H, V	36M0G7W	Rx			33		NULL
28)	3700.0000-4200.0000	H, V	36M0G7W	Rx			34		NULL
29)	3700.0000-4200.0000	H, V	36M0G7W	Rx			35		NULL
30)	3700.0000-4200.0000	H, V	36M0G7W	Rx			36		NULL
31)	3700.0000-4200.0000	H, V	36M0G7W	Rx			37		NULL



**UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION**

RADIO STATION REGISTRATION

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

Call Sign: E190694

Authorization Type: Registration

File Number: SES-REG-20180917-04365

Non Common Carrier

Grant date: 07/23/2020

Expiration Date: 09/17/2033

B) Particulars of Operations

The General Provision 1010 applies to all receiving frequency bands.

The General Provision 1900 applies to all transmitting frequency bands.

For the text of these provisions, refer to Section H.

#	Frequency (MHz)	Polarization Code	Emission	Tx/Rx Mode	Max EIRP /Carrier (dBW)	Max EIRP Density /Carrier (dBW/4kHz)	Associated Antenna	Special Provisions (Refer to Section H)	Modulation/ Services
32)	3700.0000-4200.0000	H, V	36M0G7W	Rx			38		NULL
33)	3700.0000-4200.0000	H, V	36M0G7W	Rx			39		NULL
34)	3700.0000-4200.0000	H, V	36M0G7W	Rx			4		NULL
35)	3700.0000-4200.0000	H, V	36M0G7W	Rx			40		NULL
36)	3700.0000-4200.0000	H, V	36M0G7W	Rx			41		NULL
37)	3700.0000-4200.0000	H, V	36M0G7W	Rx			42		NULL
38)	3700.0000-4200.0000	H, V	36M0G7W	Rx			43		NULL
39)	3700.0000-4200.0000	H, V	36M0G7W	Rx			44		NULL
40)	3700.0000-4200.0000	H, V	36M0G7W	Rx			45		NULL
41)	3700.0000-4200.0000	H, V	36M0G7W	Rx			46		NULL
42)	3700.0000-4200.0000	H, V	36M0G7W	Rx			47		NULL
43)	3700.0000-4200.0000	H, V	36M0G7W	Rx			48		NULL
44)	3700.0000-4200.0000	H, V	36M0G7W	Rx			49		NULL
45)	3700.0000-4200.0000	H, V	36M0G7W	Rx			5		NULL
46)	3700.0000-4200.0000	H, V	36M0G7W	Rx			50		NULL
47)	3700.0000-4200.0000	H, V	36M0G7W	Rx			6		NULL
48)	3700.0000-4200.0000	H, V	36M0G7W	Rx			7		NULL
49)	3700.0000-4200.0000	H, V	36M0G7W	Rx			8		NULL
50)	3700.0000-4200.0000	H, V	36M0G7W	Rx			9		NULL



**UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION**

RADIO STATION REGISTRATION

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

Call Sign: E190694

Authorization Type: Registration

File Number: SES-REG-20180917-04365

Non Common Carrier

Grant date: 07/23/2020

Expiration Date: 09/17/2033

C) Frequency Coordination Limits

#	Frequency Limits (MHz)	Satellite Arc (Deg. Long.)		Elevation (Degrees)		Azimuth (Degrees)		Max EIRP Density toward Horizon (dBW/4kHz)	Associated Antenna(s)
		East Limit	West Limit	East Limit	West Limit	East Limit	West Limit		
1)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	1	
2)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	2	
3)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	3	
4)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	4	
5)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	5	
6)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	6	
7)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	7	
8)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	8	
9)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	9	
10)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	10	
11)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	11	
12)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	12	
13)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	13	
14)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	14	
15)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	15	
16)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	16	
17)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	17	
18)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	18	
19)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	19	
20)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	20	
21)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	21	
22)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	22	
23)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	23	
24)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	24	
25)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	25	
26)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	26	
27)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	27	
28)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	28	
29)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	29	
30)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	30	
31)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	31	
32)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	32	
33)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	33	
34)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	34	
35)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	35	



**UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION**

RADIO STATION REGISTRATION

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

Call Sign: E190694

Authorization Type: Registration

File Number: SES-REG-20180917-04365

Non Common Carrier

Grant date: 07/23/2020

Expiration Date: 09/17/2033

C) Frequency Coordination Limits

#	Frequency Limits (MHz)	Satellite Arc (Deg. Long.)		Elevation (Degrees)		Azimuth (Degrees)		Max EIRP Density toward Horizon (dBW/4kHz)	Associated Antenna(s)
		East Limit	West Limit	East Limit	West Limit	East Limit	West Limit		
36)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	36	
37)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	37	
38)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	38	
39)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	39	
40)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	40	
41)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	41	
42)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	42	
43)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	43	
44)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	44	
45)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	45	
46)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	46	
47)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	47	
48)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	48	
49)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	49	
50)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	50	

D) Points of Communications

The following stations located in the Satellite orbits consistent with Sections B and C of this Entry:

- 1) WAYCROSS 1, 2 to Permitted Space Station List
- 2) GROVETOWN, HARLEM to Permitted Space Station List
- 3) EVANS, MARTINEZ, STE to Permitted Space Station List
- 4) AUGUSTA to Permitted Space Station List
- 5) HINESVILLE to Permitted Space Station List
- 6) GEORGETOWN, POOLER & to Permitted Space Station List
- 7) RINCON to Permitted Space Station List
- 8) KEKAHA to Permitted Space Station List
- 9) KALAHEO to Permitted Space Station List
- 10) LIHUE & to Permitted Space Station List
- 11) BRUNSWICK to Permitted Space Station List
- 12) MAKAHA, NANAKULI, WA to Permitted Space Station List
- 13) KAPOLEI, MAKAKILO 1, to Permitted Space Station List
- 14) MILILANI 1, 4 & to Permitted Space Station List
- 15) NEWTON 2 (TO), WAIPA to Permitted Space Station List



UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION

RADIO STATION REGISTRATION

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

Call Sign: E190694

Authorization Type: Registration

File Number: SES-REG-20180917-04365

Non Common Carrier

Grant date: 07/23/2020

Expiration Date: 09/17/2033

D) Points of Communications

The following stations located in the Satellite orbits consistent with Sections B and C of this Entry:

- 16) LAIE 4, 6, 7 & to Permitted Space Station List
- 17) KAPAA 1, 2 to Permitted Space Station List
- 18) LAIE 2, 3, 5 & to Permitted Space Station List
- 19) HAUULA 1, 3, 4 to Permitted Space Station List
- 20) KALIHI, MOANALUA 1, to Permitted Space Station List
- 21) HONOLULU 1 (TNGN), 2 to Permitted Space Station List
- 22) KAILUA, KEOLU to Permitted Space Station List
- 23) HALE LA'A YSA, LAIE to Permitted Space Station List
- 24) LANAI to Permitted Space Station List
- 25) LAHAINA 2 (TONGAN) to Permitted Space Station List
- 26) KAMEHAMEHA YSA, WAIE to Permitted Space Station List
- 27) KIHEI 1, PIILANI (TO to Permitted Space Station List
- 28) MAKAWAO WARD to Permitted Space Station List
- 29) HOOLEHUA, KAUNAKAKAI to Permitted Space Station List
- 30) KEEI to Permitted Space Station List
- 31) KOHALA to Permitted Space Station List
- 32) KONA YSA, WAIKOLOA, to Permitted Space Station List
- 33) KA'U to Permitted Space Station List
- 34) HONOKAA to Permitted Space Station List
- 35) HOLUALOA, KONA 1, 2 to Permitted Space Station List
- 36) PIONEER HILL, QUAIL to Permitted Space Station List
- 37) MOSCOW ID (UI) INSTI to Permitted Space Station List
- 38) PALOUSE RIVER, PARAD to Permitted Space Station List
- 39) LEWISTON 1, 3 & to Permitted Space Station List
- 40) NEWPORT, PRIEST RIVE to Permitted Space Station List
- 41) AINAOLA, HILO YSA, K to Permitted Space Station List
- 42) LAKE CITY, PRAIRIE, to Permitted Space Station List
- 43) COEUR D'ALENE 1, 2, to Permitted Space Station List
- 44) CALDWELL 1, 3, 6 & to Permitted Space Station List
- 45) MIDDLETON 1, 3, 6, 1 to Permitted Space Station List
- 46) CAMBRIDGE to Permitted Space Station List
- 47) WEISER 1, 2, 3 & to Permitted Space Station List
- 48) NAMPA 12, 27, 35 & to Permitted Space Station List
- 49) ST MARIES to Permitted Space Station List
- 50) CALDWELL 8, 12, 14 & to Permitted Space Station List



**UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION**

RADIO STATION REGISTRATION

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

Call Sign: E190694

Authorization Type: Registration

File Number: SES-REG-20180917-04365

Non Common Carrier

Grant date: 07/23/2020

Expiration Date: 09/17/2033

E) Antenna Facilities

Site ID	Antenna ID	Units	Diameter (meters)	Manufacturer	Model number	Site Elevation (Meters)	Max Antenna Height (Meters)	Special Provisions (Refer to Section H)
WAYCROSS 1,	1	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
		Max Gains(s): 40.2 dBi @ 4.0000 GHz		Maximum total input power at antenna flange (Watts) =		Maximum aggregate output EIRP for all carriers (dBW) =		
LIHUE &	10	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
		Max Gains(s): 40.2 dBi @ 4.0000 GHz		Maximum total input power at antenna flange (Watts) =		Maximum aggregate output EIRP for all carriers (dBW) =		
BRUNSWICK	11	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
		Max Gains(s): 40.2 dBi @ 4.0000 GHz		Maximum total input power at antenna flange (Watts) =		Maximum aggregate output EIRP for all carriers (dBW) =		
MAKAHA, NANAKULI, WA	12	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
		Max Gains(s): 40.2 dBi @ 4.0000 GHz		Maximum total input power at antenna flange (Watts) =		Maximum aggregate output EIRP for all carriers (dBW) =		
KAPOLEI, MAKAKILO 1,	13	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
		Max Gains(s): 40.2 dBi @ 4.0000 GHz		Maximum total input power at antenna flange (Watts) =		Maximum aggregate output EIRP for all carriers (dBW) =		
MILILANI 1, &	14	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
		Max Gains(s): 40.2 dBi @ 4.0000 GHz		Maximum total input power at antenna flange (Watts) =		Maximum aggregate output EIRP for all carriers (dBW) =		



**UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION**

RADIO STATION REGISTRATION

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

Call Sign: E190694

Authorization Type: Registration

File Number: SES-REG-20180917-04365

Non Common Carrier

Grant date: 07/23/2020

Expiration Date: 09/17/2033

E) Antenna Facilities

Site ID	Antenna ID	Units	Diameter (meters)	Manufacturer	Model number	Site Elevation (Meters)	Max Antenna Height (Meters)	Special Provisions (Refer to Section H)
NEWTON 2 (TO), WAIPA	15	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
LAIE 4, 6, 7 &	16	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
KAPAA 1, 2	17	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
LAIE 2, 3, 5 &	18	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
HAUULA 1, 3, 4	19	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
GROVETOWN, HARLEM	2	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								



**UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION**

RADIO STATION REGISTRATION

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

Call Sign: E190694

Authorization Type: Registration

File Number: SES-REG-20180917-04365

Non Common Carrier

Grant date: 07/23/2020

Expiration Date: 09/17/2033

E) Antenna Facilities

Site ID	Antenna ID	Units	Diameter (meters)	Manufacturer	Model number	Site Elevation (Meters)	Max Antenna Height (Meters)	Special Provisions (Refer to Section H)
KALIHI, MOANALUA 1,	20	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
HONOLULU 1 (TNGN), 2	21	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
KAILUA, KEOL	22	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
HALE LA'A YSA, LAIE	23	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
LANAI	24	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
LAHAINA 2 (TONGAN)	25	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								



**UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION**

RADIO STATION REGISTRATION

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

Call Sign: E190694

Authorization Type: Registration

File Number: SES-REG-20180917-04365

Non Common Carrier

Grant date: 07/23/2020

Expiration Date: 09/17/2033

E) Antenna Facilities

Site ID	Antenna ID	Units	Diameter (meters)	Manufacturer	Model number	Site Elevation (Meters)	Max Antenna Height (Meters)	Special Provisions (Refer to Section H)
KAMEHAMEHA YSA, WAIE	26	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
KIHEI 1, PIILANI (TO	27	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
MAKAWAO WARD	28	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
HOOLEHUA, KAUNAKAKAI	29	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
EVANS, MARTINEZ, STE	3	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
KEEI	30	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								



**UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION**

RADIO STATION REGISTRATION

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

Call Sign: E190694

Authorization Type: Registration

File Number: SES-REG-20180917-04365

Non Common Carrier

Grant date: 07/23/2020

Expiration Date: 09/17/2033

E) Antenna Facilities

Site ID	Antenna ID	Units	Diameter (meters)	Manufacturer	Model number	Site Elevation (Meters)	Max Antenna Height (Meters)	Special Provisions (Refer to Section H)
KOHALA	31	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
		Max Gains(s): 40.2 dBi @ 4.0000 GHz		Maximum total input power at antenna flange (Watts) =		Maximum aggregate output EIRP for all carriers (dBW) =		
KONA YSA, WAIKOLOA,	32	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
		Max Gains(s): 40.2 dBi @ 4.0000 GHz		Maximum total input power at antenna flange (Watts) =		Maximum aggregate output EIRP for all carriers (dBW) =		
KA'U	33	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
		Max Gains(s): 40.2 dBi @ 4.0000 GHz		Maximum total input power at antenna flange (Watts) =		Maximum aggregate output EIRP for all carriers (dBW) =		
HONOKAA	34	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
		Max Gains(s): 40.2 dBi @ 4.0000 GHz		Maximum total input power at antenna flange (Watts) =		Maximum aggregate output EIRP for all carriers (dBW) =		
HOLUALOA, KONA 1, 2	35	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
		Max Gains(s): 40.2 dBi @ 4.0000 GHz		Maximum total input power at antenna flange (Watts) =		Maximum aggregate output EIRP for all carriers (dBW) =		
PIONEER HILL QUAIL	36	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
		Max Gains(s): 40.2 dBi @ 4.0000 GHz		Maximum total input power at antenna flange (Watts) =		Maximum aggregate output EIRP for all carriers (dBW) =		



**UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION**

RADIO STATION REGISTRATION

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

Call Sign: E190694

Authorization Type: Registration

File Number: SES-REG-20180917-04365

Non Common Carrier

Grant date: 07/23/2020

Expiration Date: 09/17/2033

E) Antenna Facilities

Site ID	Antenna ID	Units	Diameter (meters)	Manufacturer	Model number	Site Elevation (Meters)	Max Antenna Height (Meters)	Special Provisions (Refer to Section H)
MOSCOW ID (UI) INSTI	37	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
PALOUSE RIVER, PARAD	38	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
LEWISTON 1, 3 &	39	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
AUGUSTA	4	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
NEWPORT, PRIEST RIVE	40	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
AINAOLA, HIL YSA, K	41	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								



**UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION**

RADIO STATION REGISTRATION

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

Call Sign: E190694

Authorization Type: Registration

File Number: SES-REG-20180917-04365

Non Common Carrier

Grant date: 07/23/2020

Expiration Date: 09/17/2033

E) Antenna Facilities

Site ID	Antenna ID	Units	Diameter (meters)	Manufacturer	Model number	Site Elevation (Meters)	Max Antenna Height (Meters)	Special Provisions (Refer to Section H)
LAKE CITY, PRAIRIE,	42	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
COEUR D'ALEN 1, 2,	43	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
CALDWELL 1, 3, 6 &	44	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
MIDDLETON 1, 3, 6, 1	45	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
CAMBRIDGE	46	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
WEISER 1, 2, 3 &	47	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								



**UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION**

RADIO STATION REGISTRATION

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

Call Sign: E190694

Authorization Type: Registration

File Number: SES-REG-20180917-04365

Non Common Carrier

Grant date: 07/23/2020

Expiration Date: 09/17/2033

E) Antenna Facilities

Site ID	Antenna ID	Units	Diameter (meters)	Manufacturer	Model number	Site Elevation (Meters)	Max Antenna Height (Meters)	Special Provisions (Refer to Section H)
NAMPA 12, 27 35 &	48	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
ST MARIES	49	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
HINESVILLE	5	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
CALDWELL 8, 12, 14 &	50	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
GEORGETOWN, POOLER &	6	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
RINCON	7	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								



**UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION**

RADIO STATION REGISTRATION

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

Call Sign: E190694

Authorization Type: Registration

File Number: SES-REG-20180917-04365

Non Common Carrier

Grant date: 07/23/2020

Expiration Date: 09/17/2033

E) Antenna Facilities

Site ID	Antenna ID	Units	Diameter (meters)	Manufacturer	Model number	Site Elevation (Meters)	Max Antenna Height (Meters)	Special Provisions (Refer to Section H)
KEKAHA	8	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
		Max Gains(s): 40.2 dBi @ 4.0000 GHz						
		Maximum total input power at antenna flange (Watts) =						
		Maximum aggregate output EIRP for all carriers (dBW) =						
KALAHEO	9	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
		Max Gains(s): 40.2 dBi @ 4.0000 GHz						
		Maximum total input power at antenna flange (Watts) =						
		Maximum aggregate output EIRP for all carriers (dBW) =						

G) Antenna Structure marking and lighting requirements:

None unless otherwise specified under Special and General Provisions

H) Special and General Provisions

A) This RADIO STATION AUTHORIZATION is granted subject to the following special provisions and general conditions:

4 --- Licensee must ensure that a current listing of the name, title, mailing address, email address, and telephone number of the responsible point of contact are on file at the FCC. Any changes must be filed electronically in the International Bureau Filing System (MyIBFS) using the "Pleadings and Comments" link on the MyIBFS homepage within 10 days of the change.

6 --- Licensee must comply with the license modification and notification requirements of 47 CFR § 25.118 to change the coordinates of its authorized earth station.

8 --- Licensee must notify the Commission when all earth stations operating under this authorization are no longer operational or when they have not been used to provide any service during any 6-month operation.

90398 --- Changes to previously authorized transmitting facilities, operations and devices regulated by the Commission that may have significant environmental impact, and are not excluded by §1.1306, require the preparation of an Environmental Assessment (EA) by the licensee. (See 47 C.F.R. §§1.1307, 1.1308 and 1.1311)

90470 --- The application for this authorization was filed within the 194-day filing window for FSS earth stations operating in the 3700-4200 MHz frequency band as of April 19, 2018, as established by Public Notice DA 18-398 (rel. Apr. 19, 2018) and Public Notice DA-18-639 (rel. Jun. 21, 2018), and Public Notice DA 18-1061 (rel. Oct. 17, 2018).



UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION

RADIO STATION REGISTRATION

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of
Latter-day

Call Sign: E190694

Authorization Type: Registration

File Number: SES-REG-20180917-04365

Non Common Carrier

Grant date: 07/23/2020

Expiration Date: 09/17/2033

H) Special and General Provisions

A) This RADIO STATION AUTHORIZATION is granted subject to the following special provisions and general conditions:

- 90472 --- The application for this authorization was filed without a coordination report pursuant to the waiver granted in Public Notice DA 18-398 (rel. Apr. 19, 2018). Operations of this earth station in the 3700-4200 MHz band are not entitled to protection from stations operating in the fixed service.
- 900407 --- The Permitted Space Station List (Permitted List) is a list of all geostationary space stations providing fixed-satellite service pursuant to a Commission license or grant of U.S. market access. The Permitted List currently includes the following frequency bands per §25.103 and §25.115(k)(1):

3600-4200 MHz (space-to-Earth)
5850-6725 MHz (Earth-to-space)
10.95-11.2 GHz (space-to-Earth)
11.45-12.2 GHz (space-to-Earth)
13.75-14.5 GHz (Earth-to-space)
18.3-18.8 GHz (space-to-Earth)
19.7-20.2 GHz (space-to-Earth)
24.75-25.25 GHz (Earth-to-space)
28.35-28.6 GHz (Earth-to-space)
29.25-30.0 GHz (Earth-to-space).

Earth stations with "Permitted List" designated as a point of communication may access any space station on the Permitted List, provided the operations comply with the applicable "routine" uplink and downlink limits, are within the specific frequency bands authorized in the earth station license, have completed coordination with terrestrial stations pursuant to §25.203, and otherwise comply with all terms and conditions of both the earth station license and the space station grant.



UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION

RADIO STATION REGISTRATION

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of
Latter-day

Call Sign: E190694

Authorization Type: Registration

File Number: SES-REG-20180917-04365

Non Common Carrier

Grant date: 07/23/2020

Expiration Date: 09/17/2033

B) This RADIO STATION AUTHORIZATION is granted subject to the additional conditions specified below:

This authorization is issued on the grantee's representation that the statements contained in the application are true and that the undertakings described will be carried out in good faith.

This authorization shall not be construed in any manner as a finding by the Commission on the question of marking or lighting of the antenna system should future conditions require. The grantee expressly agrees to install such marking or lighting as the Commission may require under the provisions of Section 303(q) of the Communications Act. 47 U.S.C. § 303(q).

Neither this authorization nor the right granted by this authorization shall be assigned or otherwise transferred to any person, firm, company or corporation without the written consent of the Commission. This authorization is subject to the right of use or control by the government of the United States conferred by Section 706 of the Communications Act. 47 U.S.C. § 706. Operation of this station is governed by Part 25 of the Commission's Rules. 47 C.F.R. Part 25.

This authorization shall not vest in the licensee any right to operate this station nor any right in the use of the designated frequencies beyond the term of this license, nor in any other manner than authorized herein.

This authorization is issued on the grantee's representation that the station is in compliance with environmental requirements set forth in Section 1.1307 of the Commission's Rules. 47 C.F.R. § 1.1307.

This authorization is issued on the grantee's representation that the station is in compliance with the Federal Aviation Administration (FAA) requirements as set forth in Section 17.4 of the Commission's Rules. 47 C.F.R. § 17.4.

The following condition applies when this authorization permits construction of or modifies the construction permit of a radio station.

This authorization shall be automatically forfeited if the station is not ready for operation by the required date of completion of construction unless an application for modification of authorization to request additional time to complete construction is filed by that date, together with a showing that failure to complete construction by the required date was due to factors not under control of the grantee.

Licensees are required to pay annual regulatory fees related to this authorization. The requirement to collect annual regulatory fees from regulatees is contained in Public Law 103-66, "The Omnibus Budget Reconciliation Act of 1993." These regulatory fees, which are likely to change each fiscal year, are used to offset costs associated with the Commission's enforcement, public service, international and policy and rulemaking activities. The Commission issues a Report and Order each year, setting the new regulatory fee rates. Receive only earth stations are exempt from payment of regulatory fees.