

**Micronet Communications, Inc.**

720 F Avenue, Suite 100  
Plano, Texas 75074  
972-422-7200

SUPPLEMENTAL SHOWING PART 101.103(D)

File Number: M1821113 3.70 GHz  
Licensee: PACIFIC AND SOUTHERN, LLC

Page 1

---

Pursuant to Parts 25.203 and 101.103(d) of the FCC Rules and Regulations, a frequency coordination study was conducted by Micronet Communications, Inc. for the following proposed earth station:

WLTX CBS Backup, SC

The results of the study indicate that no unacceptable interference will result with existing, proposed or prior coordinated radio facilities.

Coordination was performed with existing, proposed and prior coordinated carriers within coordination range on the following dates:

08/23/2018 Original PCN

There were no unresolved interference objections.

The attached coordination data was forwarded on the latest date to the following parties within coordination range or their authorized coordination agents:

Respectfully Submitted,



Jeremy Lewis  
Systems Engineer

Attached: 1 data sheet

Micronet Communications, Inc.  
720 F Avenue, Suite 100  
Plano, Texas 75074  
972-422-7200

File: M1821113

=====

TECHNICAL CHARACTERISTICS OF RECEIVE ONLY EARTH STATION

=====

Company:	PACIFIC AND SOUTHERN, LLC		
Site Name, State:	WLTX CBS Backup, SC		
Call Sign:			
Latitude	(NAD83)	33 59	1.1 N
Longitude	(NAD83)	80 57	55.1 W
Elevation AMSL	(ft/m)	238.70	72.76
Receive Frequency Range	(MHz)	3700-4200	
Transmit Frequency Range	(MHz)		
Range of Satellite Orbital Long.	(deg W)	11.00	143.00
Range of Azimuths from North	(deg)	101.52	253.47
Antenna Centerline	(ft/m)	13.12	4.00
Antenna Elevation Angles	(deg)	7.91	14.48

-----

Equipment Parameters Receive

-----

Antenna Gain, Main Beam	(dbI)	38.00
15 DB Half Beamwidth	(deg)	3.00

Antennas Receive: PRODELIN 1244 (2.4M)

Max Transmitter Power	(dbW/4KHz)	
Max EIRP Main Beam	(dbW/4KHz)	
Modulation / Emission Designator	DIGITAL	36M0G7W

-----

Coordination Parameters Receive

-----

Max Greater Circle Distances	(km)	392.21	
Max Rain Scatter Distances	(km)	579.99	
Max Interference Power Long Term	(dbW)	-140.60	
Max Interference Power Short Term	(dbW)	-118.40	
Rain Zone / Radio Zone		1	A

**Micronet Communications, Inc.**

720 F Avenue, Suite 100  
Plano, Texas 75074  
972-422-7200

SUPPLEMENTAL SHOWING PART 101.103(D)

File Number: N1821113 3.70 GHz  
Licensee: PACIFIC AND SOUTHERN, LLC

Page 1

---

Pursuant to Parts 25.203 and 101.103(d) of the FCC Rules and Regulations, a frequency coordination study was conducted by Micronet Communications, Inc. for the following proposed earth station:

WLTX CBS Primary, SC

The results of the study indicate that no unacceptable interference will result with existing, proposed or prior coordinated radio facilities.

Coordination was performed with existing, proposed and prior coordinated carriers within coordination range on the following dates:

08/23/2018 Original PCN

There were no unresolved interference objections.

The attached coordination data was forwarded on the latest date to the following parties within coordination range or their authorized coordination agents:

Respectfully Submitted,



Jeremy Lewis  
Systems Engineer

Attached: 1 data sheet

Micronet Communications, Inc.  
 720 F Avenue, Suite 100  
 Plano, Texas 75074  
 972-422-7200

File: N1821113

=====

TECHNICAL CHARACTERISTICS OF RECEIVE ONLY EARTH STATION

=====

Company:	PACIFIC AND SOUTHERN, LLC		
Site Name, State:	WLTX CBS Primary, SC		
Call Sign:			
Latitude	(NAD83)	33 59	1.5 N
Longitude	(NAD83)	80 57	54.7 W
Elevation AMSL	(ft/m)	238.70	72.76
Receive Frequency Range	(MHz)	3700-4200	
Transmit Frequency Range	(MHz)		
Range of Satellite Orbital Long.	(deg W)	11.00	143.00
Range of Azimuths from North	(deg)	101.52	253.47
Antenna Centerline	(ft/m)	26.25	8.00
Antenna Elevation Angles	(deg)	7.91	14.48

-----

Equipment Parameters Receive

-----

Antenna Gain, Main Beam	(dbI)	38.00
15 DB Half Beamwidth	(deg)	3.00

Antennas Receive: PRODELIN 1244 (2.4M)

Max Transmitter Power	(dbW/4KHz)	
Max EIRP Main Beam	(dbW/4KHz)	
Modulation / Emission Designator	DIGITAL	36M0G7W

-----

Coordination Parameters Receive

-----

Max Greater Circle Distances	(km)	378.90	
Max Rain Scatter Distances	(km)	579.99	
Max Interference Power Long Term	(dbW)	-140.60	
Max Interference Power Short Term	(dbW)	-118.40	
Rain Zone / Radio Zone		1	A

**Micronet Communications, Inc.**

720 F Avenue, Suite 100  
Plano, Texas 75074  
972-422-7200

SUPPLEMENTAL SHOWING PART 101.103(D)

File Number: P1821113 3.70 GHz  
Licensee: PACIFIC AND SOUTHERN, LLC

Page 1

---

Pursuant to Parts 25.203 and 101.103(d) of the FCC Rules and Regulations, a frequency coordination study was conducted by Micronet Communications, Inc. for the following proposed earth station:

WLTX Feeds, SC

The results of the study indicate that no unacceptable interference will result with existing, proposed or prior coordinated radio facilities.

Coordination was performed with existing, proposed and prior coordinated carriers within coordination range on the following dates:

08/23/2018 Original PCN

There were no unresolved interference objections.

The attached coordination data was forwarded on the latest date to the following parties within coordination range or their authorized coordination agents:

Respectfully Submitted,



Jeremy Lewis  
Systems Engineer

Attached: 1 data sheet

Micronet Communications, Inc.  
 720 F Avenue, Suite 100  
 Plano, Texas 75074  
 972-422-7200

File: P1821113

=====

TECHNICAL CHARACTERISTICS OF RECEIVE ONLY EARTH STATION

=====

Company:	PACIFIC AND SOUTHERN, LLC		
Site Name, State:	WLTX Feeds, SC		
Call Sign:			
Latitude	(NAD83)	33 59	1.6 N
Longitude	(NAD83)	80 57	55.1 W
Elevation AMSL	(ft/m)	238.70	72.76
Receive Frequency Range	(MHz)	3700-4200	
Transmit Frequency Range	(MHz)		
Range of Satellite Orbital Long.	(deg W)	11.00	143.00
Range of Azimuths from North	(deg)	101.52	253.47
Antenna Centerline	(ft/m)	12.14	3.70
Antenna Elevation Angles	(deg)	7.91	14.48

-----

Equipment Parameters	Receive
----------------------	---------

-----

Antenna Gain, Main Beam	(dbI)	38.00
15 DB Half Beamwidth	(deg)	3.00

Antennas            Receive: PRODELIN 1244 (2.4M)

Max Transmitter Power	(dbW/4KHz)	
Max EIRP Main Beam	(dbW/4KHz)	
Modulation / Emission Designator	DIGITAL	36M0G7W

-----

Coordination Parameters	Receive
-------------------------	---------

-----

Max Greater Circle Distances	(km)	397.49	
Max Rain Scatter Distances	(km)	579.99	
Max Interference Power Long Term	(dbW)	-140.60	
Max Interference Power Short Term	(dbW)	-118.40	
Rain Zone / Radio Zone		1	A