



**UNITED STATES OF AMERICA  
FEDERAL COMMUNICATIONS COMMISSION**

**RADIO STATION REGISTRATION**

**Name:** Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

**Call Sign:** E190371

**Authorization Type:** Registration

**File Number:** SES-REG-20180918-04066

Non Common Carrier

**Grant date:** 06/26/2020

**Expiration Date:** 09/18/2033

**Nature of Service:** Fixed Satellite Service

**Class of Station:** Fixed Earth Stations

**A) Site Location(s)**

#	Site ID	Address	Latitude	Longitude	Elevation (Meters)	Special Provisions NAD (Refer to Section H)
1)	1	3600 Gabriel Avenue PARSONS, KS 67357	37°20'51.7"N	95°17'29.2"W	277	27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
2)	10	1040 Pony Express Highway MARYSVILLE, KS 66508	39°50'33.7"N	96°37'51.5"W	382	27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
3)	11	6582 322nd Road ARKANSAS CITY, KS 67005	37°0'46.4"N	97°2'50.2"W	353	27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
4)	12	518 Jason Street BURLINGTON, KS 66839	38°11'55.2"N	95°45'51.4"W	316	27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
5)	13	7011 East 13th Street North WICHITA, KS 67206	37°42'28.9"N	97°15'19.4"W	419	27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
6)	14	1201 Grandview Avenue NEWTON, KS 67114	38°3'19.9"N	97°21'34.9"W	440	27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				



**UNITED STATES OF AMERICA  
FEDERAL COMMUNICATIONS COMMISSION**

**RADIO STATION REGISTRATION**

**Name:** Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

**Call Sign:** E190371

**Authorization Type:** Registration

**File Number:** SES-REG-20180918-04066

Non Common Carrier

**Grant date:** 06/26/2020

**Expiration Date:** 09/18/2033

**A) Site Location(s)**

#	Site ID	Address	Latitude	Longitude	Elevation (Meters)	NAD	Special Provisions (Refer to Section H)
7)	15	1003 West 22nd Street WELLINGTON, KS 67152	37°16'51.0"N	97°24'35.0"W	379	27	Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209
8)	16	401 North Westlink Avenue WICHITA, KS 67212	37°41'22.5"N	97°26'46.3"W	406	27	Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209
9)	17	845 South Ohio Street SALINA, KS 67401	38°49'22.6"N	97°35'37.7"W	376	27	Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209
10)	18	1409 South Rock Road DERBY, KS 67037	37°31'42.0"N	97°14'42.4"W	403	27	Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209
11)	19	1108 Stout Street PRATT, KS 67124	37°39'20.2"N	98°43'46.9"W	585	27	Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209
12)	2	1420 East Carpenter Street IOLA, KS 66749	37°55'46.8"N	95°23'16.7"W	305	27	Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209
13)	20	5851 Eisenhower Avenue GREAT BEND, KS 67530	38°21'50.5"N	98°48'51.7"W	570	27	Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209



**UNITED STATES OF AMERICA  
FEDERAL COMMUNICATIONS COMMISSION**

**RADIO STATION REGISTRATION**

**Name:** Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

**Call Sign:** E190371

**Authorization Type:** Registration

**File Number:** SES-REG-20180918-04066

Non Common Carrier

**Grant date:** 06/26/2020

**Expiration Date:** 09/18/2033

**A) Site Location(s)**

#	Site ID	Address	Latitude	Longitude	Elevation (Meters)	Special Provisions NAD (Refer to Section H)
14)	21	620 7th Street PHILLIPSBURG, KS 67661	39°44'36.2"N	99°19'5.0"W	585	27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
15)	22	2901 Canal Boulevard HAYS, KS 67601	38°53'20.1"N	99°20'3.0"W	621	27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
16)	23	2510 6th Avenue DODGE CITY, KS 67801	37°46'43.9"N	100°1'25.2"W	795	27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
17)	24	518 East 43rd Avenue HUTCHINSON, KS 67502	38°6'5.0"N	97°55'13.1"W	472	27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
18)	25	906 Crescent Avenue SCOTT CITY, KS 67871	38°28'38.7"N	100°55'12.4"W	910	27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
19)	26	2180 Violet Lane LIBERAL, KS 67901	37°3'50.4"N	100°55'40.8"W	875	27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
20)	27	1145 South Franklin Avenue COLBY, KS 67701	39°22'52.3"N	101°2'43.4"W	970	27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				



**UNITED STATES OF AMERICA  
FEDERAL COMMUNICATIONS COMMISSION**

**RADIO STATION REGISTRATION**

**Name:** Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

**Call Sign:** E190371

**Authorization Type:** Registration

**File Number:** SES-REG-20180918-04066

Non Common Carrier

**Grant date:** 06/26/2020

**Expiration Date:** 09/18/2033

**A) Site Location(s)**

#	Site ID	Address	Latitude	Longitude	Elevation (Meters)	NAD	Special Provisions (Refer to Section H)
21)	28	520 East 1st Street HUGOTON, KS 67951	37°11'5.5"N	101°20'22.7"W	949	27	
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209					
22)	29	210 West Maize Ave ULYSSES, KS 67880	37°35'22.0"N	101°21'35.9"W	933	27	
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209					
23)	3	208 E. Iowa Street HIAWATHA, KS 66434	39°50'56.3"N	95°31'22.1"W	344	27	
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209					
24)	30	619 East Mary Street GARDEN CITY, KS 67846	37°59'25.7"N	100°51'51.3"W	878	27	
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209					
25)	31	1125 Westwood Drive DE WITT, IA 52742	41°49'36.6"N	90°33'50.1"W	208	27	
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209					
26)	32	685 Fremont Avenue DUBUQUE, IA 52003	42°28'39.1"N	90°41'54.4"W	249	27	
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209					
27)	33	2902 Lucas Street MUSCATINE, IA 52761	41°25'26.7"N	91°4'43.4"W	216	27	
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209					



**UNITED STATES OF AMERICA  
FEDERAL COMMUNICATIONS COMMISSION**

**RADIO STATION REGISTRATION**

**Name:** Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

**Call Sign:** E190371

**Authorization Type:** Registration

**File Number:** SES-REG-20180918-04066

Non Common Carrier

**Grant date:** 06/26/2020

**Expiration Date:** 09/18/2033

**A) Site Location(s)**

#	Site ID	Address	Latitude	Longitude	Elevation (Meters)	NAD	Special Provisions (Refer to Section H)
28)	34	2727 Cliff Road BURLINGTON, IA 52601	40°50'15.0"N	91°7'40.5"W	210	27	Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209
29)	35	3238 Brookshire Drive KEOKUK, IA 52632	40°25'22.6"N	91°23'54.0"W	200	27	Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209
30)	36	1825 16th Street Northwest CLINTON, IA 52732	41°52'1.5"N	90°13'22.9"W	206	27	Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209
31)	37	2730 Bradford Drive IOWA CITY, IA 52240	41°38'47.5"N	91°29'48.1"W	215	27	Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209
32)	38	570 Dublin Drive IOWA CITY, IA 52246	41°39'13.9"N	91°35'6.1"W	232	27	Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209
33)	39	4300 Trailridge Road SE CEDAR RAPIDS, IA 52403	41°59'10.9"N	91°36'17.5"W	234	27	Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209
34)	4	3611 Southwest Jewell Avenue TOPEKA, KS 66611	39°0'7.0"N	95°42'7.8"W	301	27	Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209



**UNITED STATES OF AMERICA  
FEDERAL COMMUNICATIONS COMMISSION**

**RADIO STATION REGISTRATION**

**Name:** Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

**Call Sign:** E190371

**Authorization Type:** Registration

**File Number:** SES-REG-20180918-04066

Non Common Carrier

**Grant date:** 06/26/2020

**Expiration Date:** 09/18/2033

**A) Site Location(s)**

#	Site ID	Address	Latitude	Longitude	Elevation (Meters)	Special Provisions NAD (Refer to Section H)
35)	40	1202 S Iowa Avenue WASHINGTON, IA 52353	41°17'11.7"N	91°41'28.6"W	230	27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
36)	41	4150 Blue Jay Drive Northeast CEDAR RAPIDS, IA 52402	42°1'15.4"N	91°41'31.5"W	263	27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
37)	42	292 Bailey Drive MANCHESTER, IA 52057	42°28'31.5"N	91°26'40.1"W	288	27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
38)	43	2143 South 32nd Street FAIRFIELD, IA 52556	40°59'45.8"N	92°0'4.1"W	233	27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
39)	44	1514 1st Avenue BELLE PLAINE, IA 52208	41°54'1.2"N	92°17'18.6"W	242	27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
40)	45	3006 Pleasant Drive CEDAR FALLS, IA 50613	42°30'47.9"N	92°24'32.1"W	282	27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
41)	46	301 West Rochester Road OTTUMWA, IA 52501	41°3'37.4"N	92°24'51.4"W	256	27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				



**UNITED STATES OF AMERICA  
FEDERAL COMMUNICATIONS COMMISSION**

**RADIO STATION REGISTRATION**

**Name:** Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

**Call Sign:** E190371

**Authorization Type:** Registration

**File Number:** SES-REG-20180918-04066

Non Common Carrier

**Grant date:** 06/26/2020

**Expiration Date:** 09/18/2033

**A) Site Location(s)**

#	Site ID	Address	Latitude	Longitude	Elevation (Meters)	NAD	Special Provisions (Refer to Section H)
42)	47	1714 Pella Avenue OSKALOOSA, IA 52577	41°18'8.2"N	92°39'52.9"W	256	27	Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209
43)	48	509 West Water Street FAYETTE, IA 52142	42°50'41.1"N	91°48'29.0"W	313	27	Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209
44)	49	1405 North 11th Avenue East NEWTON, IA 50208	41°42'34.1"N	93°2'5.6"W	291	27	Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209
45)	5	507 Mulberry Street INDEPENDENCE, KS 67301	37°14'48.2"N	95°42'44.2"W	253	27	Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209
46)	50	703 South 12th Street MARSHALLTOWN, IA 50158	42°2'24.9"N	92°55'56.8"W	280	27	Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209
47)	6	1212 Willow Ln OTTAWA, KS 66067	38°35'29.6"N	95°17'5.2"W	284	27	Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209
48)	7	2401 Southwest Kingsrow Road TOPEKA, KS 66614	39°1'27.9"N	95°46'31.0"W	322	27	Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209



**UNITED STATES OF AMERICA  
FEDERAL COMMUNICATIONS COMMISSION**

**RADIO STATION REGISTRATION**

**Name:** Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

**Call Sign:** E190371

**Authorization Type:** Registration

**File Number:** SES-REG-20180918-04066

Non Common Carrier

**Grant date:** 06/26/2020

**Expiration Date:** 09/18/2033

**A) Site Location(s)**

#	Site ID	Address	Latitude	Longitude	Elevation (Meters)	NAD	Special Provisions (Refer to Section H)
49)	8	2313 Graphic Arts Road EMPORIA, KS 66801	38°25'35.3"N	96°13'35.7"W	362	27	
Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209							
50)	9	2812 Marlatt Avenue MANHATTAN, KS 66502	39°13'7.9"N	96°36'32.7"W	348	27	
Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209							

*Subject to the provisions of the Communications Act of 1934, The Communications Satellite Act of 1962, subsequent acts and treaties, and all present and future regulations made by this Commission, and further subject to the conditions and requirements set forth in this license, the registrant is registered to operate the radio facilities described below for radio communications for the term beginning September 18, 2018 (3 AM Eastern Standard Time) and ending September 18, 2033 (3 AM Eastern Standard Time) . The required date of commencement of operation is 00/00/0000. Registrant must file with the Commission a certification upon commencement of operation.*

**B) Particulars of Operations**

The General Provision 1010 applies to all receiving frequency bands.  
The General Provision 1900 applies to all transmitting frequency bands.  
For the text of these provisions, refer to Section H.

#	Frequency (MHz)	Polarization Code	Emission	Tx/Rx Mode	Max EIRP /Carrier (dBW)	Max EIRP Density /Carrier (dBW/4kHz)	Associated Antenna	Special Provisions (Refer to Section H)	Modulation/ Services
1)	3700.0000-4200.0000	H, V	36M0G7W	Rx			1		
2)	3700.0000-4200.0000	H, V	36M0G7W	Rx			10		
3)	3700.0000-4200.0000	H, V	36M0G7W	Rx			11		
4)	3700.0000-4200.0000	H, V	36M0G7W	Rx			12		
5)	3700.0000-4200.0000	H, V	36M0G7W	Rx			13		
6)	3700.0000-4200.0000	H, V	36M0G7W	Rx			14		
7)	3700.0000-4200.0000	H, V	36M0G7W	Rx			15		





**UNITED STATES OF AMERICA  
FEDERAL COMMUNICATIONS COMMISSION**

**RADIO STATION REGISTRATION**

**Name:** Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

**Call Sign:** E190371

**Authorization Type:** Registration

**File Number:** SES-REG-20180918-04066

Non Common Carrier

**Grant date:** 06/26/2020

**Expiration Date:** 09/18/2033

**B) Particulars of Operations**

The General Provision 1010 applies to all receiving frequency bands.

The General Provision 1900 applies to all transmitting frequency bands.

For the text of these provisions, refer to Section H.

#	Frequency (MHz)	Polarization Code	Emission	Tx/Rx Mode	Max EIRP /Carrier (dBW)	Max EIRP Density /Carrier (dBW/4kHz)	Associated Antenna	Special Provisions (Refer to Section H)	Modulation/ Services
8)	3700.0000-4200.0000	H, V	36M0G7W	Rx			16		
9)	3700.0000-4200.0000	H, V	36M0G7W	Rx			17		
10)	3700.0000-4200.0000	H, V	36M0G7W	Rx			18		
11)	3700.0000-4200.0000	H, V	36M0G7W	Rx			19		
12)	3700.0000-4200.0000	H, V	36M0G7W	Rx			2		
13)	3700.0000-4200.0000	H, V	36M0G7W	Rx			20		
14)	3700.0000-4200.0000	H, V	36M0G7W	Rx			21		
15)	3700.0000-4200.0000	H, V	36M0G7W	Rx			22		
16)	3700.0000-4200.0000	H, V	36M0G7W	Rx			23		
17)	3700.0000-4200.0000	H, V	36M0G7W	Rx			24		
18)	3700.0000-4200.0000	H, V	36M0G7W	Rx			25		
19)	3700.0000-4200.0000	H, V	36M0G7W	Rx			26		
20)	3700.0000-4200.0000	H, V	36M0G7W	Rx			27		
21)	3700.0000-4200.0000	H, V	36M0G7W	Rx			28		
22)	3700.0000-4200.0000	H, V	36M0G7W	Rx			29		
23)	3700.0000-4200.0000	H, V	36M0G7W	Rx			3		
24)	3700.0000-4200.0000	H, V	36M0G7W	Rx			30		
25)	3700.0000-4200.0000	H, V	36M0G7W	Rx			31		
26)	3700.0000-4200.0000	H, V	36M0G7W	Rx			32		
27)	3700.0000-4200.0000	H, V	36M0G7W	Rx			33		
28)	3700.0000-4200.0000	H, V	36M0G7W	Rx			34		
29)	3700.0000-4200.0000	H, V	36M0G7W	Rx			35		
30)	3700.0000-4200.0000	H, V	36M0G7W	Rx			36		
31)	3700.0000-4200.0000	H, V	36M0G7W	Rx			37		



**UNITED STATES OF AMERICA  
FEDERAL COMMUNICATIONS COMMISSION**

**RADIO STATION REGISTRATION**

**Name:** Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

**Call Sign:** E190371

**Authorization Type:** Registration

**File Number:** SES-REG-20180918-04066

Non Common Carrier

**Grant date:** 06/26/2020

**Expiration Date:** 09/18/2033

**B) Particulars of Operations**

The General Provision 1010 applies to all receiving frequency bands.

The General Provision 1900 applies to all transmitting frequency bands.

For the text of these provisions, refer to Section H.

#	Frequency (MHz)	Polarization Code	Emission	Tx/Rx Mode	Max EIRP /Carrier (dBW)	Max EIRP Density /Carrier (dBW/4kHz)	Associated Antenna	Special Provisions (Refer to Section H)	Modulation/ Services
32)	3700.0000-4200.0000	H, V	36M0G7W	Rx			38		
33)	3700.0000-4200.0000	H, V	36M0G7W	Rx			39		
34)	3700.0000-4200.0000	H, V	36M0G7W	Rx			4		
35)	3700.0000-4200.0000	H, V	36M0G7W	Rx			40		
36)	3700.0000-4200.0000	H, V	36M0G7W	Rx			41		
37)	3700.0000-4200.0000	H, V	36M0G7W	Rx			42		
38)	3700.0000-4200.0000	H, V	36M0G7W	Rx			43		
39)	3700.0000-4200.0000	H, V	36M0G7W	Rx			44		
40)	3700.0000-4200.0000	H, V	36M0G7W	Rx			45		
41)	3700.0000-4200.0000	H, V	36M0G7W	Rx			46		
42)	3700.0000-4200.0000	H, V	36M0G7W	Rx			47		
43)	3700.0000-4200.0000	H, V	36M0G7W	Rx			48		
44)	3700.0000-4200.0000	H, V	36M0G7W	Rx			49		
45)	3700.0000-4200.0000	H, V	36M0G7W	Rx			5		
46)	3700.0000-4200.0000	H, V	36M0G7W	Rx			50		
47)	3700.0000-4200.0000	H, V	36M0G7W	Rx			6		
48)	3700.0000-4200.0000	H, V	36M0G7W	Rx			7		
49)	3700.0000-4200.0000	H, V	36M0G7W	Rx			8		
50)	3700.0000-4200.0000	H, V	36M0G7W	Rx			9		



**UNITED STATES OF AMERICA  
FEDERAL COMMUNICATIONS COMMISSION**

**RADIO STATION REGISTRATION**

**Name:** Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

**Call Sign:** E190371

**Authorization Type:** Registration

**File Number:** SES-REG-20180918-04066

Non Common Carrier

**Grant date:** 06/26/2020

**Expiration Date:** 09/18/2033

**C) Frequency Coordination Limits**

#	Frequency Limits (MHz)	Satellite Arc (Deg. Long.)		Elevation (Degrees)		Azimuth (Degrees)		Max EIRP Density toward Horizon (dBW/4kHz)	Associated Antenna(s)
		East Limit	West Limit	East Limit	West Limit	East Limit	West Limit		
1)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	1	
2)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	2	
3)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	3	
4)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	4	
5)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	5	
6)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	6	
7)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	7	
8)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	8	
9)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	9	
10)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	10	
11)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	11	
12)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	12	
13)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	13	
14)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	14	
15)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	15	
16)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	16	
17)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	17	
18)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	18	
19)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	19	
20)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	20	
21)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	21	
22)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	22	
23)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	23	
24)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	24	
25)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	25	
26)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	26	
27)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	27	
28)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	28	
29)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	29	
30)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	30	
31)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	31	
32)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	32	
33)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	33	
34)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	34	
35)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	35	



**UNITED STATES OF AMERICA  
FEDERAL COMMUNICATIONS COMMISSION**

**RADIO STATION REGISTRATION**

**Name:** Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

**Call Sign:** E190371

**Authorization Type:** Registration

**File Number:** SES-REG-20180918-04066

Non Common Carrier

**Grant date:** 06/26/2020

**Expiration Date:** 09/18/2033

**C) Frequency Coordination Limits**

#	Frequency Limits (MHz)	Satellite Arc (Deg. Long.)		Elevation (Degrees)		Azimuth (Degrees)		Max EIRP Density toward Horizon (dBW/4kHz)	Associated Antenna(s)
		East Limit	West Limit	East Limit	West Limit	East Limit	West Limit		
36)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	36	
37)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	37	
38)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	38	
39)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	39	
40)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	40	
41)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	41	
42)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	42	
43)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	43	
44)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	44	
45)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	45	
46)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	46	
47)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	47	
48)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	48	
49)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	49	
50)	3700.0000-4200.0000	9.0W	-223.0W	05.0	-05.0	094.0	-275.0	50	

**D) Points of Communications**

The following stations located in the Satellite orbits consistent with Sections B and C of this Entry:

- 1) 1 to Permitted Space Station List
- 2) 2 to Permitted Space Station List
- 3) 3 to Permitted Space Station List
- 4) 4 to Permitted Space Station List
- 5) 5 to Permitted Space Station List
- 6) 6 to Permitted Space Station List
- 7) 7 to Permitted Space Station List
- 8) 8 to Permitted Space Station List
- 9) 9 to Permitted Space Station List
- 10) 10 to Permitted Space Station List
- 11) 11 to Permitted Space Station List
- 12) 12 to Permitted Space Station List
- 13) 13 to Permitted Space Station List
- 14) 14 to Permitted Space Station List
- 15) 15 to Permitted Space Station List



UNITED STATES OF AMERICA  
FEDERAL COMMUNICATIONS COMMISSION

**RADIO STATION REGISTRATION**

**Name:** Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

**Call Sign:** E190371

**Authorization Type:** Registration

**File Number:** SES-REG-20180918-04066

Non Common Carrier

**Grant date:** 06/26/2020

**Expiration Date:** 09/18/2033

**D) Points of Communications**

The following stations located in the Satellite orbits consistent with Sections B and C of this Entry:

---

- 16) 16 to Permitted Space Station List
- 17) 17 to Permitted Space Station List
- 18) 18 to Permitted Space Station List
- 19) 19 to Permitted Space Station List
- 20) 20 to Permitted Space Station List
- 21) 21 to Permitted Space Station List
- 22) 22 to Permitted Space Station List
- 23) 23 to Permitted Space Station List
- 24) 24 to Permitted Space Station List
- 25) 25 to Permitted Space Station List
- 26) 26 to Permitted Space Station List
- 27) 27 to Permitted Space Station List
- 28) 28 to Permitted Space Station List
- 29) 29 to Permitted Space Station List
- 30) 30 to Permitted Space Station List
- 31) 31 to Permitted Space Station List
- 32) 32 to Permitted Space Station List
- 33) 33 to Permitted Space Station List
- 34) 34 to Permitted Space Station List
- 35) 35 to Permitted Space Station List
- 36) 36 to Permitted Space Station List
- 37) 37 to Permitted Space Station List
- 38) 38 to Permitted Space Station List
- 39) 39 to Permitted Space Station List
- 40) 40 to Permitted Space Station List
- 41) 41 to Permitted Space Station List
- 42) 42 to Permitted Space Station List
- 43) 43 to Permitted Space Station List
- 44) 44 to Permitted Space Station List
- 45) 45 to Permitted Space Station List
- 46) 46 to Permitted Space Station List
- 47) 47 to Permitted Space Station List
- 48) 48 to Permitted Space Station List
- 49) 49 to Permitted Space Station List
- 50) 50 to Permitted Space Station List



**UNITED STATES OF AMERICA  
FEDERAL COMMUNICATIONS COMMISSION**

**RADIO STATION REGISTRATION**

**Name:** Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

**Call Sign:** E190371

**Authorization Type:** Registration

**File Number:** SES-REG-20180918-04066

Non Common Carrier

**Grant date:** 06/26/2020

**Expiration Date:** 09/18/2033

**E) Antenna Facilities**

Site ID	Antenna ID	Units	Diameter (meters)	Manufacturer	Model number	Site Elevation (Meters)	Max Antenna Height (Meters)	Special Provisions (Refer to Section H)
1	1	1	3.4	GENERAL DYNAMICS	Satcomm1344	277	4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
10	10	1	3.4	GENERAL DYNAMICS	Satcom 1344	382	4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
11	11	1	3.4	GENERAL DYNAMICS	Satcom 1344	353	4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
12	12	1	3.4	GENERAL DYNAMICS	Satcom 1344	316	4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
13	13	1	3.4	GENERAL DYNAMICS	Satcom 1344	419	4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
14	14	1	3.4	GENERAL DYNAMICS	Satcom 1344	440	4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								



**UNITED STATES OF AMERICA  
FEDERAL COMMUNICATIONS COMMISSION**

**RADIO STATION REGISTRATION**

**Name:** Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

**Call Sign:** E190371

**Authorization Type:** Registration

**File Number:** SES-REG-20180918-04066

Non Common Carrier

**Grant date:** 06/26/2020

**Expiration Date:** 09/18/2033

**E) Antenna Facilities**

Site ID	Antenna ID	Units	Diameter (meters)	Manufacturer	Model number	Site Elevation (Meters)	Max Antenna Height (Meters)	Special Provisions (Refer to Section H)
15	15	1	3.4	GENERAL DYNAMICS	Satcom 1344	379	4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
16	16	1	3.4	GENERAL DYNAMICS	Satcom 1344	406	4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
17	17	1	3.4	GENERAL DYNAMICS	Satcom 1344	376	4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
18	18	1	3.4	GENERAL DYNAMICS	Satcom 1344	403	4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
19	19	1	3.4	GENERAL DYNAMICS	Satcom 1344	585	4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
2	2	1	3.4	GENERAL DYNAMICS	Satcom 1344	305	4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								



**UNITED STATES OF AMERICA  
FEDERAL COMMUNICATIONS COMMISSION**

**RADIO STATION REGISTRATION**

**Name:** Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

**Call Sign:** E190371

**Authorization Type:** Registration

**File Number:** SES-REG-20180918-04066

Non Common Carrier

**Grant date:** 06/26/2020

**Expiration Date:** 09/18/2033

**E) Antenna Facilities**

Site ID	Antenna ID	Units	Diameter (meters)	Manufacturer	Model number	Site Elevation (Meters)	Max Antenna Height (Meters)	Special Provisions (Refer to Section H)
20	20	1	3.4	GENERAL DYNAMICS	Satcom 1344	570	4 AGL	
		Max Gains(s): 40.2 dBi @ 4.0000 GHz		Maximum total input power at antenna flange (Watts) =		Maximum aggregate output EIRP for all carriers (dBW) =		
21	21	1	3.4	GENERAL DYNAMICS	Satcom 1344	585	4 AGL	
		Max Gains(s): 40.2 dBi @ 4.0000 GHz		Maximum total input power at antenna flange (Watts) =		Maximum aggregate output EIRP for all carriers (dBW) =		
22	22	1	3.4	GENERAL DYNAMICS	Satcom 1344	621	4 AGL	
		Max Gains(s): 40.2 dBi @ 4.0000 GHz		Maximum total input power at antenna flange (Watts) =		Maximum aggregate output EIRP for all carriers (dBW) =		
23	23	1	3.4	GENERAL DYNAMICS	Satcom 1344	795	4 AGL	
		Max Gains(s): 40.2 dBi @ 4.0000 GHz		Maximum total input power at antenna flange (Watts) =		Maximum aggregate output EIRP for all carriers (dBW) =		
24	24	1	3.4	GENERAL DYNAMICS	Satcom 1344	472	4 AGL	
		Max Gains(s): 40.2 dBi @ 4.0000 GHz		Maximum total input power at antenna flange (Watts) =		Maximum aggregate output EIRP for all carriers (dBW) =		
25	25	1	3.4	GENERAL DYNAMICS	Satcom 1344	910	4 AGL	
		Max Gains(s): 40.2 dBi @ 4.0000 GHz		Maximum total input power at antenna flange (Watts) =		Maximum aggregate output EIRP for all carriers (dBW) =		





**UNITED STATES OF AMERICA  
FEDERAL COMMUNICATIONS COMMISSION**

**RADIO STATION REGISTRATION**

**Name:** Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

**Call Sign:** E190371

**Authorization Type:** Registration

**File Number:** SES-REG-20180918-04066

Non Common Carrier

**Grant date:** 06/26/2020

**Expiration Date:** 09/18/2033

**E) Antenna Facilities**

Site ID	Antenna ID	Units	Diameter (meters)	Manufacturer	Model number	Site Elevation (Meters)	Max Antenna Height (Meters)	Special Provisions (Refer to Section H)
26	26	1	3.4	GENERAL DYNAMICS	Satcom 1344	875	4 AGL	
		Max Gains(s): 40.2 dBi @ 4.0000 GHz		Maximum total input power at antenna flange (Watts) =		Maximum aggregate output EIRP for all carriers (dBW) =		
27	27	1	3.4	GENERAL DYNAMICS	Satcom 1344	970	4 AGL	
		Max Gains(s): 40.2 dBi @ 4.0000 GHz		Maximum total input power at antenna flange (Watts) =		Maximum aggregate output EIRP for all carriers (dBW) =		
28	28	1	3.4	GENERAL DYNAMICS	Satcom 1344	949	4 AGL	
		Max Gains(s): 40.2 dBi @ 4.0000 GHz		Maximum total input power at antenna flange (Watts) =		Maximum aggregate output EIRP for all carriers (dBW) =		
29	29	1	3.4	GENERAL DYNAMICS	Satcom 1344	933	4 AGL	
		Max Gains(s): 40.2 dBi @ 4.0000 GHz		Maximum total input power at antenna flange (Watts) =		Maximum aggregate output EIRP for all carriers (dBW) =		
3	3	1	3.4	GENERAL DYNAMICS	Satcom 1344	344	4 AGL	
		Max Gains(s): 40.2 dBi @ 4.0000 GHz		Maximum total input power at antenna flange (Watts) =		Maximum aggregate output EIRP for all carriers (dBW) =		
30	30	1	3.4	GENERAL DYNAMICS	Satcom 1344	878	4 AGL	
		Max Gains(s): 40.2 dBi @ 4.0000 GHz		Maximum total input power at antenna flange (Watts) =		Maximum aggregate output EIRP for all carriers (dBW) =		



**UNITED STATES OF AMERICA  
FEDERAL COMMUNICATIONS COMMISSION**

**RADIO STATION REGISTRATION**

**Name:** Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

**Call Sign:** E190371

**Authorization Type:** Registration

**File Number:** SES-REG-20180918-04066

Non Common Carrier

**Grant date:** 06/26/2020

**Expiration Date:** 09/18/2033

**E) Antenna Facilities**

Site ID	Antenna ID	Units	Diameter (meters)	Manufacturer	Model number	Site Elevation (Meters)	Max Antenna Height (Meters)	Special Provisions (Refer to Section H)
31	31	1	3.4	GENERAL DYNAMICS	Satcom 1344	208	4 AGL	
		Max Gains(s): 40.2 dBi @ 4.0000 GHz		Maximum total input power at antenna flange (Watts) =		Maximum aggregate output EIRP for all carriers (dBW) =		
32	32	1	3.4	GENERAL DYNAMICS	Satcom 1344	249	4 AGL	
		Max Gains(s): 40.2 dBi @ 4.0000 GHz		Maximum total input power at antenna flange (Watts) =		Maximum aggregate output EIRP for all carriers (dBW) =		
33	33	1	3.4	GENERAL DYNAMICS	Satcom 1344	216	4 AGL	
		Max Gains(s): 40.2 dBi @ 4.0000 GHz		Maximum total input power at antenna flange (Watts) =		Maximum aggregate output EIRP for all carriers (dBW) =		
34	34	1	3.4	GENERAL DYNAMICS	Satcom 1344	210	4 AGL	
		Max Gains(s): 40.2 dBi @ 4.0000 GHz		Maximum total input power at antenna flange (Watts) =		Maximum aggregate output EIRP for all carriers (dBW) =		
35	35	1	3.4	GENERAL DYNAMICS	Satcom 1344	200	4 AGL	
		Max Gains(s): 40.2 dBi @ 4.0000 GHz		Maximum total input power at antenna flange (Watts) =		Maximum aggregate output EIRP for all carriers (dBW) =		
36	36	1	3.4	GENERAL DYNAMICS	Satcom 1344	206	4 AGL	
		Max Gains(s): 40.2 dBi @ 4.0000 GHz		Maximum total input power at antenna flange (Watts) =		Maximum aggregate output EIRP for all carriers (dBW) =		



**UNITED STATES OF AMERICA  
FEDERAL COMMUNICATIONS COMMISSION**

**RADIO STATION REGISTRATION**

**Name:** Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

**Call Sign:** E190371

**Authorization Type:** Registration

**File Number:** SES-REG-20180918-04066

Non Common Carrier

**Grant date:** 06/26/2020

**Expiration Date:** 09/18/2033

**E) Antenna Facilities**

Site ID	Antenna ID	Units	Diameter (meters)	Manufacturer	Model number	Site Elevation (Meters)	Max Antenna Height (Meters)	Special Provisions (Refer to Section H)
37	37	1	3.4	GENERAL DYNAMICS	Satcom 1344	215	4 AGL	
		Max Gains(s): 40.2 dBi @ 4.0000 GHz		Maximum total input power at antenna flange (Watts) =		Maximum aggregate output EIRP for all carriers (dBW) =		
38	38	1	3.4	GENERAL DYNAMICS	Satcom 1344	232	4 AGL	
		Max Gains(s): 40.2 dBi @ 4.0000 GHz		Maximum total input power at antenna flange (Watts) =		Maximum aggregate output EIRP for all carriers (dBW) =		
39	39	1	3.4	GENERAL DYNAMICS	Satcom 1344	234	4 AGL	
		Max Gains(s): 40.2 dBi @ 4.0000 GHz		Maximum total input power at antenna flange (Watts) =		Maximum aggregate output EIRP for all carriers (dBW) =		
4	4	1	3.4	GENERAL DYNAMICS	Satcom 1344	301	4 AGL	
		Max Gains(s): 40.2 dBi @ 4.0000 GHz		Maximum total input power at antenna flange (Watts) =		Maximum aggregate output EIRP for all carriers (dBW) =		
40	40	1	3.4	GENERAL DYNAMICS	Satcom 1344	230	4 AGL	
		Max Gains(s): 40.2 dBi @ 4.0000 GHz		Maximum total input power at antenna flange (Watts) =		Maximum aggregate output EIRP for all carriers (dBW) =		
41	41	1	3.4	GENERAL DYNAMICS	Satcom 1344	263	4 AGL	
		Max Gains(s): 40.2 dBi @ 4.0000 GHz		Maximum total input power at antenna flange (Watts) =		Maximum aggregate output EIRP for all carriers (dBW) =		



**UNITED STATES OF AMERICA  
FEDERAL COMMUNICATIONS COMMISSION**

**RADIO STATION REGISTRATION**

**Name:** Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

**Call Sign:** E190371

**Authorization Type:** Registration

**File Number:** SES-REG-20180918-04066

Non Common Carrier

**Grant date:** 06/26/2020

**Expiration Date:** 09/18/2033

**E) Antenna Facilities**

Site ID	Antenna ID	Units	Diameter (meters)	Manufacturer	Model number	Site Elevation (Meters)	Max Antenna Height (Meters)	Special Provisions (Refer to Section H)
42	42	1	3.4	GENERAL DYNAMICS	Satcom 1344	288	4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
43	43	1	3.4	GENERAL DYNAMICS	Satcom 1344	233	4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
44	44	1	3.4	GENERAL DYNAMICS	Satcom 1344	242	4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
45	45	1	3.4	GENERAL DYNAMICS	Satcom 1344	282	4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
46	46	1	3.4	GENERAL DYNAMICS	Satcom 1344	256	4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
47	47	1	3.4	GENERAL DYNAMICS	Satcom 1344	256	4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								



**UNITED STATES OF AMERICA  
FEDERAL COMMUNICATIONS COMMISSION**

**RADIO STATION REGISTRATION**

**Name:** Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

**Call Sign:** E190371

**Authorization Type:** Registration

**File Number:** SES-REG-20180918-04066

Non Common Carrier

**Grant date:** 06/26/2020

**Expiration Date:** 09/18/2033

**E) Antenna Facilities**

Site ID	Antenna ID	Units	Diameter (meters)	Manufacturer	Model number	Site Elevation (Meters)	Max Antenna Height (Meters)	Special Provisions (Refer to Section H)
48	48	1	3.4	GENERAL DYNAMICS	Satcom 1344	313	4 AGL	
		Max Gains(s): 40.2 dBi @ 4.0000 GHz		Maximum total input power at antenna flange (Watts) =		Maximum aggregate output EIRP for all carriers (dBW) =		
49	49	1	3.4	GENERAL DYNAMICS	Satcom 1344	291	4 AGL	
		Max Gains(s): 40.2 dBi @ 4.0000 GHz		Maximum total input power at antenna flange (Watts) =		Maximum aggregate output EIRP for all carriers (dBW) =		
5	5	1	3.4	GENERAL DYNAMICS	Satcom 1344	253	4 AGL	
		Max Gains(s): 40.2 dBi @ 4.0000 GHz		Maximum total input power at antenna flange (Watts) =		Maximum aggregate output EIRP for all carriers (dBW) =		
50	50	1	3.4	GENERAL DYNAMICS	Satcom 1344	280	4 AGL	
		Max Gains(s): 40.2 dBi @ 4.0000 GHz		Maximum total input power at antenna flange (Watts) =		Maximum aggregate output EIRP for all carriers (dBW) =		
6	6	1	3.4	General Dynamics	Satcom 1344	284	4 AGL	
		Max Gains(s): 40.2 dBi @ 4.0000 GHz		Maximum total input power at antenna flange (Watts) =		Maximum aggregate output EIRP for all carriers (dBW) =		
7	7	1	3.4	GENERAL DYNAMICS	Satcom 1344	322	4 AGL	
		Max Gains(s): 40.2 dBi @ 4.0000 GHz		Maximum total input power at antenna flange (Watts) =		Maximum aggregate output EIRP for all carriers (dBW) =		



**UNITED STATES OF AMERICA  
FEDERAL COMMUNICATIONS COMMISSION**

**RADIO STATION REGISTRATION**

**Name:** Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

**Call Sign:** E190371

**Authorization Type:** Registration

**File Number:** SES-REG-20180918-04066

Non Common Carrier

**Grant date:** 06/26/2020

**Expiration Date:** 09/18/2033

**E) Antenna Facilities**

Site ID	Antenna ID	Units	Diameter (meters)	Manufacturer	Model number	Site Elevation (Meters)	Max Antenna Height (Meters)	Special Provisions (Refer to Section H)
8	8	1	3.4	GENERAL DYNAMICS	Satcom 1344	362	4 AGL	
		Max Gains(s): 40.2 dBi @ 4.0000 GHz		Maximum total input power at antenna flange (Watts) =		Maximum aggregate output EIRP for all carriers (dBW) =		
9	9	1	3.4	GENERAL DYNAMICS	Satcom 1344	348	4 AGL	
		Max Gains(s): 40.2 dBi @ 4.0000 GHz		Maximum total input power at antenna flange (Watts) =		Maximum aggregate output EIRP for all carriers (dBW) =		

**G) Antenna Structure marking and lighting requirements:**

None unless otherwise specified under Special and General Provisions

**H) Special and General Provisions**

A) This RADIO STATION AUTHORIZATION is granted subject to the following special provisions and general conditions:

4 --- Licensee must ensure that a current listing of the name, title, mailing address, email address, and telephone number of the responsible point of contact are on file at the FCC. Any changes must be filed electronically in the International Bureau Filing System (MyIBFS) using the "Pleadings and Comments" link on the MyIBFS homepage within 10 days of the change.

6 --- Licensee must comply with the license modification and notification requirements of 47 CFR § 25.118 to change the coordinates of its authorized earth station.

8 --- Licensee must notify the Commission when all earth stations operating under this authorization are no longer operational or when they have not been used to provide any service during any 6-month operation.

90398 --- Changes to previously authorized transmitting facilities, operations and devices regulated by the Commission that may have significant environmental impact, and are not excluded by §1.1306, require the preparation of an Environmental Assessment (EA) by the licensee. (See 47 C.F.R. §§1.1307, 1.1308 and 1.1311)

90470 --- The application for this authorization was filed within the 194-day filing window for FSS earth stations operating in the 3700-4200 MHz frequency band as of April 19, 2018, as established by Public Notice DA 18-398 (rel. Apr. 19, 2018) and Public Notice DA-18-639 (rel. Jun. 21, 2018), and Public Notice DA 18-1061 (rel. Oct. 17, 2018).



UNITED STATES OF AMERICA  
FEDERAL COMMUNICATIONS COMMISSION

**RADIO STATION REGISTRATION**

**Name:** Corporation of the Presiding Bishop of The Church of Jesus Christ of  
Latter-day

**Call Sign:** E190371

**Authorization Type:** Registration

**File Number:** SES-REG-20180918-04066

Non Common Carrier

**Grant date:** 06/26/2020

**Expiration Date:** 09/18/2033

## H) Special and General Provisions

A) This RADIO STATION AUTHORIZATION is granted subject to the following special provisions and general conditions:

- 90472 --- The application for this authorization was filed without a coordination report pursuant to the waiver granted in Public Notice DA 18-398 (rel. Apr. 19, 2018). Operations of this earth station in the 3700-4200 MHz band are not entitled to protection from stations operating in the fixed service.
- 900407 --- The Permitted Space Station List (Permitted List) is a list of all geostationary space stations providing fixed-satellite service pursuant to a Commission license or grant of U.S. market access. The Permitted List currently includes the following frequency bands per §25.103 and §25.115(k)(1):

3600-4200 MHz (space-to-Earth)  
5850-6725 MHz (Earth-to-space)  
10.95-11.2 GHz (space-to-Earth)  
11.45-12.2 GHz (space-to-Earth)  
13.75-14.5 GHz (Earth-to-space)  
18.3-18.8 GHz (space-to-Earth)  
19.7-20.2 GHz (space-to-Earth)  
24.75-25.25 GHz (Earth-to-space)  
28.35-28.6 GHz (Earth-to-space)  
29.25-30.0 GHz (Earth-to-space).

Earth stations with "Permitted List" designated as a point of communication may access any space station on the Permitted List, provided the operations comply with the applicable "routine" uplink and downlink limits, are within the specific frequency bands authorized in the earth station license, have completed coordination with terrestrial stations pursuant to §25.203, and otherwise comply with all terms and conditions of both the earth station license and the space station grant.



UNITED STATES OF AMERICA  
FEDERAL COMMUNICATIONS COMMISSION

**RADIO STATION REGISTRATION**

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of  
Latter-day

Call Sign: E190371

Authorization Type: Registration

File Number: SES-REG-20180918-04066

Non Common Carrier

Grant date: 06/26/2020

Expiration Date: 09/18/2033

B) This RADIO STATION AUTHORIZATION is granted subject to the additional conditions specified below:

This authorization is issued on the grantee's representation that the statements contained in the application are true and that the undertakings described will be carried out in good faith.

This authorization shall not be construed in any manner as a finding by the Commission on the question of marking or lighting of the antenna system should future conditions require. The grantee expressly agrees to install such marking or lighting as the Commission may require under the provisions of Section 303(q) of the Communications Act. 47 U.S.C. § 303(q).

Neither this authorization nor the right granted by this authorization shall be assigned or otherwise transferred to any person, firm, company or corporation without the written consent of the Commission. This authorization is subject to the right of use or control by the government of the United States conferred by Section 706 of the Communications Act. 47 U.S.C. § 706. Operation of this station is governed by Part 25 of the Commission's Rules. 47 C.F.R. Part 25.

This authorization shall not vest in the licensee any right to operate this station nor any right in the use of the designated frequencies beyond the term of this license, nor in any other manner than authorized herein.

This authorization is issued on the grantee's representation that the station is in compliance with environmental requirements set forth in Section 1.1307 of the Commission's Rules. 47 C.F.R. § 1.1307.

This authorization is issued on the grantee's representation that the station is in compliance with the Federal Aviation Administration (FAA) requirements as set forth in Section 17.4 of the Commission's Rules. 47 C.F.R. § 17.4.

The following condition applies when this authorization permits construction of or modifies the construction permit of a radio station.

This authorization shall be automatically forfeited if the station is not ready for operation by the required date of completion of construction unless an application for modification of authorization to request additional time to complete construction is filed by that date, together with a showing that failure to complete construction by the required date was due to factors not under control of the grantee.

**Licensees are required to pay annual regulatory fees related to this authorization. The requirement to collect annual regulatory fees from regulatees is contained in Public Law 103-66, "The Omnibus Budget Reconciliation Act of 1993." These regulatory fees, which are likely to change each fiscal year, are used to offset costs associated with the Commission's enforcement, public service, international and policy and rulemaking activities. The Commission issues a Report and Order each year, setting the new regulatory fee rates. Receive only earth stations are exempt from payment of regulatory fees.**