

## **RADIO STATION REGISTRATION**

| Name: Corporation of the Presidir | ng Bishop of T | The Church of | Jesus Christ of         | Call Sign:   | E190685                |
|-----------------------------------|----------------|---------------|-------------------------|--------------|------------------------|
| Latter-day                        |                |               |                         |              |                        |
| Authorization Type: Registration  |                |               |                         | File Number: | SES-REG-20180918-04356 |
| Common Carrier                    | Grant date:    | 07/23/2020    | <b>Expiration Date:</b> | 09/18/2033   |                        |
|                                   |                |               |                         |              |                        |

Nature of Service: Fixed Satellite Service

**Class of Station:** Fixed Earth Stations

| # Site ID                  | Address                        | Latitude      | Longitude       | Elevation<br>(Meters) | NAD     | Special Provisions<br>(Refer to Section H) |
|----------------------------|--------------------------------|---------------|-----------------|-----------------------|---------|--|
| 1) ABERDEEN 1,<br>2, 4 (SP | 149 West Central Street        | 42°56'37.4"N  | 112°50'27.3"W   |                       | 27      |  |
| 2, 4 (SP                   | ABERDEEN, ID 83210             |               |                 |                       |         |  |
|                            | Licensee certifies antenna(s)  | comply with g | ain patterns sp | ecified in            | Sectior | n 25.209                                   |
| 2) ALAMEDA 6,<br>7, 8 &    | 930 E Alameda St               | 42°53'29.9"N  | 112°26'24.4"W   |                       | 27      |  |
|                            | POCATELLO, ID 83201            |               |                 |                       |         |  |
|                            | Licensee certifies antenna(s)  | comply with g | ain patterns sp | ecified in            | Sectior | n 25.209                                   |
| 3) ALBION,<br>MARSH CREEK  | 889 S Main St                  | 42°24'8.8"N   | 113°34'43.7"W   |                       | 27      |  |
|                            | ALBION, ID 83311               |               |                 |                       |         |  |
|                            | Licensee certifies antenna(s)  | comply with g | ain patterns sp | ecified in            | Sectior | n 25.209                                   |
| 4) ALMO                    | 834 E 2985 S<br>ALMO, ID 83312 | 42°5'55.0"N   | 113°37'48.6"W   |                       | 27      |  |
|                            | Licensee certifies antenna(s)  | comply with g | ain patterns sp | ecified in            | Sectior | n 25.209                                   |
| 5) AMERICAN<br>FALLS 1, 2  | 111 Church Place               | 42°47'44.7"N  | 112°50'28.4"W   |                       | 27      |  |
| 111110 1, 1                | AMERICAN FALLS, ID 83211       |               |                 |                       |         |  |
|                            | Licensee certifies antenna(s)  | comply with g | ain patterns sp | ecified in            | Sectior | n 25.209                                   |
| 6) AMMON 14,<br>16, 18 &   | 4363 East 17th Street          | 43°28'57.0"N  | 111°56'51.7"W   |                       | 27      |  |
| 10, 10 α                   | AMMON, ID 83406                |               |                 |                       |         |  |
|                            | Licensee certifies antenna(s)  | comply with g | ain patterns sp | ecified in            | Section | 25.209                                     |



## **RADIO STATION REGISTRATION**

| Name: Corporation of the Presidir | ng Bishop of T | The Church of J | esus Christ of   | Call Sign:   | E190685                |
|-----------------------------------|----------------|-----------------|------------------|--------------|------------------------|
| Latter-day                        |                |                 |                  |              |                        |
| Authorization Type: Registration  |                |                 |                  | File Number: | SES-REG-20180918-04356 |
| Common Carrier                    | Grant date:    | 07/23/2020      | Expiration Date: | 09/18/2033   |                        |
|                                   |                |                 |                  |              |                        |

| #   | Site ID                        | Address  | Latitude       | Longitude               | Elevation<br>(Meters) | NAD     | Special Provisions<br>(Refer to Section H) |
|-----|--------------------------------|--|----------------|-------------------------|-----------------------|---------|--|
| 7)  | AMMON 24,                      | 3934 E 49th S                                    | 43°27'10.3"N   | 111°57'37.1"W           |                       | 27      |  |
|     | 27, 28 &                       | AMMON, ID 83406                                  |                |                         |                       |         |  |
|     |                                | Licensee certifies antenna(s)                    | comply with ga | ain patterns sp         | pecified in           | Section | 25.209                                     |
| 8)  | 8) AMMON 5, 8,                 | 2055 South Ammon Road                            | 43°28'43.4"N   | 111°57'47.5"W           |                       | 27      |  |
|     | 25 &                           | AMMON, ID 83406                                  |                |                         |                       |         |  |
|     |                                | Licensee certifies antenna(s)                    | comply with ga | ain patterns s <u>p</u> | pecified in           | Section | 25.209                                     |
| 9)  |                                | 698 North 3600 East                              | 43°43'38.4"N   | 111°58'56.8"W           |                       | 27      |  |
|     | 3 &                            | MENAN, ID 83434                                  |                |                         |                       |         |  |
|     |                                | Licensee certifies antenna(s)                    | comply with ga | ain patterns sp         | pecified in           | Section | 25.209                                     |
| 10) | 10) ARIMO,<br>GARDEN<br>CREEK, | 286 Henderson Avenue                             | 42°33'40.6"N   | 112°10'24.4"W           |                       | 27      |  |
|     |                                | ARIMO, ID 83214<br>Licensee certifies antenna(s) | comply with ga | ain patterns sp         | pecified in           | Section | 25.209                                     |
| 11) | BEAVER CREEK                   | 471 E 2nd S<br>DUBOIS, ID 83423                  | 44°10'21.5"N   | 112°13'17.9"W           |                       | 27      |  |
|     |                                | Licensee certifies antenna(s)                    | comply with ga | ain patterns sp         | pecified in           | Section | 25.209                                     |
| 12) | BLACKFOOT                      | 900 South Riverton Road                          | 43°10'55.0"N   | 112°21'46.7"W           |                       | 27      |  |
|     | 10, 14, YS                     | BLACKFOOT, ID 83222                              |                |                         |                       |         |  |
|     |                                | Licensee certifies antenna(s)                    | comply with ga | ain patterns sp         | pecified in           | Section | 25.209                                     |
| 13) |                                | 1289 Mount Putnam Drive                          | 43°10'29.0"N   | 112°20'52.6"W           |                       | 27      |  |
|     | 9, 12 &                        | BLACKFOOT, ID 83221                              |                |                         |                       |         |  |
|     |                                | Licensee certifies antenna(s)                    | comply with ga | ain patterns sp         | pecified in           | Section | 25.209                                     |



## **RADIO STATION REGISTRATION**

| Name: Corporation of the Presidin | ng Bishop of T | lesus Christ of | Call Sign:       | E190685      |                        |
|-----------------------------------|----------------|-----------------|------------------|--------------|------------------------|
| Latter-day                        |                |                 |                  |              |                        |
| Authorization Type: Registration  |                |                 |                  | File Number: | SES-REG-20180918-04356 |
| Common Carrier                    | Grant date:    | 07/23/2020      | Expiration Date: | 09/18/2033   |                        |
|                                   |                |                 |                  |              |                        |

| # Site ID                   | Address                                 | Latitude      | Longitude       | Elevation<br>(Meters) | NAD     | Special Provisions<br>(Refer to Section H) |
|-----------------------------|---|---------------|-----------------|-----------------------|---------|--|
| 14) BLACKFOOT 7,<br>13, 15  | 1650 Highland Drive                     | 43°12'6.4"N   | 112°20'7.8"W    |                       | 27      |  |
|                             | BLACKFOOT, ID 83221                     |               |                 |                       |         |  |
|                             | Licensee certifies antenna(s)           | comply with g | ain patterns sp | ecified in            | Sectior | 1 25.209                                   |
| 15) BLACKFOOT<br>YSA 1, MOR | 100 North 740 West                      | 43°12'37.2"N  | 112°26'29.7"W   |                       | 27      |  |
|                             | BLACKFOOT, ID 83221                     |               |                 |                       |         |  |
|                             | Licensee certifies antenna(s)           | comply with g | ain patterns sp | ecified in            | Sectior | 1 25.209                                   |
| 16) BRENTWOOD,<br>TAYLOR CR | 2040 Brentwood Dr                       | 43°29'36.1"N  | 112°4'20.8"W    |                       | 27      |  |
|                             | IDAHO FALLS, ID 83402                   |               |                 |                       |         |  |
|                             | Licensee certifies antenna(s)           | comply with g | ain patterns sp | ecified in            | Sectior | n 25.209                                   |
| 17) CANTERBURY,             | 4890 Whitaker Road                      | 42°55'20.6"N  | 112°27'21.0"W   |                       | 27      |  |
| WHITAKER                    | CHUBBUCK, ID 83202                      |               |                 |                       |         |  |
|                             | Licensee certifies antenna(s)           | comply with g | ain patterns sp | ecified in            | Sectior | n 25.209                                   |
| 18) CHUBBUCK 4,             | 450 James Avenue                        | 42°55'41.1"N  | 112°28'30.7"W   |                       | 27      |  |
| 5,8 &                       | CHUBBUCK, ID 83202                      |               |                 |                       |         |  |
|                             | Licensee certifies antenna(s)           | comply with g | ain patterns sp | ecified in            | Sectior | 25.209                                     |
| 19) COTTONWOOD,             | 2967 E 105TH N                          | 43°35'26.1"N  | 111°58'28.3"W   |                       | 27      |  |
| HOMESTEA                    | IDAHO FALLS, ID 83454                   |               |                 |                       |         |  |
|                             | Licensee certifies antenna(s)           | comply with g | ain patterns sp | ecified in            | Sectior | 1 25.209                                   |
| 20) DECLO 1, 2 &            | 213 West Main Street<br>DECLO, ID 83323 | 42°31'3.5"N   | 113°37'53.9"W   |                       | 27      |  |
|                             | Licensee certifies antenna(s)           | comply with g | ain patterns sp | ecified in            | Sectior | 25.209                                     |



## **RADIO STATION REGISTRATION**

| Name: Corporation of the Presidin | ng Bishop of T | The Church of J | lesus Christ of         | Call Sign:   | E190685                |
|-----------------------------------|----------------|-----------------|-------------------------|--------------|------------------------|
| Latter-day                        |                |                 |                         |              |                        |
| Authorization Type: Registration  |                |                 |                         | File Number: | SES-REG-20180918-04356 |
| Common Carrier                    | Grant date:    | 07/23/2020      | <b>Expiration Date:</b> | 09/18/2033   |                        |
|                                   |                |                 |                         |              |                        |

| # Site ID                   | Address                         | Latitude       | Longitude       | Elevation<br>(Meters) | NAD     | Special Provisions<br>(Refer to Section H) |
|-----------------------------|---------------------------------|----------------|-----------------|-----------------------|---------|--|
| 21) FOUNDRY,<br>MOUNTAIN VI | 675 South Milton Avenue         | 43°22'15.2"N   | 112°7'4.3"W     |                       | 27      |  |
|                             | SHELLEY, ID 83274               |                |                 |                       |         |  |
|                             | Licensee certifies antenna(s)   | comply with ga | ain patterns sp | ecified in            | Sectior | 25.209                                     |
| 22) HAMER 1, 2<br>(YSA)     | 2454 East 2100 North            | 43°55'34.8"N   | 112°12'24.7"W   |                       | 27      |  |
| (1011)                      | HAMER, ID 83425                 |                |                 |                       |         |  |
|                             | Licensee certifies antenna(s)   | comply with ga | ain patterns sp | ecified in            | Sectior | 25.209                                     |
| 23) HIGHLAND 1,<br>9, 12 &  | 2140 Satterfield Drive          | 42°54'52.2"N   | 112°24'34.1"W   |                       | 27      |  |
| <i>J</i> , 12 u             | POCATELLO, ID 83201             |                |                 |                       |         |  |
|                             | Licensee certifies antenna(s)   | comply with ga | ain patterns sp | ecified in            | Section | 25.209                                     |
| 24) HIGHLAND<br>PARK, IDAHO | 955 Memorial Drive              | 43°29'52.8"N   | 112°2'27.4"W    |                       | 27      |  |
| FARK, IDANO                 | IDAHO FALLS, ID 83402           |                |                 |                       |         |  |
|                             | Licensee certifies antenna(s)   | comply with ga | ain patterns sp | ecified in            | Sectior | 25.209                                     |
| 25) HOME RANCH,<br>IDAHO FA | 2051 South Emerson              | 43°28'45.5"N   | 112°1'40.3"W    |                       | 27      |  |
| IDAILO FA                   | IDAHO FALLS, ID 83401           |                |                 |                       |         |  |
|                             | Licensee certifies antenna(s)   | comply with ga | ain patterns sp | ecified in            | Section | 25.209                                     |
| 26) HOWE                    | 1526 E Hwy 33<br>HOWE, ID 83244 | 43°47'0.8"N    | 113°0'9.5"W     |                       | 27      |  |
|                             | Licensee certifies antenna(s)   | comply with ga | ain patterns sp | ecified in            | Sectior | 25.209                                     |
| 27) IDAHO FALLS<br>26 &     | 2025 Jennie Lee Drive           | 43°28'46.8"N   | 112°0'55.8"W    |                       | 27      |  |
|                             | IDAHO FALLS, ID 83404           |                |                 |                       |         |  |
|                             | Licensee certifies antenna(s)   | comply with ga | ain patterns sp | ecified in            | Section | 25.209                                     |



## **RADIO STATION REGISTRATION**

| Name: Corporation of the Presidin | ng Bishop of T | lesus Christ of | Call Sign:       | E190685      |                        |
|-----------------------------------|----------------|-----------------|------------------|--------------|------------------------|
| Latter-day                        |                |                 |                  |              |                        |
| Authorization Type: Registration  |                |                 |                  | File Number: | SES-REG-20180918-04356 |
| Common Carrier                    | Grant date:    | 07/23/2020      | Expiration Date: | 09/18/2033   |                        |
|                                   |                |                 |                  |              |                        |

| # Site ID                      | Address                               | Latitude      | Longitude       | Elevation<br>(Meters) | NAD     | Special Provisions<br>(Refer to Section H) |
|--------------------------------|---------------------------------------|---------------|-----------------|-----------------------|---------|--|
| 28) JOHNNY<br>CREEK,<br>POCATE | 655 South Grant Avenue                | 42°51'16.7"N  | 112°27'0.2"W    |                       | 27      |  |
|                                | POCATELLO, ID 83204                   |               |                 |                       |         |  |
|                                | Licensee certifies antenna(s)         | comply with g | ain patterns sp | ecified in            | Section | 25.209                                     |
| 29) KEARNEY 1,<br>2, 3 &       | 1860 Kearney Street                   | 43°30'11.5"N  | 111°59'48.5"W   |                       | 27      |  |
|                                | IDAHO FALLS, ID 83401                 |               |                 |                       |         |  |
|                                | Licensee certifies antenna(s)         | comply with g | ain patterns sp | ecified in            | Section | 25.209                                     |
| 30) LAKEVIEW                   | 800 S 2120 W<br>SPRINGFIELD, ID 83277 | 43°4'54.9"N   | 112°42'57.6"W   |                       | 27      |  |
|                                | Licensee certifies antenna(s)         | comply with g | ain patterns sp | ecified in            | Section | 25.209                                     |
| 31) LINCOLN 3,<br>SAND CREE    | 2545 Mesa Street                      | 43°27'7.1"N   | 111°58'59.4"W   |                       | 27      |  |
| Shind Citili                   | IDAHO FALLS, ID 83401                 |               |                 |                       |         |  |
|                                | Licensee certifies antenna(s)         | comply with g | ain patterns sp | ecified in            | Section | 25.209                                     |
| 32) LOST RIVER,                | 3100 North 3350 West                  | 43°43'29.0"N  | 113°21'55.4"W   |                       | 27      |  |
| MOORE &                        | MOORE, ID 83255                       |               |                 |                       |         |  |
|                                | Licensee certifies antenna(s)         | comply with g | ain patterns sp | ecified in            | Section | 25.209                                     |
| 33) MALAD 1, ST<br>JOHN 1,     | 1250 North 1100 West                  | 42°12'6.9"N   | 112°16'0.8"W    |                       | 27      |  |
| JOHN 1,                        | MALAD, ID 83252                       |               |                 |                       |         |  |
|                                | Licensee certifies antenna(s)         | comply with g | ain patterns sp | ecified in            | Section | 25.209                                     |
| 34) MARSH CREEK,               | 403 W 16TH ST                         | 42°38'22.7"N  | 112°11'40.7"W   |                       | 27      |  |
| MCCAMMO                        | MCCAMMON, ID 83250                    |               |                 |                       |         |  |
|                                | Licensee certifies antenna(s)         | comply with g | ain patterns sp | ecified in            | Section | 25.209                                     |



# **RADIO STATION REGISTRATION**

| Name: Corporation of the Presidin | ng Bishop of T | The Church of J | Jesus Christ of  | Call Sign:   | E190685                |
|-----------------------------------|----------------|-----------------|------------------|--------------|------------------------|
| Latter-day                        |                |                 |                  |              |                        |
| Authorization Type: Registration  |                |                 |                  | File Number: | SES-REG-20180918-04356 |
| Common Carrier                    | Grant date:    | 07/23/2020      | Expiration Date: | 09/18/2033   |                        |
|                                   |                |                 |                  |              |                        |

| # Site ID                   | Address                                    | Latitude      | Longitude       | Elevation<br>(Meters) | NAD     | Special Provisions<br>(Refer to Section H) |
|-----------------------------|--|---------------|-----------------|-----------------------|---------|--|
| 35) MILL RUN,<br>PIONEER, W | 2020 South Charlotte Drive                 | 43°28'46.0"N  | 112°5'13.0"W    |                       | 27      |  |
| FIONEER, W                  | IDAHO FALLS, ID 83402                      |               |                 |                       |         |  |
|                             | Licensee certifies antenna(s)              | comply with g | ain patterns sp | ecified in            | Section | 25.209                                     |
| 36) MONTEVIEW               | 2413 North 800 East<br>MONTEVIEW, ID 83435 | 43°58'24.3"N  | 112°32'12.3"W   |                       | 27      |  |
|                             | Licensee certifies antenna(s)              | comply with g | ain patterns sp | ecified in            | Section | 25.209                                     |
| 37) MORELAND 2,<br>THOMAS 1 | 101 North 900 West                         | 43°12'43.1"N  | 112°28'26.0"W   |                       | 27      |  |
|                             | BLACKFOOT, ID 83221                        |               |                 |                       |         |  |
|                             | Licensee certifies antenna(s)              | comply with g | ain patterns sp | ecified in            | Section | 25.209                                     |
| 38) PARLEY,<br>STONEHAVEN,  | 2055 Coronado Street                       | 43°28'22.8"N  | 111°59'35.9"W   |                       | 27      |  |
|                             | IDAHO FALLS, ID 83404                      |               |                 |                       |         |  |
|                             | Licensee certifies antenna(s)              | comply with g | ain patterns sp | ecified in            | Section | 25.209                                     |
| 39) POCATELLO<br>18, 26 &   | 3444 Hawthorne Road                        | 42°53'39.6"N  | 112°28'32.5"W   |                       | 27      |  |
| 10, 20 @                    | POCATELLO, ID 83201                        |               |                 |                       |         |  |
|                             | Licensee certifies antenna(s)              | comply with g | ain patterns sp | ecified in            | Section | 25.209                                     |
| 40) POCATELLO ID<br>(ISU) I | 1011 East Carter                           | 42°51'52.0"N  | 112°25'59.7"W   |                       | 27      |  |
| (100) 1                     | POCATELLO, ID 83201                        |               |                 |                       |         |  |
|                             | Licensee certifies antenna(s)              | comply with g | ain patterns sp | ecified in            | Section | 25.209                                     |
| 41) POCATELLO<br>YSA 2, 8,  | 1701 BARTZ WAY                             | 42°51'41.4"N  | 112°25'20.2"W   |                       | 27      |  |
| 13A 2, 0,                   | POCATELLO, ID 83204                        |               |                 |                       |         |  |
|                             | Licensee certifies antenna(s)              | comply with g | ain patterns sp | ecified in            | Section | 25.209                                     |



# **RADIO STATION REGISTRATION**

| Name: Corporation of the Presidin | ng Bishop of T | The Church of J | lesus Christ of  | Call Sign:   | E190685                |
|-----------------------------------|----------------|-----------------|------------------|--------------|------------------------|
| Latter-day                        |                |                 |                  |              |                        |
| Authorization Type: Registration  |                |                 |                  | File Number: | SES-REG-20180918-04356 |
| Common Carrier                    | Grant date:    | 07/23/2020      | Expiration Date: | 09/18/2033   |                        |
|                                   |                |                 |                  |              |                        |

| # Site ID                  | Address                                | Latitude      | Longitude       | Elevation<br>(Meters) | NAD     | Special Provisions<br>(Refer to Section H) |
|----------------------------|--|---------------|-----------------|-----------------------|---------|--|
| 42) PRINCETON,<br>SAGEWOOD | 42 Princeton Avenue                    | 42°51'57.0"N  | 112°25'22.3"W   |                       | 27      |  |
| SAGEWOOD                   | POCATELLO, ID 83201                    |               |                 |                       |         |  |
|                            | Licensee certifies antenna(s)          | comply with g | ain patterns sp | ecified in            | Sectior | n 25.209                                   |
| 43) RAFT RIVER             | 2551 East 300 South<br>DECLO, ID 83323 | 42°29'15.2"N  | 113°17'32.8"W   |                       | 27      |  |
|                            | Licensee certifies antenna(s)          | comply with g | ain patterns sp | ecified in            | Sectior | n 25.209                                   |
| 44) ROBERTS 1,<br>2, YSA   | 663 North 2858 East                    | 43°43'19.3"N  | 112°7'53.6"W    |                       | 27      |  |
| _,                         | ROBERTS, ID 83444                      |               |                 |                       |         |  |
|                            | Licensee certifies antenna(s)          | comply with g | ain patterns sp | ecified in            | Section | 1 25.209                                   |
| 45) ROCKLAND               | 405 E Shoshone<br>ROCKLAND, ID 83271   | 42°34'14.3"N  | 112°52'16.0"W   |                       | 27      |  |
|                            | Licensee certifies antenna(s)          | comply with g | ain patterns sp | ecified in            | Section | n 25.209                                   |
| 46) RUPERT 5, 7<br>&       | 324 East 18th Street                   | 42°37'51.5"N  | 113°39'47.9"W   |                       | 27      |  |
|                            | RUPERT, ID 83350                       |               |                 |                       |         |  |
|                            | Licensee certifies antenna(s)          | comply with g | ain patterns sp | ecified in            | Section | 1 25.209                                   |
| 47) SHELLEY 2,<br>6, 12 &  | 325 East Locust                        | 43°22'42.7"N  | 112°7'5.5"W     |                       | 27      |  |
| o, 12 a                    | SHELLEY, ID 83274                      |               |                 |                       |         |  |
|                            | Licensee certifies antenna(s)          | comply with g | ain patterns sp | ecified in            | Sectior | n 25.209                                   |
| 48) TERRETON 1,<br>2 &     | 1297 E 1500 N                          | 43°50'29.2"N  | 112°26'12.3"W   |                       | 27      |  |
| 2. 0X                      | TERRETON, ID 83450                     |               |                 |                       |         |  |
|                            | Licensee certifies antenna(s)          | comply with g | ain patterns sp | ecified in            | Section | 25.209                                     |



## **RADIO STATION REGISTRATION**

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-dayAuthorization Type: Registration

Call Sign: E190685

File Number: SES-REG-20180918-04356

Common Carrier

Grant date: 07/23/2020

Expiration Date:

09/18/2033

Subject to the provisions of the Communications Act of 1934, The Communications Satellite Act of 1962, subsequent acts and treaties, and all present and future regulations made by this Commission, and further subject to the conditions and requirements set forth in this license, the registrant is registered to operate the radio facilities described below for radio communications for the term beginning September 18, 2018 (3 AM Eastern Standard Time) and ending September 18, 2033 (3 AM Eastern Standard Time). The required date of commencement of operation is 00/00/0000. Registrant must file with the Commission a certification upon commencement of operation.

#### **B)** Particulars of Operations

The General Provision 1010 applies to all receiving frequency bands. The General Provision 1900 applies to all transmitting frequency bands. For the text of these provisions, refer to Section H.

| F  | or the text of these provisions, | refer to Section F  | 1.             |               | Max                       | Max EIRP |                       | Special                               |                         |  |
|----|----------------------------------|---------------------|----------------|---------------|---------------------------|----------|-----------------------|---------------------------------------|-------------------------|--|
| #  | Frequency<br>(MHz)               | Polarizatio<br>Code | on<br>Emission | Tx/Rx<br>Mode | EIRP<br>/Carrier<br>(dBW) |          | Associated<br>Antenna | Provisions<br>(Refer to<br>Section H) | Modulation/<br>Services |  |
| 1  | ) 3700.0000-4200.0000            | H,V                 | 36M0G7W        | Rx            |                           |          | 1                     |                                       | NULL                    |  |
| 2  | ) 3700.0000-4200.0000            | H,V                 | 36M0G7W        | Rx            |                           |          | 10                    |                                       | NULL                    |  |
| 3  | ) 3700.0000-4200.0000            | H,V                 | 36M0G7W        | Rx            |                           |          | 11                    |                                       | NULL                    |  |
| 4  | ) 3700.0000-4200.0000            | H,V                 | 36M0G7W        | Rx            |                           |          | 12                    |                                       | NULL                    |  |
| 5  | ) 3700.0000-4200.0000            | H,V                 | 36M0G7W        | Rx            |                           |          | 13                    |                                       | NULL                    |  |
| 6  | ) 3700.0000-4200.0000            | H,V                 | 36M0G7W        | Rx            |                           |          | 14                    |                                       | NULL                    |  |
| 7  | ) 3700.0000-4200.0000            | H,V                 | 36M0G7W        | Rx            |                           |          | 15                    |                                       | NULL                    |  |
| 8  | ) 3700.0000-4200.0000            | H,V                 | 36M0G7W        | Rx            |                           |          | 16                    |                                       | NULL                    |  |
| 9  | ) 3700.0000-4200.0000            | H,V                 | 36M0G7W        | Rx            |                           |          | 17                    |                                       | NULL                    |  |
| 10 | ) 3700.0000-4200.0000            | H,V                 | 36M0G7W        | Rx            |                           |          | 18                    |                                       | NULL                    |  |
| 11 | ) 3700.0000-4200.0000            | H,V                 | 36M0G7W        | Rx            |                           |          | 19                    |                                       | NULL                    |  |
| 12 | ) 3700.0000-4200.0000            | H,V                 | 36M0G7W        | Rx            |                           |          | 2                     |                                       | NULL                    |  |
| 13 | ) 3700.0000-4200.0000            | H,V                 | 36M0G7W        | Rx            |                           |          | 20                    |                                       | NULL                    |  |
| 14 | ) 3700.0000-4200.0000            | H,V                 | 36M0G7W        | Rx            |                           |          | 21                    |                                       | NULL                    |  |
| 15 | ) 3700.0000-4200.0000            | H,V                 | 36M0G7W        | Rx            |                           |          | 22                    |                                       | NULL                    |  |
| 16 | ) 3700.0000-4200.0000            | H,V                 | 36M0G7W        | Rx            |                           |          | 23                    |                                       | NULL                    |  |
| 17 | ) 3700.0000-4200.0000            | H,V                 | 36M0G7W        | Rx            |                           |          | 24                    |                                       | NULL                    |  |
| 18 | ) 3700.0000-4200.0000            | H,V                 | 36M0G7W        | Rx            |                           |          | 25                    |                                       | NULL                    |  |
|    |                                  |                     |                |               |                           |          |                       |                                       |                         |  |



## **RADIO STATION REGISTRATION**

| Name: Corporation of the Presidir<br>Latter-day | ng Bishop of T | The Church of J | esus Christ of   | Call Sign:   | E190685                |
|---|----------------|-----------------|------------------|--------------|------------------------|
| Authorization Type: Registration                |                |                 |                  | File Number: | SES-REG-20180918-04356 |
| Common Carrier                                  | Grant date:    | 07/23/2020      | Expiration Date: | 09/18/2033   |                        |

#### **B)** Particulars of Operations

The General Provision 1010 applies to all receiving frequency bands. The General Provision 1900 applies to all transmitting frequency bands. For the text of these provisions, refer to Section H.

| For the t | ext of these provisions, re- | fer to Section I    | Η.             |               | Max                       | Max EIRP                          |                       | Special                               |                         |
|-----------|------------------------------|---------------------|----------------|---------------|---------------------------|-----------------------------------|-----------------------|---------------------------------------|-------------------------|
| #         | Frequency<br>(MHz)           | Polarizatio<br>Code | on<br>Emission | Tx/Rx<br>Mode | EIRP<br>/Carrier<br>(dBW) | Density<br>/Carrier<br>(dBW/4kHz) | Associated<br>Antenna | Provisions<br>(Refer to<br>Section H) | Modulation/<br>Services |
| 19)370    | 0.0000-4200.0000             | H,V                 | 36M0G7W        | Rx            |                           |                                   | 26                    |                                       | NULL                    |
| 20)370    | 0.0000-4200.0000             | H,V                 | 36M0G7W        | Rx            |                           |                                   | 27                    |                                       | NULL                    |
| 21)370    | 0.0000-4200.0000             | H,V                 | 36M0G7W        | Rx            |                           |                                   | 28                    |                                       | NULL                    |
| 22)370    | 0.0000-4200.0000             | H,V                 | 36M0G7W        | Rx            |                           |                                   | 29                    |                                       | NULL                    |
| 23)370    | 0.0000-4200.0000             | H,V                 | 36M0G7W        | Rx            |                           |                                   | 3                     |                                       | NULL                    |
| 24)370    | 0.0000-4200.0000             | H,V                 | 36M0G7W        | Rx            |                           |                                   | 30                    |                                       | NULL                    |
| 25)370    | 0.0000-4200.0000             | H,V                 | 36M0G7W        | Rx            |                           |                                   | 31                    |                                       | NULL                    |
| 26)370    | 0.0000-4200.0000             | H,V                 | 36M0G7W        | Rx            |                           |                                   | 32                    |                                       | NULL                    |
| 27)370    | 0.0000-4200.0000             | H,V                 | 36M0G7W        | Rx            |                           |                                   | 34                    |                                       | NULL                    |
| 28)370    | 0.0000-4200.0000             | H,V                 | 36M0G7W        | Rx            |                           |                                   | 35                    |                                       | NULL                    |
| 29)370    | 0.0000-4200.0000             | H,V                 | 36M0G7W        | Rx            |                           |                                   | 36                    |                                       | NULL                    |
| 30)370    | 0.0000-4200.0000             | H,V                 | 36M0G7W        | Rx            |                           |                                   | 37                    |                                       | NULL                    |
| 31)370    | 0.0000-4200.0000             | H,V                 | 36M0G7W        | Rx            |                           |                                   | 38                    |                                       | NULL                    |
| 32)370    | 0.0000-4200.0000             | H,V                 | 36M0G7W        | Rx            |                           |                                   | 39                    |                                       | NULL                    |
| 33)370    | 0.0000-4200.0000             | H,V                 | 36M0G7W        | Rx            |                           |                                   | 4                     |                                       | NULL                    |
| 34) 370   | 0.0000-4200.0000             | H,V                 | 36M0G7W        | Rx            |                           |                                   | 40                    |                                       | NULL                    |
| 35)370    | 0.0000-4200.0000             | H,V                 | 36M0G7W        | Rx            |                           |                                   | 42                    |                                       | NULL                    |
| 36)370    | 0.0000-4200.0000             | H,V                 | 36M0G7W        | Rx            |                           |                                   | 43                    |                                       | NULL                    |
| 37)370    | 0.0000-4200.0000             | H,V                 | 36M0G7W        | Rx            |                           |                                   | 44                    |                                       | NULL                    |
| 38) 370   | 0.0000-4200.0000             | H,V                 | 36M0G7W        | Rx            |                           |                                   | 45                    |                                       | NULL                    |
| 39)370    | 0.0000-4200.0000             | H,V                 | 36M0G7W        | Rx            |                           |                                   | 46                    |                                       | NULL                    |
| 40)370    | 0.0000-4200.0000             | H,V                 | 36M0G7W        | Rx            |                           |                                   | 47                    |                                       | NULL                    |
| 41)370    | 0.0000-4200.0000             | H,V                 | 36M0G7W        | Rx            |                           |                                   | 48                    |                                       | NULL                    |
| 42)370    | 0.0000-4200.0000             | H,V                 | 36M0G7W        | Rx            |                           |                                   | 49                    |                                       | NULL                    |
|           |                              |                     |                |               |                           |                                   |                       |                                       |                         |



## **RADIO STATION REGISTRATION**

| Name: Corporation of the Presidir<br>Latter-day | ng Bishop of T | The Church of J | lesus Christ of  | Call Sign:   | E190685                |
|---|----------------|-----------------|------------------|--------------|------------------------|
| Authorization Type: Registration                |                |                 |                  | File Number: | SES-REG-20180918-04356 |
| Common Carrier                                  | Grant date:    | 07/23/2020      | Expiration Date: | 09/18/2033   |                        |

#### **B)** Particulars of Operations

The General Provision 1010 applies to all receiving frequency bands. The General Provision 1900 applies to all transmitting frequency bands. For the text of these provisions, refer to Section H.

|     |                     |                     |                |               | Max<br>EIRP       | Max EIRP<br>Density    |                       | Special<br>Provisions   |                         |  |
|-----|---------------------|---------------------|----------------|---------------|-------------------|------------------------|-----------------------|-------------------------|-------------------------|--|
| #   | Frequency<br>(MHz)  | Polarizatio<br>Code | on<br>Emission | Tx/Rx<br>Mode | /Carrier<br>(dBW) | /Carrier<br>(dBW/4kHz) | Associated<br>Antenna | (Refer to<br>Section H) | Modulation/<br>Services |  |
| 43) | 3700.0000-4200.0000 | H,V                 | 36M0G7W        | Rx            |                   |                        | 5                     |                         | NULL                    |  |
| 44) | 3700.0000-4200.0000 | H,V                 | 36M0G7W        | Rx            |                   |                        | 50                    |                         | NULL                    |  |
| 45) | 3700.0000-4200.0000 | H,V                 | 36M0G7W        | Rx            |                   |                        | 6                     |                         | NULL                    |  |
| 46) | 3700.0000-4200.0000 | H,V                 | 36M0G7W        | Rx            |                   |                        | 7                     |                         | NULL                    |  |
| 47) | 3700.0000-4200.0000 | H,V                 | 36M0G7W        | Rx            |                   |                        | 8                     |                         | NULL                    |  |
| 48) | 3700.0000-4200.0000 | H,V                 | 36M0G7W        | Rx            |                   |                        | 9                     |                         | NULL                    |  |

#### **C) Frequency Coordination Limits**

| #   | Frequency Limits<br>(MHz) | Satellite Arc<br>(Deg. Long.)<br>East West<br>Limit Limit | Elevation<br>(Degrees)<br>East West<br>Limit Limit | Azimuth<br>(Degrees)<br>East West<br>Limit Limit |    |
|-----|---------------------------|---|--|--|----|
| 1)  | 3700.0000-4200.0000       | 9.0W-223.0W   | 05.0-05.0  | 094.0-275.0                                      | 1  |
| 2)  | 3700.0000-4200.0000       | 9.0W-223.0W   | 05.0-05.0  | 094.0-275.0                                      | 2  |
| 3)  | 3700.0000-4200.0000       | 9.0W-223.0W   | 05.0-05.0  | 094.0-275.0                                      | 3  |
| 4)  | 3700.0000-4200.0000       | 9.0W-223.0W   | 05.0-05.0  | 094.0-275.0                                      | 4  |
| 5)  | 3700.0000-4200.0000       | 9.0W-223.0W   | 05.0-05.0  | 094.0-275.0                                      | 5  |
| 6)  | 3700.0000-4200.0000       | 9.0W-223.0W   | 05.0-05.0  | 094.0-275.0                                      | 6  |
| 7)  | 3700.0000-4200.0000       | 9.0W-223.0W   | 05.0-05.0  | 094.0-275.0                                      | 7  |
| 8)  | 3700.0000-4200.0000       | 9.0W-223.0W   | 05.0-05.0  | 094.0-275.0                                      | 8  |
| 9)  | 3700.0000-4200.0000       | 9.0W-223.0W   | 05.0-05.0  | 094.0-275.0                                      | 9  |
| 10) | 3700.0000-4200.0000       | 9.0W-223.0W   | 05.0-05.0  | 094.0-275.0                                      | 10 |
| 11) | 3700.0000-4200.0000       | 9.0W-223.0W   | 05.0-05.0  | 094.0-275.0                                      | 11 |
| 12) | 3700.0000-4200.0000       | 9.0W-223.0W   | 05.0-05.0  | 094.0-275.0                                      | 12 |
| 13) | 3700.0000-4200.0000       | 9.0W-223.0W   | 05.0-05.0  | 094.0-275.0                                      | 13 |
| 14) | 3700.0000-4200.0000       | 9.0W-223.0W   | 05.0-05.0  | 094.0-275.0                                      | 14 |
| 15) | 3700.0000-4200.0000       | 9.0W-223.0W   | 05.0-05.0  | 094.0-275.0                                      | 15 |
| 16) | 3700.0000-4200.0000       | 9.0W-223.0W   | 05.0-05.0  | 094.0-275.0                                      | 16 |
| 17) | 3700.0000-4200.0000       | 9.0W-223.0W   | 05.0-05.0  | 094.0-275.0                                      | 17 |
| 18) | 3700.0000-4200.0000       | 9.0W-223.0W   | 05.0-05.0  | 094.0-275.0                                      | 18 |



## **RADIO STATION REGISTRATION**

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

Call Sign: E190685

Authorization Type: Registration

Common Carrier

Grant date: 07/23/2020

Expiration Date:

File Number: SES-REG-20180918-04356 09/18/2033

### C) Frequency Coordination Limits

| #   | Frequency Limits<br>(MHz) | Satellite Arc<br>(Deg. Long.)<br>East West<br>Limit Limit | Elevation<br>(Degrees)<br>East West<br>Limit Limit | Azimuth<br>(Degrees)<br>East West<br>Limit Limit |    |
|-----|---------------------------|---|--|--|----|
| 19) | 3700.0000-4200.0000       | 9.0W-223.0W   | 05.0-05.0  | 094.0-275.0                                      | 19 |
| 20) | 3700.0000-4200.0000       | 9.0W-223.0W   | 05.0-05.0  | 094.0-275.0                                      | 20 |
| 21) | 3700.0000-4200.0000       | 9.0W-223.0W   | 05.0-05.0  | 094.0-275.0                                      | 21 |
| 22) | 3700.0000-4200.0000       | 9.0W-223.0W   | 05.0-05.0  | 094.0-275.0                                      | 22 |
| 23) | 3700.0000-4200.0000       | 9.0W-223.0W   | 05.0-05.0  | 094.0-275.0                                      | 23 |
| 24) | 3700.0000-4200.0000       | 9.0W-223.0W   | 05.0-05.0  | 094.0-275.0                                      | 24 |
| 25) | 3700.0000-4200.0000       | 9.0W-223.0W   | 05.0-05.0  | 094.0-275.0                                      | 25 |
| 26) | 3700.0000-4200.0000       | 9.0W-223.0W   | 05.0-05.0  | 094.0-275.0                                      | 26 |
| 27) | 3700.0000-4200.0000       | 9.0W-223.0W   | 05.0-05.0  | 094.0-275.0                                      | 27 |
| 28) | 3700.0000-4200.0000       | 9.0W-223.0W   | 05.0-05.0  | 094.0-275.0                                      | 28 |
| 29) | 3700.0000-4200.0000       | 9.0W-223.0W   | 05.0-05.0  | 094.0-275.0                                      | 29 |
| 30) | 3700.0000-4200.0000       | 9.0W-223.0W   | 05.0-05.0  | 094.0-275.0                                      | 30 |
| 31) | 3700.0000-4200.0000       | 9.0W-223.0W   | 05.0-05.0  | 094.0-275.0                                      | 31 |
| 32) | 3700.0000-4200.0000       | 9.0W-223.0W   | 05.0-05.0  | 094.0-275.0                                      | 32 |
| 33) | 3700.0000-4200.0000       | 9.0W-223.0W   | 05.0-05.0  | 094.0-275.0                                      | 34 |
| 34) | 3700.0000-4200.0000       | 9.0W-223.0W   | 05.0-05.0  | 094.0-275.0                                      | 35 |
| 35) | 3700.0000-4200.0000       | 9.0W-223.0W   | 05.0-05.0  | 094.0-275.0                                      | 37 |
| 36) | 3700.0000-4200.0000       | 9.0W-223.0W   | 05.0-05.0  | 094.0-275.0                                      | 38 |
| 37) | 3700.0000-4200.0000       | 9.0W-223.0W   | 05.0-05.0  | 094.0-275.0                                      | 39 |
| 38) | 3700.0000-4200.0000       | 9.0W-223.0W   | 05.0-05.0  | 094.0-275.0                                      | 40 |
| 39) | 3700.0000-4200.0000       | 9.0W-223.0W   | 05.0-05.0  | 094.0-275.0                                      | 42 |
| 40) | 3700.0000-4200.0000       | 9.0W-223.0W   | 05.0-05.0  | 094.0-275.0                                      | 43 |
| 41) | 3700.0000-4200.0000       | 9.0W-223.0W   | 05.0-05.0  | 094.0-275.0                                      | 44 |
| 42) | 3700.0000-4200.0000       | 9.0W-223.0W   | 05.0-05.0  | 094.0-275.0                                      | 45 |
| 43) | 3700.0000-4200.0000       | 9.0W-223.0W   | 05.0-05.0  | 094.0-275.0                                      | 46 |
| 44) | 3700.0000-4200.0000       | 9.0W-223.0W   | 05.0-05.0  | 094.0-275.0                                      | 47 |
| 45) | 3700.0000-4200.0000       | 9.0W-223.0W   | 05.0-05.0  | 094.0-275.0                                      | 48 |
| 46) | 3700.0000-4200.0000       | 9.0W-223.0W   | 05.0-05.0  | 094.0-275.0                                      | 49 |
| 47) | 3700.0000-4200.0000       | 9.0W-223.0W   | 05.0-05.0  | 094.0-275.0                                      | 50 |

#### **D)** Points of Communications

The following stations located in the Satellite orbits consistent with Sections B and C of this Entry:

1) AMMON 24, 27, 28 & to Permitted Space Station List

2) AMMON 5, 8, 25 & to Permitted Space Station List



## **RADIO STATION REGISTRATION**

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day Authorization Type: Registration

Call Sign: E190685

09/18/2033

Common Carrier

Grant date: 07/23/2020

**Expiration Date:** 

File Number: SES-REG-20180918-04356

#### **D)** Points of Communications

The following stations located in the Satellite orbits consistent with Sections B and C of this Entry:

3) COTTONWOOD, HOMESTEA to Permitted Space Station List 4) ANNIS, MENAN 3 & to Permitted Space Station List 5) LINCOLN 3, SAND CREE to Permitted Space Station List 6) AMMON 14, 16, 18 & to Permitted Space Station List 7) KEARNEY 1, 2, 3 & to Permitted Space Station List 8) IDAHO FALLS 26 & to Permitted Space Station List 9) HOME RANCH, IDAHO FA to Permitted Space Station List 10) HIGHLAND PARK, IDAHO to Permitted Space Station List 11) PARLEY, STONEHAVEN, to Permitted Space Station List 12) MILL RUN, PIONEER, W to Permitted Space Station List 13) FOUNDRY, MOUNTAIN VI to Permitted Space Station List 14) SHELLEY 2, 6, 12 & to Permitted Space Station List 15) ROBERTS 1, 2, YSA to Permitted Space Station List 16) BRENTWOOD, TAYLOR CR to Permitted Space Station List 17) ARIMO, GARDEN CREEK, to Permitted Space Station List 18) HAMER 1, 2 (YSA) to Permitted Space Station List 19) BEAVER CREEK to Permitted Space Station List 20) MALAD 1, ST JOHN 1, to Permitted Space Station List 21) BLACKFOOT 7, 13, 15 to Permitted Space Station List 22) BLACKFOOT 6, 9, 12 & to Permitted Space Station List 23) MARSH CREEK, MCCAMMO to Permitted Space Station List 24) HIGHLAND 1, 9, 12 & to Permitted Space Station List 25) POCATELLO YSA 2, 8, to Permitted Space Station List 26) PRINCETON, SAGEWOOD to Permitted Space Station List 27) POCATELLO ID (ISU) I to Permitted Space Station List 28) TERRETON 1, 2 & to Permitted Space Station List 29) BLACKFOOT 10, 14, YS to Permitted Space Station List 30) BLACKFOOT YSA 1, MOR to Permitted Space Station List 31) JOHNNY CREEK, POCATE to Permitted Space Station List 32) CANTERBURY, WHITAKER to Permitted Space Station List 33) MORELAND 2, THOMAS 1 to Permitted Space Station List 34) ALAMEDA 6, 7, 8 & to Permitted Space Station List 35) CHUBBUCK 4, 5, 8 & to Permitted Space Station List 36) POCATELLO 18, 26 & to Permitted Space Station List 37) MONTEVIEW to Permitted Space Station List 38) LAKEVIEW to Permitted Space Station List



## **RADIO STATION REGISTRATION**

 Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day
 Call Sign:

 Authorization Type: Registration
 File Number:

 Common Carrier
 Grant date: 07/23/2020
 Expiration Date: 09/18/2033

Call Sign: E190685

File Number: SES-REG-20180918-04356

#### **D)** Points of Communications

The following stations located in the Satellite orbits consistent with Sections B and C of this Entry:

39) ABERDEEN 1, 2, 4 (SP to Permitted Space Station List

40) ROCKLAND to Permitted Space Station List

41) HOWE to Permitted Space Station List

42) RAFT RIVER to Permitted Space Station List

43) LOST RIVER, MOORE & to Permitted Space Station List

44) ALBION, MARSH CREEK to Permitted Space Station List

45) AMERICAN FALLS 1, 2 to Permitted Space Station List

46) DECLO 1, 2 & to Permitted Space Station List

47) RUPERT 5, 7 & to Permitted Space Station List

48) ALMO to Permitted Space Station List

#### E) Antenna Facilities

| Si<br>          | te           | Antenna<br>ID | Units    | Diameter<br>(meters) | Manufacturer  | Model number | Site<br>Elevation<br>(Meters) | Max<br>Antenna Height<br>(Meters) | Special<br>Provisions<br>(Refer to<br>Section H) |
|-----------------|--------------|---------------|----------|----------------------|---|--------------|-------------------------------|-----------------------------------|--|
| AMMON<br>28 &   | 24, 27       | 1             | 1        | 3.4                  | GENERAL DYNAMICS  | Satcomm1344  |                               | 4 AGL                             |  |
|                 |              | n total inpu  | it power |                      | 4.0000 GHz<br>ha flange (Watts) =<br>hll carriers (dBW) = |              |                               |                                   |  |
| HIGHLA<br>PARK, | AND<br>IDAHO | 10            | 1        | 3.4                  | GENERAL DYNAMICS  | Satcom 1344  |                               | 4 AGL                             |  |
|                 |              | n total inpu  | it power | at antenr            | 4.0000 GHz<br>na flange (Watts) =<br>all carriers (dBW) = |              |                               |                                   |  |
| PARLE<br>STONE  |              | 11            | 1        | 3.4                  | GENERAL DYNAMICS  | Satcom 1344  |                               | 4 AGL                             |  |
|                 |              | n total inpu  | it power | at antenr            | 4.0000 GHz<br>na flange (Watts) =<br>all carriers (dBW) = |              |                               |                                   |  |



## **RADIO STATION REGISTRATION**

| Name: Corporation of the Presidir<br>Latter-day | ng Bishop of T | The Church of J | esus Christ of   | Call Sign:   | E190685                |
|---|----------------|-----------------|------------------|--------------|------------------------|
| Authorization Type: Registration                |                |                 |                  | File Number: | SES-REG-20180918-04356 |
| Common Carrier                                  | Grant date:    | 07/23/2020      | Expiration Date: | 09/18/2033   |                        |

### E) Antenna Facilities

| Site<br>ID              | Antenna<br>ID | Units    | Diameter<br>(meters) | Manufacturer  | Model number | Site<br>Elevation<br>(Meters) | Max<br>Antenna Height<br>(Meters) | Special<br>Provisions<br>(Refer to<br>Section H) |
|-------------------------|---------------|----------|----------------------|---|--------------|-------------------------------|-----------------------------------|--|
| MILL RUN,<br>PIONEER, W | 12            | 1        | 3.4                  | GENERAL DYNAMICS  | Satcom 1344  |                               | 4 AGL                             |  |
| Maxim                   | -             | ut power |                      | 4.0000 GHz<br>na flange (Watts) =<br>all carriers (dBW) = |              |                               |                                   |  |
| FOUNDRY,<br>MOUNTAIN VI | 13            | 1        | 3.4                  | GENERAL DYNAMICS  | Satcom 1344  |                               | 4 AGL                             |  |
| Maxim                   | -             | ut power |                      | 4.0000 GHz<br>na flange (Watts) =<br>all carriers (dBW) = |              |                               |                                   |  |
| SHELLEY 2,<br>12 &      | 6 14          | 1        | 3.4                  | GENERAL DYNAMICS  | Satcom 1344  |                               | 4 AGL                             |  |
| Maxim                   | -             | ut power |                      | 4.0000 GHz<br>na flange (Watts) =<br>all carriers (dBW) = |              |                               |                                   |  |
| ROBERTS 1, S<br>YSA     | 2 15          | 1        | 3.4                  | GENERAL DYNAMICS  | Satcom 1344  |                               | 4 AGL                             |  |
| Maxim                   | =             | ut power |                      | 4.0000 GHz<br>na flange (Watts) =<br>all carriers (dBW) = |              |                               |                                   |  |
| BRENTWOOD,<br>TAYLOR CR | 16            | 1        | 3.4                  | GENERAL DYNAMICS  | Satcom 1344  |                               | 4 AGL                             |  |
| Maxim                   | =             | ut power |                      | 4.0000 GHz<br>na flange (Watts) =<br>all carriers (dBW) = |              |                               |                                   |  |
| ARIMO, GARD<br>CREEK,   | E 17          | 1        | 3.4                  | GENERAL DYNAMICS  | Satcom 1344  |                               | 4 AGL                             |  |
| Maxim                   | =             | ut power |                      | 4.0000 GHz<br>na flange (Watts) =<br>all carriers (dBW) = |              |                               |                                   |  |



## **RADIO STATION REGISTRATION**

| Name: Corporation of the Presidir<br>Latter-day | ng Bishop of T | The Church of Je | Call Sign:       | E190685      |                        |
|---|----------------|------------------|------------------|--------------|------------------------|
| Authorization Type: Registration                |                |                  |                  | File Number: | SES-REG-20180918-04356 |
| Common Carrier                                  | Grant date:    | 07/23/2020       | Expiration Date: | 09/18/2033   |                        |

### E) Antenna Facilities

| Sit<br>II        |              | Antenna<br>ID | Units    | Diameter<br>(meters) | Manufacturer  | Model number | Site<br>Elevation<br>(Meters) | Max<br>Antenna Height<br>(Meters) | Special<br>Provisions<br>(Refer to<br>Section H) |
|------------------|--------------|---------------|----------|----------------------|---|--------------|-------------------------------|-----------------------------------|--|
| HAMER<br>(YSA)   | 1, 2         | 18            | 1        | 3.4                  | GENERAL DYNAMICS  | Satcom 1344  |                               | 4 AGL                             |  |
|                  |              | total inpu    | it power |                      | 4.0000 GHz<br>aa flange (Watts) =<br>lll carriers (dBW) = |              |                               |                                   |  |
| BEAVEF           | CREEK        | 19            | 1        | 3.4                  | GENERAL DYNAMICS  | Satcom 1344  |                               | 4 AGL                             |  |
|                  |              | total inpu    | it power |                      | 4.0000 GHz<br>a flange (Watts) =<br>.ll carriers (dBW) =  |              |                               |                                   |  |
| AMMON<br>25 &    | 5, 8,        | 2             | 1        | 3.4                  | GENERAL DYNAMICS  | Satcom 1344  |                               | 4 AGL                             |  |
|                  |              | total inpu    | it power |                      | 4.0000 GHz<br>a flange (Watts) =<br>all carriers (dBW) =  |              |                               |                                   |  |
| MALAD<br>JOHN 1  |              | 20            | 1        | 3.4                  | GENERAL DYNAMICS  | Satcom 1344  |                               | 4 AGL                             |  |
|                  |              | total inpu    | it power |                      | 4.0000 GHz<br>a flange (Watts) =<br>all carriers (dBW) =  |              |                               |                                   |  |
| BLACKE<br>13, 15 | 700T 7,      | 21            | 1        | 3.4                  | GENERAL DYNAMICS  | Satcom 1344  |                               | 4 AGL                             |  |
|                  |              | total inpu    | it power |                      | 4.0000 GHz<br>ma flange (Watts) =<br>all carriers (dBW) = |              |                               |                                   |  |
| BLACKE<br>9, 12  | 700T 6,<br>& | 22            | 1        | 3.4                  | GENERAL DYNAMICS  | Satcom 1344  |                               | 4 AGL                             |  |
|                  |              | total inpu    | it power |                      | 4.0000 GHz<br>a flange (Watts) =<br>all carriers (dBW) =  |              |                               |                                   |  |



## **RADIO STATION REGISTRATION**

| Name: Corporation of the Presidin<br>Latter-day | ig Bishop of T | The Church of J | esus Christ of   | Call Sign:   | E190685                |
|---|----------------|-----------------|------------------|--------------|------------------------|
| Authorization Type: Registration                |                |                 |                  | File Number: | SES-REG-20180918-04356 |
| Common Carrier                                  | Grant date:    | 07/23/2020      | Expiration Date: | 09/18/2033   |                        |

### E) Antenna Facilities

| Site<br>ID              | Antenna<br>ID | Units    | Diameter<br>(meters) | Manufacturer  | Model number | Site<br>Elevation<br>(Meters) | Max<br>Antenna Height<br>(Meters) | Special<br>Provisions<br>(Refer to<br>Section H) |
|-------------------------|---------------|----------|----------------------|---|--------------|-------------------------------|-----------------------------------|--|
| MARSH CREEK,<br>MCCAMMO | 23            | 1        | 3.4                  | GENERAL DYNAMICS  | Satcom 1344  |                               | 4 AGL                             |  |
| Maxim                   | =             | ut power |                      | 4.0000 GHz<br>na flange (Watts) =<br>all carriers (dBW) = |              |                               |                                   |  |
| HIGHLAND 1,<br>9, 12 &  | 24            | 1        | 3.4                  | GENERAL DYNAMICS  | Satcom 1344  |                               | 4 AGL                             |  |
| Maxim                   | =             | ut power |                      | 4.0000 GHz<br>na flange (Watts) =<br>all carriers (dBW) = |              |                               |                                   |  |
| POCATELLO YS<br>2, 8,   | 25            | 1        | 3.4                  | GENERAL DYNAMICS  | Satcom 1344  |                               | 4 AGL                             |  |
| Maxim                   | =             | ut power |                      | 4.0000 GHz<br>na flange (Watts) =<br>all carriers (dBW) = |              |                               |                                   |  |
| PRINCETON,<br>SAGEWOOD  | 26            | 1        | 3.4                  | GENERAL DYNAMICS  | Satcom 1344  |                               | 4 AGL                             |  |
| Maxim                   | =             | ut power |                      | 4.0000 GHz<br>na flange (Watts) =<br>all carriers (dBW) = |              |                               |                                   |  |
| POCATELLO ID<br>(ISU) I | 27            | 1        | 3.4                  | GENERAL DYNAMICS  | Satcom 1344  |                               | 4 AGL                             |  |
| Maxim                   | -             | ut power |                      | 4.0000 GHz<br>na flange (Watts) =<br>all carriers (dBW) = |              |                               |                                   |  |
| TERRETON 1,<br>&        | 28            | 1        | 3.4                  | GENERAL DYNAMICS  | Satcom 1344  |                               | 4 AGL                             |  |
| Maxim                   | =             | ut power |                      | 4.0000 GHz<br>na flange (Watts) =<br>all carriers (dBW) = |              |                               |                                   |  |



## **RADIO STATION REGISTRATION**

| Name: Corporation of the Presidin | Call Sign:  | E190685    |                         |              |                        |
|-----------------------------------|-------------|------------|-------------------------|--------------|------------------------|
| Latter-day                        |             |            |                         |              |                        |
| Authorization Type: Registration  |             |            |                         | File Number: | SES-REG-20180918-04356 |
| Common Carrier                    | Grant date: | 07/23/2020 | <b>Expiration Date:</b> | 09/18/2033   |                        |
|                                   |             |            |                         |              |                        |

### E) Antenna Facilities

| Site<br>ID              | Antenna<br>ID | Units    | Diameter<br>(meters) | Manufacturer  | Model number | Site<br>Elevation<br>(Meters) | Max<br>Antenna Height<br>(Meters) | Special<br>Provisions<br>(Refer to<br>Section H) |
|-------------------------|---------------|----------|----------------------|---|--------------|-------------------------------|-----------------------------------|--|
| BLACKFOOT 10<br>14, YS  | 29            | 1        | 3.4                  | GENERAL DYNAMICS  | Satcom 1344  |                               | 4 AGL                             |  |
| Maximu                  | -             | it power |                      | 4.0000 GHz<br>na flange (Watts) =<br>all carriers (dBW) = |              |                               |                                   |  |
| COTTONWOOD,<br>HOMESTEA | 3             | 1        | 3.4                  | GENERAL DYNAMICS  | Satcom 1344  |                               | 4 AGL                             |  |
| Maximu                  | -             | it power |                      | 4.0000 GHz<br>na flange (Watts) =<br>all carriers (dBW) = |              |                               |                                   |  |
| BLACKFOOT YS<br>1, MOR  | 30            | 1        | 3.4                  | GENERAL DYNAMICS  | Satcom 1344  |                               | 4 AGL                             |  |
| Maximu                  | -             | it power |                      | 4.0000 GHz<br>na flange (Watts) =<br>all carriers (dBW) = |              |                               |                                   |  |
| JOHNNY CREEK<br>POCATE  | 31            | 1        | 3.4                  | GENERAL DYNAMICS  | Satcom 1344  |                               | 4 AGL                             |  |
| Maximu                  | =             | it power |                      | 4.0000 GHz<br>na flange (Watts) =<br>all carriers (dBW) = |              |                               |                                   |  |
| CANTERBURY,<br>WHITAKER | 32            | 1        | 3.4                  | GENERAL DYNAMICS  | Satcom 1344  |                               | 4 AGL                             |  |
| Maximu                  | =             | it power |                      | 4.0000 GHz<br>na flange (Watts) =<br>all carriers (dBW) = |              |                               |                                   |  |
| MORELAND 2,<br>THOMAS 1 | 34            | 1        | 3.4                  | GENERAL DYNAMICS  | Satcom 1344  |                               | 4 AGL                             |  |
| Maximu                  | =             | it power |                      | 4.0000 GHz<br>na flange (Watts) =<br>all carriers (dBW) = |              |                               |                                   |  |



## **RADIO STATION REGISTRATION**

| Name: Corporation of the Presidir | ng Bishop of T | Jesus Christ of | Call Sign:       | E190685      |                        |
|-----------------------------------|----------------|-----------------|------------------|--------------|------------------------|
| Latter-day                        |                |                 |                  |              |                        |
| Authorization Type: Registration  |                |                 |                  | File Number: | SES-REG-20180918-04356 |
| Common Carrier                    | Grant date:    | 07/23/2020      | Expiration Date: | 09/18/2033   |                        |
|                                   |                |                 |                  |              |                        |

### E) Antenna Facilities

| Site<br>ID            | Antenna<br>ID | Units    | Diameter<br>(meters) | Manufacturer  | Model number | Site<br>Elevation<br>(Meters) | Max<br>Antenna Height<br>(Meters) | Special<br>Provisions<br>(Refer to<br>Section H) |
|-----------------------|---------------|----------|----------------------|---|--------------|-------------------------------|-----------------------------------|--|
| ALAMEDA 6,<br>8 &     | 7 35          | 1        | 3.4                  | GENERAL DYNAMICS  | Satcom 1344  |                               | 4 AGL                             |  |
| Maxi                  | =             | it power |                      | 4.0000 GHz<br>na flange (Watts) =<br>all carriers (dBW) = |              |                               |                                   |  |
| CHUBBUCK 4,<br>5, 8 & | 36            | 1        | 3.4                  | GENERAL DYNAMICS  | Satcom 1344  |                               | 4 AGL                             |  |
| Maxi                  | =             | it power |                      | 4.0000 GHz<br>na flange (Watts) =<br>all carriers (dBW) = |              |                               |                                   |  |
| POCATELLO 1<br>26 &   | .8 37         | 1        | 3.4                  | GENERAL DYNAMICS  | Satcom 1344  |                               | 4 AGL                             |  |
| Maxi                  | -             | it power |                      | 4.0000 GHz<br>na flange (Watts) =<br>all carriers (dBW) = |              |                               |                                   |  |
| MONTEVIEW             | 38            | 1        | 3.4                  | GENERAL DYNAMICS  | Satcom 1344  |                               | 4 AGL                             |  |
| Maxi                  | =             | it power |                      | 4.0000 GHz<br>na flange (Watts) =<br>all carriers (dBW) = |              |                               |                                   |  |
| LAKEVIEW              | 39            | 1        | 3.4                  | GENERAL DYNAMICS  | Satcom 1344  |                               | 4 AGL                             |  |
| Maxi                  | =             | it power |                      | 4.0000 GHz<br>na flange (Watts) =<br>all carriers (dBW) = |              |                               |                                   |  |
| ANNIS, MENA<br>3 &    | N 4           | 1        | 3.4                  | GENERAL DYNAMICS  | Satcom 1344  |                               | 4 AGL                             |  |
| Maxi                  |               | it power |                      | 4.0000 GHz<br>ha flange (Watts) =<br>all carriers (dBW) = |              |                               |                                   |  |



## **RADIO STATION REGISTRATION**

| Name: Corporation of the Presidin<br>Latter-day | ng Bishop of T | The Church of Je | esus Christ of   | Call Sign:   | E190685                |
|---|----------------|------------------|------------------|--------------|------------------------|
| Authorization Type: Registration                |                |                  |                  | File Number: | SES-REG-20180918-04356 |
| Common Carrier                                  | Grant date:    | 07/23/2020       | Expiration Date: | 09/18/2033   |                        |

### E) Antenna Facilities

| Site<br>ID              | Antenna<br>ID | Units    | Diameter<br>(meters) | Manufacturer  | Model number | Site<br>Elevation<br>(Meters) | Max<br>Antenna Height<br>(Meters) | Special<br>Provisions<br>(Refer to<br>Section H) |
|-------------------------|---------------|----------|----------------------|---|--------------|-------------------------------|-----------------------------------|--|
| ABERDEEN 1,<br>2, 4 (SP | 40            | 1        | 3.4                  | GENERAL DYNAMICS  | Satcom 1344  |                               | 4 AGL                             |  |
| Maximu                  | -             | ut power |                      | 4.0000 GHz<br>na flange (Watts) =<br>all carriers (dBW) =                     |              |                               |                                   |  |
| Maximu                  | =             | ut power |                      | GENERAL DYNAMICS<br>4.0000 GHz<br>ha flange (Watts) =<br>all carriers (dBW) = | Satcom 1344  |                               | 4 AGL                             |  |
| Maximu                  | =             | ut power |                      | GENERAL DYNAMICS<br>4.0000 GHz<br>na flange (Watts) =<br>all carriers (dBW) = | Satcom 1344  |                               | 4 AGL                             |  |
| Maximu                  |               | ut power |                      | GENERAL DYNAMICS<br>4.0000 GHz<br>ha flange (Watts) =<br>all carriers (dBW) = | Satcom 1344  |                               | 4 AGL                             |  |
| Maximu                  | =             | ut power |                      | GENERAL DYNAMICS<br>4.0000 GHz<br>ha flange (Watts) =<br>all carriers (dBW) = | Satcom 1344  |                               | 4 AGL                             |  |
| Maximu                  | =             | ut power |                      | GENERAL DYNAMICS<br>4.0000 GHz<br>ha flange (Watts) =<br>all carriers (dBW) = | Satcom 1344  |                               | 4 AGL                             |  |



#### UNITED STATES OF AMERICA FEDERAL COMMUNICATIONS COMMISSION

## **RADIO STATION REGISTRATION**

| Name: Corporation of the Presidir<br>Latter-day | ng Bishop of T | The Church of J | esus Christ of   | Call Sign:   | E190685                |
|---|----------------|-----------------|------------------|--------------|------------------------|
| Authorization Type: Registration                |                |                 |                  | File Number: | SES-REG-20180918-04356 |
| Common Carrier                                  | Grant date:    | 07/23/2020      | Expiration Date: | 09/18/2033   |                        |

### E) Antenna Facilities

| Site<br>ID             | Antenna<br>ID               | Units    | Diameter<br>(meters) | Manufacturer  | Model number | Site<br>Elevation<br>(Meters) | Max<br>Antenna Height<br>(Meters) | Special<br>Provisions<br>(Refer to<br>Section H) |
|------------------------|-----------------------------|----------|----------------------|---|--------------|-------------------------------|-----------------------------------|--|
| AMERICAN<br>FALLS 1, 2 | 47                          | 1        | 3.4                  | GENERAL DYNAMICS  | Satcom 1344  |                               | 4 AGL                             |  |
| Maxir                  | -                           | it power |                      | 4.0000 GHz<br>na flange (Watts) =<br>all carriers (dBW) =                     |              |                               |                                   |  |
| Maxir                  | Gains(s):<br>num total inpu | it power |                      | GENERAL DYNAMICS<br>4.0000 GHz<br>ha flange (Watts) =<br>hll carriers (dBW) = | Satcom 1344  |                               | 4 AGL                             |  |
| Maxir                  | Gains(s):<br>num total inpu | it power |                      | GENERAL DYNAMICS<br>4.0000 GHz<br>ha flange (Watts) =<br>all carriers (dBW) = | Satcom 1344  |                               | 4 AGL                             |  |
| Maxir                  | =                           | it power |                      | GENERAL DYNAMICS<br>4.0000 GHz<br>ha flange (Watts) =<br>hll carriers (dBW) = | Satcom 1344  |                               | 4 AGL                             |  |
| Maxir                  | =                           | it power |                      | GENERAL DYNAMICS<br>4.0000 GHz<br>ha flange (Watts) =<br>all carriers (dBW) = | Satcom 1344  |                               | 4 AGL                             |  |
| Maxir                  | Gains(s):<br>num total inpu | it power |                      | General Dynamics<br>4.0000 GHz<br>na flange (Watts) =<br>all carriers (dBW) = | Satcom 1344  |                               | 4 AGL                             |  |



## **RADIO STATION REGISTRATION**

| Name: Corporation of the Presidin | Call Sign:  | E190685    |                  |              |                        |
|-----------------------------------|-------------|------------|------------------|--------------|------------------------|
| Latter-day                        |             |            |                  |              |                        |
| Authorization Type: Registration  |             |            |                  | File Number: | SES-REG-20180918-04356 |
| Common Carrier                    | Grant date: | 07/23/2020 | Expiration Date: | 09/18/2033   |                        |
|                                   |             |            |                  |              |                        |

#### E) Antenna Facilities

| Antenna<br>ID | Units   | Diameter<br>(meters)  | Manufacturer   | Model number  | Site<br>Elevation<br>(Meters)  | Max<br>Antenna Height<br>(Meters)   | Special<br>Provisions<br>(Refer to<br>Section H)  |
|---------------|---|---|--|---|--|---|---|
| 7             | 1   | 3.4   | GENERAL DYNAMICS   | Satcom 1344   |  | 4 AGL   |   |
| total inpu    | it power  | at antenn   | a flange (Watts) =   |   |  |   |   |
| 8             | 1   | 3.4   | GENERAL DYNAMICS   | Satcom 1344   |  | 4 AGL   |   |
| total inpu    | it power  | at antenn   | -  |   |  |   |   |
| total inpu    | 40.2<br>at power  | dBi @<br>at antenn  | -  | Satcom 1344   |  | 4 AGL   |   |
|               | <pre>ID 7 7 ns(s): total inpu aggregate 8 ns(s): total inpu aggregate 9 ns(s): total inpu</pre> | IDUnits71ns(s):40.2total input poweraggregate output 181ns(s):40.2total input poweraggregate output 191ns(s):40.2total input power91ns(s):40.2total input power | IDUnits(meters)713.4ns(s):40.2 dBi @total input power at antennaggregate output EIRP for a813.4ns(s):40.2 dBi @total input power at antennaggregate output EIRP for a913.4ns(s):40.2 dBi @total input power at antennaggregate output EIRP for a913.4ns(s):40.2 dBi @total input power at antenn | IDUnits(meters)Manufacturer713.4GENERAL DYNAMICS713.4GENERAL DYNAMICSns(s):40.2 dBi @4.0000 GHztotal input power at antenna flange (Watts) =aggregate output EIRP for all carriers (dBW) =813.4GENERAL DYNAMICSns(s):40.2 dBi @4.0000 GHztotal input power at antenna flange (Watts) =aggregate output EIRP for all carriers (dBW) =913.4GENERAL DYNAMICS | IDUnits(meters)ManufacturerModel number713.4GENERAL DYNAMICSSatcom 1344ns(s):40.2 dBi @4.0000 GHzstcom 1344total input power at antenna flange (Watts) =<br>aggregate output EIRP for all carriers (dBW) =81813.4GENERAL DYNAMICSSatcom 1344ns(s):40.2 dBi @4.0000 GHzstcom 1344ns(s):40.2 dBi @4.0000 GHzstcom 1344913.4GENERAL DYNAMICSSatcom 1344ns(s):40.2 dBi @4.0000 GHzstcom 1344ns(s):40.2 dBi @4.0000 GHzstcom 1344ns(s):40.2 dBi @4.0000 GHzstcom 1344 | Antenna<br>IDDiameter<br>(meters)ManufacturerModel numberElevation<br>(Meters)713.4GENERAL DYNAMICSSatcom 1344ns(s):40.2 dBi @4.0000 GHz<br>total input power at antenna flange (Watts) =<br>aggregate output EIRP for all carriers (dBW) =Satcom 1344ns(s):40.2 dBi @4.0000 GHz<br>total input power at antenna flange (Watts) =<br>aggregate output EIRP for all carriers (dBW) =813.4GENERAL DYNAMICSSatcom 1344ns(s):40.2 dBi @4.0000 GHz<br>total input power at antenna flange (Watts) =<br>aggregate output EIRP for all carriers (dBW) =913.4GENERAL DYNAMICSSatcom 1344ns(s):40.2 dBi @4.0000 GHz<br>total input power at antenna flange (Watts) =<br>aggregate output EIRP for all carriers (dBW) = | Antenna<br>IDDiameter<br>UnitsManufacturerModel numberElevation<br>(Meters)Antenna Height<br>(Meters)713.4GENERAL DYNAMICSSatcom 13444 AGLns (s):40.2 dBi @4.0000 GHz<br>total input power at antenna flange (Watts) =<br>aggregate output EIRP for all carriers (dBW) =813.4GENERAL DYNAMICS813.4GENERAL DYNAMICSSatcom 13444 AGLns (s):40.2 dBi @4.0000 GHz<br>total input power at antenna flange (Watts) =<br>aggregate output EIRP for all carriers (dBW) =4 AGL913.4GENERAL DYNAMICSSatcom 13444 AGLns (s):40.2 dBi @4.0000 GHz<br>total input power at antenna flange (Watts) =<br>aggregate output EIRP for all carriers (dBW) =4 AGL913.4GENERAL DYNAMICSSatcom 13444 AGLns (s):40.2 dBi @4.0000 GHz<br>total input power at antenna flange (Watts) =4 AGL |

#### G) Antenna Structure marking and lighting requirements:

None unless otherwise specified under Special and General Provisions

#### H) Special and General Provisions

- A) This RADIO STATION AUTHORIZATION is granted subject to the following special provisions and general conditions:
  - 4 --- Licensee must ensure that a current listing of the name, title, mailing address, email address, and telephone number of the responsible point of contact are on file at the FCC. Any changes must be filed electronically in the International Bureau Filing System (MyIBFS) using the "Pleadings and Comments" link on the MyIBFS homepage within 10 days of the change.
  - 6 --- Licensee must comply with the license modification and notification requirements of 47 CFR § 25.118 to change the coordinates of its authorized earth station.
  - 8 --- Licensee must notify the Commission when all earth stations operating under this authorization are no longer operational or when they have not been used to provide any service during any 6-month operation.
- 90398 --- Changes to previously authorized transmitting facilities, operations and devices regulated by the Commission that may have significant environmental impact, and are not excluded by §1.1306, require the preparation of an Environmental Assessment (EA) by the licensee. (See 47 C.F.R. §§1.1307, 1.1308 and 1.1311)



## **RADIO STATION REGISTRATION**

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

Call Sign: E190685

Authorization Type: Registration

Grant date: 07/23/2020

File Number: SES-REG-20180918-04356

Common Carrier

**Expiration Date:** 

09/18/2033

#### **H) Special and General Provisions**

- A) This RADIO STATION AUTHORIZATION is granted subject to the following special provisions and general conditions:
- 90470 --- The application for this authorization was filed within the 194-day filing window for FSS earth stations operating in the 3700-4200 MHz frequency band as of April 19, 2018, as established by Public Notice DA 18-398 (rel. Apr. 19, 2018) and Public Notice DA-18-639 (rel. Jun. 21, 2018), and Public Notice DA 18-1061 (rel. Oct. 17, 2018).
- 90472 --- The application for this authorization was filed without a coordination report pursuant to the waiver granted in Public Notice DA 18-398 (rel. Apr. 19, 2018). Operations of this earth station in the 3700-4200 MHz band are not entitled to protection from stations operating in the fixed service.
- 900407 --- The Permitted Space Station List (Permitted List) is a list of all geostationary space stations providing fixed-satellite service pursuant to a Commission license or grant of U.S. market access. The Permitted List currently includes the following frequency bands per §25.103 and §25.115(k)(1):

3600-4200 MHz (space-to-Earth) 5850-6725 MHz (Earth-to-space) 10.95-11.2 GHz (space-to-Earth) 11.45-12.2 GHz (space-to-Earth) 13.75-14.5 GHz (Earth-to-space) 18.3-18.8 GHz (space-to-Earth) 19.7-20.2 GHz (space-to-Earth) 24.75-25.25 GHz (Earth-to-space) 28.35-28.6 GHz (Earth-to-space) 29.25-30.0 GHz (Earth-to-space).

Earth stations with "Permitted List" designated as a point of communication may access any space station on the Permitted List, provided the operations comply with the applicable "routine" uplink and downlink limits, are within the specific frequency bands authorized in the earth station license, have completed coordination with terrestrial stations pursuant to §25.203, and otherwise comply with all terms and conditions of both the earth station license and the space station grant.



## **RADIO STATION REGISTRATION**

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter-day

Call Sign: E190685

Authorization Type: Registration Common Carrier

Grant date: 07/23/2020

File Number: SES-REG-20180918-04356

**Expiration Date:** 09/18/2033

**B**) This RADIO STATION AUTHORIZATION is granted subject to the additional conditions specified below:

This authorization is issued on the grantee's representation that the statements contained in the application are true and that the undertakings described will be carried out in good faith.

This authorization shall not be construed in any manner as a finding by the Commission on the question of marking or lighting of the antenna system should future conditions require. The grantee expressly agrees to install such marking or lighting as the Commission may require under the provisions of Section 303(q) of the Communications Act. 47 U.S.C. § 303(q).

Neither this authorization nor the right granted by this authorization shall be assigned or otherwise transferred to any person, firm, company or corporation without the written consent of the Commission. This authorization is subject to the right of use or control by the government of the United States conferred by Section 706 of the Communications Act. 47 U.S.C. § 706. Operation of this station is governed by Part 25 of the Commission's Rules. 47 C.F.R. Part 25.

This authorization shall not vest in the licensee any right to operate this station nor any right in the use of the designated frequencies beyond the term of this license, nor in any other manner than authorized herein.

This authorization is issued on the grantee's representation that the station is in compliance with environmental requirements set forth in Section 1.1307 of the Commission's Rules. 47 C.F.R. § 1.1307.

This authorization is issued on the grantee's representation that the station is in compliance with the Federal Aviation Administration (FAA) requirements as set forth in Section 17.4 of the Commission's Rules. 47 C.F.R.§ 17.4.

The following condition applies when this authorization permits construction of or modifies the construction permit of a radio station.

This authorization shall be automatically forfeited if the station is not ready for operation by the required date of completion of construction unless an application for modification of authorization to request additional time to complete construction is filed by that date, together with a showing that failure to complete construction by the required date was due to factors not under control of the grantee.

Licensees are required to pay annual regulatory fees related to this authorization. The requirement to collect annual regulatory fees from regulatees is contained in Public Law 103-66, "The Omnibus Budget Reconciliation Act of 1993." These regulatory fees, which are likely to change each fiscal year, are used to offset costs associated with the Commission's enforcement, public service, international and policy and rulemaking activities. The Commission issues a Report and Order each year, setting the new regulatory fee rates. Receive only earth stations are exempt from payment of regulatory fees.