Approved by OMB
3060−0678

Date & Time Filed: Sep 18 2018 2:08:05:886PM
File Number: SES−REG−INTR2018−05841
Callsign/Satellite ID:

APPLICATION FOR EARTH STATION AUTHORIZATIONS FCC 312 MAIN FORM FOR OFFICIAL USE ONLY	FCC Use Only

APPLICANT INFORMATION
Enter a description of this application to identify it on the main menu:
R−O Earth Station Application, Nos.1301−1350

1−8. Legal Name of Applicant

Name:	Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter−day	**Phone Number:**	510−531−3200
DBA Name:		**Fax Number:**	
Street:	50 E. North Temple St	**E−Mail:**	
City:	Salt Lake City	**State:**	UT
Country:	USA	**Zipcode:**	84150 −
Attention:	Bart Eichelberger		

9−16. Name of Contact Representative

Name:	Jennifer Hindin	**Phone Number:**	2027194975
Company:	Wiley Rein LLP	**Fax Number:**	
Street:	1776 K St NW	**E−Mail:**	jhindin@wileyrein.com
City:	Washington	**State:**	DC
Country:	USA	**Zipcode:**	20006−
Attention:		**Relationship:**	Legal Counsel

CLASSIFICATION OF FILING

17. Choose the button next to the classification that applies to this filing for both questions a. and b. Choose only one for 17a and only one for 17b. a. ◉ a1. Earth Station (N/A) a2. Space Station	b. ○ b1. Application for License of New Station ◉ b2. Application for Registration of New Domestic Receive−Only Station (N/A) b3. Amendment to a Pending Application (N/A) b4. Modification of License or Registration (N/A) b5. Assignment of License or Registration (N/A) b6. Transfer of Control of License or Registration (N/A) b7. Notification of Minor Modification (N/A) b8. Application for License of New Receive−Only Station Using Non−U.S. Licensed Satellite (N/A) b9. Letter of Intent to Use Non−U.S. Licensed Satellite to Provide Service in the United States ○ b10. Other (Please specify) ○ b11. Application for Earth Station to Access a Non−U.S.satellite Not Currently Authorized to Provide the Proposed Service in the Proposed Frequencies in the United States. ○ b12. Application for Database Entry (N/A) b13. Amendment to a Pending Database Entry Application (N/A) b14. Modifiction of Database Entry
17c. Is a fee submitted with this application? ○ If Yes, complete and attach FCC Form 159. If No, indicate reason for fee exemption (see 47 C.F.R.Section 1.1114). ○ Governmental Entity ○ Noncommercial educational licensee ◉ Other(please explain): Agency Tracking ID	
17d. Fee Classification CMO − Receive Only Earth Station	

18. If this filing is in reference to an existing station, enter: (a) Call sign of station: Not Applicable	19. If this filing is an amendment to a pending application enter: (a) Date pending application was filed: Not Applicable (b) File number of pending application: Not Applicable

TYPE OF SERVICE

20. NATURE OF SERVICE: This filing is for an authorization to provide or use the following type(s) of service(s): Select all that apply:

- [x] a. Fixed Satellite
- [ ] b. Mobile Satellite
- [ ] c. Radiodetermination Satellite
- [ ] d. Earth Exploration Satellite
- [ ] e. Direct to Home Fixed Satellite
- [ ] f. Digital Audio Radio Service
- [ ] g. Other (please specify)

21. STATUS: Choose the button next to the applicable status. Choose only one.

- ○ Common Carrier
- ◉ Non−Common Carrier

22. If earth station applicant, check all that apply.

- [x] Using U.S. licensed satellites
- [ ] Using Non−U.S. licensed satellites

23. If applicant is providng INTERNATIONAL COMMON CARRIER service, see instructions regarding Sec. 214 filings. Choose one. Are these facilities:

- ○ Connected to a Public Switched Network
- ○ Not connected to a Public Switched Network
- ◉ N/A

24. FREQUENCY BAND(S): Place an "X" in the box(es) next to all applicable frequency band(s).

☒ a. C−Band (4/6 GHz) ☐ b. Ku−Band (12/14 GHz)

☐ c.Other (Please specify upper and lower frequencies in MHz.)

Frequency Lower: Frequency Upper:

TYPE OF STATION

25. CLASS OF STATION: Choose the button next to the class of station that applies. Choose only one.

◉ a. Fixed Earth Station

○ b. Temporary−Fixed Earth Station

○ c. 12/14 GHz VSAT Network

○ d. Mobile Earth Station

(N/A) e. Geostationary Space Station

(N/A) f. Non−Geostationary Space Station

○ g. Other (please specify)

26. TYPE OF EARTH STATION FACILITY: Choose only one.

○ Transmit/Receive ○ Transmit−Only ◉ Receive−Only ○ N/A

PURPOSE OF MODIFICATION

27. The purpose of this proposed modification is to: (Place an ’X’ in the box(es) next to all that apply.)

Not Applicable

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
DERWOOD, GAITHERSBUR	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	GAITHERSBURG (SP), G	E5. Call Sign:		
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000	
E3. Street:	18900 Kingsview Road	E7. City:	GERMANTOWN	
		E8. County:		
E4. State	MD	E9. Zip Code	20874	
E10. Area of Operation:		GERMANTOWN		
E11. Latitude:	39 °9 ’56.65 "N			
E12. Longitude:	77 °17 ’15.57 "W			
E13. Lat/Lon Coordinates are:		◉ NAD−27	○ NAD−83	○ N/A
E14. Site Elevation (AMSL):		0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name: If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:

E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
GAITHERSBURG (SP), G	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	BRADDOCK HEIGHTS, BR	E5. Call Sign:		
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000	
E3. Street:	199 North Place	E7. City:	FREDERICK	
		E8. County:		
E4. State	MD	E9. Zip Code	21701	
E10. Area of Operation:		FREDERICK		
E11. Latitude:	39 °24 ’46.06 "N			
E12. Longitude:	77 °25 ’59.88 "W			
E13. Lat/Lon Coordinates are:		◉ NAD−27	○ NAD−83	○ N/A
E14. Site Elevation (AMSL):		0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
BRADDOCK HEIGHTS, BR	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	ANTIETAM, HAGERSTOWN	E5. Call Sign:		
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000	
E3. Street:	1253 Mt Aetna Road East	E7. City:	HAGERSTOWN	
		E8. County:		
E4. State	MD	E9. Zip Code	21742	
E10. Area of Operation:		HAGERSTOWN		
E11. Latitude:	39 °37 ’19.6 "N			
E12. Longitude:	77 °41 ’38.07 "W			
E13. Lat/Lon Coordinates are:		◉ NAD−27	○ NAD−83	○ N/A
E14. Site Elevation (AMSL):		0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as ○ Yes ◉ No

E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as ○ Yes ◉ No

E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? ○ Yes ◉ No
FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.

POINTS OF COMMUNICATION

Satellite Name: If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:

E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
ANTIETAM, HAGERSTOWN	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	HANCOCK	E5. Call Sign:		
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000	
E3. Street:	200 Douglas Street	E7. City:	HANCOCK	
		E8. County:		
E4. State	MD	E9. Zip Code	21750	
E10. Area of Operation:		HANCOCK		
E11. Latitude:	39 °42 ’18.27 "N			
E12. Longitude:	78 °11 ’3.81 "W			
E13. Lat/Lon Coordinates are:		◉ NAD−27	○ NAD−83	○ N/A
E14. Site Elevation (AMSL):		0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
HANCOCK	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	CUMBERLAND	E5. Call Sign:	
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000
E3. Street:	12205 Gramlich Road Southwest	E7. City:	LAVALE
		E8. County:	
E4. State	MD	E9. Zip Code	21502

E10. Area of Operation: LAVALE

E11. Latitude: 39 °39 ’25.54 "N

E12. Longitude: 78 °48 ’54.85 "W

E13. Lat/Lon Coordinates are: ◉ NAD−27 ○ NAD−83 ○ N/A

E14. Site Elevation (AMSL): 0.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
CUMBERLAND	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	OAKLAND	E5. Call Sign:	
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000
E3. Street:	1022 John Drive	E7. City:	MOUNTAIN LAKE PARK
		E8. County:	
E4. State	MD	E9. Zip Code	21550

E10. Area of Operation: MOUNTAIN LAKE PARK

E11. Latitude: 39 °24 ’37.29 "N

E12. Longitude: 79 °23 ’20.67 "W

E13. Lat/Lon Coordinates are: ◉ NAD−27 ○ NAD−83 ○ N/A

E14. Site Elevation (AMSL): 0.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
OAKLAND	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	MACHIAS	E5. Call Sign:	
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000
E3. Street:	180 Court Street	E7. City:	MACHIAS
		E8. County:	
E4. State	ME	E9. Zip Code	04654

E10. Area of Operation: MACHIAS

E11. Latitude: 44 °42 ’46.77 "N

E12. Longitude: 67 °28 ’4.17 "W

E13. Lat/Lon Coordinates are: ◉ NAD−27 ○ NAD−83 ○ N/A

E14. Site Elevation (AMSL): 0.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name: If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
MACHIAS	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	HOULTON	E5. Call Sign:			
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000		
E3. Street:	10 Pleasant Street	E7. City:	HOULTON		
		E8. County:			
E4. State	ME	E9. Zip Code	04730		
E10. Area of Operation:		HOULTON			
E11. Latitude:	46 °7 ’39.32 "N				
E12. Longitude:	67 °50 ’18.7 "W				
E13. Lat/Lon Coordinates are:		◉ NAD−27	○ NAD−83	○ N/A	
E14. Site Elevation (AMSL):		0.0 meters			

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.

◉ Yes ○ No ○ N/A

E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?

○ Yes ○ No ◉ N/A

E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.

○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
HOULTON	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	CARIBOU	E5. Call Sign:		
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000	
E3. Street:	67 Paris Snow Drive	E7. City:	CARIBOU	
		E8. County:		
E4. State	ME	E9. Zip Code	04736	
E10. Area of Operation:		CARIBOU		
E11. Latitude:	46 °50 ’55.77 "N			
E12. Longitude:	68 °1 ’3.44 "W			
E13. Lat/Lon Coordinates are:		◉ NAD−27	○ NAD−83	○ N/A
E14. Site Elevation (AMSL):		0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as

○ Yes ◉ No

E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as

○ Yes ◉ No

E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation?

○ Yes ◉ No

FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.

POINTS OF COMMUNICATION

Satellite Name:	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
CARIBOU	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
			/					

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	ELLSWORTH	E5. Call Sign:			
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000		
E3. Street:	130 Beechland Rd	E7. City:	ELLSWORTH		
		E8. County:			
E4. State	ME	E9. Zip Code	04605		
E10. Area of Operation:		ELLSWORTH			
E11. Latitude:	44 °31 ’9.17 "N				
E12. Longitude:	68 °23 ’58.7 "W				
E13. Lat/Lon Coordinates are:		◉ NAD−27	○ NAD−83	○ N/A	
E14. Site Elevation (AMSL):		0.0 meters			

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
ELLSWORTH	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	LINCOLN	E5. Call Sign:			
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000		
E3. Street:	144 Penobscot Valley Avenue	E7. City:	LINCOLN		
		E8. County:			
E4. State	ME	E9. Zip Code	04457		
E10. Area of Operation:		LINCOLN			
E11. Latitude:	45 °20 ’58.81 "N				
E12. Longitude:	68 °31 ’8.66 "W				
E13. Lat/Lon Coordinates are:		◉ NAD−27	○ NAD−83	○ N/A	
E14. Site Elevation (AMSL):		0.0 meters			

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
LINCOLN	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	BANGOR, BREWER &	E5. Call Sign:		
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000	
E3. Street:	639 Grandview Avenue	E7. City:	BANGOR	
		E8. County:		
E4. State	ME	E9. Zip Code	04401	
E10. Area of Operation:		BANGOR		
E11. Latitude:	44 °49 ’44.82 "N			
E12. Longitude:	68 °46 ’19.72 "W			
E13. Lat/Lon Coordinates are:		◉ NAD−27	○ NAD−83	○ N/A
E14. Site Elevation (AMSL):		0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
BANGOR, BREWER &	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	BELFAST	E5. Call Sign:			
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000		
E3. Street:	297 Belmont Avenue	E7. City:	BELFAST		
		E8. County:			
E4. State	ME	E9. Zip Code	04915		
E10. Area of Operation:		BELFAST			
E11. Latitude:	44 °24 ’40.71 "N				
E12. Longitude:	69 °4 ’30.8 "W				
E13. Lat/Lon Coordinates are:		◉ NAD−27	○ NAD−83	○ N/A	
E14. Site Elevation (AMSL):		0.0 meters			

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name: If you selected OTHER, please enter the following:

E21. Common Name:

E22. ITU Name:

E23. Orbit Location:

E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
BELFAST	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	DOVER	E5. Call Sign:				
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000			
E3. Street:	660 Bangor Road	E7. City:	DOVER−FOXCROFT			
		E8. County:				
E4. State	ME	E9. Zip Code	04426			
E10. Area of Operation:		DOVER−FOXCROFT				
E11. Latitude:	45 °9 ’55.08 "N					
E12. Longitude:	69 °11 ’6.72 "W					
E13. Lat/Lon Coordinates are:		◉ NAD−27	○ NAD−83	○ N/A		
E14. Site Elevation (AMSL):		0.0 meters				

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as

○ Yes ◉ No

E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as

○ Yes ◉ No

E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation?

○ Yes ◉ No

FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.

POINTS OF COMMUNICATION

Satellite Name: If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
DOVER	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	NEWPORT	E5. Call Sign:			
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000		
E3. Street:	59 Libby Hill Road	E7. City:	NEWPORT		
		E8. County:			
E4. State	ME	E9. Zip Code	04953		
E10. Area of Operation:		NEWPORT			
E11. Latitude:	44 °50 ’54.14 "N				
E12. Longitude:	69 °17 ’6.19 "W				
E13. Lat/Lon Coordinates are:		◉ NAD−27	○ NAD−83	○ N/A	
E14. Site Elevation (AMSL):		0.0 meters			

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name: If you selected OTHER, please enter the following:

E21. Common Name:

E22. ITU Name:

E23. Orbit Location:

E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
NEWPORT	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	WATERVILLE	E5. Call Sign:	
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000
E3. Street:	26 Washington Street	E7. City:	WATERVILLE
		E8. County:	
E4. State	ME	E9. Zip Code	04901

E10. Area of Operation:		WATERVILLE		
E11. Latitude:	44 °32 ’52.84 "N			
E12. Longitude:	69 °40 ’38.07 "W			
E13. Lat/Lon Coordinates are:		◉ NAD−27	○ NAD−83	○ N/A

E14. Site Elevation (AMSL):	0.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as

○ Yes ◉ No

E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as

○ Yes ◉ No

E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation?
FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.

○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name: If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
WATERVILLE	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	FARMINGDALE	E5. Call Sign:	
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000
E3. Street:	14 Hasson Street	E7. City:	FARMINGDALE
		E8. County:	
E4. State	ME	E9. Zip Code	04344
E10. Area of Operation:		FARMINGDALE	
E11. Latitude:	44 °15 ’33.42 "N		
E12. Longitude:	69 °46 ’44.33 "W		
E13. Lat/Lon Coordinates are:		◉ NAD−27	○ NAD−83 ○ N/A
E14. Site Elevation (AMSL):		0.0 meters	

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
FARMINGDALE	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	TOPSHAM &	E5. Call Sign:			
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000		
E3. Street:	33 Pinewood Drive	E7. City:	TOPSHAM		
		E8. County:			
E4. State	ME	E9. Zip Code	04086		
E10. Area of Operation:		TOPSHAM			
E11. Latitude:	43 °55 ’20.98 "N				
E12. Longitude:	69 °56 ’43.64 "W				
E13. Lat/Lon Coordinates are:		◉ NAD−27	○ NAD−83	○ N/A	
E14. Site Elevation (AMSL):		0.0 meters			

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:

E26. Common Name: E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
TOPSHAM &	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	FARMINGTON	E5. Call Sign:	
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000
E3. Street:	141 Woodfield Drive	E7. City:	FARMINGTON
		E8. County:	
E4. State	ME	E9. Zip Code	04938

E10. Area of Operation: FARMINGTON

E11. Latitude: 44 °40 ’50.71 "N

E12. Longitude: 70 °8 ’7.21 "W

E13. Lat/Lon Coordinates are: ◉ NAD−27 ○ NAD−83 ○ N/A

E14. Site Elevation (AMSL): 0.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:

E26. Common Name: E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
FARMINGTON	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	YARMOUTH	E5. Call Sign:	
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000
E3. Street:	247 Walnut Hill Road	E7. City:	NORTH YARMOUTH
		E8. County:	
E4. State	ME	E9. Zip Code	04097

E10. Area of Operation: NORTH YARMOUTH

E11. Latitude: 43 °49 ’2.6 "N

E12. Longitude: 70 °14 ’20.14 "W

E13. Lat/Lon Coordinates are: ◉ NAD−27 ○ NAD−83 ○ N/A

E14. Site Elevation (AMSL): 0.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as

○ Yes ◉ No

E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as

○ Yes ◉ No

E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation?

○ Yes ◉ No

FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.

POINTS OF COMMUNICATION

Satellite Name: If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
YARMOUTH	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	PORTLAND	E5. Call Sign:	
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000
E3. Street:	29 Ocean House Road	E7. City:	CAPE ELIZABETH
		E8. County:	
E4. State	ME	E9. Zip Code	04107

E10. Area of Operation: CAPE ELIZABETH

E11. Latitude: 43 °37 ’9.91 "N

E12. Longitude: 70 °14 ’53.89 "W

E13. Lat/Lon Coordinates are: ◉ NAD−27 ○ NAD−83 ○ N/A

E14. Site Elevation (AMSL): 0.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.

Yes	No	N/A
◉	○	○

E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?

Yes	No	N/A
○	○	◉

E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.

Yes	No
○	◉

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name: If you selected OTHER, please enter the following:

E21. Common Name:

E22. ITU Name:

E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
PORTLAND	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)		E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700	4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign

NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.

E65. Phone Number

E62. Street Address

E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	AUBURN	E5. Call Sign:	
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000
E3. Street:	545 Maple Hill Road	E7. City:	AUBURN
		E8. County:	
E4. State	ME	E9. Zip Code	04210

E10. Area of Operation: AUBURN

E11. Latitude: 44 °10 ’39.43 "N

E12. Longitude: 70 °15 ’9.16 "W

E13. Lat/Lon Coordinates are: ◉ NAD−27 ○ NAD−83 ○ N/A

E14. Site Elevation (AMSL): 0.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name: If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:

E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
AUBURN	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)		E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700	4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

FCC NOTICE REQUIRED BY THE PAPERWORK REDUCTION ACT

The public reporting for this collection of information is estimated to average 0.25 − 24 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the required data, and completing and reviewing the collection of information. If you have any comments on this burden estimate, or how we can improve the collection and reduce the burden it causes you, please write to the Federal Communications Commission, AMD−PERM, Paperwork Reduction Project (3060−0678), Washington, DC 20554. We will also accept your comments regarding the Paperwork Reduction Act aspects of this collection via the Internet if you send them to PRA@fcc.gov. PLEASE DO NOT SEND COMPLETED FORMS TO THIS ADDRESS.

Remember − You are not required to respond to a collection of information sponsored by the Federal government, and the government may not conduct or sponsor this collection, unless it displays a currently valid OMB control number or if we fail to provide you with this notice. This collection has been assigned an OMB control number of 3060−0678.

THE FOREGOING NOTICE IS REQUIRED BY THE PAPERWORK REDUCTION ACT OF 1995, PUBLIC LAW 104−13, OCTOBER 1, 1995, 44 U.S.C. SECTION 3507.