



UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION
RADIO STATION REGISTRATION

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of
Latter-day

Call Sign: E190365

Authorization Type: Registration

File Number: SES-REG-20180920-04060

Common Carrier

Grant date: 08/04/2020

Expiration Date: 09/20/2033

Nature of Service: Fixed Satellite Service

Class of Station: Fixed Earth Stations

A) Site Location(s)

#	Site ID	Address	Latitude	Longitude	Elevation (Meters)	Special Provisions NAD (Refer to Section H)
1)	ALBANY, HAMMOND	2503 Old Baton Rouge Highway HAMMOND, LA 70403	30°29'38.9"N	90°29'32.0"W	27	
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
2)	ALEXANDRIA &	611 Versailles Boulevard ALEXANDRIA, LA 71303	31°16'29.5"N	92°29'15.3"W	27	
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
3)	ASHLAND	1001 Kenwood Drive RUSSELL, KY 41169	38°30'38.9"N	82°41'37.2"W	27	
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
4)	BASTROP	10190 Boswell Street BASTROP, LA 71220	32°47'11.4"N	91°53'27.9"W	27	
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
5)	BATON ROUGE 1	5686 Winbourne Avenue BATON ROUGE, LA 70805	30°28'43.7"N	91°8'0.4"W	27	
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
6)	BATON ROUGE 2, 3, 5	10335 Highland Road BATON ROUGE, LA 70810	30°21'43.0"N	91°6'33.0"W	27	
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				



UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION

RADIO STATION REGISTRATION

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of
Latter-day

Call Sign: E190365

Authorization Type: Registration

File Number: SES-REG-20180920-04060

Common Carrier

Grant date: 08/04/2020

Expiration Date: 09/20/2033

A) Site Location(s)

#	Site ID	Address	Latitude	Longitude	Elevation (Meters)	Special Provisions NAD (Refer to Section H)
7)	BEATTYVILLE	1085 Grand Ave BEATTYVILLE, KY 41311	37°35'5.7"N	83°41'51.9"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
8)	BLANCHARD, BROWNLEE,	310 Wellington Drive BOSSIER CITY, LA 71111	32°34'22.9"N	93°43'25.6"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
9)	BOGALUSA	1121 North Columbia Street BOGALUSA, LA 70427	30°47'53.4"N	89°50'45.3"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
10)	BOSSIER, SHREVEPORT	200 Carroll Street SHREVEPORT, LA 71105	32°27'15.3"N	93°43'8.0"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
11)	CORBIN	126 Lyric Lane CORBIN, KY 40701	36°57'13.6"N	84°7'36.2"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
12)	COUSHATTA	1900 Bessie Street COUSHATTA, LA 71019	32°1'1.7"N	93°18'59.8"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
13)	COVINGTON	2638 West 15th Avenue COVINGTON, LA 70433	30°29'15.2"N	90°8'19.4"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				



UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION

RADIO STATION REGISTRATION

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of
Latter-day

Call Sign: E190365

Authorization Type: Registration

File Number: SES-REG-20180920-04060

Common Carrier

Grant date: 08/04/2020

Expiration Date: 09/20/2033

A) Site Location(s)

#	Site ID	Address	Latitude	Longitude	Elevation (Meters)	Special Provisions NAD (Refer to Section H)
14)	DENHAM SPRINGS 1, 2	25367 Riverton Drive DENHAM SPRINGS, LA 70726	30°26'8.3"N	90°57'33.5"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
15)	FARMERVILLE	7659 Highway 2 FARMERVILLE, LA 71241	32°45'56.0"N	92°22'35.9"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
16)	GONZALES 1, 2	502 Highway 30 GONZALES, LA 70737	30°12'41.1"N	90°54'59.5"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
17)	JENNINGS	1718 North Cutting Avenue JENNINGS, LA 70546	30°14'23.1"N	92°39'17.1"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
18)	JONESBORO-HOI	158 COOPER RD NORTH HODGE, LA 71247	32°17'3.9"N	92°42'43.5"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
19)	LA PLACE	15 Palmetto Drive LAPLACE, LA 70068	30°5'12.4"N	90°27'50.1"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
20)	LAFAYETTE	116 East Bluebird Drive LAFAYETTE, LA 70508	30°9'25.3"N	92°1'47.1"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				



UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION

RADIO STATION REGISTRATION

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of
Latter-day

Call Sign: E190365

Authorization Type: Registration

File Number: SES-REG-20180920-04060

Common Carrier

Grant date: 08/04/2020

Expiration Date: 09/20/2033

A) Site Location(s)

#	Site ID	Address	Latitude	Longitude	Elevation (Meters)	Special Provisions NAD (Refer to Section H)
21)	LAKE CHARLES 1, 2	4700 Sale Lane LAKE CHARLES, IN 70605	30°10'17.1"N	93°14'6.3"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
22)	LEESVILLE	127 Sapphire Lane LEESVILLE, LA 71446	31°10'26.0"N	93°16'42.4"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
23)	LULING	346 Lakewood Drive LULING, LA 70070	29°53'54.3"N	90°21'8.7"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
24)	MANY	2084 Natchitoches Highway MANY, LA 71449	31°35'47.4"N	93°26'37.8"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
25)	MARTIN	75 Autumn Drive MARTIN, KY 41649	37°34'5.0"N	82°45'47.7"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
26)	MAYSVILLE	8198 Day Pike MAYSVILLE, KY 41056	38°36'0.5"N	83°40'34.0"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
27)	MONROE & MONROE	909 North 33rd Street MONROE, LA 71201	32°31'57.3"N	92°5'11.1"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				



UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION

RADIO STATION REGISTRATION

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of
Latter-day

Call Sign: E190365

Authorization Type: Registration

File Number: SES-REG-20180920-04060

Common Carrier

Grant date: 08/04/2020

Expiration Date: 09/20/2033

A) Site Location(s)

#	Site ID	Address	Latitude	Longitude	Elevation (Meters)	Special Provisions NAD (Refer to Section H)
28)	MORGAN CITY	501 Jake Street PATTERSON, LA 70392	29°41'12.7"N	91°18'58.6"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
29)	NATCHITOCHES	2010 Texas Street NATCHITOCHES, LA 71457	31°46'35.5"N	93°6'41.0"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
30)	NEW IBERIA	602 Bayard Street NEW IBERIA, LA 70560	29°59'2.3"N	91°48'9.0"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
31)	NEW ORLEANS 1	3613 Saint Charles Avenue NEW ORLEANS, LA 70115	29°55'39.5"N	90°5'38.6"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
32)	OLIVE HILL	10046 West US Highway 60 OLIVE HILL, KY 41164	38°19'59.4"N	83°6'56.3"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
33)	OPELOUSAS	430 Plantation Road OPELOUSAS, LA 70570	30°33'48.3"N	92°3'50.5"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
34)	OWINGSVILLE	1954 East Highway 36 OWINGSVILLE, KY 40360	38°7'18.5"N	83°44'42.3"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				



UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION

RADIO STATION REGISTRATION

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of
Latter-day

Call Sign: E190365

Authorization Type: Registration

File Number: SES-REG-20180920-04060

Common Carrier

Grant date: 08/04/2020

Expiration Date: 09/20/2033

A) Site Location(s)

#	Site ID	Address	Latitude	Longitude	Elevation (Meters)	Special Provisions NAD (Refer to Section H)
35)	OXFORD	315 Skeetfield Road OXFORD, ME 04270	44°9'37.8"N	70°29'56.0"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
36)	PAINTSVILLE	195 Ky Route 1559 WITTENSVILLE, KY 41240	37°52'3.9"N	82°47'24.0"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
37)	PLAQUEMINE	25830 Tenant Road PLAQUEMINE, LA 70764	30°15'9.0"N	91°14'28.1"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
38)	ROSEPIN	1117 Rose Lee Lane LEESVILLE, LA 71446	30°57'28.5"N	93°16'59.4"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
39)	RUSTON	205 West Woodhaven Road RUSTON, LA 71270	32°33'39.3"N	92°38'40.5"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
40)	SACO	15 Smith Lane SACO, ME 04072	43°30'17.1"N	70°26'3.7"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
41)	SANFORD	25 Westview Drive SANFORD, ME 04073	43°24'53.4"N	70°45'10.3"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				



UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION

RADIO STATION REGISTRATION

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of
Latter-day

Call Sign: E190365

Authorization Type: Registration

File Number: SES-REG-20180920-04060

Common Carrier

Grant date: 08/04/2020

Expiration Date: 09/20/2033

A) Site Location(s)

#	Site ID	Address	Latitude	Longitude	Elevation (Meters)	Special Provisions NAD (Refer to Section H)
42)	SLIDEELL &	112 Rue Esplanade SLIDEELL, LA 70461	30°16'7.9"N	89°43'18.0"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
43)	STONEWALL	2560 Highway 171 STONEWALL, LA 71078	32°14'10.8"N	93°49'45.7"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
44)	THIBODAUX	3702 Highway 311 HOUMA, LA 70360	29°37'15.2"N	90°47'58.1"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
45)	WEST MONROE	800 Downing Pines Road WEST MONROE, LA 71291	32°30'43.1"N	92°10'26.1"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
46)	WESTBANK 1, 2 (SP)	2625 Jupiter Street HARVEY, LA 70058	29°51'59.8"N	90°3'17.2"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
47)	WINDHAM	755 River Rd WINDHAM, ME 04062	43°47'20.4"N	70°26'20.9"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				
48)	WINNFIELD	8991 Highway 501 WINNFIELD, LA 71483	31°56'36.1"N	92°39'30.0"W		27
		Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209				



UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION
RADIO STATION REGISTRATION

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of
Latter-day

Call Sign: E190365

Authorization Type: Registration

File Number: SES-REG-20180920-04060

Common Carrier

Grant date: 08/04/2020

Expiration Date: 09/20/2033

A) Site Location(s)

#	Site ID	Address	Latitude	Longitude	Elevation (Meters)	NAD	Special Provisions (Refer to Section H)
49)	WINNSBORO	592 Riser Road WINNSBORO, LA 71295	32°8'47.5"N	91°43'36.5"W		27	
Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209							
50)	ZACHARY	4901 Harding Street BAKER, LA 70714	30°20'45.1"N	91°5'7.9"W		27	
Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209							

Subject to the provisions of the Communications Act of 1934, The Communications Satellite Act of 1962, subsequent acts and treaties, and all present and future regulations made by this Commission, and further subject to the conditions and requirements set forth in this license, the registrant is registered to operate the radio facilities described below for radio communications for the term beginning September 20, 2018 (3 AM Eastern Standard Time) and ending September 20, 2033 (3 AM Eastern Standard Time) . The required date of commencement of operation is 00/00/0000. Registrant must file with the Commission a certification upon commencement of operation.

B) Particulars of Operations

The General Provision 1010 applies to all receiving frequency bands.

The General Provision 1900 applies to all transmitting frequency bands.

For the text of these provisions, refer to Section H.

#	Frequency (MHz)	Polarization Code	Emission	Tx/Rx Mode	Max EIRP /Carrier (dBW)	Max EIRP Density /Carrier (dBW/4kHz)	Associated Antenna	Special Provisions (Refer to Section H)	Modulation/ Services
1)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
2)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
3)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
4)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
5)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
6)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
7)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		



UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION

RADIO STATION REGISTRATION

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of
Latter-day

Call Sign: E190365

Authorization Type: Registration

File Number: SES-REG-20180920-04060

Common Carrier

Grant date: 08/04/2020

Expiration Date: 09/20/2033

B) Particulars of Operations

The General Provision 1010 applies to all receiving frequency bands.

The General Provision 1900 applies to all transmitting frequency bands.

For the text of these provisions, refer to Section H.

#	Frequency (MHz)	Polarization Code	Emission	Tx/Rx Mode	Max EIRP /Carrier (dBW)	Max EIRP Density /Carrier (dBW/4kHz)	Associated Antenna	Special Provisions (Refer to Section H)	Modulation/ Services
8)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
9)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
10)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
11)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
12)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
13)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
14)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
15)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
16)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
17)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
18)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
19)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
20)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
21)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
22)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
23)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
24)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
25)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
26)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
27)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
28)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
29)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
30)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
31)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		



UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION
RADIO STATION REGISTRATION

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of
Latter-day

Call Sign: E190365

Authorization Type: Registration

File Number: SES-REG-20180920-04060

Common Carrier

Grant date: 08/04/2020

Expiration Date: 09/20/2033

B) Particulars of Operations

The General Provision 1010 applies to all receiving frequency bands.

The General Provision 1900 applies to all transmitting frequency bands.

For the text of these provisions, refer to Section H.

#	Frequency (MHz)	Polarization Code	Emission	Tx/Rx Mode	Max EIRP /Carrier (dBW)	Max EIRP Density /Carrier (dBW/4kHz)	Associated Antenna	Special Provisions (Refer to Section H)	Modulation/ Services
32)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
33)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
34)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
35)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
36)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
37)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
38)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
39)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
40)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
41)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
42)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
43)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
44)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
45)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
46)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
47)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
48)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
49)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		
50)	3700.0000-4200.0000	H, V	36M0G7W	Rx			STANDARD		



UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION

RADIO STATION REGISTRATION

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of
Latter-day

Call Sign: E190365

Authorization Type: Registration

File Number: SES-REG-20180920-04060

Common Carrier

Grant date: 08/04/2020

Expiration Date: 09/20/2033

C) Frequency Coordination Limits

#	Frequency Limits (MHz)	Satellite Arc (Deg. Long.)		Elevation (Degrees)		Azimuth (Degrees)		Max EIRP Density toward Horizon (dBW/4kHz)	Associated Antenna(s)
		East Limit	West Limit	East Limit	West Limit	East Limit	West Limit		
1)	3700.0000-4200.0000	9.0W-223.0W		05.0-05.0		094.0-275.0			STANDARD
2)	3700.0000-4200.0000	9.0W-223.0W		05.0-05.0		094.0-275.0			STANDARD
3)	3700.0000-4200.0000	9.0W-223.0W		05.0-05.0		094.0-275.0			STANDARD
4)	3700.0000-4200.0000	9.0W-223.0W		05.0-05.0		094.0-275.0			STANDARD
5)	3700.0000-4200.0000	9.0W-223.0W		05.0-05.0		094.0-275.0			STANDARD
6)	3700.0000-4200.0000	9.0W-223.0W		05.0-05.0		094.0-275.0			STANDARD
7)	3700.0000-4200.0000	9.0W-223.0W		05.0-05.0		094.0-275.0			STANDARD
8)	3700.0000-4200.0000	9.0W-223.0W		05.0-05.0		094.0-275.0			STANDARD
9)	3700.0000-4200.0000	9.0W-223.0W		05.0-05.0		094.0-275.0			STANDARD
10)	3700.0000-4200.0000	9.0W-223.0W		05.0-05.0		094.0-275.0			STANDARD
11)	3700.0000-4200.0000	9.0W-223.0W		05.0-05.0		094.0-275.0			STANDARD
12)	3700.0000-4200.0000	9.0W-223.0W		05.0-05.0		094.0-275.0			STANDARD
13)	3700.0000-4200.0000	9.0W-223.0W		05.0-05.0		094.0-275.0			STANDARD
14)	3700.0000-4200.0000	9.0W-223.0W		05.0-05.0		094.0-275.0			STANDARD
15)	3700.0000-4200.0000	9.0W-223.0W		05.0-05.0		094.0-275.0			STANDARD
16)	3700.0000-4200.0000	9.0W-223.0W		05.0-05.0		094.0-275.0			STANDARD
17)	3700.0000-4200.0000	9.0W-223.0W		05.0-05.0		094.0-275.0			STANDARD
18)	3700.0000-4200.0000	9.0W-223.0W		05.0-05.0		094.0-275.0			STANDARD
19)	3700.0000-4200.0000	9.0W-223.0W		05.0-05.0		094.0-275.0			STANDARD
20)	3700.0000-4200.0000	9.0W-223.0W		05.0-05.0		094.0-275.0			STANDARD
21)	3700.0000-4200.0000	9.0W-223.0W		05.0-05.0		094.0-275.0			STANDARD
22)	3700.0000-4200.0000	9.0W-223.0W		05.0-05.0		094.0-275.0			STANDARD
23)	3700.0000-4200.0000	9.0W-223.0W		05.0-05.0		094.0-275.0			STANDARD
24)	3700.0000-4200.0000	9.0W-223.0W		05.0-05.0		094.0-275.0			STANDARD
25)	3700.0000-4200.0000	9.0W-223.0W		05.0-05.0		094.0-275.0			STANDARD
26)	3700.0000-4200.0000	9.0W-223.0W		05.0-05.0		094.0-275.0			STANDARD
27)	3700.0000-4200.0000	9.0W-223.0W		05.0-05.0		094.0-275.0			STANDARD
28)	3700.0000-4200.0000	9.0W-223.0W		05.0-05.0		094.0-275.0			STANDARD
29)	3700.0000-4200.0000	9.0W-223.0W		05.0-05.0		094.0-275.0			STANDARD
30)	3700.0000-4200.0000	9.0W-223.0W		05.0-05.0		094.0-275.0			STANDARD
31)	3700.0000-4200.0000	9.0W-223.0W		05.0-05.0		094.0-275.0			STANDARD
32)	3700.0000-4200.0000	9.0W-223.0W		05.0-05.0		094.0-275.0			STANDARD
33)	3700.0000-4200.0000	9.0W-223.0W		05.0-05.0		094.0-275.0			STANDARD
34)	3700.0000-4200.0000	9.0W-223.0W		05.0-05.0		094.0-275.0			STANDARD
35)	3700.0000-4200.0000	9.0W-223.0W		05.0-05.0		094.0-275.0			STANDARD



UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION
RADIO STATION REGISTRATION

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of
Latter-day

Call Sign: E190365

Authorization Type: Registration

File Number: SES-REG-20180920-04060

Common Carrier

Grant date: 08/04/2020

Expiration Date: 09/20/2033

C) Frequency Coordination Limits

#	Frequency Limits (MHz)	Satellite Arc (Deg. Long.)		Elevation (Degrees)		Azimuth (Degrees)		Max EIRP Density toward Horizon (dBW/4kHz)	Associated Antenna(s)
		East Limit	West Limit	East Limit	West Limit	East Limit	West Limit		
36)	3700.0000-4200.0000	9.0W	223.0W	05.0	05.0	094.0	275.0		STANDARD
37)	3700.0000-4200.0000	9.0W	223.0W	05.0	05.0	094.0	275.0		STANDARD
38)	3700.0000-4200.0000	9.0W	223.0W	05.0	05.0	094.0	275.0		STANDARD
39)	3700.0000-4200.0000	9.0W	223.0W	05.0	05.0	094.0	275.0		STANDARD
40)	3700.0000-4200.0000	9.0W	223.0W	05.0	05.0	094.0	275.0		STANDARD
41)	3700.0000-4200.0000	9.0W	223.0W	05.0	05.0	094.0	275.0		STANDARD
42)	3700.0000-4200.0000	9.0W	223.0W	05.0	05.0	094.0	275.0		STANDARD
43)	3700.0000-4200.0000	9.0W	223.0W	05.0	05.0	094.0	275.0		STANDARD
44)	3700.0000-4200.0000	9.0W	223.0W	05.0	05.0	094.0	275.0		STANDARD
45)	3700.0000-4200.0000	9.0W	223.0W	05.0	05.0	094.0	275.0		STANDARD
46)	3700.0000-4200.0000	9.0W	223.0W	05.0	05.0	094.0	275.0		STANDARD
47)	3700.0000-4200.0000	9.0W	223.0W	05.0	05.0	094.0	275.0		STANDARD
48)	3700.0000-4200.0000	9.0W	223.0W	05.0	05.0	094.0	275.0		STANDARD
49)	3700.0000-4200.0000	9.0W	223.0W	05.0	05.0	094.0	275.0		STANDARD
50)	3700.0000-4200.0000	9.0W	223.0W	05.0	05.0	094.0	275.0		STANDARD

D) Points of Communications

The following stations located in the Satellite orbits consistent with Sections B and C of this Entry:

- 1) CORBIN to Permitted Space Station List
- 2) OWINGSVILLE to Permitted Space Station List
- 3) BEATTYVILLE to Permitted Space Station List
- 4) MAYSVILLE to Permitted Space Station List
- 5) PAINTSVILLE to Permitted Space Station List
- 6) MARTIN to Permitted Space Station List
- 7) ASHLAND to Permitted Space Station List
- 8) STONEWALL to Permitted Space Station List
- 9) BLANCHARD, BROWNLEE, to Permitted Space Station List
- 10) OLIVE HILL to Permitted Space Station List
- 11) MANY to Permitted Space Station List
- 12) COUSHATTA to Permitted Space Station List
- 13) ROSEPINE to Permitted Space Station List
- 14) LEESVILLE to Permitted Space Station List
- 15) LAKE CHARLES 1, 2 to Permitted Space Station List



UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION
RADIO STATION REGISTRATION

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of
Latter-day

Call Sign: E190365

Authorization Type: Registration

File Number: SES-REG-20180920-04060

Common Carrier

Grant date: 08/04/2020

Expiration Date: 09/20/2033

D) Points of Communications

The following stations located in the Satellite orbits consistent with Sections B and C of this Entry:

- 16) BOSSIER, SHREVEPORT to Permitted Space Station List
- 17) JONESBORO-HODGE to Permitted Space Station List
- 18) WINNFIELD to Permitted Space Station List
- 19) JENNINGS to Permitted Space Station List
- 20) RUSTON to Permitted Space Station List
- 21) ALEXANDRIA & to Permitted Space Station List
- 22) NATCHITOCHEs to Permitted Space Station List
- 23) WEST MONROE to Permitted Space Station List
- 24) MONROE & to Permitted Space Station List
- 25) OPELOUSAS to Permitted Space Station List
- 26) LAFAYETTE to Permitted Space Station List
- 27) BASTROP to Permitted Space Station List
- 28) FARMERVILLE to Permitted Space Station List
- 29) WINNSBORO to Permitted Space Station List
- 30) MORGAN CITY to Permitted Space Station List
- 31) PLAQUEMINE to Permitted Space Station List
- 32) BATON ROUGE 1 to Permitted Space Station List
- 33) BATON ROUGE 2, 3, 5 to Permitted Space Station List
- 34) NEW IBERIA to Permitted Space Station List
- 35) DENHAM SPRINGS 1, 2 to Permitted Space Station List
- 36) GONZALES 1, 2 to Permitted Space Station List
- 37) THIBODAUX to Permitted Space Station List
- 38) ALBANY, HAMMOND to Permitted Space Station List
- 39) LA PLACE to Permitted Space Station List
- 40) ZACHARY to Permitted Space Station List
- 41) COVINGTON to Permitted Space Station List
- 42) NEW ORLEANS 1 to Permitted Space Station List
- 43) WESTBANK 1, 2 (SP) to Permitted Space Station List
- 44) BOGALUSA to Permitted Space Station List
- 45) SLIDELL & to Permitted Space Station List
- 46) LULING to Permitted Space Station List
- 47) OXFORD to Permitted Space Station List
- 48) WINDHAM to Permitted Space Station List
- 49) SACO to Permitted Space Station List
- 50) SANFORD to Permitted Space Station List



UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION

RADIO STATION REGISTRATION

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of
 Latter-day

Call Sign: E190365

Authorization Type: Registration

File Number: SES-REG-20180920-04060

Common Carrier

Grant date: 08/04/2020

Expiration Date: 09/20/2033

E) Antenna Facilities

Site ID	Antenna ID	Units	Diameter (meters)	Manufacturer	Model number	Site Elevation (Meters)	Max Antenna Height (Meters)	Special Provisions (Refer to Section H)
MANY	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
SACO	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
CORBIN	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
LULING	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
MARTIN	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
OXFORD	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								



UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION

RADIO STATION REGISTRATION

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of
Latter-day

Call Sign: E190365

Authorization Type: Registration

File Number: SES-REG-20180920-04060

Common Carrier

Grant date: 08/04/2020

Expiration Date: 09/20/2033

E) Antenna Facilities

Site ID	Antenna ID	Units	Diameter (meters)	Manufacturer	Model number	Site Elevation (Meters)	Max Antenna Height (Meters)	Special Provisions (Refer to Section H)
RUSTON	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz								
Maximum total input power at antenna flange (Watts) =								
Maximum aggregate output EIRP for all carriers (dBW) =								
ASHLAND	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz								
Maximum total input power at antenna flange (Watts) =								
Maximum aggregate output EIRP for all carriers (dBW) =								
BASTROP	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz								
Maximum total input power at antenna flange (Watts) =								
Maximum aggregate output EIRP for all carriers (dBW) =								
SANFORD	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz								
Maximum total input power at antenna flange (Watts) =								
Maximum aggregate output EIRP for all carriers (dBW) =								
WINDHAM	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz								
Maximum total input power at antenna flange (Watts) =								
Maximum aggregate output EIRP for all carriers (dBW) =								
ZACHARY	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz								
Maximum total input power at antenna flange (Watts) =								
Maximum aggregate output EIRP for all carriers (dBW) =								



UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION

RADIO STATION REGISTRATION

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of
Latter-day

Call Sign: E190365

Authorization Type: Registration

File Number: SES-REG-20180920-04060

Common Carrier

Grant date: 08/04/2020

Expiration Date: 09/20/2033

E) Antenna Facilities

Site ID	Antenna ID	Units	Diameter (meters)	Manufacturer	Model number	Site Elevation (Meters)	Max Antenna Height (Meters)	Special Provisions (Refer to Section H)
BOGALUSA	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz								
Maximum total input power at antenna flange (Watts) =								
Maximum aggregate output EIRP for all carriers (dBW) =								
JENNINGS	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz								
Maximum total input power at antenna flange (Watts) =								
Maximum aggregate output EIRP for all carriers (dBW) =								
LA PLACE	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz								
Maximum total input power at antenna flange (Watts) =								
Maximum aggregate output EIRP for all carriers (dBW) =								
MONROE &	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz								
Maximum total input power at antenna flange (Watts) =								
Maximum aggregate output EIRP for all carriers (dBW) =								
ROSEFINE	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz								
Maximum total input power at antenna flange (Watts) =								
Maximum aggregate output EIRP for all carriers (dBW) =								
COUSHATTA	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz								
Maximum total input power at antenna flange (Watts) =								
Maximum aggregate output EIRP for all carriers (dBW) =								



UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION

RADIO STATION REGISTRATION

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of
Latter-day

Call Sign: E190365

Authorization Type: Registration

File Number: SES-REG-20180920-04060

Common Carrier

Grant date: 08/04/2020

Expiration Date: 09/20/2033

E) Antenna Facilities

Site ID	Antenna ID	Units	Diameter (meters)	Manufacturer	Model number	Site Elevation (Meters)	Max Antenna Height (Meters)	Special Provisions (Refer to Section H)
COVINGTON	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz								
Maximum total input power at antenna flange (Watts) =								
Maximum aggregate output EIRP for all carriers (dBW) =								
LAFAYETTE	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz								
Maximum total input power at antenna flange (Watts) =								
Maximum aggregate output EIRP for all carriers (dBW) =								
LEESVILLE	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz								
Maximum total input power at antenna flange (Watts) =								
Maximum aggregate output EIRP for all carriers (dBW) =								
MAYSVILLE	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz								
Maximum total input power at antenna flange (Watts) =								
Maximum aggregate output EIRP for all carriers (dBW) =								
OPELOUSAS	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz								
Maximum total input power at antenna flange (Watts) =								
Maximum aggregate output EIRP for all carriers (dBW) =								
SLIDELL &	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz								
Maximum total input power at antenna flange (Watts) =								
Maximum aggregate output EIRP for all carriers (dBW) =								



UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION

RADIO STATION REGISTRATION

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of
Latter-day

Call Sign: E190365

Authorization Type: Registration

File Number: SES-REG-20180920-04060

Common Carrier

Grant date: 08/04/2020

Expiration Date: 09/20/2033

E) Antenna Facilities

Site ID	Antenna ID	Units	Diameter (meters)	Manufacturer	Model number	Site Elevation (Meters)	Max Antenna Height (Meters)	Special Provisions (Refer to Section H)
STONEWALL	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz								
Maximum total input power at antenna flange (Watts) =								
Maximum aggregate output EIRP for all carriers (dBW) =								
THIBODAU	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz								
Maximum total input power at antenna flange (Watts) =								
Maximum aggregate output EIRP for all carriers (dBW) =								
WINNFIELD	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz								
Maximum total input power at antenna flange (Watts) =								
Maximum aggregate output EIRP for all carriers (dBW) =								
WINNSBORO	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz								
Maximum total input power at antenna flange (Watts) =								
Maximum aggregate output EIRP for all carriers (dBW) =								
NEW IBERIA	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz								
Maximum total input power at antenna flange (Watts) =								
Maximum aggregate output EIRP for all carriers (dBW) =								
OLIVE HILL	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz								
Maximum total input power at antenna flange (Watts) =								
Maximum aggregate output EIRP for all carriers (dBW) =								



UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION

RADIO STATION REGISTRATION

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of
Latter-day

Call Sign: E190365

Authorization Type: Registration

File Number: SES-REG-20180920-04060

Common Carrier

Grant date: 08/04/2020

Expiration Date: 09/20/2033

E) Antenna Facilities

Site ID	Antenna ID	Units	Diameter (meters)	Manufacturer	Model number	Site Elevation (Meters)	Max Antenna Height (Meters)	Special Provisions (Refer to Section H)
PLAQUEMINE	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz								
Maximum total input power at antenna flange (Watts) =								
Maximum aggregate output EIRP for all carriers (dBW) =								
BEATTYVILLE	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz								
Maximum total input power at antenna flange (Watts) =								
Maximum aggregate output EIRP for all carriers (dBW) =								
FARMERVILLE	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz								
Maximum total input power at antenna flange (Watts) =								
Maximum aggregate output EIRP for all carriers (dBW) =								
MORGAN CITY	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz								
Maximum total input power at antenna flange (Watts) =								
Maximum aggregate output EIRP for all carriers (dBW) =								
OWINGSVILLE	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz								
Maximum total input power at antenna flange (Watts) =								
Maximum aggregate output EIRP for all carriers (dBW) =								
PAINTSVILLE	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz								
Maximum total input power at antenna flange (Watts) =								
Maximum aggregate output EIRP for all carriers (dBW) =								



UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION

RADIO STATION REGISTRATION

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of
Latter-day

Call Sign: E190365

Authorization Type: Registration

File Number: SES-REG-20180920-04060

Common Carrier

Grant date: 08/04/2020

Expiration Date: 09/20/2033

E) Antenna Facilities

Site ID	Antenna ID	Units	Diameter (meters)	Manufacturer	Model number	Site Elevation (Meters)	Max Antenna Height (Meters)	Special Provisions (Refer to Section H)
WEST MONROE	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz								
Maximum total input power at antenna flange (Watts) =								
Maximum aggregate output EIRP for all carriers (dBW) =								
ALEXANDRIA &	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz								
Maximum total input power at antenna flange (Watts) =								
Maximum aggregate output EIRP for all carriers (dBW) =								
NATCHITOCHES	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz								
Maximum total input power at antenna flange (Watts) =								
Maximum aggregate output EIRP for all carriers (dBW) =								
BATON ROUGE	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz								
Maximum total input power at antenna flange (Watts) =								
Maximum aggregate output EIRP for all carriers (dBW) =								
GONZALES 1,	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz								
Maximum total input power at antenna flange (Watts) =								
Maximum aggregate output EIRP for all carriers (dBW) =								
NEW ORLEANS	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz								
Maximum total input power at antenna flange (Watts) =								
Maximum aggregate output EIRP for all carriers (dBW) =								



UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION

RADIO STATION REGISTRATION

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of
Latter-day

Call Sign: E190365

Authorization Type: Registration

File Number: SES-REG-20180920-04060

Common Carrier

Grant date: 08/04/2020

Expiration Date: 09/20/2033

E) Antenna Facilities

Site ID	Antenna ID	Units	Diameter (meters)	Manufacturer	Model number	Site Elevation (Meters)	Max Antenna Height (Meters)	Special Provisions (Refer to Section H)
ALBANY, HAMMOND	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
JONESBORO-HO	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
LAKE CHARLES 1, 2	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
WESTBANK 1, (SP)	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
BATON ROUGE 2, 3, 5	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								
BOSSIER, SHREVEPORT	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz Maximum total input power at antenna flange (Watts) = Maximum aggregate output EIRP for all carriers (dBW) =								



UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION
RADIO STATION REGISTRATION

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of
Latter-day

Call Sign: E190365

Authorization Type: Registration

File Number: SES-REG-20180920-04060

Common Carrier

Grant date: 08/04/2020

Expiration Date: 09/20/2033

E) Antenna Facilities

Site ID	Antenna ID	Units	Diameter (meters)	Manufacturer	Model number	Site Elevation (Meters)	Max Antenna Height (Meters)	Special Provisions (Refer to Section H)
DENHAM SPRINGS 1, 2	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz								
Maximum total input power at antenna flange (Watts) =								
Maximum aggregate output EIRP for all carriers (dBW) =								
BLANCHARD, BROWNLEE,	STANDARD	1	3.4	GENERAL DYNAMICS	Satcom 1344		4 AGL	
Max Gains(s): 40.2 dBi @ 4.0000 GHz								
Maximum total input power at antenna flange (Watts) =								
Maximum aggregate output EIRP for all carriers (dBW) =								

G) Antenna Structure marking and lighting requirements:

None unless otherwise specified under Special and General Provisions

H) Special and General Provisions

A) This RADIO STATION AUTHORIZATION is granted subject to the following special provisions and general conditions:

4 --- Licensee must ensure that a current listing of the name, title, mailing address, email address, and telephone number of the responsible point of contact are on file at the FCC. Any changes must be filed electronically in the International Bureau Filing System (MyIBFS) using the "Pleadings and Comments" link on the MyIBFS homepage within 10 days of the change.

6 --- Licensee must comply with the license modification and notification requirements of 47 CFR § 25.118 to change the coordinates of its authorized earth station.

8 --- Licensee must notify the Commission when all earth stations operating under this authorization are no longer operational or when they have not been used to provide any service during any 6-month operation.

90398 --- Changes to previously authorized transmitting facilities, operations and devices regulated by the Commission that may have significant environmental impact, and are not excluded by §1.1306, require the preparation of an Environmental Assessment (EA) by the licensee. (See 47 C.F.R. §§1.1307, 1.1308 and 1.1311)

90470 --- The application for this authorization was filed within the 194-day filing window for FSS earth stations operating in the 3700-4200 MHz frequency band as of April 19, 2018, as established by Public Notice DA 18-398 (rel. Apr. 19, 2018) and Public Notice DA-18-639 (rel. Jun. 21, 2018), and Public Notice DA 18-1061 (rel. Oct. 17, 2018).



UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION

RADIO STATION REGISTRATION

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of
Latter-day

Call Sign: E190365

Authorization Type: Registration

File Number: SES-REG-20180920-04060

Common Carrier

Grant date: 08/04/2020

Expiration Date: 09/20/2033

H) Special and General Provisions

A) This RADIO STATION AUTHORIZATION is granted subject to the following special provisions and general conditions:

- 90472 --- The application for this authorization was filed without a coordination report pursuant to the waiver granted in Public Notice DA 18-398 (rel. Apr. 19, 2018). Operations of this earth station in the 3700-4200 MHz band are not entitled to protection from stations operating in the fixed service.
- 900407 --- The Permitted Space Station List (Permitted List) is a list of all geostationary space stations providing fixed-satellite service pursuant to a Commission license or grant of U.S. market access. The Permitted List currently includes the following frequency bands per §25.103 and §25.115(k)(1):

3600-4200 MHz (space-to-Earth)
5850-6725 MHz (Earth-to-space)
10.95-11.2 GHz (space-to-Earth)
11.45-12.2 GHz (space-to-Earth)
13.75-14.5 GHz (Earth-to-space)
18.3-18.8 GHz (space-to-Earth)
19.7-20.2 GHz (space-to-Earth)
24.75-25.25 GHz (Earth-to-space)
28.35-28.6 GHz (Earth-to-space)
29.25-30.0 GHz (Earth-to-space).

Earth stations with "Permitted List" designated as a point of communication may access any space station on the Permitted List, provided the operations comply with the applicable "routine" uplink and downlink limits, are within the specific frequency bands authorized in the earth station license, have completed coordination with terrestrial stations pursuant to §25.203, and otherwise comply with all terms and conditions of both the earth station license and the space station grant.



UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION

RADIO STATION REGISTRATION

Name: Corporation of the Presiding Bishop of The Church of Jesus Christ of
Latter-day

Call Sign: E190365

Authorization Type: Registration

File Number: SES-REG-20180920-04060

Common Carrier

Grant date: 08/04/2020

Expiration Date: 09/20/2033

B) This RADIO STATION AUTHORIZATION is granted subject to the additional conditions specified below:

This authorization is issued on the grantee's representation that the statements contained in the application are true and that the undertakings described will be carried out in good faith.

This authorization shall not be construed in any manner as a finding by the Commission on the question of marking or lighting of the antenna system should future conditions require. The grantee expressly agrees to install such marking or lighting as the Commission may require under the provisions of Section 303(q) of the Communications Act. 47 U.S.C. § 303(q).

Neither this authorization nor the right granted by this authorization shall be assigned or otherwise transferred to any person, firm, company or corporation without the written consent of the Commission. This authorization is subject to the right of use or control by the government of the United States conferred by Section 706 of the Communications Act. 47 U.S.C. § 706. Operation of this station is governed by Part 25 of the Commission's Rules. 47 C.F.R. Part 25.

This authorization shall not vest in the licensee any right to operate this station nor any right in the use of the designated frequencies beyond the term of this license, nor in any other manner than authorized herein.

This authorization is issued on the grantee's representation that the station is in compliance with environmental requirements set forth in Section 1.1307 of the Commission's Rules. 47 C.F.R. § 1.1307.

This authorization is issued on the grantee's representation that the station is in compliance with the Federal Aviation Administration (FAA) requirements as set forth in Section 17.4 of the Commission's Rules. 47 C.F.R. § 17.4.

The following condition applies when this authorization permits construction of or modifies the construction permit of a radio station.

This authorization shall be automatically forfeited if the station is not ready for operation by the required date of completion of construction unless an application for modification of authorization to request additional time to complete construction is filed by that date, together with a showing that failure to complete construction by the required date was due to factors not under control of the grantee.

Licensees are required to pay annual regulatory fees related to this authorization. The requirement to collect annual regulatory fees from regulatees is contained in Public Law 103-66, "The Omnibus Budget Reconciliation Act of 1993." These regulatory fees, which are likely to change each fiscal year, are used to offset costs associated with the Commission's enforcement, public service, international and policy and rulemaking activities. The Commission issues a Report and Order each year, setting the new regulatory fee rates. Receive only earth stations are exempt from payment of regulatory fees.