Approved by OMB
3060−0678

Date & Time Filed: Sep 26 2018 2:32:03:330PM
File Number: SES−REG−INTR2018−06180
Callsign/Satellite ID:

APPLICATION FOR EARTH STATION AUTHORIZATIONS FCC 312 MAIN FORM FOR OFFICIAL USE ONLY	FCC Use Only

APPLICANT INFORMATION
Enter a description of this application to identify it on the main menu:
#2 RECEIVE ONLY FORM 312 9−7−2018

1−8. Legal Name of Applicant

Name:	iHeartMedia + Entertainment, Inc., as debtor in possession	**Phone Number:**	918−664−4581
DBA Name:		**Fax Number:**	
Street:	7136 S. Yale Avenue Suite 501	**E−Mail:**	FCCcontact@iheartmedia.com
City:	Tulsa	**State:**	OK
Country:	USA	**Zipcode:**	74136 −
Attention:	FCC CONTACT		

9−16. Name of Contact Representative

Name:	FCC CONTACT	**Phone Number:**	9186644581
Company:	iHeartMedia + Entertainment, Inc., as debtor in possession	**Fax Number:**	
Street:	7136 S YALE AVENUE SUITE 501	**E−Mail:**	FCCCONTACT@IHEARTMEDIA.COM
City:	TULSA	**State:**	OK
Country:	USA	**Zipcode:**	74136−
Attention:	FCC CONTACT	**Relationship:**	Same

CLASSIFICATION OF FILING

17. Choose the button next to the classification that applies to this filing for both questions a. and b. Choose only one for 17a and only one for 17b.	b.
a. ◉ a1. Earth Station (N/A) a2. Space Station	○ b1. Application for License of New Station ◉ b2. Application for Registration of New Domestic Receive−Only Station (N/A) b3. Amendment to a Pending Application (N/A) b4. Modification of License or Registration (N/A) b5. Assignment of License or Registration (N/A) b6. Transfer of Control of License or Registration (N/A) b7. Notification of Minor Modification (N/A) b8. Application for License of New Receive−Only Station Using Non−U.S. Licensed Satellite (N/A) b9. Letter of Intent to Use Non−U.S. Licensed Satellite to Provide Service in the United States ○ b10. Other (Please specify) ○ b11. Application for Earth Station to Access a Non−U.S.satellite Not Currently Authorized to Provide the Proposed Service in the Proposed Frequencies in the United States. ○ b12. Application for Database Entry (N/A) b13. Amendment to a Pending Database Entry Application (N/A) b14. Modifiction of Database Entry

17c. Is a fee submitted with this application?

○ If Yes, complete and attach FCC Form 159. If No, indicate reason for fee exemption (see 47 C.F.R.Section 1.1114).

○ Governmental Entity ○ Noncommercial educational licensee

◉ Other(please explain): Fee submitted with application submission ID#IB2018006177

17d.

Fee Classification BGV − Fixed Satellite VSAT System

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
			/					

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	E5. Call Sign:
E2: Contact Name	E6. Phone Number:
E3. Street:	E7. City:
	E8. County:
E4. State	E9. Zip Code

E10. Area of Operation:

E11. Latitude: ° ’ "

E12. Longitude: ° ’ "

E13. Lat/Lon Coordinates are: ○ NAD−27 ○ NAD−83 ○ N/A

E14. Site Elevation (AMSL): meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	○ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ○ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ○ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ○ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ○ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ○ No

POINTS OF COMMUNICATION

Satellite Name: If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
						dBi at

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
	/						

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
			/					

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	E5. Call Sign:
E2: Contact Name	E6. Phone Number:
E3. Street:	E7. City:
	E8. County:
E4. State	E9. Zip Code

E10. Area of Operation:

E11. Latitude: ° ’ "

E12. Longitude: ° ’ "

E13. Lat/Lon Coordinates are: ○ NAD−27 ○ NAD−83 ○ N/A

E14. Site Elevation (AMSL): meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	Yes No N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	Yes No N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	Yes No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	Yes No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	Yes No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	Yes No

POINTS OF COMMUNICATION

Satellite Name: If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	**E28. Antenna Id**	**E29. Quantity**	**E30. Manufacturer**	**E31. Model**	**E32. Antenna Size<meters>**	**E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)**
						dBi at

E28. Antenna Id	**E33/34. Diameter Minor/Major (meters)**	**E35. Above Ground Level (meters)**	**E36. Above Sea Level (meters)**	**E37. Building Height Above Ground Level (meters)**	**E38. Total Input Power at antenna flange (Watts)**	**E39. Maximum Antenna Height Above Rooftop (meters)**	**E40. Total EIRP for al carriers (dBW)**
	/						

FREQUENCY

E28. Antenna Id	**E43/44. Frequency Bands (MHz)**	**E45. T/R Mode**	**E46. Antenna Polarization(H,V, L,R)**	**E47. Emission Designator**	**E48. Maximum EIRP per Carrier (dBW)**	**E49. Maximum ERIP Density per Carrier (dBW/4kHz)**

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
			/					

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	E5. Call Sign:
E2: Contact Name	E6. Phone Number:
E3. Street:	E7. City:
	E8. County:
E4. State	E9. Zip Code

E10. Area of Operation:

E11. Latitude: ° ’ "

E12. Longitude: ° ’ "

E13. Lat/Lon Coordinates are: ○ NAD−27 ○ NAD−83 ○ N/A

E14. Site Elevation (AMSL): meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	○ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ○ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ○ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ○ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ○ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ○ No

POINTS OF COMMUNICATION

Satellite Name:	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
						dBi at

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
	/						

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
			/					

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	E5. Call Sign:
E2: Contact Name	E6. Phone Number:
E3. Street:	E7. City:
	E8. County:
E4. State	E9. Zip Code

E10. Area of Operation:

E11. Latitude: ° ’ "

E12. Longitude: ° ’ "

E13. Lat/Lon Coordinates are: ○ NAD−27 ○ NAD−83 ○ N/A

E14. Site Elevation (AMSL): meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	○ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ○ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ○ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ○ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ○ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ○ No

POINTS OF COMMUNICATION

Satellite Name:	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
						dBi at

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
	/						

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
			/					

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	E5. Call Sign:
E2: Contact Name	E6. Phone Number:
E3. Street:	E7. City:
	E8. County:
E4. State	E9. Zip Code

E10. Area of Operation:

E11. Latitude: ° ’ "

E12. Longitude: ° ’ "

E13. Lat/Lon Coordinates are: ○ NAD−27 ○ NAD−83 ○ N/A

E14. Site Elevation (AMSL): meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	○ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ○ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ○ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ○ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ○ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ○ No

POINTS OF COMMUNICATION

Satellite Name:	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
						dBi at

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
	/						

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
			/					

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	WPB−001	E5. Call Sign:	
E2: Contact Name	FCC CONTACT	E6. Phone Number:	9186644581
E3. Street:	3071 CONTINENTAL DRIVE	E7. City:	WEST PALM BEACH
		E8. County:	PALM BEACH
E4. State	FL	E9. Zip Code	33407
E10. Area of Operation:		Continental United States	
E11. Latitude:	26 °45 ’26.0 "N		
E12. Longitude:	80 °5 ’6.0 "W		
E13. Lat/Lon Coordinates are:		○ NAD−27	◉ NAD−83 ○ N/A
E14. Site Elevation (AMSL):		4.0 meters	

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:PERMITTED LIST | | If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
WPB−001	ANT1	1	PRIME FOCUS	3.8 M PRIME FOCUS	3.8	0.0 dBi at

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
ANT1	3.8/3.8	7.92	11.92	4.57	0.0	3.35	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)

ANT1	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
ANT1	Geostationary	3700 4200	60.0/ 143.0	140.89	51.62	257.06	15.62	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign

E65. Phone Number

NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.

E62. Street Address

E63. City

E67. County

E64/68. State/Country /

E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	FTM−010	E5. Call Sign:	
E2: Contact Name	FCC CONTACT	E6. Phone Number:	9186644581
E3. Street:	13320 METRO PKWY	E7. City:	FORT MYERS
	SUITE 1	E8. County:	LEE
E4. State	FL	E9. Zip Code	33966

E10. Area of Operation: Continental United States

E11. Latitude: 26 °32 ’57.71 "N

E12. Longitude: 81 °51 ’12.79 "W

E13. Lat/Lon Coordinates are: ○ NAD−27 ◉ NAD−83 ○ N/A

E14. Site Elevation (AMSL): 14.02 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:PERMITTED LIST | |	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: FTM−010	
E26. Common Name:	E27. Country:USA

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
FTM−010	ANT1	1	COMTECH	3.8M	3.8	42.9 dBi at 4.0

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
ANT1	3.8/3.8	12.59	26.62	8.53	0.0	4.06	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
ANT1	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
ANT1	Geostationary	3700 4200	60.0/ 143.0	138.07	50.64	256.19	17.28	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	FPR−005	E5. Call Sign:	
E2: Contact Name	FCC CONTACT	E6. Phone Number:	9186644581
E3. Street:	3771 SE JENNINGS RD	E7. City:	PORT ST LUCIE
		E8. County:	ST. LUCIE
E4. State	FL	E9. Zip Code	34952
E10. Area of Operation:		Continental United States	
E11. Latitude:	27 °16 ’33.0 "N		
E12. Longitude:	80 °17 ’10.0 "W		
E13. Lat/Lon Coordinates are:	○ NAD−27	◉ NAD−83	○ N/A
E14. Site Elevation (AMSL):	3.8 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as

○ Yes ◉ No

E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as

○ Yes ◉ No

E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation?

○ Yes ◉ No

FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.

POINTS OF COMMUNICATION

Satellite Name:PERMITTED LIST | | If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:

E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: FPR−005	
E26. Common Name:	E27. Country:USA

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
FPR−005	ANT1	1	COMTECH	3.8M	3.8	42.9 dBi at 4.0

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
ANT1	3.8/3.8	4.11	7.91	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
ANT1	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
ANT1	Geostationary	3700 4200	60.0/ 143.0	141.08	51.04	256.73	15.68	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	BAN−002	E5. Call Sign:		
E2: Contact Name	FCC CONTACT	E6. Phone Number:	9186644581	
E3. Street:	809 SOUTH WESTOVER BLVD	E7. City:	ALBANY	
		E8. County:	DOUGHERTY	
E4. State	GA	E9. Zip Code	31707	
E10. Area of Operation:		Continental United States		
E11. Latitude:	31 °33 ’6.6 "N			
E12. Longitude:	84 °13 ’30.7 "W			
E13. Lat/Lon Coordinates are:		○ NAD−27	◉ NAD−83	○ N/A
E14. Site Elevation (AMSL):		54.8 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:PERMITTED LIST | |	If you selected OTHER, please enter the following:

E21. Common Name:

E22. ITU Name:

E23. Orbit Location:

E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: BAN−002	
E26. Common Name:	E27. Country:USA

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
BAN−002	ANT1	2	COMTECH	3.8M	3.8	42.9 dBi at 4.0

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
ANT1	3.8/3.8	5.5	60.3	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
ANT1	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
ANT1	Geostationary	3700 4200	60.0/ 143.0	139.28	44.86	252.43	17.95	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	ATL−060	E5. Call Sign:	
E2: Contact Name	FCC CONTACT	E6. Phone Number:	9186644581
E3. Street:	1819 PEACHTREE ROAD	E7. City:	ATLANTA
	SUITE 700	E8. County:	FULTON
E4. State	GA	E9. Zip Code	30309
E10. Area of Operation:		Continental United States	
E11. Latitude:	33 °48 ’16.3 "N		
E12. Longitude:	84 °23 ’34.7 "W		
E13. Lat/Lon Coordinates are:		○ NAD−27	◉ NAD−83 ○ N/A
E14. Site Elevation (AMSL):		310.0 meters	

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:PERMITTED LIST | | If you selected OTHER, please enter the following:

E21. Common Name: E22. ITU Name:

E23. Orbit Location: E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: ATL−060	
E26. Common Name:	E27. Country:USA

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
ATL−060	ANT1	1	PRODELIN	ANT−N009−1374990	3.7	40.9 dBi at 4.0

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
ANT1	3.7/3.7	28.0	304.0	28.0	0.0	4.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
ANT1	3700 4200	R	Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
ANT1	Geostationary	3700 4200	60.0/ 143.0	140.79	42.83	251.28	17.36	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	AGS−010	E5. Call Sign:			
E2: Contact Name	FCC CONTACT	E6. Phone Number:	9186644581		
E3. Street:	2743 PERIMETER PARKWAY	E7. City:	AUGUSTA		
	SUITE 300	E8. County:	RICHMOND		
E4. State	GA	E9. Zip Code	30909		
E10. Area of Operation:		Continental United States			
E11. Latitude:	33 °29 ’15.64 "N				
E12. Longitude:	82 °5 ’2.88 "W				
E13. Lat/Lon Coordinates are:		○ NAD−27	◉ NAD−83	○ N/A	
E14. Site Elevation (AMSL):		113.39 meters			

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.

◉ Yes ○ No

○ N/A

E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?

○ Yes ○ No ◉ N/A

E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.

○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No

E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:PERMITTED LIST | | If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: AGS−010	
E26. Common Name:	E27. Country:USA

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
AGS−010	ANT1	1	COMTECH	3.8M	3.8	42.9 dBi at 4.0

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
ANT1	3.8/3.8	4.0	130.0	12.61	0.0	4.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
ANT1	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
ANT1	Geostationary	3700 4200	60.0/ 143.0	55.09	47.25	298.6	42.74	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.	E65. Phone Number

E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	CBS−014	E5. Call Sign:	
E2: Contact Name	FCC CONTACT	E6. Phone Number:	9186644581
E3. Street:	1501 13TH AVE	E7. City:	COLUMBUS
		E8. County:	MUSCOGEE
E4. State	GA	E9. Zip Code	31901

E10. Area of Operation: Continental United States

E11. Latitude: 32 °28 ’30.33 "N

E12. Longitude: 84 °58 ’29.49 "W

E13. Lat/Lon Coordinates are: ○ NAD−27 ◉ NAD−83 ○ N/A

E14. Site Elevation (AMSL): 101.8 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as

○ Yes ◉ No

E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as

○ Yes ◉ No

E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation?
FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.

○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:PERMITTED LIST | | If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: CBS−014	
E26. Common Name:	E27. Country:USA

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
CBS−014	ANT1	1	PRODELIN	1345	3.4	40.2 dBi at 4.0

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
ANT1	3.4/3.4	3.9	105.7	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
ANT1	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
ANT1	Geostationary	3700 4200	60.0/ 143.0	139.03	43.62	251.5	18.29	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	MCN−008	E5. Call Sign:	
E2: Contact Name	FCC CONTACT	E6. Phone Number:	9186644581
E3. Street:	7080 INDUSTRIAL HWY	E7. City:	MACON
		E8. County:	BIBB
E4. State	GA	E9. Zip Code	31216

E10. Area of Operation: Continental United States

E11. Latitude: 32 °43 ’33.0 "N

E12. Longitude: 83 °39 ’30.0 "W

E13. Lat/Lon Coordinates are: ○ NAD−27 ◉ NAD−83 ○ N/A

E14. Site Elevation (AMSL): 112.5 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
MCN−008	ANT1	3	COMTECH	3.8M	3.8	42.9 dBi at 4.0

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
ANT1	3.8/3.8	4.5	117.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
ANT1	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
ANT1	Geostationary	3700 4200	60.0/ 143.0	140.95	44.2	252.26	17.1	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	HOG−004	E5. Call Sign:	
E2: Contact Name	FCC CONTACT	E6. Phone Number:	9186644581
E3. Street:	154 BOONE DRIVE	E7. City:	NEWNAN
		E8. County:	COWETA
E4. State	GA	E9. Zip Code	30263

E10. Area of Operation: Continental United States

E11. Latitude: 33 °21 ’57.57 "N

E12. Longitude: 84 °48 ’40.64 "W

E13. Lat/Lon Coordinates are: ○ NAD−27 ◉ NAD−83 ○ N/A

E14. Site Elevation (AMSL): 280.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:PERMITTED LIST | |	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: HOG−004	
E26. Common Name:	E27. Country:USA

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
HOG−004	ANT1	1	PRODELIN	1375	3.7	40.9 dBi at 4.0

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
ANT1	3.7/3.7	4.5	284.5	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
ANT1	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
ANT1	Geostationary	3700 4200	60.0/ 143.0	139.92	42.96	251.19	17.85	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	BRU−001	E5. Call Sign:	
E2: Contact Name	FCC CONTACT	E6. Phone Number:	9186644581
E3. Street:	3833 US HIGHWAY 82	E7. City:	BRUNSWICK
		E8. County:	GLYNN
E4. State	GA	E9. Zip Code	31523

E10. Area of Operation: Continental United States

E11. Latitude: 31 °9 ’35.99 "N

E12. Longitude: 81 °35 ’43.57 "W

E13. Lat/Lon Coordinates are: ○ NAD−27 ◉ NAD−83 ○ N/A

E14. Site Elevation (AMSL): 7.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.

◉ Yes ○ No ○ N/A

E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?

○ Yes ○ No ◉ N/A

E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.

○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No

E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? ○ Yes ◉ No

FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.

POINTS OF COMMUNICATION

Satellite Name:PERMITTED LIST | | If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: BRU−001	
E26. Common Name:	E27. Country:USA

ANTENNA

Site ID	**E28. Antenna Id**	**E29. Quantity**	**E30. Manufacturer**	**E31. Model**	**E32. Antenna Size<meters>**	**E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)**
BRU−001	ANT1	1	PRODELIN	1375	3.7	40.9 dBi at 4.0

E28. Antenna Id	**E33/34. Diameter Minor/Major (meters)**	**E35. Above Ground Level (meters)**	**E36. Above Sea Level (meters)**	**E37. Building Height Above Ground Level (meters)**	**E38. Total Input Power at antenna flange (Watts)**	**E39. Maximum Antenna Height Above Rooftop (meters)**	**E40. Total EIRP for al carriers (dBW)**
ANT1	3.7/3.7	3.5	10.5	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
ANT1	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
ANT1	Geostationary	3700 4200	60.0/ 139.0	142.56	46.79	254.28	15.82	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.	E65. Phone Number

E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	BNA−006	E5. Call Sign:	
E2: Contact Name	FCC CONTACT	E6. Phone Number:	9186644581
E3. Street:	55 MUSIC SQUARE WEST	E7. City:	NASHVILLE
		E8. County:	DAVIDSON
E4. State	TN	E9. Zip Code	37203

E10. Area of Operation: Continental United States

E11. Latitude: 36 °8 ’52.14 "N

E12. Longitude: 86 °47 ’38.5 "W

E13. Lat/Lon Coordinates are: ○ NAD−27 ◉ NAD−83 ○ N/A

E14. Site Elevation (AMSL): 154.5 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.

(●) Yes ( ) No ( ) N/A

E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?

( ) Yes ( ) No (●) N/A

E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.

( ) Yes (●) No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	( ) Yes (●) No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	( ) Yes (●) No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	( ) Yes (●) No

POINTS OF COMMUNICATION

Satellite Name:PERMITTED LIST | | If you selected OTHER, please enter the following:

E21. Common Name: E22. ITU Name:

E23. Orbit Location: E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: BNA−006	
E26. Common Name:	E27. Country: USA

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
BNA−006	ANT1	1	COMTECH	934D0015−G1	3.8	42.9 dBi at 4.0

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
ANT1	3.8/3.8	14.63	169.13	10.97	0.0	3.66	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
ANT1	3700 4200	R	Horizontal and Vertical	36M0GTW	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
ANT1	Geostationary	3700 4200	60.6/ 139.0	140.2	39.8	245.4	21.6	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	MEM−023	E5. Call Sign:				
E2: Contact Name	FCC CONTACT	E6. Phone Number:	9186644581			
E3. Street:	2650 THOUSAND OAKS BLVD	E7. City:	MEMPHIS			
	SUITE 4100	E8. County:	SHELBY			
E4. State	TN	E9. Zip Code	38118			
E10. Area of Operation:		Continental United States				
E11. Latitude:	35 °4 ’36.0 "N					
E12. Longitude:	89 °54 ’4.0 "W					
E13. Lat/Lon Coordinates are:		○ NAD−27	◉ NAD−83	○ N/A		
E14. Site Elevation (AMSL):		82.0 meters				

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:PERMITTED LIST | |	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: MEM−023	
E26. Common Name:	E27. Country:USA

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
MEM−023	ANT1	2	COMTECH	3.8m	3.8	42.9 dBi at 4.0

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
ANT1	3.8/3.8	3.96	101.96	98.0	0.0	3.96	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
ANT1	3700 4200	R	Vertical	36M0GTW	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
ANT1	Geostationary	3700 4200	60.0/ 143.0	134.95	38.4	246.69	21.35	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	PIB−013	E5. Call Sign:	
E2: Contact Name	FCC CONTACT	E6. Phone Number:	9186644581
E3. Street:	6555 HWY 98 WEST	E7. City:	HATTIESBURG
	SUITE 8	E8. County:	FORREST
E4. State	MS	E9. Zip Code	39402

E10. Area of Operation: Continental United States

E11. Latitude: 31 °19 ’6.04 "N

E12. Longitude: 89 °25 ’12.26 "W

E13. Lat/Lon Coordinates are: ○ NAD−27 ◉ NAD−83 ○ N/A

E14. Site Elevation (AMSL): 116.13 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:PERMITTED LIST | |	If you selected OTHER, please enter the following:

E21. Common Name:

E22. ITU Name:

E23. Orbit Location:

E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: PIB−013	
E26. Common Name:	E27. Country:USA

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
PIB−013	ANT1	2	PRODELIN	1375	3.7	40.9 dBi at 4.0

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
ANT1	3.7/3.7	3.47	119.6	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
ANT1	3700 4200	R	Horizontal and Vertical	36M0GTW	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
ANT1	Geostationary	3700 4200	60.6/ 139.0	133.4	42.0	246.1	25.8	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	JAC−004	E5. Call Sign:				
E2: Contact Name	FCC CONTACT	E6. Phone Number:	9186644581			
E3. Street:	1375 BEASLEY ROAD	E7. City:	JACKSON			
		E8. County:	HINDS			
E4. State	MS	E9. Zip Code	39206			
E10. Area of Operation:		Continental United States				
E11. Latitude:	32 °23 ’0.0 "N					
E12. Longitude:	90 °11 ’26.0 "W					
E13. Lat/Lon Coordinates are:		○ NAD−27	◉ NAD−83	○ N/A		
E14. Site Elevation (AMSL):		96.0 meters				

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:PERMITTED LIST | |	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: JAC−004

E26. Common Name: E27. Country:USA

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
JAC−004	ANT1	1	PRODELIN	1374	3.8	40.9 dBi at 4.0

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
ANT1	3.8/3.8	4.57	33.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
ANT1	3700 4200	R	Horizontal and Vertical	36M0GTW	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
ANT1	Geostationary	3700 4200	1.0/ 1.0	1.0	1.0	1.0	1.0	1.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	TUP−004	E5. Call Sign:	
E2: Contact Name	FCC CONTACT	E6. Phone Number:	9186644581
E3. Street:	5026 CLIFF GOOKIN BLVD	E7. City:	TUPELO
		E8. County:	LEE
E4. State	MS	E9. Zip Code	38801
E10. Area of Operation:		Continental United States	
E11. Latitude:	34 °14 ’32.3 "N		
E12. Longitude:	88 °46 ’13.9 "W		

E13. Lat/Lon Coordinates are: ○ NAD−27 ◉ NAD−83 ○ N/A

E14. Site Elevation (AMSL): 104.24 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:PERMITTED LIST | |	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: TUP−004	
E26. Common Name:	E27. Country:USA

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
TUP−004	ANT1	1	COMTECH	934D0015−G2	3.8	42.9 dBi at 4.0

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
ANT1	3.8/3.8	4.87	109.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
ANT1	3700 4200	R	Horizontal and Vertical	36M0GTW	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
ANT1	Geostationary	3700 4200	60.0/ 143.0	135.67	39.78	247.69	20.77	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign

E65. Phone Number

NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.

E62. Street Address

E63. City

E67. County

E64/68. State/Country

/

E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	BAT−001	E5. Call Sign:	
E2: Contact Name	FCC CONTACT	E6. Phone Number:	9186644581
E3. Street:	FCC CONTACT	E7. City:	BATON ROUGE
		E8. County:	BATON ROUGE
E4. State	LA	E9. Zip Code	70808

E10. Area of Operation: Continental United States

E11. Latitude: 30 °25 ’26.31 "N

E12. Longitude: 91 °7 ’57.38 "W

E13. Lat/Lon Coordinates are: ○ NAD−27 ◉ NAD−83 ○ N/A

E14. Site Elevation (AMSL): 35.66 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:PERMITTED LIST | |	If you selected OTHER, please enter the following:

E21. Common Name:

E22. ITU Name:

E23. Orbit Location:

E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: BAT−001	
E26. Common Name:	E27. Country:USA

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
BAT−001	ANT1	1	PATRIOT	3.8M	3.8	41.5 dBi at 4.0
	ANT2		PRODELIN	1304−1305	3.0	40.0 dBi at 4.0
	ANT3		PATRIOT	3.8M	3.8	41.5 dBi at 4.0

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
ANT1	3.8/3.8	4.0	35.66	24.38	0.0	4.0	0.0
ANT2	3.0/3.0	4.0	35.66	24.38	0.0	4.0	0.0
ANT3	3.8/3.8	4.0	35.66	24.38	0.0	4.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
ANT1	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) NULL						
ANT2	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) NULL						
ANT3	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
ANT1	Geostationary	3700 4200	60.0/ 143.0	133.076	38.09	246.098	22.605	0.0
ANT2	Geostationary	3700 4200	60.0/ 143.0	133.076	38.09	246.098	22.605	0.0
ANT3	Geostationary	3700 4200	60.0/ 143.0	133.076	38.09	246.098	22.605	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign

NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.

E65. Phone Number

E62. Street Address

E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	NOL−002	E5. Call Sign:	
E2: Contact Name	FCC CONTACT	E6. Phone Number:	9186644581
E3. Street:	929 HOWARD AVE	E7. City:	NEW ORLEANS
		E8. County:	NEW ORLEANS
E4. State	LA	E9. Zip Code	70113

E10. Area of Operation: Continental United States

E11. Latitude: 29 °56 ’43.6 "N

E12. Longitude: 90 °4 ’31.1 "W

E13. Lat/Lon Coordinates are: ○ NAD−27 ◉ NAD−83 ○ N/A

E14. Site Elevation (AMSL): 2.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:PERMITTED LIST | |	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: NOL−002	
E26. Common Name:	E27. Country:USA

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
NOL−002	ANT1	1	CHALLENGER	3.8M	3.8	41.5 dBi at 4.0

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
ANT1	3.8/3.8	4.0	17.0	11.0	0.0	4.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
ANT1	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
ANT1	Geostationary	3700 4200	60.6/ 139.0	131.4	42.6	246.5	27.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	BLX−002	E5. Call Sign:		
E2: Contact Name	FCC CONTACT	E6. Phone Number:	9186644581	
E3. Street:	286 DEBUYS ROAD	E7. City:	BILOXI	
		E8. County:	HARRISON	
E4. State	MS	E9. Zip Code	39531	
E10. Area of Operation:		Continental United States		
E11. Latitude:	30 °23 ’59.82 "N			
E12. Longitude:	89 °0 ’1.28 "W			
E13. Lat/Lon Coordinates are:		○ NAD−27	◉ NAD−83	○ N/A
E14. Site Elevation (AMSL):		24.38 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:PERMITTED LIST | |	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: BLX−002	
E26. Common Name:	E27. Country:USA

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
BLX−002	ANT1	1	PRODELIN	1374−995	3.7	42.3 dBi at 4.0
	ANT2		SCIENTIFIC ATLANTA	9000	2.8	39.0 dBi at 4.0

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
ANT1	3.7/3.7	3.96	28.34	0.0	0.0	0.0	0.0
ANT2	2.8/2.8	3.35	27.73	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)

ANT1	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

ANT2	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
ANT1	Geostationary	3700 4200	60.0/ 143.0	132.36	42.59	249.84	22.44	0.0

ANT2	Geostationary	3700 4200	60.0/ 143.0	132.36	42.59	249.84	22.44	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	JAC−004	E5. Call Sign:	
E2: Contact Name	FCC CONTACT	E6. Phone Number:	9186644581
E3. Street:	1375 BEASLEY ROAD	E7. City:	JACKSON
		E8. County:	HINDS
E4. State	MS	E9. Zip Code	39206

E10. Area of Operation: Continental United States

E11. Latitude: 32 °23 ’0.0 "N

E12. Longitude: 90 °11 ’26.0 "W

E13. Lat/Lon Coordinates are: ○ NAD−27 ◉ NAD−83 ○ N/A

E14. Site Elevation (AMSL): 96.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:PERMITTED LIST | | If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier: JAC−004	
E26. Common Name:	E27. Country:USA

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
JAC−004	ANT1	1	PRODELIN	1374	3.8	40.9 dBi at 4.0

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
ANT1	3.8/3.8	4.57	33.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
ANT1	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
ANT1	Geostationary	3700 4200	60.6/ 139.0	133.3	40.7	244.9	26.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

FCC NOTICE REQUIRED BY THE PAPERWORK REDUCTION ACT

The public reporting for this collection of information is estimated to average 0.25 − 24 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the required data, and completing and reviewing the collection of information. If you have any comments on this burden estimate, or how we can improve the collection and reduce the burden it causes you, please write to the Federal Communications Commission, AMD−PERM, Paperwork Reduction Project (3060−0678), Washington, DC 20554. We will also accept your comments regarding the Paperwork Reduction Act aspects of this collection via the Internet if you send them to PRA@fcc.gov. PLEASE DO NOT SEND COMPLETED FORMS TO THIS ADDRESS.

Remember − You are not required to respond to a collection of information sponsored by the Federal government, and the government may not conduct or sponsor this collection, unless it displays a currently valid OMB control number or if we fail to provide you with this notice. This collection has been assigned an OMB control number of 3060−0678.

THE FOREGOING NOTICE IS REQUIRED BY THE PAPERWORK REDUCTION ACT OF 1995, PUBLIC LAW 104−13, OCTOBER 1, 1995, 44 U.S.C. SECTION 3507.