Approved by OMB
3060−0678

Date & Time Filed: Oct 3 2018 10:41:16:520AM
File Number: SES−REG−INTR2018−06457
Callsign/Satellite ID:

APPLICATION FOR EARTH STATION AUTHORIZATIONS FCC 312 MAIN FORM FOR OFFICIAL USE ONLY	FCC Use Only

APPLICANT INFORMATION
Enter a description of this application to identify it on the main menu:
R−O Earth Station Application, Nos.2801−2850

1−8. Legal Name of Applicant

Name:	Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter−day	**Phone Number:**	510−531−3200
DBA Name:		**Fax Number:**	
Street:	50 E. North Temple St	**E−Mail:**	
City:	Salt Lake City	**State:**	UT
Country:	USA	**Zipcode:**	84150 −
Attention:	Bart Eichelberger		

9−16. Name of Contact Representative

Name:	Jennifer Hindin	**Phone Number:**	2027194975
Company:	Wiley Rein LLP	**Fax Number:**	
Street:	1776 K St NW	**E−Mail:**	jhindin@wileyrein.com
City:	Washington	**State:**	DC
Country:	USA	**Zipcode:**	20006−
Attention:	Bart Eichelberger	**Relationship:**	Legal Counsel

CLASSIFICATION OF FILING

17. Choose the button next to the classification that applies to this filing for both questions a. and b. Choose only one for 17a and only one for 17b. a. ◉ a1. Earth Station (N/A) a2. Space Station	b. ○ b1. Application for License of New Station ◉ b2. Application for Registration of New Domestic Receive−Only Station (N/A) b3. Amendment to a Pending Application (N/A) b4. Modification of License or Registration (N/A) b5. Assignment of License or Registration (N/A) b6. Transfer of Control of License or Registration (N/A) b7. Notification of Minor Modification (N/A) b8. Application for License of New Receive−Only Station Using Non−U.S. Licensed Satellite (N/A) b9. Letter of Intent to Use Non−U.S. Licensed Satellite to Provide Service in the United States ○ b10. Other (Please specify) ○ b11. Application for Earth Station to Access a Non−U.S.satellite Not Currently Authorized to Provide the Proposed Service in the Proposed Frequencies in the United States. ○ b12. Application for Database Entry (N/A) b13. Amendment to a Pending Database Entry Application (N/A) b14. Modifiction of Database Entry
17c. Is a fee submitted with this application? ○ If Yes, complete and attach FCC Form 159. If No, indicate reason for fee exemption (see 47 C.F.R.Section 1.1114). ○ Governmental Entity ○ Noncommercial educational licensee ◉ Other(please explain): Agency Tracking ID	
17d. Fee Classification CMO − Receive Only Earth Station	

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.	E65. Phone Number

E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	CHAPEL PARK, KIMBALL	E5. Call Sign:		
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000	
E3. Street:	125 Chapel Street	E7. City:	LAYTON	
		E8. County:		
E4. State	UT	E9. Zip Code	84041	
E10. Area of Operation:		LAYTON		
E11. Latitude:	41 °3 ’30.03 "N			
E12. Longitude:	111 °57 ’1.08 "W			
E13. Lat/Lon Coordinates are:		◉ NAD−27	○ NAD−83	○ N/A
E14. Site Elevation (AMSL):		0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
CHAPEL PARK, KIMBALL	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	NORTH OGDEN 13, 14,	E5. Call Sign:		
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000	
E3. Street:	900 East 2850 North	E7. City:	NORTH OGDEN	
		E8. County:		
E4. State	UT	E9. Zip Code	84414	
E10. Area of Operation:		NORTH OGDEN		
E11. Latitude:	41 °18 ’47.29 "N			
E12. Longitude:	111 °57 ’2.8 "W			
E13. Lat/Lon Coordinates are:		◉ NAD−27	○ NAD−83	○ N/A
E14. Site Elevation (AMSL):		0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
NORTH OGDEN 13, 14,	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	SOUTH JORDAN 1, 2, 8	E5. Call Sign:		
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000	
E3. Street:	2450 West 10400 South	E7. City:	SOUTH JORDAN	
		E8. County:		
E4. State	UT	E9. Zip Code	84095	
E10. Area of Operation:		SOUTH JORDAN		
E11. Latitude:	40 °33 ’45.55 "N			
E12. Longitude:	111 °57 ’8.5 "W			
E13. Lat/Lon Coordinates are:		◉ NAD−27	○ NAD−83	○ N/A
E14. Site Elevation (AMSL):		0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
SOUTH JORDAN 1, 2, 8	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	COUNTRY PARK 2, 7, 9	E5. Call Sign:	
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000
E3. Street:	2447 West 11400 South	E7. City:	SOUTH JORDAN
		E8. County:	
E4. State	UT	E9. Zip Code	84095

E10. Area of Operation: SOUTH JORDAN

E11. Latitude: 40 °32 ’37.73 "N

E12. Longitude: 111 °57 ’8.6 "W

E13. Lat/Lon Coordinates are: ◉ NAD−27 ○ NAD−83 ○ N/A

E14. Site Elevation (AMSL): 0.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
COUNTRY PARK 2, 7, 9	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	ROCK CLIFF 1, 2 &	E5. Call Sign:		
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000	
E3. Street:	1000 Suncrest Drive	E7. City:	OGDEN	
		E8. County:		
E4. State	UT	E9. Zip Code	84404	
E10. Area of Operation:		OGDEN		
E11. Latitude:	41 °15 ’8.52 "N			
E12. Longitude:	111 °57 ’9.09 "W			
E13. Lat/Lon Coordinates are:		◉ NAD−27	○ NAD−83	○ N/A
E14. Site Elevation (AMSL):		0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
ROCK CLIFF 1, 2 &	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	MOUNT LEWIS 1, 2, 3	E5. Call Sign:		
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000	
E3. Street:	435 North Jackson Avenue	E7. City:	OGDEN	
		E8. County:		
E4. State	UT	E9. Zip Code	84404	
E10. Area of Operation:		OGDEN		
E11. Latitude:	41 °16 ’1.34 "N			
E12. Longitude:	111 °57 ’10.68 "W			
E13. Lat/Lon Coordinates are:		◉ NAD−27	○ NAD−83	○ N/A
E14. Site Elevation (AMSL):		0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as ○ Yes ◉ No

E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as ○ Yes ◉ No

E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? ○ Yes ◉ No
FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.

POINTS OF COMMUNICATION

Satellite Name: If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:

E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
MOUNT LEWIS 1, 2, 3	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign

E65. Phone Number

NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.

E62. Street Address

E63. City

E67. County

E64/68. State/Country

/

E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	JEFFERSON 4 (SP), SU	E5. Call Sign:		
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000	
E3. Street:	976 33rd Street	E7. City:	OGDEN	
		E8. County:		
E4. State	UT	E9. Zip Code	84403	
E10. Area of Operation:		OGDEN		
E11. Latitude:	41 °12 ’14.09 "N			
E12. Longitude:	111 °57 ’17.34 "W			
E13. Lat/Lon Coordinates are:		◉ NAD−27	○ NAD−83	○ N/A
E14. Site Elevation (AMSL):		0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
JEFFERSON 4 (SP), SU	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	VALLEY PARK 3, 5 &	E5. Call Sign:			
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000		
E3. Street:	2603 West 4700 South	E7. City:	TAYLORSVILLE		
		E8. County:			
E4. State	UT	E9. Zip Code	84129		
E10. Area of Operation:		TAYLORSVILLE			
E11. Latitude:	40 °40 ’1.74 "N				
E12. Longitude:	111 °57 ’19.55 "W				
E13. Lat/Lon Coordinates are:		◉ NAD−27	○ NAD−83	○ N/A	
E14. Site Elevation (AMSL):		0.0 meters			

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
VALLEY PARK 3, 5 &	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
			/					

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	ROCK CLIFF 6, 7	E5. Call Sign:		
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000	
E3. Street:	300 Gramercy Avenue	E7. City:	OGDEN	
		E8. County:		
E4. State	UT	E9. Zip Code	84404	
E10. Area of Operation:		OGDEN		
E11. Latitude:	41 °15 ’28.4 "N			
E12. Longitude:	111 °57 ’24.54 "W			
E13. Lat/Lon Coordinates are:		◉ NAD−27	○ NAD−83	○ N/A
E14. Site Elevation (AMSL):		0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
ROCK CLIFF 6, 7	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	NORTH OGDEN 2, 6, 15	E5. Call Sign:		
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000	
E3. Street:	770 East 2100 North	E7. City:	NORTH OGDEN	
		E8. County:		
E4. State	UT	E9. Zip Code	84414	
E10. Area of Operation:		NORTH OGDEN		
E11. Latitude:	41 °17 ’47.51 "N			
E12. Longitude:	111 °57 ’24.72 "W			
E13. Lat/Lon Coordinates are:		◉ NAD−27	○ NAD−83	○ N/A
E14. Site Elevation (AMSL):		0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name: If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
NORTH OGDEN 2, 6, 15	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign

E65. Phone Number

NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.

E62. Street Address

E63. City

E67. County

E64/68. State/Country /

E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	WEST JORDAN 19, 27,	E5. Call Sign:		
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000	
E3. Street:	2666 West 7000 South	E7. City:	WEST JORDAN	
		E8. County:		
E4. State	UT	E9. Zip Code	84084	
E10. Area of Operation:		WEST JORDAN		
E11. Latitude:	40 °37 ’27.11 "N			
E12. Longitude:	111 °57 ’24.81 "W			
E13. Lat/Lon Coordinates are:		◉ NAD−27	○ NAD−83	○ N/A
E14. Site Elevation (AMSL):		0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
WEST JORDAN 19, 27,	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign

E65. Phone Number

NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.

E62. Street Address

E63. City

E67. County

E64/68. State/Country

/

E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	OQUIRRH MOUNTAIN SA,	E5. Call Sign:	
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000
E3. Street:	7265 South 2700 West	E7. City:	WEST JORDAN
		E8. County:	
E4. State	UT	E9. Zip Code	84084

E10. Area of Operation: WEST JORDAN

E11. Latitude: 40 °37 ’9.05 "N

E12. Longitude: 111 °57 ’26.42 "W

E13. Lat/Lon Coordinates are: ◉ NAD−27 ○ NAD−83 ○ N/A

E14. Site Elevation (AMSL): 0.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
OQUIRRH MOUNTAIN SA,	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	RIVERTON 6, 8, 22 (S	E5. Call Sign:		
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000	
E3. Street:	12345 South 2700 West	E7. City:	RIVERTON	
		E8. County:		
E4. State	UT	E9. Zip Code	84065	
E10. Area of Operation:		RIVERTON		
E11. Latitude:	40 °31 ’35.39 "N			
E12. Longitude:	111 °57 ’26.47 "W			
E13. Lat/Lon Coordinates are:		◉ NAD−27	○ NAD−83	○ N/A
E14. Site Elevation (AMSL):		0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.

(●) Yes ( ) No ( ) N/A

E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?

( ) Yes ( ) No (●) N/A

E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.

( ) Yes (●) No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	( ) Yes (●) No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	( ) Yes (●) No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	( ) Yes (●) No

POINTS OF COMMUNICATION

Satellite Name: If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:

E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>
RIVERTON 6, 8, 22 (S	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4

E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.	E65. Phone Number

E62. Street Address

E63. City

E67. County

E64/68. State/Country /

E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	OGDEN VALLEY (SL), P	E5. Call Sign:		
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000	
E3. Street:	5640 South 850 East	E7. City:	OGDEN	
		E8. County:		
E4. State	UT	E9. Zip Code	84405	
E10. Area of Operation:		OGDEN		
E11. Latitude:	41 °9 ’39.87 "N			
E12. Longitude:	111 °57 ’27.6 "W			
E13. Lat/Lon Coordinates are:		◉ NAD−27	○ NAD−83	○ N/A
E14. Site Elevation (AMSL):		0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
OGDEN VALLEY (SL), P	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)		E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700	4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	PARKWAY 1, 7, 8 &	E5. Call Sign:		
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000	
E3. Street:	9894 South 2700 West	E7. City:	SOUTH JORDAN	
		E8. County:		
E4. State	UT	E9. Zip Code	84095	
E10. Area of Operation:		SOUTH JORDAN		
E11. Latitude:	40 °34 ’15.96 "N			
E12. Longitude:	111 °57 ’29.07 "W			
E13. Lat/Lon Coordinates are:		◉ NAD−27	○ NAD−83	○ N/A
E14. Site Elevation (AMSL):		0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
PARKWAY 1, 7, 8 &	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	MOUNT LEWIS 6, 7, 8	E5. Call Sign:		
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000	
E3. Street:	1150 N Monroe Blvd	E7. City:	OGDEN	
		E8. County:		
E4. State	UT	E9. Zip Code	84404	
E10. Area of Operation:		OGDEN		
E11. Latitude:	41 °16 ’41.18 "N			
E12. Longitude:	111 °57 ’29.71 "W			
E13. Lat/Lon Coordinates are:		◉ NAD−27	○ NAD−83	○ N/A
E14. Site Elevation (AMSL):		0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
MOUNT LEWIS 6, 7, 8	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	CEDAR CREST, SILVER	E5. Call Sign:	
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000
E3. Street:	4506 East Pony Express Parkway	E7. City:	EAGLE MOUNTAIN
		E8. County:	
E4. State	UT	E9. Zip Code	84005

E10. Area of Operation: EAGLE MOUNTAIN

E11. Latitude: 40 °21 ’42.51 "N

E12. Longitude: 111 °57 ’30.1 "W

E13. Lat/Lon Coordinates are: ◉ NAD−27 ○ NAD−83 ○ N/A

E14. Site Elevation (AMSL): 0.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
CEDAR CREST, SILVER	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	BLUFFDALE 6, 7, DEER	E5. Call Sign:		
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000	
E3. Street:	2742 WEST 14400 SOUTH	E7. City:	BLUFFDALE	
		E8. County:		
E4. State	UT	E9. Zip Code	84065	
E10. Area of Operation:		BLUFFDALE		
E11. Latitude:	40 °29 ’23.95 "N			
E12. Longitude:	111 °57 ’30.84 "W			
E13. Lat/Lon Coordinates are:		◉ NAD−27	○ NAD−83	○ N/A
E14. Site Elevation (AMSL):		0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
BLUFFDALE 6, 7, DEER	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	BEN LOMOND 11, 12 &	E5. Call Sign:	
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000
E3. Street:	3610 North 650 East	E7. City:	NORTH OGDEN
		E8. County:	
E4. State	UT	E9. Zip Code	84414

E10. Area of Operation: NORTH OGDEN

E11. Latitude: 41 °19 ’32.02 "N

E12. Longitude: 111 °57 ’31.89 "W

E13. Lat/Lon Coordinates are: ◉ NAD−27 ○ NAD−83 ○ N/A

E14. Site Elevation (AMSL): 0.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
BEN LOMOND 11, 12 &	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign

NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.

E65. Phone Number

E62. Street Address

E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	NORTH OGDEN 1, 5, 21	E5. Call Sign:		
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000	
E3. Street:	626 East 2600 North	E7. City:	NORTH OGDEN	
		E8. County:		
E4. State	UT	E9. Zip Code	84414	
E10. Area of Operation:		NORTH OGDEN		
E11. Latitude:	41 °18 ’22.61 "N			
E12. Longitude:	111 °57 ’39.09 "W			
E13. Lat/Lon Coordinates are:		◉ NAD−27	○ NAD−83	○ N/A
E14. Site Elevation (AMSL):		0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name: If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
NORTH OGDEN 1, 5, 21	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	CONSTITUTION, GRANGE	E5. Call Sign:		
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000	
E3. Street:	2850 West 3835 South	E7. City:	WEST VALLEY CITY	
		E8. County:		
E4. State	UT	E9. Zip Code	84119	
E10. Area of Operation:		WEST VALLEY CITY		
E11. Latitude:	40 °41 ’20.06 "N			
E12. Longitude:	111 °57 ’39.15 "W			
E13. Lat/Lon Coordinates are:		◉ NAD−27	○ NAD−83	○ N/A
E14. Site Elevation (AMSL):		0.0 meters		



E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
CONSTITUTION, GRANGE	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

FCC NOTICE REQUIRED BY THE PAPERWORK REDUCTION ACT

The public reporting for this collection of information is estimated to average 0.25 − 24 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the required data, and completing and reviewing the collection of information. If you have any comments on this burden estimate, or how we can improve the collection and reduce the burden it causes you, please write to the Federal Communications Commission, AMD−PERM, Paperwork Reduction Project (3060−0678), Washington, DC 20554. We will also accept your comments regarding the Paperwork Reduction Act aspects of this collection via the Internet if you send them to PRA@fcc.gov. PLEASE DO NOT SEND COMPLETED FORMS TO THIS ADDRESS.

Remember − You are not required to respond to a collection of information sponsored by the Federal government, and the government may not conduct or sponsor this collection, unless it displays a currently valid OMB control number or if we fail to provide you with this notice. This collection has been assigned an OMB control number of 3060−0678.

THE FOREGOING NOTICE IS REQUIRED BY THE PAPERWORK REDUCTION ACT OF 1995, PUBLIC LAW 104−13, OCTOBER 1, 1995, 44 U.S.C. SECTION 3507.