Micronet Communications, Inc.

720 F Avenue, Suite 100 Plano, Texas 75074 972-422-7200

SUPPLEMENTAL SHOWING PART 101.103(D)

File Number: M1817108 3.70 GHz

Licensee: EVANS BROADCASTING, INC. Page 1

Pursuant to Parts 25.203 and 101.103(d) of the FCC Rules and Regulations, a frequency coordination study was conducted by Micronet Communications, Inc. for the following proposed earth station:

Reno, NV

The results of the study indicate that no unacceptable interference will result with existing, proposed or prior coordinated radio facilities.

Coordination was performed with existing, proposed and prior coordinated carriers within coordination range on the following dates:

07/20/2018 Original PCN

There were no unresolved interference objections.

The attached coordination data was forwarded on the latest date to the following parties within coordination range or their authorized coordination agents:

COMSEARCH INC

PACIFIC BELL TELEPHONE COMPANY D/B/A AT&T CALIFORNIA

Respectfully Submitted,

Jeremy S. Lewis

Jeremy Lewis Systems Engineer

Attached: 1 data sheet

Micronet Communications, Inc. 720 F Avenue, Suite 100 Plano, Texas 75074 972-422-7200

File: M1817108

		========	
TECHNICAL CHARACTERISTICS OF RECEIVE ONLY EARTH STATION			
		========	=======================================
± ±		ASTING, INC.	
•	Reno, NV		
Call Sign:	(NIA DO 2)	20 20	00 7 N
Latitude Longitude	(NAD83) (NAD83)	39 30 119 46	23./ N
Elevation AMSL		4419.28	1347.00
Receive Frequency Range	(MHz)	3700-4200	
Transmit Frequency Range	(MHz)	3700 1200	
Range of Satellite Orbital Long.	, ,	50.00	140.00
	(deg)	103.19	210.07
Antenna Centerline	(ft/m)	30.00	9.14
Antenna Elevation Angles	(deg)	6.85	39.72
Equipment Parameters		Receive	
Equipment farameters		receive	
Antenna Gain, Main Beam	(dbI)	40.00	
15 DB Half Beamwidth	(deg)	1.20	
Antennas Receive: DAWNCO I)30F48 (3 M)		
Ameemas Receive. Diwived Dour 40 (5 H)			
Max Transmitter Power	(dbW/4KHz)		
Max EIRP Main Beam	(dbW/4KHz)		
Modulation / Emission Designator	DIGITAL	36M0G7W	
Coordination Parameters		Receive	
Max Greater Circle Distances	(1)	245 05	
Max Rain Scatter Distances	(km) (km)	245.95 145.41	
Max Interference Power Long Term		-140.60	
Max Interference Power Short Term	, ,	-118.40	
Rain Zone / Radio Zone	(3211)	5	А