Approved by OMB 3060–0678

Date & Time Filed: Oct 17 2018 5:39:46:130PM File Number: SES–REG–INTR2018–09325 Callsign/Satellite ID:

APPLICATION FOR EARTH STATION AUTHORIZATIONS	FCC Use Only
FCC 312 MAIN FORM FOR OFFICIAL USE ONLY	

APPLICANT INFORMATION

Enter a description of this application to identify it on the main menu:

ION C-Band Receive Only Earth Stations

1–8. Lega	l Name of App	plicant		
	Name:	ION Television License, LLC	Phone Number:	561-682-4110
	DBA Name:		Fax Number:	
	Street:	601 Clearwater Park Road	E-Mail:	biancafrye@ionmedia.com
	City:	West Palm Beach	State:	FL
	Country:	USA	Zipcode:	33401 –
	Attention:	Legal Department		

Name:	Mark Ruppert	Phone Number:	727-533-2707
Company:	ION Media Networks	Fax Number:	
Street:	14444 66th Street N	E-Mail:	markruppert@ionmedia.com
City:	Clearwater	State:	FL
Country:	USA	Zipcode:	33764-
Attention:	Mark Ruppert	Relationship:	Engineer

CLASSIFICATION OF FILING

17. Choose the button next to the	b.			
classification that applies to this filing for	b1. Application for License of New Station			
both questions a. and b. Choose only one	b 2. Application for Registration of New Domestic Receive–Only Station			
for 17a and only one for 17b. a. al. Earth Station (N/A) a2. Space Station	 (N/A) b3. Amendment to a Pending Application (N/A) b4. Modification of License or Registration (N/A) b5. Assignment of License or Registration (N/A) b6. Transfer of Control of License or Registration (N/A) b7. Notification of Minor Modification (N/A) b8. Application for License of New Receive–Only Station Using Non–U.S. Licensed Satellite (N/A) b9. Letter of Intent to Use Non–U.S. Licensed Satellite to Provide Service in the United States b10. Other (Please specify) 			
	• b11. Application for Earth Station to Access a Non–U.S. satellite Not Currently Authorized to			
	Provide the Proposed Service in the Proposed Frequencies in the United States. b12. Application for Database Entry			
	(N/A) b13. Amendment to a Pending Database Entry Application (N/A) b14. Modifiction of Database Entry			
17c. Is a fee submitted with this application of the submitted with th	ion? 159. If No. indicate reason for fee exemption (see 47 C.F.R.Section 1.1114)			
Governmental Entity A Noncomme	reial educational licensee			
Other(plasse explain))				
• Other(please explain):				
17d.				
Fee Classification BGV – Fixed Satellite V	/SAT System			

18 If this filing is in reference to an	19 If this filing is an amendment to a pending a	nnlication enter
existing station, enter:	(a) Date pending application was filed:	(b) File number of pending application:
(a) Call sign of station: Not Applicable	Not Applicable	Not Applicable

TYPE OF SERVICE

20. NATURE OF SERVICE: This filing is for an authorization to provide	e or use the following type(s) of service(s): Select all that apply:
a. Fixed Satellite	
b. Mobile Satellite	
c. Radiodetermination Satellite	
d. Earth Exploration Satellite	
e. Direct to Home Fixed Satellite	
f. Digital Audio Radio Service	
g. Other (please specify)	
21. STATUS: Choose the button next to the applicable status. Choose	22. If earth station applicant, check all that apply.
only one.	Using U.S. licensed satellites
	Using Non–U.S. licensed satellites
23. If applicant is providing INTERNATIONAL COMMON CARRIER s facilities:	ervice, see instructions regarding Sec. 214 filings. Choose one. Are these
• Connected to a Public Switched Network • Not connected	to a Public Switched Network 💿 N/A

24. FREQUENCY BAND(S): Place an "X" in the box(es) next to all applicable frequency band(s).

x a. C–Band (4/6 GHz) **b**. Ku–Band (12/14 GHz)

c.Other (Please specify upper and lower frequencies in MHz.)

Frequency Lower: Frequency Upper:

TYPE OF STATION

25. CLASS OF STATION: Choose the button next to the class of station that applies. Choose only one.
a. Fixed Earth Station
• b. Temporary–Fixed Earth Station
o c. 12/14 GHz VSAT Network
O d. Mobile Earth Station
(N/A) e. Geostationary Space Station
(N/A) f. Non–Geostationary Space Station
O g. Other (prease specify)
26. TYPE OF EARTH STATION FACILITY: Choose only one.
O Iransmit/Receive O Iransmit–Only O Receive–Only O N/A

PURPOSE OF MODIFICATION

27. The purpose of this proposed modification is to: (Place an 'X' in the box(es) next to all that apply.)

Not Applicable

ENVIRONMENTAL POLICY

28. Would a Commission grant of any proposal in this application or amendment have a significant environmental impact as defined by 47 CFR 1.1307? If YES, submit the statement as required by Sections 1.1308 and 1.1311 of the Commission's rules, 47 C.F.R. §§ 1.1308 and 1.1311, as an exhibit to this application. A Radiation Hazard Study must accompany all applications for new transmitting facilities, major modifications, or major amendments.

ALIEN OWNERSHIP Earth station applicants not proposing to provide broadcast, common carrier, aeronautical en route or aeronautical fixed radio station services are not required to respond to Items 30–34.

Yes

No No

29. Is the applicant a foreign government or the representative of any foreign government?	O Yes ● No
30. Is the applicant an alien or the representative of an alien?	O Yes ● No O N/A
31. Is the applicant a corporation organized under the laws of any foreign government?	O Yes ⊚ No O N/A
32. Is the applicant a corporation of which more than one–fifth of the capital stock is owned of record or voted by aliens or their representatives or by a foreign government or representative thereof or by any corporation organized under the laws of a foreign country?	O Yes ● No O N/A

33. Is the applicant a corporation directly or indirectly controlled by any other corporation of which more than one–fourth of the capital stock is owned of record or voted by aliens, their representatives, or by a foreign government or representative thereof or by any corporation organized under the laws of a foreign country?

34. If any answer to questions 29, 30, 31, 32 and/or 33 is Yes, attach as an exhibit an identification of the aliens or foreign entities, their nationality, their relationship to the applicant, and the percentage of stock they own or vote.

BASIC QUALIFICATIONS

35. Does the Applicant request any waivers or exemptions from any of the Commission's Rules? If Yes, attach as an exhibit, copies of the requests for waivers or exceptions with supporting documents.	O Yes	● No
36. Has the applicant or any party to this application or amendment had any FCC station authorization or license revoked or had any application for an initial, modification or renewal of FCC station authorization, license, or construction permit denied by the Commission? If Yes, attach as an exhibit, an explination of circumstances.	O Yes	No

• Yes • No • N/A

37. Has the applicant, or any party to this application or amendment, or any party directly or indirectly controlling the applicant ever been convicted of a felony by any state or federal court? If Yes, attach as an exhibit, an explination of circumstances.	• Yes	No
38. Has any court finally adjudged the applicant, or any person directly or indirectly controlling the applicant, guilty of unlawfully monopolizing or attemptiing unlawfully to monopolize radio communication, directly or indirectly, through control of manufacture or sale of radio apparatus, exclusive traffic arrangement or any other means or unfair methods of competition? If Yes, attach as an exhibit, an explanation of circumstances	O Yes	No
39. Is the applicant, or any person directly or indirectly controlling the applicant, currently a party in any pending matter referred to in the preceding two items? If yes, attach as an exhinit, an explanation of the circumstances.	● Yes	● No
40. If the applicant is a corporation and is applying for a space station license, attach as an exhibit the names, address, and citizenship of those stockholders owning a record and/or voting 10 percent or more of the Filer's voting stock and the percentages so held. In the case of fiduciary control, indicate the beneficiary(ies) or class of beneficiaries. Also list the names and addresses of the officers and directors of the Filer.		

41. By checking Yes, the undersigned certifies, that neither applicant nor any other party to the application is subject to a denial of Federal benefits that includes FCC benefits pursuant to Section 5301 of the Anti–Drug Act of 1988, 21 U.S.C. Section 862, because of a conviction for possession or distribution of a controlled substance. See 47 CFR 1.2002(b) for the meaning of "party to the application" for these purposes.

42a. Does the applicant intend to use a non–U.S. licensed satellite to provide service in the United States? If Yes, answer 42b and attach an exhibit providing the information specified in 47 C.F.R. 25.137, as appropriate. If No, proceed to question 43.



O No

Yes

42b. What administration has licensed or is in the process of licensing the space station? If no license will be issued, what administration has coordinated or is in the process of coordinating the space station?

43. Description. (Summarize the nature of the application and the services to be provided). (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Applicant uses C-Band receive-only earth station to receive programming for owned television stations.

43a. Geographic Service Rule Certification By selecting A, the undersigned certifies that the applicant is not subject to the geographic service or geographic coverage requirements specified in 47 C.F.R. Part 25.	● A
By selecting B, the undersigned certifies that the applicant is subject to the geographic service or geographic coverage requirements specified in 47 C.F.R. Part 25 and will comply with such requirements.	O ^B
By selecting C, the undersigned certifies that the applicant is subject to the geographic service or geographic coverage requirements specified in 47 C.F.R. Part 25 and will not comply with such requirements because it is not feasible as a technical matter to do so, or that, while technically feasible, such services would require so many compromises in satellite design and operation as to make it economically unreasonable. A narrative description and technical analysis demonstrating this claim are attached.	O C

CERTIFICATION

The Applicant waives any claim to the use of any particular frequency or of the electromagnetic spectrum as against the regulatory power of the United States because of the previous use of the same, whether by license or otherwise, and requests an authorization in accordance with this application. The applicant certifies that grant of this application would not cause the applicant to be in violation of the spectrum aggregation limit in 47 CFR Part 20. All statements made in exhibits are a material part hereof and are incorporated herein as if set out in full in this application. The undersigned, individually and for the applicant, hereby certifies that all statements made in this application and in all attached exhibits are true, complete and correct to the best of his or her knowledge and belief, and are made in good faith.

t to applicable response	.)		
	46. Title of Person Si	gning	
	Director, Support Eng	gineering	
Attachment 1: Attachment 2:		Attachment 3:	
MADE ON THIS FOR	M ARE PUNISHABLE	BY FINE AND / OR IMPRISONMENT	
ection 1001), AND/OR ion $212(a)(1)$) AND/OR	REVOCATION OF ANY	(STATION AUTHORIZATION	
1011 312(a)(1)), AND/O	K PORFEITURE (U.S. C	Loue, The 47, Section 505).	
	Attachment 2: MADE ON THIS FOR ction 1001), AND/OR ion 312(a)(1)), AND/O	Attachment 2: MADE ON THIS FORM ARE PUNISHABLE MADE ON THIS FORM ARE PUNISHABLE Section 1001), AND/OR REVOCATION OF ANY ion 312(a)(1)), AND/OR FORFEITURE (U.S. C	to applicable response.) 46. Title of Person Signing Director, Support Engineering Attachment 2: Attachment 3: MADE ON THIS FORM ARE PUNISHABLE BY FINE AND / OR IMPRISONMENT oction 1001), AND/OR REVOCATION OF ANY STATION AUTHORIZATION ion 312(a)(1)), AND/OR FORFEITURE (U.S. Code, Title 47, Section 503).

SATELLITE EARTH STATION AUTHORIZATIONS FCC Form 312 – Schedule B:(Technical and Operational Description) FOR OFFICIAL USE ONLY

Location of Earth St	tation Site			
E1: Site Identifier:	Albany Studio	E5. Call Sign:	WYPX-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	1 Charles Boulevard	E7. City:	Guilderland	
		E8. County:	Albany	
E4. State	NY	E9. Zip Code	12084	
E10. Area of Opera	tion:	Guilderland, NY		
E11. Latitude:	42 °42 '13.6 "N			
E12. Longitude:	73 °53 '2.0 "W			
E13. Lat/Lon Coord	linates are:	O NAD-27	● NAD-83	O N/A
E14. Site Elevation	(AMSL):	75.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	• Yes • No • N/	Ά
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ⊗ N⁄	Ά
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No	

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0 Ye	es 🔘	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	• Ye	es 🎯	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e 💿 Ye	es O	No

Satellite Name: PERMITTED LIST | | If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Albany Studio	WYPXS01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	WYPXS02					43.8 dBi at 3.7
						44.9 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WYPXS01	0.0/0.0	5.4	80.4	0.0	0.0	0.0	0.0
WYPXS02	0.0/0.0	5.4	80.4	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Band (MHz)	E45. T/R Mode ls	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)		
WYPXS01	3700 420	0 R	Horizontal	36M0G7F	0.0	0.0		
E50. Modulation entirety.)	and Services (1	f the complete descrip	ption does not appear ir	this box, please go	to the end of the form	to view it in its		
Digital vi	Digital video with associated audio subcarriers Modulations							
WYPXS02	3700 420	0 R	Horizontal	36M0G7F	0.0	0.0		
E50. Modulation entirety.)	E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)							
Digital Vi	deo with ass	oclated audio	subcarriers Modu	llations				

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenn Elevatic Angle Wester Limit	a on n	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WYPXS01	Geostationary	3700 4200	60.0/ 143.0	160.8	38.9	252.6	9.4		0.0
WYPXS02	Geostationary	3700 4200	60.0/ 143.0	160.8	38.9	252.6	9.4		0.0
REMOTE CO	ONTROL POIN	T LOCATION			•				
E61. Call Sign E65. Phone Number NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed. E65. Phone Number									
E62. Street Address									
E63. City			E67. Count	у		E64/68. State/Country /		E66.	Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS FCC Form 312 – Schedule B:(Technical and Operational Description) FOR OFFICIAL USE ONLY

Location of Earth St	ation Site			
E1: Site Identifier:	Albany TX	E5. Call Sign:	WYPX-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	4661 State Hwy 30 North	E7. City:	Amsterdam	
		E8. County:	Montgomery	
E4. State	NY	E9. Zip Code	12010	
E10. Area of Operat	tion:	Amsterdam, NY		
E11. Latitude:	42 °59 '5.0 "N			
E12. Longitude:	74 °10 '56.5 "W			
E13. Lat/Lon Coord	linates are:	O NAD-27	NAD-83	O N/A
E14. Site Elevation	(AMSL):	221.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	• Yes • No • N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ⊗ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	۲	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	۲	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	۲	Yes	0	No

POINTS OF COMMUNICATION

Satellite Name: If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Albany TX	WYPXT01	1	AFC	PR-12	3.7	41.2 dBi at 3.7
						42.3 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WYPXT01	0.0/0.0	3.9	224.9	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WYPXT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WYPXT01	Geostationary	3700 4200	60.0/ 143.0	160.5	38.5	252.2	9.6	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign	E65. Phone Number			
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.	lling station, not the			
E62. Street Address				
E63. City	E67. County		E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS FCC Form 312 – Schedule B:(Technical and Operational Description) FOR OFFICIAL USE ONLY

Location of Earth St	ation Site			
E1: Site Identifier:	Atlanta Studio	E5. Call Sign:	WPXA-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	200 Cobb Parkway N.	E7. City:	Marietta	
	Suite 110	E8. County:	Cobb	
E4. State	GA	E9. Zip Code	30062	
E10. Area of Opera	tion:	Marietta, GA		
E11. Latitude:	33 °57 '16.8 "N			
E12. Longitude:	84 °31 '17.5 "W			
E13. Lat/Lon Coord	linates are:	ONAD-27	● NAD-83	O N/A
E14. Site Elevation	(AMSL):	338.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	• Yes • No • N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ⊚ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes ● No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e	Yes	O No

Satellite Name: PERMITTED LIST | | If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Atlanta Studio	WPXAS01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2
	WPXAS02					41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPXAS01	0.0/0.0	4.9	342.2	0.0	0.0	0.0	0.0
WPXAS02	0.0/0.0	4.2	342.2	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Ba (MHz)	nds	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)			
WPXAS01	3700 42	200	R	Horizontal	36M0G7F	0.0	0.0			
E50. Modulation entirety.)	and Services	(If th	ne complete descripti	on does not appear in	this box, please go t	o the end of the form	to view it in its			
Digital vi	deo with as	ssoc	iated audio su	bcarriers Modu	lations					
WPXAS02	3700 42	200	R	Horizontal	36M0G7F	0.0	0.0			
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Digital video with associated audio subcarriers Modulations										

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevatior Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPXAS01	Geostationary	3700 4200	60.0/ 143.0	141.5	43.0	248.3	20.7	0.0
WPXAS02	Geostationary	3700 4200	60.0/ 143.0	141.5	43.0	248.3	20.7	0.0
REMOTE CO	ONTROL POIN	T LOCATION	•		•			- ·
E61. Call S NOTE: Plea callsign for wh	ign ase enter the calls nich this applicati	sign of the contro on is being filed	olling station, no	et the	. Phone Number			
E62. Street	Address							
E63. City			E67. Count	у		E64/68. State/Country /		E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS FCC Form 312 – Schedule B:(Technical and Operational Description) FOR OFFICIAL USE ONLY

Location of Earth St	ation Site			
E1: Site Identifier:	Atlanta TX	E5. Call Sign:	WPXA-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	140 Bear Mountain	E7. City:	Waleska	
		E8. County:	Cherokee	
E4. State	GA	E9. Zip Code	30183	
E10. Area of Operat	tion:	Waleska, GA		
E11. Latitude:	34 °18 '47.0 "N			
E12. Longitude:	84 °38 '54.0 "W			
E13. Lat/Lon Coord	linates are:	ONAD-27	● NAD-83	O ^{N/A}
E14. Site Elevation (AMSL):		709.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	• Yes • No • N/	Ά
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ⊗ N⁄	Ά
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No	

	0	Yes	() ()	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	() ()	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, ha you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	ve	Yes	0	No

Satellite Name: PERMITTED LIST | | If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Atlanta TX	WPXAT01	1	Unknown	Unknown	3.1	39.6 dBi at 3.7
						40.7 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPXAT01	0.0/0.0	4.0	713.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WPXAT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPXAT01	Geostationary	3700 4200	60.0/ 143.0	141.6	42.6	248.0	20.6	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign	E65. Phone Number			
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.				
E62. Street Address				
E63. City	E67. County		E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS FCC Form 312 – Schedule B:(Technical and Operational Description) FOR OFFICIAL USE ONLY

Location of Earth St	ation Site			
E1: Site Identifier:	Birmingham Studio	E5. Call Sign:	WPXH-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	2085 Golden Crest Drive	E7. City:	Birmingham	
		E8. County:	Jefferson	
E4. State	AL	E9. Zip Code	35209	
E10. Area of Opera	tion:	Birmingham, AL		
E11. Latitude:	33 °28 '59.47 "N			
E12. Longitude:	86 °48 '21.55 "W			
E13. Lat/Lon Coordinates are:		ONAD-27	NAD-83	O ^{N/A}
E14. Site Elevation (AMSL):		54.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes ● No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e o	Yes	O No

Satellite Name: PERMITTED LIST | | If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Birmingham Studio	WPXHS01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	WPXHS02					43.8 dBi at 3.7
						44.9 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPXHS01	0.0/0.0	6.2	62.0	0.0	0.0	0.0	0.0
WPXHS02	0.0/0.0	6.2	62.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Ba (MHz)	nds	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WPXHS01	3700 42	200	R	Horizontal	36M0G7F	0.0	0.0
E50. Modulation entirety.)	and Services	(If th	ne complete descripti	on does not appear in	this box, please go t	o the end of the form	to view it in its
Digital vi	deo with as	ssoc	iated audio su	bcarriers Modu	lations		
WPXHS02	3700 42	200	R	Horizontal	36M0G7F	0.0	0.0
E50. Modulation entirety.) Digital vi	and Services deo with as	(If th	ne complete descripti	on does not appear in	this box, please go t	o the end of the form	to view it in its

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPXHS01	Geostationary	3700 4200	60.0/ 143.0	138.3	42.0	246.8	22.7	0.0
WPXHS02	Geostationary	3700 4200	60.0/ 143.0	138.3	42.0	246.8	22.7	0.0
REMOTE CO	ONTROL POIN	T LOCATION					•	
E61. Call S NOTE: Ple callsign for wh	ign ase enter the calls nich this applicati	sign of the contro on is being filed	olling station, no	et the	. Phone Number			
E62. Street	Address							
E63. City			E67. Count	у		E64/68. State/Country /		E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS FCC Form 312 – Schedule B:(Technical and Operational Description) FOR OFFICIAL USE ONLY

Location of Earth St	ation Site			
E1: Site Identifier:	Birmingham TX	E5. Call Sign:	WPXH-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	384 Smith Road	E7. City:	Oneonta	
		E8. County:	Blount	
E4. State	AL	E9. Zip Code	35121	
E10. Area of Operat	tion:	Oneonta, AL		
E11. Latitude:	33 °53 '27.0 "N			
E12. Longitude:	86°28'13.0 "W			
E13. Lat/Lon Coord	linates are:	O ^{NAD-27}	NAD-83	O N/A
E14. Site Elevation	(AMSL):	295.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	• Yes	O ^{No}	O ^{N/A}
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes	O ^{No}	● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes	۲	No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e o	Yes	O No

Satellite Name: PERMITTED LIST | | If you selected OTHER, please enter the following:
E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Birmingham TX	WPXHT01	1	Comtech	Unknown	3.1	39.6 dBi at 3.7
						40.7 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPXHT01	0.0/0.0	5.0	300.0	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WPXHT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPXHT01	Geostationary	3700 4200	60.0/ 143.0	139.0	41.9	246.8	22.3	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign	E65. Phone Number					
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.	lling station, not the					
E62. Street Address						
E63. City	E67. County		E64/68. State/Country /	E66. Zip Code		

Location of Earth St	tation Site			
E1: Site Identifier:	Boise Studio	E5. Call Sign:	KTRV-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	679 S. Best Business Rd.	E7. City:	Kuna	
		E8. County:	Ada	
E4. State	ID	E9. Zip Code	83634	
E10. Area of Opera	tion:	Kuna, ID		
E11. Latitude:	43 °28 '54.5 "N			
E12. Longitude:	116 °24 '34.6 "W			
E13. Lat/Lon Coord	linates are:	ONAD−27	● NAD-83	O N/A
E14. Site Elevation	(AMSL):	824.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	• Yes • No • N/	Ά
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ⊗ N⁄	Ά
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No	

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0 Ye	es 🔘	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	• Ye	es 🎯	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e 💿 Ye	es O	No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Boise Studio	KTRVS01	1	AFC	PR-16	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	KTRVS02		DH	Unknown	4.2	42.3 dBi at 3.7
						43.4 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KTRVS01	0.0/0.0	12.5	836.5	0.0	0.0	0.0	0.0
KTRVS02	0.0/0.0	12.7	836.7	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)		
KTRVS01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0		
E50. Modulation entirety.) Digital vi	and Services (If	the complete descript	tion does not appear ir	this box, please go t	to the end of the form	to view it in its		
KTRVS02	3700 4200	R	Horizontal	36M0G7F	0.0	0.0		
E50. Modulation entirety.)	and Services (If	the complete descript	tion does not appear ir	this box, please go t	to the end of the form	to view it in its		
Digital video with associated audio subcarriers Modulations								

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenn Elevatio Angle Western Limit	a on n	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KTRVS01	Geostationary	3700 4200	60.0/ 143.0	115.0	15.7	211.1	34.9		0.0
KTRVS02	Geostationary	3700 4200	60.0/ 143.0	115.0	15.7	211.1	34.9		0.0
REMOTE CC	NTROL POIN	T LOCATION			•		•		
E61. Call S NOTE: Plea callsign for wh	ign ase enter the calls ich this applicati	ign of the contro on is being filed	olling station, no	t the	. Phone Number				
E62. Street	Address								
E63. City			E67. County	y		E64/68. State/Country /		E66.	Zip Code

Location of Earth St	ation Site			
E1: Site Identifier:	Boise TX	E5. Call Sign:	KTRV-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	Deer Point 10.75 NNE of Boise ID	E7. City:	Boise County	
		E8. County:	Boise	
E4. State	ID	E9. Zip Code	83629	
E10. Area of Operat	tion:	Boise County, ID		
E11. Latitude:	43 °45 '18.0 "N			
E12. Longitude:	116 °5 '55.0 "W			
E13. Lat/Lon Coord	linates are:	ONAD-27	NAD-83	O N/A
E14. Site Elevation	(AMSL):	2219.8 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	• Yes • No • N/	Ά
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ⊗ N⁄	Ά
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No	

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	● No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	۲	Yes	O No

E21. Common Name:	E22. ITU Name:				
E23. Orbit Location:	E24. Country:				
POINTS OF COMMUNICATION (Destination Points)					
E25. Site Identifier:					
E26. Common Name:	E27. Country:				

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Boise TX	KTRVT01	1	True focus	4P 12.5–C	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KTRVT01	0.0/0.0	9.9	2229.7	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
KTRVT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KTRVT01	Geostationary	3700 4200	60.0/ 143.0	115.5	15.8	211.4	34.5	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign	E65. Phone Number			
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.	lling station, not the			
E62. Street Address				
E63. City	E67. County		E64/68. State/Country /	E66. Zip Code

Location of Earth St	tation Site			
E1: Site Identifier:	Boston Studio	E5. Call Sign:	WBPX-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727–533–2707	
E3. Street:	1 Dunham Rd.	E7. City:	Billerica	
		E8. County:	Middlesex	
E4. State	МА	E9. Zip Code	01821	
E10. Area of Opera	tion:	Billerica, MA		
E11. Latitude:	42 °31 '14.0 "N			
E12. Longitude:	71 °14 '19.0 "W			
E13. Lat/Lon Coord	linates are:	ONAD-27	NAD-83	O ^{N/A}
E14. Site Elevation	E13. Lat/Lon Coordinates are: E14. Site Elevation (AMSL):			

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	• Yes • No • N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	⊙Yes ⊙No ⊚N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e	Yes	O No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Boston Studio	WBPXS01	1	DH	50DH8	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	WBPXS02					43.8 dBi at 3.7
						44.9 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WBPXS01	0.0/0.0	5.2	36.8	0.0	0.0	0.0	0.0
WBPXS02	0.0/0.0	5.2	36.8	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Ba (MHz)	ands	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)	
WBPXS01	3700 42	200	R	Horizontal	36M0G7F	0.0	0.0	
E50. Modulation entirety.)	and Services	(If th	ne complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its	
Digital vi	Digital video with associated audio subcarriers Modulations							
WBPXS02	3700 42	200	R	Horizontal	36M0G7F	0.0	0.0	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its ntirety.) Digital video with associated audio subcarriers Modulations								

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevatior Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WBPXS01	Geostationary	3700 4200	60.0/ 143.0	164.4	39.7	254.6	7.6	0.0
WBPXS02	Geostationary	3700 4200	60.0/ 143.0	164.4	39.7	254.6	7.6	0.0
REMOTE CO	ONTROL POIN	T LOCATION		•	•			- ·
E61. Call S NOTE: Ple callsign for wh	ign ase enter the calls nich this applicati	sign of the contro on is being filed	olling station, no	E65	. Phone Number			
E62. Street	Address							
E63. City			E67. Count	у		E64/68. State/Country /		E66. Zip Code

Location of Earth St	tation Site			
E1: Site Identifier:	Boston TX	E5. Call Sign:	WBPX-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	1165 Chestnut Street	E7. City:	Newton	
		E8. County:	Middlesex	
E4. State	MA	E9. Zip Code	02464	
E10. Area of Opera	tion:	Newton, MA		
E11. Latitude:	42 °18 '27.8 "N			
E12. Longitude:	71 °13 '24.9 "W			
E13. Lat/Lon Coord	linates are:	O NAD−27	NAD-83	O N/A
E14. Site Elevation	(AMSL):	32.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	• Yes • No • N/	Ά
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ⊗ N⁄	Ά
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No	

	0	Yes	() ()	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	() ()	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, ha you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	ve	Yes	0	No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Boston TX	WBPXT01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WBPXT01	0.0/0.0	4.3	36.3	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WBPXT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WBPXT01	Geostationary	3700 4200	60.0/ 143.0	164.4	40.0	254.6	7.6	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign	E65. Phone Number			
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.				
E62. Street Address				
E63. City	E67. County		E64/68. State/Country /	E66. Zip Code

Location of Earth St	ation Site			
E1: Site Identifier:	Buffalo Studio	E5. Call Sign:	WPXJ-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	726 Exchange St.	E7. City:	Buffalo	
		E8. County:	Erie	
E4. State	NY	E9. Zip Code	14210	
E10. Area of Opera	tion:	Buffalo, NY		
E11. Latitude:	42 °52 '29.22 "N			
E12. Longitude:	78 °50 '58.44 "W			
E13. Lat/Lon Coord	linates are:	ONAD-27	● NAD-83	O N/A
E14. Site Elevation	(AMSL):	185.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	• Yes • No • N/	Ά
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ⊗ N⁄	Ά
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No	

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0 Ye	es 🔘	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	• Ye	es 🎯	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e 💿 Ye	es O	No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Buffalo Studio	WPXJS01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2
	WPXJS02				5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPXJS01	0.0/0.0	46.9	231.9	41.1	0.0	5.8	0.0
WPXJS02	0.0/0.0	47.7	232.7	41.1	0.0	6.6	0.0

E28. Antenna Id	E43/44. Frequency Ban (MHz)	ds	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WPXJS01	3700 420	00 R	Horizontal	36M0G7F	0.0	0.0
E50. Modulation entirety.)	and Services (If the complete descri	ption does not appear ir	this box, please go	to the end of the form	to view it in its
Digital vi	deo with ass	sociated audio	subcarriers Modu	lations		
WPXJS02	3700 420	00 R	Horizontal	36M0G7F	0.0	0.0
E50. Modulation entirety.)	and Services (If the complete descri	ption does not appear ir	this box, please go	to the end of the form	to view it in its
Digital vi	deo with ass	sociated audio	subcarriers Modu	lations		

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPXJS01	Geostationary	3700 4200	60.0/ 143.0	154.1	37.2	248.7	12.9	0.0
WPXJS02	Geostationary	3700 4200	60.0/ 143.0	154.1	37.2	248.7	12.9	0.0
REMOTE CO	ONTROL POIN	T LOCATION		•	•		•	
E61. Call S NOTE: Plea callsign for wh	ign ase enter the calls ich this applicati	sign of the contro on is being filed	olling station, no	E65	. Phone Number			
E62. Street	Address							
E63. City			E67. Count	у		E64/68. State/Country /		E66. Zip Code

Location of Earth St	tation Site			
E1: Site Identifier:	Buffalo TX	E5. Call Sign:	WPXJ-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	10733 South Lake Rd. Route 19	E7. City:	Pavilion	
		E8. County:	Genesee	
E4. State	NY	E9. Zip Code	14525	
E10. Area of Opera	tion:	Pavilion, NY		
E11. Latitude:	42 °53 '42.1 "N			
E12. Longitude:	78 °0 '55.0 "W			
E13. Lat/Lon Coord	linates are:	O NAD-27	● NAD-83	O N/A
E14. Site Elevation	(AMSL):	283.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	• Yes • No • N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	⊙Yes ⊙No ⊚N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e	Yes	O No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Buffalo TX	WPXJT01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPXJT01	0.0/0.0	4.2	287.2	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WPXJT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPXJT01	Geostationary	3700 4200	60.0/ 143.0	155.3	37.4	249.3	12.3	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign		E65. Phone Number		
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.				
E62. Street Address				
E63. City	E67. County		E64/68. State/Country /	E66. Zip Code

Location of Earth St	tation Site			
E1: Site Identifier:	Cedar Rapids Studio	E5. Call Sign:	KPXR-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	1957 Blairs Ferry Rd.	E7. City:	Cedar Rapids	
		E8. County:	Linn	
E4. State	IA	E9. Zip Code	52402	
E10. Area of Opera	tion:	Cedar Rapids, IA		
E11. Latitude:	42 °2 '2.05 "N			
E12. Longitude:	91 °40 '0.33 "W			
E13. Lat/Lon Coord	linates are:	O NAD−27	NAD-83	O N/A
E14. Site Elevation	(AMSL):	251.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	• Yes • No • N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	⊙Yes ⊙No ⊚N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No	
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	● ^{No}	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.		Yes	O No	

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Cedar Rapids Studio	KPXRS01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	KPXRS02				3.8	41.7 dBi at 3.84
						42.2 dBi at 4.04

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KPXRS01	0.0/0.0	7.0	258.0	0.0	0.0	0.0	0.0
KPXRS02	0.0/0.0	5.0	256.0	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Ban (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
KPXRS01	3700 420	00 R	Horizontal	36M0G7F	0.0	0.0
E50. Modulation entirety.)	and Services (If the complete desc	ription does not appear in	this box, please go	to the end of the form	to view it in its
Digital vi	deo with as:	sociated audio	subcarriers Modu	lations		
KPXRS02	3800 410	00 R	Horizontal	36M0G7F	0.0	0.0
E50. Modulation entirety.)	and Services (If the complete desc	ription does not appear in	this box, please go	to the end of the form	to view it in its
Digital vi	deo with ass	sociated audio	subcarriers Modu	lations		

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevatior Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KPXRS01	Geostationary	3700 4200	60.0/ 143.0	138.0	32.2	238.3	22.2	0.0
KPXRS02	Geostationary	3700 4200	60.0/ 143.0	138.0	32.2	238.3	22.2	0.0
REMOTE CO	ONTROL POIN	T LOCATION						
E61. Call S NOTE: Plea callsign for wh	ign ase enter the calls aich this applicati	sign of the contro on is being filed	olling station, no	et the	. Phone Number			
E62. Street	Address							
E63. City			E67. Count	у		E64/68. State/Country /		E66. Zip Code

Location of Earth St	tation Site			
E1: Site Identifier:	Cedar Rapids TX	E5. Call Sign:	KPXR-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	5052 31st Ave.	E7. City:	Walker	
		E8. County:	Benton	
E4. State	IA	E9. Zip Code	52352	
E10. Area of Opera	tion:	Walker, IA		
E11. Latitude:	42 ° 17 ' 17.3 "N			
E12. Longitude:	91 °52 '54.5 "W			
E13. Lat/Lon Coord	linates are:	ONAD-27	● NAD-83	O ^{N/A}
E14. Site Elevation	(AMSL):	303.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	• Yes • No • N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ⊚ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e o	Yes	O No
E21. Common Name:	E22. ITU Name:		
--	----------------		
E23. Orbit Location:	E24. Country:		
POINTS OF COMMUNICATION (Destination Points)			
E25. Site Identifier:			
E26. Common Name:	E27. Country:		

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Cedar Rapids TX	KPXRT01	1	DH	Unknown	3.7	41.2 dBi at 3.7
						42.3 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KPXRT01	0.0/0.0	5.0	308.0	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
KPXRT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KPXRT01	Geostationary	3700 4200	60.0/ 143.0	137.9	31.8	238.0	22.2	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign	E65. Phone Number			
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.	lling station, not the			
E62. Street Address				
E63. City	E67. County		E64/68. State/Country /	E66. Zip Code

Location of Earth St	ation Site			
E1: Site Identifier:	Charleston Studio	E5. Call Sign:	WLPX-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	600 C Prestige Dr	E7. City:	Hurricane	
		E8. County:	Putnam	
E4. State	WV	E9. Zip Code	25526	
E10. Area of Operat	tion:	Hurricane, WV		
E11. Latitude:	38 °27 '47.0 "N			
E12. Longitude:	81 °55 '55.9 "W			
E13. Lat/Lon Coord	linates are:	O NAD-27	● NAD-83	O N/A
E14. Site Elevation	(AMSL):	205.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes ● No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e	Yes	O No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Charleston Studio	WLPXS01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	WLPXS02					43.8 dBi at 3.7
						44.9 dBi at 4.2

ajor Level (meters)	Level (meters)	Height Above Ground Level (meters)	Input Power at antenna flange (Watts)	Maximum Antenna Height Above Rooftop (meters)	EIRP for al carriers (dBW)
6.0	211.0	0.0	0.0	0.0	0.0
6.0	211.0	0.0	0.0	0.0	0.0
3	ajor Ground Level (meters) 6.0 6.0	AboveEss. AboveEss. Above SeaGround Level (meters)Level 	ajorEss. Above Ground Level (meters)Ess. Above Sea 	Above Ground Level (meters)Eso. Above Sea 	Above Ground Level (meters)Eso: Above sea

E28. Antenna Id	E43/44. Frequency Ba (MHz)	ands	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)	
WLPXS01	3700 4	200	R	Horizontal	36M0G7F	0.0	0.0	
E50. Modulation entirety.)	and Services	(If tł	ne complete descripti	on does not appear in	this box, please go t	o the end of the form	to view it in its	
Digital vi	Digital video with associated audio subcarriers Modulations							
WLPXS02	3700 4	200	R	Horizontal	36M0G7F	0.0	0.0	
E50. Modulation entirety.)	and Services	(If tł	ne complete descripti	on does not appear in	this box, please go t	o the end of the form	to view it in its	
Digital vi	Digital video with associated audio subcarriers Modulations							

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenn Elevatic Angle Wester Limit	a on n	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WLPXS01	Geostationary	3700 4200	60.0/ 143.0	147.9	40.2	248.0	16.9		0.0
WLPXS02	Geostationary	3700 4200	60.0/ 143.0	147.9	40.2	248.0	16.9		0.0
REMOTE CO	ONTROL POIN	T LOCATION	•	•	•	•	•		
E61. Call S NOTE: Plea callsign for wh	ign ase enter the calls iich this applicati	sign of the contro on is being filed	olling station, no	E65	. Phone Number				
E62. Street	Address								
E63. City			E67. County	у		E64/68. State/Country /		E66.	Zip Code

Location of Earth St	ation Site			
E1: Site Identifier:	Charleston TX	E5. Call Sign:	WLPX-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	592 DuPont Rd	E7. City:	Poca	
		E8. County:	Putnam	
E4. State	WV	E9. Zip Code	25159	
E10. Area of Operat	tion:	Poca, WV		
E11. Latitude:	38 °28 '11.8 "N			
E12. Longitude:	81 °46 '35.2 "W			
E13. Lat/Lon Coord	linates are:	O NAD-27	● NAD-83	O ^{N/A}
E14. Site Elevation	(AMSL):	301.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

	0	Yes	() ()	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	() ()	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, ha you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	ve	Yes	0	No

E21. Common Name:	E22. ITU Name:				
E23. Orbit Location:	E24. Country:				
POINTS OF COMMUNICATION (Destination Points)					
E25. Site Identifier:					
E26. Common Name:	E27. Country:				

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Charleston TX	WLPXT01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WLPXT01	0.0/0.0	5.0	306.0	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WLPXT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WLPXT01	Geostationary	3700 4200	60.0/ 143.0	148.1	40.3	248.1	16.8	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign	E65. Phone Number			
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.				
E62. Street Address				
E63. City	E67. County		E64/68. State/Country /	E66. Zip Code

Location of Earth St	ation Site			
E1: Site Identifier:	Chicago Studio	E5. Call Sign:	WCPX-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	600 W Van Buren	E7. City:	Chicago	
		E8. County:	Cook	
E4. State	IL	E9. Zip Code	60661	
E10. Area of Operat	tion:	Chicago, IL		
E11. Latitude:	41 °52 '37.0 "N			
E12. Longitude:	87 °38 '34.6 "W			
E13. Lat/Lon Coord	linates are:	ONAD-27	● NAD-83	O N/A
E14. Site Elevation	(AMSL):	180.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	• Yes • No • N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	⊙Yes ⊙No ⊚N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e	Yes	O No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Chicago Studio	WCPXS01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2
	WCPXS02				5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WCPXS01	0.0/0.0	63.8	245.4	59.0	0.0	4.8	0.0
WCPXS02	0.0/0.0	65.5	245.5	59.0	0.0	6.5	0.0

E28. Antenna Id	E43/44. Frequency Ba (MHz)	ands	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)	
WCPXS01	3700 4	200	R	Horizontal	36M0G7F	0.0	0.0	
E50. Modulation entirety.)	and Services	(If th	ne complete descripti	on does not appear in	this box, please go t	o the end of the form	to view it in its	
Digital vi	deo with a	ssoc	iated audio su	bcarriers Modu	lations			
WCPXS02	3700 4	200	R	Horizontal	36M0G7F	0.0	0.0	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)								

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenn Elevatic Angle Westerr Limit	a on n	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WCPXS01	Geostationary	3700 4200	60.0/ 143.0	142.6	34.4	241.9	19.5		0.0
WCPXS02	Geostationary	3700 4200	60.0/ 143.0	142.6	34.4	241.9	19.5		0.0
REMOTE CO	ONTROL POIN	T LOCATION		•					
E61. Call S NOTE: Plea callsign for wh	ign ase enter the calls iich this applicati	sign of the contro on is being filed	olling station, no	E65	. Phone Number				
E62. Street	Address								
E63. City			E67. County	у		E64/68. State/Country /		E66.	. Zip Code

ation Site			
Cleveland Studio	E5. Call Sign:	WVPX-TV	
Mark Ruppert	E6. Phone Number:	727-533-2707	
26650 Renaissance Pkwy.	E7. City:	Warrensville Heights	
	E8. County:	Cuyahoga	
ОН	E9. Zip Code	44128	
tion:	Warrensville Heigh	ts, OH	
41 °26 '31.81 "N			
81 °29 '25.58 "W			
linates are:	O ^{NAD-27}	NAD-83	O ^{N/A}
(AMSL):	347.0 meters		
	ation Site Cleveland Studio Mark Ruppert 26650 Renaissance Pkwy. OH tion: 41 °26 '31.81 "N 81 °29 '25.58 "W linates are: (AMSL):	ation Site Cleveland Studio E5. Call Sign: Mark Ruppert E6. Phone Number: 26650 Renaissance E7. City: Pkwy. E8. County: OH E9. Zip Code tion: Warrensville Heigh 41 °26 '31.81 "N 81 °29 '25.58 "W linates are: • NAD–27 (AMSL): 347.0 meters	ation SiteCleveland StudioE5. Call Sign:WVPX-TVMark RuppertE6. Phone Number:727-533-270726650 RenaissanceE7. City:Warrensville HeightsPkwy.E8. County:CuyahogaOHE9. Zip Code44128tion:Warrensville Heights, OH41 °26 '31.81 "N 81 °29 '25.58 "WNAD-27MASL):347.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	• Yes	O ^{No}	O ^{N/A}
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes	O ^{No}	● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes	۲	No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e	Yes	O No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Cleveland Studio	WVPXS01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	WVPXS02		DH			43.8 dBi at 3.7
						44.9 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WVPXS01	0.0/0.0	6.0	353.0	0.0	0.0	0.0	0.0
WVPXS02	0.0/0.0	6.0	353.0	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Ban (MHz)	lds	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)	
WVPXS01	3700 420	00 I	R	Horizontal	36M0G7F	0.0	0.0	
E50. Modulation entirety.)	and Services ((If the	e complete descriptio	on does not appear in	this box, please go t	o the end of the form	to view it in its	
Digital vi	deo with as:	soci	iated audio su	bcarriers Modu	lations			
WVPXS02	3700 420	00 1	R	Horizontal	36M0G7F	0.0	0.0	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its intirety.) Digital video with associated audio subcarriers Modulations								

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevatior Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WVPXS01	Geostationary	3700 4200	60.0/ 143.0	150.1	37.6	247.2	15.4	0.0
WVPXS02	Geostationary	3700 4200	60.0/ 143.0	150.1	37.6	247.2	15.4	0.0
REMOTE CO	ONTROL POIN	T LOCATION	•	·				
E61. Call S NOTE: Ple callsign for wh	ign ase enter the calls nich this applicati	sign of the contro on is being filed	olling station, no	et the	. Phone Number			
E62. Street	Address							
E63. City			E67. Count	у		E64/68. State/Country /		E66. Zip Code

Location of Earth St	ation Site			
E1: Site Identifier:	Cleveland TX	E5. Call Sign:	WVPX-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	1561 Dreisbach Dr.	E7. City:	Akron	
		E8. County:	Summit	
E4. State	ОН	E9. Zip Code	44130	
E10. Area of Operat	tion:	Akron, OH		
E11. Latitude:	41 °3 '52.7 "N			
E12. Longitude:	81 °34 '58.3 "W			
E13. Lat/Lon Coord	linates are:	O NAD-27	NAD-83	O ^{N/A}
E14. Site Elevation	(AMSL):	343.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	• Yes	O ^{No}	O ^{N/A}
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes	O ^{No}	● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes	۲	No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e	Yes	O No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Cleveland TX	WVPXT01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WVPXT01	0.0/0.0	6.0	349.0	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WVPXT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WVPXT01	Geostationary	3700 4200	60.0/ 143.0	149.7	37.9	247.2	15.6	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign	E65. Phone Number			
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.				
E62. Street Address				
E63. City	E67. County		E64/68. State/Country /	E66. Zip Code

Location of Earth St	ation Site			
E1: Site Identifier:	Columbia TX	E5. Call Sign:	WZRB	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	1747 Cushman Drive	E7. City:	Columbia	
		E8. County:	Richland	
E4. State	SC	E9. Zip Code	29204	
E10. Area of Opera	tion:	Columbia, SC		
E11. Latitude:	34 °2 '39.0 "N			
E12. Longitude:	80 ° 59 ' 50.0 "W			
E13. Lat/Lon Coord	linates are:	O ^{NAD-27}	NAD-83	O N/A
E14. Site Elevation	(AMSL):	112.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	• Yes • No • N/	Ά
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ⊗ N⁄	Ά
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No	

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0 Ye	es 🙆	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	• Ye	es 🎯	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e 💿 Ye	es O	No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Columbia TX	WZRBT01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2
	WZRBT02		Patriot		4.5	42.9 dBi at 3.7
						44.0 dBi at 4.2
	NA	0	NA	NA	0.0	0.0 dBi at 0
						0.0 dBi at 0

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WZRBT01	0.0/0.0	4.2	116.2	0.0	0.0	0.0	0.0
WZRBT02	0.0/0.0	5.0	117.0	0.0	0.0	0.0	0.0

NA	0.0/0.0	0.0		0.0		0.0		0.0		0.0	0.0)
FREQUENCY		!										
E28. Antenna Id	E43/44. Frequency E (MHz)	Bands	E45. T/R M	lode	E46. Ante Polarizati L,R)	enna ion(H,V,	E47. E Design	mission ator	E48. EIR (dB)	Maximum P per Carrier W)	E49. ERII Carr (dBV	Maximum ? Density per ier V/4kHz)
WZRBT01	3700	4200	R		Horizonta	1	36M0C	37F	0.0		0.0	
E50. Modulatio entirety.)	n and Services	(If t	he complete d	lescripti	on does not	appear ir	1 this box	k, please go	to the	end of the form	to viev	w it in its
Digital v	ideo with	assoc	ciated aud	lio su	lbcarrie	rs Modu	latio	ns				
WZRBT02	3700	4200	R		Horizonta	1	36M0C	67F	0.0		0.0	
E50. Modulation entirety.)	n and Services	(If t	he complete d	lescripti	on does not	appear ir	n this box	x, please go	to the	end of the form	to viev	w it in its
Digital v	ideo with	assoc	ciated aud	lio sı	lbcarrie	rs Modu	lation	ns				
NA	0 0		R		Horizonta	1	NA		0.0		0.0	

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WZRBT01	Geostationary	3700 4200	60.0/ 143.0	146.4	44.8	250.7	17.8	0.0
WZRBT02	Geostationary	3700 4200	60.0/ 143.0	146.4	44.8	250.7	17.8	0.0
NA	Geostationary	0 0	0.0/ 0.0	0.0	0.0	0.0	0.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign	E65. Phone Number
NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.	
E62. Street Address	

E63. City	E67. County	E64/68.	E66. Zip Code
		State/Country	
		/	

Location of Earth St	tation Site			
E1: Site Identifier:	Dallas Studio	E5. Call Sign:	KPXD-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727–533–2707	
E3. Street:	600 Six Flags Drive	E7. City:	Arlington	
		E8. County:	Tarrant	
E4. State	ТХ	E9. Zip Code	76011	
E10. Area of Opera	tion:	Arlington, TX		
E11. Latitude:	32 °44 '58.0 "N			
E12. Longitude:	97 °4 '4.4 "W			
E13. Lat/Lon Coord	linates are:	ONAD-27	● NAD-83	O ^{N/A}
E14. Site Elevation	(AMSL):	166.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes ● No

E18. Is frequency coordination required / If YES, attach a frequency coordination report as	0	Yes	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, ha you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	ve	Yes	O No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Dallas Studio	KPXDS01	1	Andrew	Unknown	4.5	42.9 dBi at 4.2
						44.0 dBi at 3.7
	KPXDS02		DH		3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KPXDS01	0.0/0.0	28.9	194.9	23.8	0.0	5.1	0.0
KPXDS02	0.0/0.0	27.7	193.7	23.8	0.0	3.9	0.0

E28. Antenna Id	E43/44. Frequency Ba (MHz)	unds	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)	
KPXDS01	3700 42	200	R	Horizontal	36M0G7F	0.0	0.0	
E50. Modulation entirety.)	and Services	(If th	ne complete descripti	on does not appear in	this box, please go t	o the end of the form	to view it in its	
Digital vi	Digital video with associated audio subcarriers Modulations							
KPXDS02	3700 42	200	R	Horizontal	36M0G7F	0.0	0.0	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)								
Digital video with associated audio subcarriers Modulations								

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenn Elevatio Angle Wester Limit	na on n	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KPXDS01	Geostationary	3700 4200	60.0/ 143.0	126.2	35.5	238.9	31.3		0.0
KPXDS02	Geostationary	3700 4200	60.0/ 143.0	126.2	35.5	238.9	31.3		0.0
REMOTE CO	NTROL POIN	T LOCATION	•		•	•	•		
E61. Call S NOTE: Plea callsign for wh	ign ase enter the calls ich this applicati	sign of the contro on is being filed	olling station, no	t the	. Phone Number				
E62. Street	Address								
E63. City			E67. County	у		E64/68. State/Country /		E66.	Zip Code
Location of Earth St	tation Site								
----------------------	-------------------	----------------------	--------------	-------					
E1: Site Identifier:	Dallas TX	E5. Call Sign:	KPXD-TV						
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707						
E3. Street:	2133 Tar Road	E7. City:	Cedar Hill						
		E8. County:	Dallas						
E4. State	ТХ	E9. Zip Code	75104						
E10. Area of Opera	tion:	Cedar Hill, TX							
E11. Latitude:	32 °32 '36.0 "N								
E12. Longitude:	96 ° 57 ' 33.0 "W								
E13. Lat/Lon Coord	linates are:	ONAD-27	NAD-83	O N/A					
E14. Site Elevation	(AMSL):	238.0 meters							

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	OYes ONo ●N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No	
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	● No	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.		Yes	O No	

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Dallas TX	KPXDT01	1	Patriot	PRT 380	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KPXDT01	0.0/0.0	5.6	243.6	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
KPXDT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KPXDT01	Geostationary	3700 4200	60.0/ 143.0	126.2	35.7	239.2	31.3	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign		E65. Phone Number		
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.	lling station, not the			
E62. Street Address				
E63. City	E67. County		E64/68. State/Country /	E66. Zip Code

Location of Earth St	tation Site			
E1: Site Identifier:	Denver Studio	E5. Call Sign:	KPXC-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	3001 S. Jamaica Ct. Suite 200	E7. City:	Aurora	
		E8. County:	Arapahoe	
E4. State	СО	E9. Zip Code	80014	
E10. Area of Opera	tion:	Aurora, CO		
E11. Latitude:	39 °39 '41.35 "N			
E12. Longitude:	104 °51 '46.34 "W	7		
E13. Lat/Lon Coord	linates are:	ONAD-27	NAD-83	O ^{N/A}
E14. Site Elevation	(AMSL):	1684.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	OYes ONo ●N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes ● No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No	
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	● No	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.		Yes	O No	

E21. Common Name:	E22. ITU Name:					
E23. Orbit Location:	E24. Country:					
POINTS OF COMMUNICATION (Destination Points)						
E25. Site Identifier:						
E26. Common Name:	E27. Country:					

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Denver Studio	KPXCS01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	KPXCS02					43.8 dBi at 3.7
						44.9 dBi at 4.2

E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
0.0/0.0	5.9	1689.9	0.0	0.0	0.0	0.0
0.0/0.0	5.9	1689.9	0.0	0.0	0.0	0.0
	233/34. Diameter Vlinor/Major meters) 0.0/0.0	C33/34.E35. AboveDiameter Vlinor/Major meters)Ground Level (meters)0.0/0.05.90.0/0.05.9	C33/34.E35. Above Ground Level (meters)E36. Above Sea 	C33/34.E35. Above Ground Level (meters)E36. Above Sea 	233/34.E35. Above Ground Level (meters)E36. Above Sea 	233/34.E35. Above Ground Level (meters)E36. Above Sea

E28. Antenna Id	E43/44. Frequency Ban (MHz)	ds	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
KPXCS01	3700 420	00 R	Horizontal	36M0G7F	0.0	0.0
E50. Modulation entirety.)	and Services (If the complete descri	ption does not appear in	h this box, please go	to the end of the form	to view it in its
Digital Vi	deo with as:	sociated audio	subcarriers Modu	liations		
KPXCS02	3700 420	00 R	Horizontal	36M0G7F	0.0	0.0
E50. Modulation entirety.)	and Services (If the complete descri	ption does not appear in	this box, please go	to the end of the form	to view it in its
Digital vi	deo with ass	sociated audio	subcarriers Modu	lations		

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevatior Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KPXCS01	Geostationary	3700 4200	60.0/ 143.0	123.2	25.6	226.7	32.2	0.0
KPXCS02	Geostationary	3700 4200	60.0/ 143.0	123.2	25.6	226.7	32.2	0.0
REMOTE CO	ONTROL POIN	T LOCATION		•	•			- ·
E61. Call S NOTE: Plea callsign for wh	ign ase enter the calls nich this applicati	sign of the contro on is being filed	olling station, no	E65	. Phone Number			
E62. Street	Address							
E63. City			E67. County	у		E64/68. State/Country /		E66. Zip Code

Location of Earth St	tation Site			
E1: Site Identifier:	Denver TX	E5. Call Sign:	KPXC-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	6870 County Rd. 17	E7. City:	Ft. Lupton	
		E8. County:	Weld	
E4. State	СО	E9. Zip Code	80621	
E10. Area of Opera	tion:	Ft. Lupton, CO		
E11. Latitude:	40 °5 '59.0 "N			
E12. Longitude:	104 °54 '4.0 "W			
E13. Lat/Lon Coord	linates are:	O NAD−27	NAD-83	O N/A
E14. Site Elevation (AMSL):		1543.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes ● No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e	Yes	O No

E21. Common Name:	E22. ITU Name:					
E23. Orbit Location:	E24. Country:					
POINTS OF COMMUNICATION (Destination Points)						
E25. Site Identifier:						
E26. Common Name:	E27. Country:					

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Denver TX	KPXCT01	1	Patriot	PRT 380	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KPXCT01	0.0/0.0	4.8	1547.8	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
KPXCT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KPXCT01	Geostationary	3700 4200	60.0/ 143.0	123.4	25.3	226.4	31.9	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign	E65. Phone Number			
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.				
E62. Street Address				
E63. City	E67. County		E64/68. State/Country /	E66. Zip Code

Location of Earth St	tation Site			
E1: Site Identifier:	Des Moines TX	E5. Call Sign:	KFPX-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	9199 Highway F– 17 W.	E7. City:	Baxter	
		E8. County:	Jasper	
E4. State	ΙΑ	E9. Zip Code	50028	
E10. Area of Opera	tion:	Baxter, IA		
E11. Latitude:	41 °49 '5.2 "N			
E12. Longitude:	93 °12 '35.4 "W			
E13. Lat/Lon Coordinates are:		O NAD-27	● NAD-83	O N/A
E14. Site Elevation (AMSL):		289.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	OYes ONo ●N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e	Yes	O No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Des Moines TX	KFPXT01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2
	NA		NA	NA	0.0	0.0 dBi at 0
						0.0 dBi at 0

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KFPXT01	0.0/0.0	5.1	293.0	0.0	0.0	0.0	0.0
NA	0.0/0.0	0.0	0.0	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
KFPXT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0
E50. Modulation entirety.) Digital vi	ideo with assoc	he complete descript	ubcarriers Modu	ulations	to the end of the form	to view it in its
NA	0 0	R	Horizontal	NA	0.0	0.0
E50. Modulation entirety.)	1 and Services (If th	he complete descript	tion does not appear ir	n this box, please go	to the end of the form	to view it in its

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenn Elevatio Angle Wester Limit	a on n	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KFPXT01	Geostationary	3700 4200	60.0/ 143.0	136.1	31.5	237.0	23.3		0.0
NA	Geostationary	0 0	0.0/ 0.0	0.0	0.0	0.0	0.0		0.0
REMOTE CC	NTROL POIN	T LOCATION	•	•	•		•		
E61. Call Sign E65. Phone Number NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed. E65. Phone Number									
E62. Street Address									
E63. City			E67. County	у		E64/68. State/Country /		E66.	Zip Code

Location of Earth St	tation Site			
E1: Site Identifier:	Detroit TX	E5. Call Sign:	WPXD-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	26935 West 11 Mile Rd.	E7. City:	Southfield	
		E8. County:	Oakland	
E4. State	MI	E9. Zip Code	48033	
E10. Area of Opera	tion:	Southfield, MI		
E11. Latitude:	42 °29 '1.0 "N			
E12. Longitude:	83°18'44.0 "W			
E13. Lat/Lon Coord	linates are:	O NAD−27	NAD-83	O N/A
E14. Site Elevation (AMSL):		217.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes ● No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No	
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	● ^{No}	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.		Yes	O No	

E21. Common Name:	E22. ITU Name:					
E23. Orbit Location:	E24. Country:					
POINTS OF COMMUNICATION (Destination Points)						
E25. Site Identifier:						
E26. Common Name:	E27. Country:					

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Detroit TX	WPXDT01	1	DH	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	WPXDT02		Miralite	375	3.7	41.2 dBi at 3.7
						42.3 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPXDT01	0.0/0.0	5.6	222.6	0.0	0.0	0.0	0.0
WPXDT02	0.0/0.0	4.3	221.3	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)		
WPXDT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0		
E50. Modulation entirety.) Digital vi	E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Digital video with associated audio subcarriers Modulations							
WPXDT02	3700 4200	R	Horizontal	36M0G7F	0.0	0.0		
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Digital video with associated audio subcarriers Modulations								

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPXDT01	Geostationary	3700 4200	60.0/ 143.0	148.2	35.8	245.3	16.2	0.0
WPXDT02	Geostationary	3700 4200	60.0/ 143.0	148.2	35.8	245.3	16.2	0.0
REMOTE CO	ONTROL POIN	T LOCATION		·				
E61. Call S NOTE: Plea callsign for wh	ign ase enter the calls iich this applicati	sign of the contro on is being filed	olling station, no	et the	. Phone Number			
E62. Street	Address							
E63. City			E67. Count	у		E64/68. State/Country /		E66. Zip Code

Location of Earth St	tation Site			
E1: Site Identifier:	Grand Rapids Studio	E5. Call Sign:	WZPX-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	2610 Horizon Dr. SE Suite 135	E7. City:	Grand Rapids	
		E8. County:	Kent	
E4. State	MI	E9. Zip Code	49546	
E10. Area of Opera	tion:	Grand Rapids, MI		
E11. Latitude:	42 °54 '58.0 "N			
E12. Longitude:	85 °32 '36.5 "W			
E13. Lat/Lon Coord	linates are:	O NAD−27	NAD-83	O N/A
E14. Site Elevation	(AMSL):	236.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	OYes ONo ●N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, ha you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	ve	Yes	O No

E21. Common Name:	E22. ITU Name:					
E23. Orbit Location:	E24. Country:					
POINTS OF COMMUNICATION (Destination Points)						
E25. Site Identifier:						
E26. Common Name:	E27. Country:					

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Grand Rapids Studio	WZPXS01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2
	WZPXS02					41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WZPXS01	0.0/0.0	5.1	241.1	5.0	0.0	1.5	0.0
WZPXS02	0.0/0.0	5.1	241.1	5.0	0.0	1.5	0.0

E28. Antenna Id	E43/44. Frequency B (MHz)	ands	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)			
WZPXS01	3700	4200	R	Horizontal	36M0G7F	0.0	0.0			
E50. Modulation entirety.)	and Services	(If th	ne complete descripti	on does not appear in	this box, please go t	o the end of the form	to view it in its			
Digital vi	deo with a	assoc	iated audio su	ıbcarriers Modu	lations					
WZPXS02	3700	4200	R	Horizontal	36M0G7F	0.0	0.0			
E50. Modulation entirety.) Digital vi	E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)									

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WZPXS01	Geostationary	3700 4200	60.0/ 143.0	145.6	34.4	243.2	17.6	0.0
WZPXS02	Geostationary	3700 4200	60.0/ 143.0	145.6	34.4	243.2	17.6	0.0
REMOTE CO	ONTROL POIN	T LOCATION	•		•			
E61. Call S NOTE: Plea callsign for wh	ign ase enter the calls nich this applicati	sign of the contro on is being filed	olling station, no	et the	. Phone Number			
E62. Street	Address							
E63. City			E67. Count	у		E64/68. State/Country /		E66. Zip Code

Location of Earth St	ation Site			
E1: Site Identifier:	Grand Rapids TX	E5. Call Sign:	WZPX-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	11311 Kelly Hwy	E7. City:	Vermontville	
		E8. County:	Eaton	
E4. State	MI	E9. Zip Code	49096	
E10. Area of Operat	tion:	Vermontville, MI		
E11. Latitude:	42 °40 '45.3 "N			
E12. Longitude:	85 °3 '56.4 "W			
E13. Lat/Lon Coord	linates are:	ONAD-27	● NAD-83	O ^{N/A}
E13. Lat Lon Coordinates are.		269.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	• Yes • No • N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ⊗ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	۲	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	۲	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	۲	Yes	0	No

POINTS OF COMMUNICATION

Satellite Name: If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:			
E23. Orbit Location:	E24. Country:			
POINTS OF COMMUNICATION (Destination Points)				
E25. Site Identifier:				
E26. Common Name:	E27. Country:			

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Grand Rapids TX	WZPXT01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WZPXT01	0.0/0.0	5.0	274.0	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WZPXT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WZPXT01	Geostationary	3700 4200	60.0/ 143.0	146.1	34.9	243.7	17.3	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign	E65. Phone Number			
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.				
E62. Street Address				
E63. City	E67. County		E64/68. State/Country /	E66. Zip Code

Location of Earth St	ation Site			
E1: Site Identifier:	Greensboro Studio	E5. Call Sign:	WGPX-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	1114 N. O'Henry Blvd.	E7. City:	Greensboro	
		E8. County:	Guilford	
E4. State	NC	E9. Zip Code	27405	
E10. Area of Opera	tion:	Greensboro, NC		
E11. Latitude:	36 °5 '12.9 "N			
E12. Longitude:	79 °45 '57.7 "W			
E13. Lat/Lon Coordinates are:		O NAD-27	NAD-83	O N/A
E14. Site Elevation (AMSL):		230.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

	0	Yes	۲	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	۲	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, ha you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	ve	Yes	0	No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Greensboro Studio	WGPXS01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2
	WGPXS02					41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WGPXS01	0.0/0.0	4.3	234.3	0.0	0.0	0.0	0.0
WGPXS02	0.0/0.0	4.3	234.3	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)	
WGPXS01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0	
E50. Modulation entirety.) Digital vi	and Services (If and Services) (If a	he complete descript	tion does not appear ir ubcarriers Modu	this box, please go	to the end of the form	to view it in its	
WGPXS02	3700 4200	R	Horizontal	36M0G7F	0.0	0.0	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Digital video with associated audio subcarriers Modulations							

FREQUENCY COORDINATION
E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenn Elevatio Angle Western Limit	a on n	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WGPXS01	Geostationary	3700 4200	60.0/ 143.0	149.4	43.4	250.7	16.1		0.0
WGPXS02	Geostationary	3700 4200	60.0/ 143.0	149.4	43.4	250.7	16.1		0.0
REMOTE CO	DNTROL POIN	T LOCATION		•					
E61. Call S NOTE: Plea callsign for wh	ign ase enter the calls ich this applicati	ign of the contro on is being filed	olling station, no	t the	. Phone Number				
E62. Street	Address								
E63. City			E67. County	y		E64/68. State/Country /		E66.	Zip Code

Location of Earth St	tation Site			
E1: Site Identifier:	Greensboro TX	E5. Call Sign:	WGPX-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	7840 Friendship Church Rd.	E7. City:	Browns Summit	
		E8. County:	Rockingham	
E4. State	NC	E9. Zip Code	27214	
E10. Area of Opera	tion:	Browns Summit, N	С	
E11. Latitude:	36°14'54.8 "N			
E12. Longitude:	79 °39 '20.1 "W			
E13. Lat/Lon Coord	linates are:	O NAD-27	NAD-83	O N/A
E14. Site Elevation	(AMSL):	227.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes ● No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No	
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	● No	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.		Yes	O No	

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Greensboro TX	WGPXT01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WGPXT01	0.0/0.0	4.3	231.3	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WGPXT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WGPXT01	Geostationary	3700 4200	60.0/ 143.0	149.7	43.3	250.7	15.9	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign	E65. Phone Number			
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.				
E62. Street Address				
E63. City	E67. County		E64/68. State/Country /	E66. Zip Code

Location of Earth St	ation Site			
E1: Site Identifier:	Greenville Studio	E5. Call Sign:	WEPX-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	1301 S. Glenburnie Rd.	E7. City:	New Bern	
		E8. County:	Craven	
E4. State	NC	E9. Zip Code	28562	
E10. Area of Operat	tion:	New Bern, NC		
E11. Latitude:	35 °7 '16.6 "N			
E12. Longitude:	77 °5 '17.73 "W			
E13. Lat/Lon Coordinates are:		O ^{NAD-27}	NAD-83	O N/A
E14. Site Elevation (AMSL):		19.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	OYes ONo ●N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No	
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	● ^{No}	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.		Yes	O No	

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Greenville Studio	WEPXS01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	WEPXS02				3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WEPXS01	0.0/0.0	6.0	25.0	0.0	0.0	0.0	0.0
WEPXS02	0.0/0.0	4.2	23.2	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency B (MHz)	ands	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)			
WEPXS01	3700	4200	R	Horizontal	36M0G7F	0.0	0.0			
E50. Modulation entirety.)	and Services	(If th	he complete descripti	on does not appear in	this box, please go t	o the end of the form	to view it in its			
Digital vi	Digital video with associated audio subcarriers Modulations									
WEPXS02	3700	4200	R	Horizontal	36M0G7F	0.0	0.0			
E50. Modulation entirety.)	E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)									
	ueo with a	assoc	ialed audio su	DCarriers Modu	IIacions					

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WEPXS01	Geostationary	3700 4200	60.0/ 143.0	152.8	45.6	252.9	14.2	0.0
WEPXS02	Geostationary	3700 4200	60.0/ 143.0	152.8	45.6	252.9	14.2	0.0
REMOTE CO	ONTROL POIN	T LOCATION		•				
E61. Call S NOTE: Plea callsign for wh	ign ase enter the calls nich this applicati	sign of the contro on is being filed	olling station, no	E65	. Phone Number			
E62. Street	Address							
E63. City			E67. Count	у		E64/68. State/Country /		E66. Zip Code

Location of Earth St	tation Site			
E1: Site Identifier:	Greenville TX	E5. Call Sign:	WEPX-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	488 E. Hanrahan Rd	E7. City:	Grifton	
		E8. County:	Pitt	
E4. State	NC	E9. Zip Code	28530	
E10. Area of Opera	tion:	Grifton, NC		
E11. Latitude:	35 °24 '10.0 "N			
E12. Longitude:	77 °25 '9.0 "W			
E13. Lat/Lon Coord	linates are:	O NAD-27	● NAD-83	O N/A
E14. Site Elevation	(AMSL):	19.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	• Yes	O ^{No}	O ^{N/A}
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes	O ^{No}	● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes	۲	No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No	
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	● ^{No}	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.		Yes	O No	

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Greenville TX	WEPXT01	1	DH	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WEPXT01	0.0/0.0	4.0	23.0	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WEPXT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WEPXT01	Geostationary	3700 4200	60.0/ 143.0	152.5	45.2	252.6	14.4	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign	E65. Phone Number			
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.	lling station, not the			
E62. Street Address				
E63. City E67. County			E64/68. State/Country /	E66. Zip Code

Location of Earth St	tation Site			
E1: Site Identifier:	Hartford Studio	E5. Call Sign:	WHPX-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727–533–2707	
E3. Street:	3 Shaws Cove Suite 226	E7. City:	New London	
		E8. County:	New London	
E4. State	СТ	E9. Zip Code	06320	
E10. Area of Opera	tion:	New London, CT		
E11. Latitude:	41 °20 '50.32 "N			
E12. Longitude:	72 °6 '9.82 "W			
E13. Lat/Lon Coord	linates are:	O NAD-27	NAD-83	O N/A
E14. Site Elevation	(AMSL):	15.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	• Yes • No • N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ⊗ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

	0	Yes	() ()	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	() ()	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, ha you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	ve	Yes	0	No

E21. Common Name:	E22. ITU Name:					
E23. Orbit Location:	E24. Country:					
POINTS OF COMMUNICATION (Destination Points)						
E25. Site Identifier:						
E26. Common Name:	E27. Country:					

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Hartford Studio	WHPXS01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2
	WHPXS02				5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WHPXS01	0.0/0.0	15.1	30.1	9.8	0.0	5.3	0.0
WHPXS02	0.0/0.0	16.0	31.0	9.8	0.0	6.2	0.0

E28. Antenna Id	E43/44. Frequency B (MHz)	ands	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WHPXS01	3700	4200	R	Horizontal	36M0G7F	0.0	0.0
E50. Modulation entirety.)	and Services	(If th	ne complete descripti	on does not appear in	this box, please go t	o the end of the form	to view it in its
Digital vi	deo with a	assoc	lated audio su	ibcarriers Modu	llations		
WHPXS02	3700	4200	R	Horizontal	36M0G7F	0.0	0.0
E50. Modulation entirety.)	and Services	(If th	ne complete descripti	on does not appear in	this box, please go t	o the end of the form	to view it in its
Digital vi	deo with a	assoc	iated audio su	bcarriers Modu	lations		

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenn Elevatic Angle Wester Limit	a on n	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WHPXS01	Geostationary	3700 4200	60.0/ 143.0	176.8	40.8	254.3	8.5		0.0
WHPXS02	Geostationary	3700 4200	60.0/ 143.0	176.8	40.8	254.3	8.5		0.0
REMOTE CO	ONTROL POIN	T LOCATION		•					
E61. Call S NOTE: Plea callsign for wh	ign ase enter the calls iich this applicati	sign of the contro on is being filed	olling station, no	E65	. Phone Number				
E62. Street	Address								
E63. City			E67. County	у		E64/68. State/Country /		E66.	Zip Code

Location of Earth St	ation Site			
E1: Site Identifier:	Hartford TX	E5. Call Sign:	WHPX-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	1334 RT 85	E7. City:	Montville	
		E8. County:	New London	
E4. State	СТ	E9. Zip Code	06370	
E10. Area of Operat	tion:	Montville, CT		
E11. Latitude:	41 °25 '3.7 "N			
E12. Longitude:	72 °11 '53.2 "W			
E13. Lat/Lon Coord	linates are:	ONAD-27	● NAD-83	O ^{N/A}
E14. Site Elevation	(AMSL):	9.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	OYes ONo ●N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No	
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	● ^{No}	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.		Yes	O No	

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Hartford TX	WHPXT01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WHPXT01	0.0/0.0	6.2	99.1	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WHPXT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WHPXT01	Geostationary	3700 4200	60.0/ 143.0	162.8	40.7	254.2	8.6	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign		E65. Phone Number		
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.	lling station, not the			
E62. Street Address				
E63. City	E67. County		E64/68. State/Country /	E66. Zip Code

Location of Earth St	ation Site			
E1: Site Identifier:	Honolulu Studio	E5. Call Sign:	KPXO-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	875 Waimanu Steet	E7. City:	Honolulu	
	#630	E8. County:	Honolulu	
E4. State	HI	E9. Zip Code	96813	
E10. Area of Opera	tion:	Honolulu, HI		
E11. Latitude:	21 °17 '59.11 "N			
E12. Longitude:	157 °51 '16.34 "W			
E13. Lat/Lon Coord	linates are:	O NAD-27	● NAD-83	O ^{N/A}
E14. Site Elevation	(AMSL):	34.3 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0 Ye	es 🔘	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	• Ye	es 🎯	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e 💿 Ye	es O	No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Honolulu Studio	KPXOS01	1	Scientific Atlanta	8345	4.5	42.9 dBi at 3.7
						44.0 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KPXOS01	0.0/0.0	26.3	60.6	21.3	0.0	5.0	0.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
KPXOS01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KPXOS01	Geostationary	3700 4200	60.0/ 143.0	267.3	-2.0	136.8	57.1	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign	E65. Phone Number			
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.	lling station, not the			
E62. Street Address				
E63. City	E67. County		E64/68. State/Country /	E66. Zip Code

Location of Earth St	ation Site			
E1: Site Identifier:	Houston TX	E5. Call Sign:	KPXB-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	3111 Senior Rd	E7. City:	Missouri City	
		E8. County:	Fort Bend	
E4. State	TX	E9. Zip Code	77489	
E10. Area of Operat	tion:	Missouri City, TX		
E11. Latitude:	29 °33 '41.0 "N			
E12. Longitude:	95 °30 '5.0 "W			
E13. Lat/Lon Coord	linates are:	ONAD-27	● NAD-83	O ^{N/A}
E14. Site Elevation	(AMSL):	32.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0 Ye	es 🔘	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	• Ye	es 🎯	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e 💿 Ye	es O	No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Houston TX	KPXBT01	1	DH	Unknown	4.5	42.9 dBi at 3.7
						44.0 dBi at 4.2
	KPXBT02				3.7	41.2 dBi at 3.7
						42.3 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KPXBT01	0.0/0.0	5.0	37.0	0.0	0.0	0.0	0.0
KPXBT02	0.0/0.0	4.9	36.9	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Ban (MHz)	nds	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
KPXBT01	3700 42	200	R	Horizontal	36M0G7F	0.0	0.0
E50. Modulation entirety.)	and Services	(If th	e complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its
Digital vi	deo with as	soc	iated audio su	bcarriers Modu	llations		
КРХВТ02	3700 42	200	R	Horizontal	36M0G7F	0.0	0.0
E50. Modulation entirety.)	and Services	(If th	e complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its
Digital vi	deo with as.	SOC	iated audio su	bcarriers Modu	lations		

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KPXBT01	Geostationary	3700 4200	60.0/ 143.0	125.2	38.7	242.5	31.7	0.0
KPXBT02	Geostationary	3700 4200	60.0/ 143.0	125.2	38.7	242.5	31.7	0.0
REMOTE CC	ONTROL POIN	T LOCATION		•	•			·
E61. Call S NOTE: Plea callsign for wh	ign ase enter the calls ich this applicati	sign of the contro on is being filed	olling station, no	E65	. Phone Number			
E62. Street	Address							
E63. City			E67. Count	у		E64/68. State/Country /		E66. Zip Code

Location of Earth St	Location of Earth Station Site					
E1: Site Identifier:	Indianapolis TX	E5. Call Sign:	WIPX-TV			
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707			
E3. Street:	2327 West State Road 252	E7. City:	Trafalgar			
		E8. County:	Johnson			
E4. State	IN	E9. Zip Code	46181			
E10. Area of Opera	tion:	Trafalgar, IN				
E11. Latitude:	39 °24 '13.7 "N					
E12. Longitude:	86 °8 '40.5 "W					
E13. Lat/Lon Coordinates are:		O NAD−27	NAD-83	O ^{N/A}		
E14. Site Elevation (AMSL):		255.0 meters				

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes ● No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes		
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	● No	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.		Yes	O No	

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Indianapolis TX	WIPXT01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	WIPXT02		Easi			43.8 dBi at 3.7
						44.9 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WIPXT01	0.0/0.0	6.0	261.0	0.0	0.0	0.0	0.0
WIPXT02	0.0/0.0	6.0	261.0	0.0	0.0	0.0	0.0
EDECTIENCY							

E28. Antenna Id	E43/44. Frequency Ba (MHz)	ands	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WIPXT01	3700 4	200	R	Horizontal	36M0G7F	0.0	0.0
E50. Modulation entirety.)	and Services	(If th	ne complete descripti	on does not appear in	this box, please go t	o the end of the form	to view it in its
Digital vi	deo with a	ssoc	iated audio su	bcarriers Modu	lations		
WIPXT02	3700 43	200	R	Horizontal	36M0G7F	0.0	0.0
E50. Modulation entirety.)	and Services	(If th	ne complete descripti	on does not appear in	this box, please go t	o the end of the form	to view it in its
Digital vi	deo with a	SSOC	iated audio su	bcarriers Modu	lations		

FREQUENCY COORDINATION
E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevatior Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WIPXT01	Geostationary	3700 4200	60.0/ 143.0	143.0	37.3	244.3	19.6	0.0
WIPXT02	Geostationary	3700 4200	60.0/ 143.0	143.0	37.3	244.3	19.6	0.0
REMOTE CO	ONTROL POIN	T LOCATION	•	•	•			
E61. Call S NOTE: Plea callsign for wh	ign ase enter the calls ich this applicati	sign of the contro on is being filed	olling station, no	E65	. Phone Number			
E62. Street	Address							
E63. City			E67. Count	у		E64/68. State/Country /		E66. Zip Code

Location of Earth St	ation Site			
E1: Site Identifier:	Jacksonville Studio	E5. Call Sign:	WPXC-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	7434 Blythe Island Hwy	E7. City:	Brunswick	
		E8. County:	Glynn	
E4. State	GA	E9. Zip Code	31523	
E10. Area of Operation:		Brunswick, GA		
E11. Latitude:	31 °8 '36.34 "N			
E12. Longitude:	81 °34 '42.61 "W			
E13. Lat/Lon Coord	linates are:	O NAD-27	● NAD-83	O ^{N/A}
E14. Site Elevation	(AMSL):	10.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

	0	Yes	() ()	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	() ()	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, ha you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	ve	Yes	0	No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Jacksonville Studio	WPXCS01	1	Andrew	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	WPXCS02		Comtech		3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPXCS01	0.0/0.0	6.0	16.0	0.0	0.0	0.0	0.0
WPXCS02	0.0/0.0	5.0	15.0	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Band (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WPXCS01	3700 420) R	Horizontal	36M0G7F	0.0	0.0
E50. Modulation entirety.)	and Services (I	f the complete descript	tion does not appear ir	this box, please go t	to the end of the form	to view it in its
Digital vi	deo with ass	ociated audio s	ubcarriers Modu	lations		
WPXCS02	3700 420) R	Horizontal	36M0G7F	0.0	0.0
E50. Modulation entirety.) Digital vi	and Services (I	f the complete descript	tion does not appear ir ubcarriers Modu	this box, please go t	to the end of the form	to view it in its

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenn Elevatio Angle Western Limit	ia on n	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPXCS01	Geostationary	3700 4200	60.0/ 143.0	143.5	47.1	251.7	19.2		0.0
WPXCS02	Geostationary	3700 4200	60.0/ 143.0	143.5	47.1	251.7	19.2		0.0
REMOTE CO	ONTROL POIN	T LOCATION	•		•		•		
E61. Call S NOTE: Plea callsign for wh	ign ase enter the calls ich this applicati	sign of the contro on is being filed	olling station, no	t the	. Phone Number				
E62. Street	Address								
E63. City			E67. County	у		E64/68. State/Country /		E66.	Zip Code

Location of Earth St	tation Site			
E1: Site Identifier:	Jacksonville TX	E5. Call Sign:	WPXC-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	871 McKendree Road	E7. City:	Kingsland	
		E8. County:	Camden	
E4. State	GA	E9. Zip Code	31548	
E10. Area of Opera	tion:	Kingsland, GA		
E11. Latitude:	30 °49 '39.8 "N			
E12. Longitude:	81 °44 '26.4 "W			
E13. Lat/Lon Coord	linates are:	ONAD-27	NAD-83	O N/A
E14. Site Elevation	(AMSL):	17.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes ● No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e	Yes	O No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Jacksonville TX	WPXCT01	1	Patriot	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPXCT01	0.0/0.0	5.0	22.0	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WPXCT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPXCT01	Geostationary	3700 4200	60.0/ 143.0	143.0	47.3	251.8	19.5	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign	E65. Phone Number			
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.	lling station, not the			
E62. Street Address				
E63. City	E67. County		E64/68. State/Country /	E66. Zip Code

Location of Earth St	tation Site			
E1: Site Identifier:	JacksonvilleNC TX	E5. Call Sign:	WPXU-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	904 Old Folkstone Rd	E7. City:	Sneads Ferry	
		E8. County:	Onslow	
E4. State	NC	E9. Zip Code	28460	
E10. Area of Opera	tion:	Sneads Ferry, NC		
E11. Latitude:	34 °31 '11.0 "N			
E12. Longitude:	77 °26 '51.0 "W			
E13. Lat/Lon Coord	linates are:	O ^{NAD-27}	NAD-83	O N/A
E14. Site Elevation	(AMSL):	9.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

	0	Yes	() ()	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	() ()	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, ha you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	ve	Yes	0	No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
JacksonvilleNC TX	WPXUT01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPXUT01	0.0/0.0	5.0	14.0	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WPXUT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPXUT01	Geostationary	3700 4200	60.0/ 143.0	151.9	46.0	252.9	14.7	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign	E65. Phone Number			
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.	lling station, not the			
E62. Street Address				
E63. City	E67. County		E64/68. State/Country /	E66. Zip Code

Location of Earth St	tation Site			
E1: Site Identifier:	Kansas City Studio	E5. Call Sign:	KPXE-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	4220 Shawnee Mission Parkway	E7. City:	Fairway	
	Suite 110B	E8. County:	Johnson	
E4. State	KS	E9. Zip Code	66205	
E10. Area of Opera	tion:	Fairway, KS		
E11. Latitude:	39°1 '44.7 "N			
E12. Longitude:	94 °38 '4.4 "W			
E13. Lat/Lon Coord	linates are:	ONAD-27	⊗ NAD-83	O N/A
E14. Site Elevation (AMSL):		279.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	OYes ONo ●N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No	
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	● ^{No}	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.		Yes	O No	

E21. Common Name:	E22. ITU Name:						
E23. Orbit Location:	E24. Country:						
POINTS OF COMMUNICATION (Destination Points)	POINTS OF COMMUNICATION (Destination Points)						
E25. Site Identifier:							
E26. Common Name:	E27. Country:						

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Kansas City Studio	KPXES01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2
	KPXES02		Prodelin		5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KPXES01	0.0/0.0	5.0	282.8	0.0	0.0	0.0	0.0
KPXES02	0.0/0.0	6.0	283.9	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Bas (MHz)	nds	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
KPXES01	3700 42	200	R	Horizontal	36M0G7F	0.0	0.0
E50. Modulation entirety.)	and Services	(If th	ne complete descripti	on does not appear in	this box, please go t	o the end of the form	to view it in its
Digital vi	deo with as	ssoc	iated audio su	bcarriers Modu	lations		
KPXES02	3700 42	200	R	Horizontal	36M0G7F	0.0	0.0
E50. Modulation entirety.)	and Services	(If th	ne complete descripti	on does not appear in	this box, please go t	o the end of the form	to view it in its
Digital vi	deo with as	ssoc	iated audio su	bcarriers Modu	lations		

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KPXES01	Geostationary	3700 4200	60.0/ 143.0	133.0	32.8	237.2	25.9	0.0
KPXES02	Geostationary	3700 4200	60.0/ 143.0	133.0	32.8	237.2	25.9	0.0
REMOTE CO	ONTROL POIN	T LOCATION		•	•		•	
E61. Call S NOTE: Plea callsign for wh	ign ase enter the calls nich this applicati	sign of the contro on is being filed	olling station, no	E65	. Phone Number			
E62. Street	Address							
E63. City			E67. Count	у		E64/68. State/Country /		E66. Zip Code

Location of Earth St	tation Site			
E1: Site Identifier:	Columbus TX	E5. Call Sign:	WSFJ-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	770 Twin Rivers Dr.	E7. City:	Columbus	
		E8. County:	Franklin	
E4. State	ОН	E9. Zip Code	43215	
E10. Area of Opera	tion:	Columbus, OH		
E11. Latitude:	39 °58 '16.0 "N			
E12. Longitude:	83 °1 '40.0 "W			
E13. Lat/Lon Coord	linates are:	O NAD−27	🛞 NAD-83	O N/A
E14. Site Elevation	(AMSL):	219.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	OYes ONo ●N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No	
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	● No	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.		Yes	O No	

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Columbus TX	WSFJT01	1	DH	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WSFJT01	0.0/0.0	6.0	225.0	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WSFJT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WSFJT01	Geostationary	3700 4200	60.0/ 143.0	147.3	38.3	246.5	17.1	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign		E65. Phone Number		
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.	lling station, not the			
E62. Street Address				
E63. City	E67. County		E64/68. State/Country /	E66. Zip Code

Location of Earth St	ation Site			
E1: Site Identifier:	Kansas City TX	E5. Call Sign:	KPXE-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	6309 E. 56th Street	E7. City:	Kansas City	
		E8. County:	Jackson	
E4. State	МО	E9. Zip Code	64129	
E10. Area of Operat	tion:	Kansas City, MO		
E11. Latitude:	39 °1 '19.9 "N			
E12. Longitude:	94 °30 '49.7 "W			
E13. Lat/Lon Coord	linates are:	O ^{NAD-27}	● NAD-83	O N/A
E14. Site Elevation	(AMSL):	281.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	OYes ONo ●N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e	Yes	O No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Kansas City TX	KPXET01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KPXET01	0.0/0.0	5.0	286.0	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
KPXET01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KPXET01	Geostationary	3700 4200	60.0/ 143.0	133.6	32.18	119.54	23.35	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign		E65. Phone Number		
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.	lling station, not the			
E62. Street Address				
E63. City	E67. County		E64/68. State/Country /	E66. Zip Code

tation Site			
Knoxville Studio	E5. Call Sign:	WPXK-TV	
Mark Ruppert	E6. Phone Number:	727-533-2707	
9000 Exective Park Drive	E7. City:	Knoxville	
Bld D Ste 210	E8. County:	Knox	
TN	E9. Zip Code	37923	
tion:	Knoxville, TN		
35 °55 '18.39 "N			
84 °4 '46.32 "W			
linates are:	ONAD-27	NAD-83	O N/A
E14. Site Elevation (AMSL):			
	tation Site Knoxville Studio Mark Ruppert 9000 Exective Park Drive Bld D Ste 210 TN tion: 35 °55 '18.39 "N 84 °4 '46.32 "W dinates are: (AMSL):	tation SiteKnoxville StudioE5. Call Sign:Mark RuppertE6. Phone Number:9000 Exective ParkE7. City: DriveBld D Ste 210E8. County:TNE9. Zip Codetion:Knoxville, TN35 ° 55 ' 18.39 "N 84 ° 4 ' 46.32 "Wdinates are:• NAD-27(AMSL):290.0 meters	tation SiteKnoxville StudioE5. Call Sign:WPXK–TVMark RuppertE6. Phone Number:727–533–27079000 Exective ParkE7. City:Knoxville9000 Exective ParkE7. City:KnoxvilleBld D Ste 210E8. County:KnoxTNE9. Zip Code37923tion:Knoxville, TN35 °55 '18.39 "N84 °4 '46.32 "Wdinates are:• NAD–27• NAD–83(AMSL):290.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	• Yes	O ^{No}	O ^{N/A}
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes	O ^{No}	● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes	۲	No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e	Yes	O No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Knoxville Studio	WPXKS01	1	Patriot	Unknown	4.5	42.9 dBi at 3.7
						44.0 dBi at 4.2
	WPXKS02		Comtech		5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPXKS01	0.0/0.0	5.9	295.9	0.0	0.0	0.0	0.0
WPXKS02	0.0/0.0	6.0	296.0	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Band (MHz)	s E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WPXKS01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0
E50. Modulation entirety.)	and Services (I	the complete descrip	tion does not appear ir	this box, please go	to the end of the form	to view it in its
Digital vi	deo with ass	ociated audio s	ubcarriers Modu	lations		
WPXKS02	3700 4200	R	Horizontal	36M0G7F	0.0	0.0
E50. Modulation entirety.) Digital vi	and Services (I	the complete descrip	tion does not appear in	this box, please go	to the end of the form	to view it in its

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPXKS01	Geostationary	3700 4200	60.0/ 143.0	143.5	41.5	247.6	19.5	0.0
WPXKS02	Geostationary	3700 4200	60.0/ 143.0	143.5	41.5	247.6	19.5	0.0
REMOTE CO	ONTROL POIN	T LOCATION		•	•			
E61. Call S NOTE: Plea callsign for wh	ign ase enter the calls nich this applicati	sign of the contro on is being filed	olling station, no	E65	. Phone Number			
E62. Street	Address							
E63. City			E67. Count	у		E64/68. State/Country /		E66. Zip Code

Location of Earth St	tation Site			
E1: Site Identifier:	Knoxville TX	E5. Call Sign:	WPXK-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727–533–2707	
E3. Street:	363 Sharps Ridge Memorial Park Road	E7. City:	Knoxville	
		E8. County:	Knox	
E4. State	TN	E9. Zip Code	37917	
E10. Area of Opera	tion:	Knoxville, TN		
E11. Latitude:	36 °0 '12.8 "N			
E12. Longitude:	83 °56 '34.0 "W			
E13. Lat/Lon Coord	linates are:	O ^{NAD-27}	NAD-83	O ^{N/A}
E14. Site Elevation	(AMSL):	423.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes ● No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e o	Yes	O No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Knoxville TX	WPXKT01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPXKT01	0.0/0.0	4.6	427.6	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WPXKT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPXKT01	Geostationary	3700 4200	60.0/ 143.0	143.7	41.5	247.7	19.4	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign	E65. Phone Number			
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.				
E62. Street Address	•			
E63. City	E67. County		E64/68. State/Country /	E66. Zip Code
Location of Earth St	tation Site			
----------------------	----------------------------	----------------------	--------------	-------
E1: Site Identifier:	Lexington TX	E5. Call Sign:	WUPX-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	2166 McCausey Ridge Rd.	E7. City:	Frenchburg	
		E8. County:	Menifee	
E4. State	KY	E9. Zip Code	40322	
E10. Area of Opera	tion:	Frenchburg, KY		
E11. Latitude:	37 °54 '26.6 "N			
E12. Longitude:	83 °38 '1.1 "W			
E13. Lat/Lon Coord	linates are:	O ^{NAD-27}	NAD-83	O N/A
E14. Site Elevation	(AMSL):	369.7 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	• Yes	O ^{No}	O ^{N/A}
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes	O ^{No}	● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes	۲	No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e	Yes	O No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Lexington TX	WUPXT01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2
	WUPXT02		Unknown			41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WUPXT01	0.0/0.0	4.4	374.1	0.0	0.0	0.0	0.0
WUPXT02	0.0/0.0	4.4	374.1	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Band (MHz)	s E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)	
WUPXT01	3700 4200) R	Horizontal	36M0G7F	0.0	0.0	
E50. Modulation entirety.)	and Services (I	the complete descrip	tion does not appear ir	this box, please go t	to the end of the form	to view it in its	
Digital vi	Digital video with associated audio subcarriers Modulations						
WUPXT02	3700 420) R	Horizontal	36M0G7F	0.0	0.0	
E50. Modulation entirety.)	E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital video with associated audio subcarriers Modulations							

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevatior Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WUPXT01	Geostationary	3700 4200	60.0/ 143.0	145.3	39.9	247.0	18.4	0.0
WUPXT02	Geostationary	3700 4200	60.0/ 143.0	145.3	39.9	247.0	18.4	0.0
REMOTE CO	ONTROL POIN	T LOCATION		•	•			- ·
E61. Call S NOTE: Plea callsign for wh	ign ase enter the calls ich this applicati	sign of the contro on is being filed	olling station, no	E65	. Phone Number			
E62. Street	Address							
E63. City			E67. Count	у		E64/68. State/Country /		E66. Zip Code

Location of Earth St	ation Site			
E1: Site Identifier:	Los Angeles Studio	E5. Call Sign:	KPXN-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	2531 Nina St.	E7. City:	Pasadena	
		E8. County:	Los Angeles	
E4. State	CA	E9. Zip Code	91107	
E10. Area of Operat	tion:	Pasadena, CA		
E11. Latitude:	34 °8 '50.7 "N			
E12. Longitude:	118 °5 '53.5 "W			
E13. Lat/Lon Coord	linates are:	O NAD-27	NAD-83	O N/A
E14. Site Elevation	(AMSL):	233.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes ● No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e	Yes	O No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Los Angeles Studio	KPXNS01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	KPXNS02				3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KPXNS01	0.0/0.0	5.9	228.9	0.0	0.0	0.0	0.0
KPXNS02	0.0/0.0	5.0	228.0	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Ban (MHz)	nds	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)		
KPXNS01	3700 420	200	R	Horizontal	36M0G7F	0.0	0.0		
E50. Modulation entirety.)	and Services	(If th	e complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its		
Digital vi	Digital video with associated audio subcarriers Modulations								
KPXNS02	3700 420	200	R	Horizontal	36M0G7F	0.0	0.0		
E50. Modulation entirety.)	E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)								
Digital vi	deo with as	SOC	iated audio su	bcarriers Modu	lations				

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenn Elevatio Angle Western Limit	a on n	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KPXNS01	Geostationary	3700 4200	60.0/ 143.0	109.7	18.1	214.2	44.4		0.0
KPXNS02	Geostationary	3700 4200	60.0/ 143.0	109.7	18.1	214.2	44.4		0.0
REMOTE CO	NTROL POIN	T LOCATION	•		•	•	•		
E61. Call S NOTE: Plea callsign for wh	ign ase enter the calls ich this applicati	sign of the contro on is being filed	olling station, no	t the	. Phone Number				
E62. Street	Address								
E63. City			E67. Count	у		E64/68. State/Country /		E66.	. Zip Code

Location of Earth St	tation Site			
E1: Site Identifier:	Los Angeles TX	E5. Call Sign:	KPXN-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	1 Mount Harvard	E7. City:	Flintridge	
		E8. County:	Los Angeles	
E4. State	СА	E9. Zip Code	91011	
E10. Area of Opera	tion:	Mt Harvard, CA		
E11. Latitude:	34 °12 '47.3 "N			
E12. Longitude:	118 °3 '43.9 "W			
E13. Lat/Lon Coord	linates are:	ONAD-27	NAD-83	O N∕A
E14. Site Elevation	(AMSL):	1648.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	• Yes	O ^{No}	O ^{N/A}
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes	O ^{No}	● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes	۲	No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e	Yes	O No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Los Angeles TX	KPXNT01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KPXNT01	0.0/0.0	4.7	1658.0	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
KPXNT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KPXNT01	Geostationary	3700 4200	60.0/ 143.0	109.7	18.1	214.0	44.3	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign		E65. Phone Number		
NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.				
E62. Street Address				
E63. City	E67. County		E64/68. State/Country /	E66. Zip Code

Location of Earth St	tation Site			
E1: Site Identifier:	Martinsburg TX	E5. Call Sign:	WWPX-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	71 Swinging Bridge Road	E7. City:	Martinsburg	
		E8. County:	Berkeley	
E4. State	WV	E9. Zip Code	25403	
E10. Area of Opera	tion:	Martinsburg, WV		
E11. Latitude:	39 °27 '27.6 "N			
E12. Longitude:	78 °3 '51.5 "W			
E13. Lat/Lon Coord	linates are:	ONAD-27	NAD-83	O ^{N/A}
E14. Site Elevation	(AMSL):	444.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	•	Yes	O No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Martinsburg TX	WWPXT01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WWPXT01	0.0/0.0	4.0	448.0	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WWPXT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WWPXT01	Geostationary	3700 4200	60.0/ 143.0	153.7	40.9	250.6	13.6	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign		E65. Phone Number		
NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.				
E62. Street Address				
E63. City	E67. County		E64/68. State/Country /	E66. Zip Code

Location of Earth St	tation Site			
E1: Site Identifier:	Memphis TX	E5. Call Sign:	WPXX-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	3145 Brother Blvd.	E7. City:	Bartlett	
		E8. County:	Shelby	
E4. State	TN	E9. Zip Code	38133	
E10. Area of Opera	tion:	Bartlett, TN		
E11. Latitude:	35 °12 '43.2 "N			
E12. Longitude:	89 °48 '55.2 "W			
E13. Lat/Lon Coord	linates are:	O ^{NAD-27}	● NAD-83	O ^{N/A}
E14. Site Elevation	(AMSL):	86.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes ● No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No	
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	● ^{No}	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.		Yes	O No	

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Memphis TX	WPXXT01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	WPXXT02				3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2
	WPXXT03				3.1	39.6 dBi at 3.7
						40.7 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPXXT01	0.0/0.0	5.9	91.9	0.0	0.0	0.0	0.0
WPXXT02	0.0/0.0	4.5	90.5	0.0	0.0	0.0	0.0

WPXXT03).0/0.0	4.2		90.2		0.0		0.0		0.0	0.0)
FREQUENCY												
E28. Antenna Id	E43/44. Frequency Ba (MHz)	ands	E45. T/R M	ode	E46. Anto Polarizat L,R)	enna ion(H,V,	E47. E Design	mission ator	E48. EIR (dB)	Maximum P per Carrier W)	E49. ERIF Carr (dBV	Maximum ^A Density per ier V/4kHz)
WPXXT01	3700 4	200	R		Horizonta	ıl	36M0C	37F	0.0		0.0	
E50. Modulatio entirety.)	n and Services	(If th	he complete d	lescripti	on does no	t appear ir	this boy	x, please go	to the	end of the form	to view	w it in its
Digital v	ldeo with a	.5500	lated auc	110 SU	lbcarrie	rs Modu		ns 				
WPAA102	3700 4	1200	ĸ		Horizonta	u	30100	J/F	0.0		0.0	
E50. Modulatio entirety.)	n and Services	(If th	he complete d	lescripti	on does no	t appear ir	n this box	x, please go	to the	end of the form	to view	w it in its
Digital v	ideo with a	.5500	iated aud	lio su	ıbcarrie	rs Modu	lation	ns				
WPXXT03	3700 4	1200	R		Horizonta	1	36M0C	67F	0.0		0.0	

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPXXT01	Geostationary	3700 4200	60.0/ 143.0	135.8	38.7	243.5	24.4	0.0
WPXXT02	Geostationary	3700 4200	60.0/ 143.0	135.8	38.7	243.5	24.4	0.0
WPXXT03	Geostationary	3700 4200	60.0/ 143.0	135.8	38.7	243.5	24.4	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign	E65. Phone Number
NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.	
E62. Street Address	

E63. City	E67. County	E64/68.	E66. Zip Code
		State/Country	
		/	

Location of Earth St	tation Site			
E1: Site Identifier:	Miami Studio	E5. Call Sign:	WPXM-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	14901 NE 20th Avenue	E7. City:	North Miami	
		E8. County:	Miami-Dade	
E4. State	FL	E9. Zip Code	33181	
E10. Area of Opera	tion:	North Miami, FL		
E11. Latitude:	25 °54 '49.5 "N			
E12. Longitude:	80 °9 '31.2 "W			
E13. Lat/Lon Coord	linates are:	O NAD−27	NAD-83	O N/A
E14. Site Elevation	(AMSL):	54.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes ● No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e	Yes	O No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Miami Studio	WPXMS01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2
	WPXMS02		DH			41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPXMS01	0.0/0.0	4.8	58.8	0.0	0.0	0.0	0.0
WPXMS02	0.0/0.0	4.8	58.8	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WPXMS01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0
E50. Modulation entirety.)	and Services (If t	he complete descript	ion does not appear ir	this box, please go t	o the end of the form	to view it in its
WPXMS02	3700 4200	R	Horizontal	36M0G7F	0.0	0.0
E50. Modulation entirety.)	and Services (If t	he complete descript	ion does not appear ir	this box, please go t	o the end of the form	to view it in its
Digital vi	deo with asso	ciated audio s	ubcarriers Modu	lations		

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPXMS01	Geostationary	3700 4200	60.0/ 143.0	140.9	52.7	255.2	19.5	0.0
WPXMS02	Geostationary	3700 4200	60.0/ 143.0	140.9	52.7	255.2	19.5	0.0
REMOTE CO	ONTROL POIN	T LOCATION	•	•	•			
E61. Call S NOTE: Ple callsign for wh	ign ase enter the calls nich this applicati	sign of the contro on is being filed	olling station, no	E65	. Phone Number			
E62. Street	Address							
E63. City			E67. Count	у		E64/68. State/Country /		E66. Zip Code

Location of Earth S	tation Site			
E1: Site Identifier:	Miami TX	E5. Call Sign:	WPXM-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	695 NW 199th Street	E7. City:	Miami	
		E8. County:	Miami–Dade	
E4. State	FL	E9. Zip Code	33169	
E10. Area of Opera	tion:	Miami, FL		
E11. Latitude:	25 ° 57 '31.0 "N			
E12. Longitude:	80°12'43.0 "W			
E13. Lat/Lon Coord	linates are:	O NAD-27	● NAD-83	O N/A
E14. Site Elevation	(AMSL):	11.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

	0	Yes	() ()	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	() ()	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, ha you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	ve	Yes	0	No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Miami TX	WPXMT01	1	Prodelin	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPXMT01	0.0/0.0	4.8	15.8	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WPXMT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPXMT01	Geostationary	3700 4200	60.0/ 143.0	140.8	52.6	255.1	19.6	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign		E65. Phone Number		
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.				
E62. Street Address				
E63. City	E67. County		E64/68. State/Country /	E66. Zip Code

Location of Earth St	ation Site			
E1: Site Identifier:	Milwaukee Studio	E5. Call Sign:	WPXE-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	6161 N Flint Rd	E7. City:	Glendale	
		E8. County:	Milwaukee	
E4. State	WI	E9. Zip Code	53209	
E10. Area of Opera	tion:	Glendale, WI		
E11. Latitude:	43 °7 '46.67 "N			
E12. Longitude:	87 °56 '35.97 "W			
E13. Lat/Lon Coord	linates are:	O ^{NAD-27}	● NAD-83	O ^{N/A}
E14. Site Elevation	(AMSL):	198.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	• Yes • No •	N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ●	N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes ● No	

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e o	Yes	O No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Milwaukee Studio	WPXES01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	WPXES02				3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E35. Above Ground jor Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)				
6.0	204.0	0.0	0.0	0.0	0.0				
5.0	203.0	0.0	0.0	0.0	0.0				
ļ	jor E35. Above Ground Level (meters) 6.0 5.0	E35. Above Ground Level (meters)E36. Above Sea 	E35. Above Ground Level (meters)E36. Above Sea 	E35. Above Ground Level (meters)E36. Above Sea 	E35. Above Ground Level (meters)E36. Above Sea 				
E28. Antenna Id	E43/44. Frequency Ba (MHz)	ands	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)		
----------------------------	---	--------	-----------------------	---	-----------------------------	---	---	--	--
WPXES01	3700 42	200	R	Horizontal	36M0G7F	0.0	0.0		
E50. Modulation entirety.)	and Services	(If tł	ne complete descripti	on does not appear in	this box, please go t	o the end of the form	to view it in its		
Digital vi	Digital video with associated audio subcarriers Modulations								
WPXES02	3700 42	200	R	Horizontal	36M0G7F	0.0	0.0		
E50. Modulation entirety.)	and Services	(If th	ne complete descripti	on does not appear in	this box, please go t	o the end of the form	to view it in its		
Digital vi	Digital video with associated audio subcarriers Modulations								

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenn Elevatio Angle Western Limit	ia on n	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPXES01	Geostationary	3700 4200	60.0/ 143.0	142.9	33.1	241.1	19.1		0.0
WPXES02	Geostationary	3700 4200	60.0/ 143.0	142.9	33.1	241.1	19.1		0.0
REMOTE CO	ONTROL POIN	T LOCATION	•	•	•	•	•		
E61. Call S NOTE: Plea callsign for wh	ign ase enter the calls ich this applicati	sign of the contro on is being filed	olling station, no	E65	. Phone Number				
E62. Street	Address								
E63. City			E67. Count	у		E64/68. State/Country /		E66.	Zip Code

Location of Earth St	ation Site			
E1: Site Identifier:	Milwaukee TX	E5. Call Sign:	WPXE-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	1100 E. Capitol Dr	E7. City:	Shorewood	
		E8. County:	Milwaukee	
E4. State	WI	E9. Zip Code	53211	
E10. Area of Operat	tion:	Shorewood, WI		
E11. Latitude:	43 °5 '26.0 "N			
E12. Longitude:	87 °53 '50.0 "W			
E13. Lat/Lon Coord	linates are:	ONAD-27	● NAD-83	O ^{N/A}
E14. Site Elevation	(AMSL):	95.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	OYes ONo ●N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e	Yes	O No

E21. Common Name:	E22. ITU Name:			
E23. Orbit Location:	E24. Country:			
POINTS OF COMMUNICATION (Destination Points)				
E25. Site Identifier:				
E26. Common Name:	E27. Country:			

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Milwaukee TX	WPXET01	1	DH	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPXET01	0.0/0.0	5.0	100.0	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WPXET01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPXET01	Geostationary	3700 4200	60.0/ 143.0	143.0	33.2	241.2	19.1	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign	E65. Phone Number			
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.				
E62. Street Address				
E63. City	E67. County		E64/68. State/Country /	E66. Zip Code

Location of Earth St	tation Site			
E1: Site Identifier:	Minneapolis TX	E5. Call Sign:	KPXM-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	20167 St. Francis Blvd. NW	E7. City:	Nowthen	
		E8. County:	Anoka	
E4. State	MN	E9. Zip Code	56303	
E10. Area of Opera	tion:	Nowthen, MN		
E11. Latitude:	45 °20 '11.9 "N			
E12. Longitude:	93 °23 '31.2 "W			
E13. Lat/Lon Coord	E13. Lat/Lon Coordinates are:		● NAD-83	O N/A
E14. Site Elevation	E14. Site Elevation (AMSL):			

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	OYes ONo ●N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No	
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	● ^{No}	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.		Yes	O No	

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Minneapolis TX	KPXMT01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	NA	0	NA	NA	0.0	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KPXMT01	0.0/0.0	6.0	284.9	0.0	0.0	0.0	0.0
NA	0.0/0.0	0.0	0.0	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Band (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)	
KPXMT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Digital video with associated audio subcarriers Modulations							
NA	3700 4200	R	Horizontal	36M0G7F	0.0	0.0	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Digital video with associated audio subcarriers Modulations							

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KPXMT01	Geostationary	3700 4200	60.0/ 143.0	137.9	28.6	235.1	21.4	0.0
NA	Geostationary	3700 4200	60.0/ 143.0	137.5	28.4	234.9	21.5	0.0
REMOTE CC	NTROL POIN	T LOCATION	•	•	•			
E61. Call Si NOTE: Plea callsign for wh	ign ase enter the calls ich this applicati	sign of the contro on is being filed	olling station, no	E65	. Phone Number			
E62. Street	Address							
E63. City			E67. Count	у		E64/68. State/Country /		E66. Zip Code

Location of Earth St	ation Site			
E1: Site Identifier:	Nashville Studio	E5. Call Sign:	WNPX-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	1281 N. Mt. Juliet Rd.	E7. City:	Mt. Juliet	
		E8. County:	Wilson	
E4. State	TN	E9. Zip Code	37122	
E10. Area of Opera	tion:	Mt. Juliet, TN		
E11. Latitude:	36 °11 '26.78 "N			
E12. Longitude:	86°30'40.56"W			
E13. Lat/Lon Coord	linates are:	O NAD−27	NAD-83	O N/A
E14. Site Elevation	(AMSL):	169.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes ● No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No	
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	● ^{No}	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.		Yes	O No	

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Nashville Studio	WNPXS01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2
	WNPXS02					41.4 dBi at 3.7
						42.5 dBi at 4.2

Diameter Minor/Major (meters)	Ground Level (meters)	Level (meters)	Height Above Ground Level (meters)	Input Power at antenna flange (Watts)	Maximum Antenna Height Above Rooftop (meters)	EIRP for al carriers (dBW)
0.0/0.0	5.0	174.0	0.0	0.0	0.0	0.0
0.0/0.0	5.0	174.0	0.0	0.0	0.0	0.0
	Diameter Minor/Major meters)	Diameter vlinor/Major meters)Ground Level (meters)0.0/0.05.00.0/0.05.0	Diameter Minor/Major meters)Ground Level (meters)Level 	Diameter vlinor/Major meters)Ground Level (meters)Level 	Diameter vlinor/Major meters)Ground Level (meters)Level 	Diameter vlinor/Major meters)Ground Level (meters)Level

E28. Antenna Id	E43/44. Frequency Bar (MHz)	nds	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WNPXS01	3700 42	200	R	Horizontal	36M0G7F	0.0	0.0
E50. Modulation entirety.)	and Services	(If th	ne complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its
Digital vi	deo with as	SSOC	iated audio su	bcarriers Modu	llations		
WNPXS02	3700 42	200	R	Horizontal	36M0G7F	0.0	0.0
E50. Modulation entirety.)	and Services	(If th	ne complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its
Digital vi	deo with as	SSOC	iated audio su	bcarriers Modu	lations		

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenn Elevati Angle Wester Limit	ia on n	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WNPXS01	Geostationary	3700 4200	60.0/ 143.0	140.5	39.9	245.6	21.3		0.0
WNPXS02	Geostationary	3700 4200	60.0/ 143.0	140.5	39.9	245.6	21.3		0.0
REMOTE CO	ONTROL POIN	T LOCATION			•				
E61. Call S NOTE: Ple callsign for wh	ign ase enter the calls nich this applicati	sign of the contro on is being filed	olling station, no	et the	. Phone Number				
E62. Street	Address								
E63. City			E67. Count	у		E64/68. State/Country /		E66.	Zip Code

Location of Earth St	ation Site			
E1: Site Identifier:	Nashville TX	E5. Call Sign:	WNPX-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	3210 Blevins Rd.	E7. City:	Whites Creek	
		E8. County:	Davidson	
E4. State	TN	E9. Zip Code	37189	
E10. Area of Opera	tion:	Whites Creek, TN		
E11. Latitude:	36 °16 '4.9 "N			
E12. Longitude:	86 °47 '44.7 "W			
E13. Lat/Lon Coord	linates are:	ONAD-27	● NAD-83	O N/A
E14. Site Elevation	(AMSL):	231.7 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

	0	Yes	() ()	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	() ()	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, ha you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	ve	Yes	0	No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Nashville TX	WNPXT01	1	Patriot	Unknown	3.1	39.6 dBi at 3.7
						40.7 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WNPXT01	0.0/0.0	4.1	235.8	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WNPXT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WNPXT01	Geostationary	3700 4200	60.0/ 143.0	140.3	39.6	245.3	21.5	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign	E65. Phone Number			
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.	lling station, not the			
E62. Street Address				
E63. City	E67. County		E64/68. State/Country /	E66. Zip Code

Location of Earth St	ation Site			
E1: Site Identifier:	New Orleans Studio	E5. Call Sign:	WPXL-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	3900 Veterans Blvd	E7. City:	Metairie	
	Suite 202	E8. County:	Jefferson	
E4. State	LA	E9. Zip Code	70002	
E10. Area of Operat	tion:	Metairie, LA		
E11. Latitude:	30 °0 '12.89 "N			
E12. Longitude:	90°10'19.09 "W			
E13. Lat/Lon Coord	linates are:	O NAD-27	NAD-83	O ^{N/A}
E14. Site Elevation	(AMSL):	8.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

	0	Yes	() ()	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	() ()	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, ha you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	ve	Yes	0	No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
New Orleans Studio	WPXLS01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	WPXLS02					43.8 dBi at 3.7
						44.9 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPXLS01	0.0/0.0	6.0	14.0	0.0	0.0	0.0	0.0
WPXLS02	0.0/0.0	6.0	14.0	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Ban (MHz)	lds	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WPXLS01	3700 420	00 1	R	Horizontal	36M0G7F	0.0	0.0
E50. Modulation entirety.)	and Services ((If the	e complete descriptio	on does not appear in	this box, please go to	o the end of the form	to view it in its
Digital vi	Digital video with associated audio subcarriers Modulations						
WPXLS02	3700 420	00 1	R	Horizontal	36M0G7F	0.0	0.0
E50. Modulation entirety.)	E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)						
Digital video with associated audio subcarriers Modulations							

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPXLS01	Geostationary	3700 4200	60.0/ 143.0	131.4	42.5	246.4	27.0	0.0
WPXLS02	Geostationary	3700 4200	60.0/ 143.0	131.4	42.5	246.4	27.0	0.0
REMOTE CO	ONTROL POIN	T LOCATION	•		•			
E61. Call S NOTE: Ple callsign for wh	ign ase enter the calls nich this applicati	sign of the contro on is being filed	olling station, no	et the	. Phone Number			
E62. Street	Address							
E63. City			E67. Count	у		E64/68. State/Country /		E66. Zip Code

Location of Earth St	tation Site			
E1: Site Identifier:	New Orleans TX	E5. Call Sign:	WPXL-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	3210 Old Behrman Hwy.	E7. City:	New Orleans	
		E8. County:	Orleans	
E4. State	LA	E9. Zip Code	70114	
E10. Area of Opera	tion:	New Orleans, LA		
E11. Latitude:	29 °55 '13.1 "N			
E12. Longitude:	90°1'28.5 "W			
E13. Lat/Lon Coord	linates are:	O ^{NAD-27}	NAD-83	O ^{N/A}
E14. Site Elevation	(AMSL):	11.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	OYes ONo ●N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e	Yes	O No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
New Orleans TX	WPXLT01	1	Comtech	Unknown	3.1	39.6 dBi at 3.7
						40.7 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPXLT01	0.0/0.0	4.0	15.0	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WPXLT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPXLT01	Geostationary	3700 4200	60.0/ 143.0	131.5	42.6	246.5	26.9	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign	E65. Phone Number			
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.	lling station, not the			
E62. Street Address				
E63. City	E67. County		E64/68. State/Country /	E66. Zip Code

Location of Earth St	tation Site			
E1: Site Identifier:	New York Studio	E5. Call Sign:	WPXN-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	810 7th Avenue	E7. City:	New York	
	31st Floor	E8. County:	New York	
E4. State	NY	E9. Zip Code	10019	
E10. Area of Opera	tion:	New York, NY		
E11. Latitude:	40 °45 '46.3 "N			
E12. Longitude:	73 °58 '57.9 "W			
E13. Lat/Lon Coord	linates are:	ONAD-27	NAD-83	O N/A
E14. Site Elevation	(AMSL):	59.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes ● No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e	Yes	O No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
New York Studio	WPXNS01	1	Patriot	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPXNS01	0.0/0.0	168.1	227.1	163.2	0.0	4.9	0.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WPXNS01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPXNS01	Geostationary	3700 4200	60.0/ 143.0	160.0	40.9	253.1	10.1	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign	E65. Phone Number			
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.	lling station, not the			
E62. Street Address				
E63. City	E67. County		E64/68. State/Country /	E66. Zip Code

Location of Earth St	tation Site			
E1: Site Identifier:	Norfolk TX	E5. Call Sign:	WPXV-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727–533–2707	
E3. Street:	3702C Nansemond Parkway	E7. City:	Suffolk	
		E8. County:	N/A	
E4. State	VA	E9. Zip Code	23435	
E10. Area of Opera	tion:	Suffolk, VA		
E11. Latitude:	36 °48 '31.8 "N			
E12. Longitude:	76 °30 '11.3 "W			
E13. Lat/Lon Coord	linates are:	O ^{NAD-27}	NAD-83	O ^{N/A}
E14. Site Elevation	(AMSL):	10.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	• No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	۲	Yes	O No

E21. Common Name:	E22. ITU Name:				
E23. Orbit Location:	E24. Country:				
POINTS OF COMMUNICATION (Destination Points)					
E25. Site Identifier:					
E26. Common Name:	E27. Country:				

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Norfolk TX	WPXVT01	1	Patriot	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2
	WPXVT02		Comtech			41.4 dBi at 3.7
						42.5 dBi at 4.2
	WPXVT03		Patriot		3.1	39.6 dBi at 3.7
						40.7 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)					
WPXVT01	0.0/0.0	4.1	14.1	0.0	0.0	0.0	0.0					
WPXVT02	0.0/0.0	4.9	14.9	0.0	0.0	0.0	0.0					
WPXVT03	0.0/0.0	4.2	14.2		0.0	.0 0.0			0.0			
-------------------------------	----------------------------------	--------	---------------	-----------	--------------------------------	------------------	------------------	-----------------	---------------------	--------------------------------	-----------------------------------	--
FREQUENCY											!	
E28. Antenna Id	E43/44. Frequency Ba (MHz)	ands	E45. T/R M	lode	E46. Anto Polarizat L,R)	enna ion(H,V,	E47. E Design	mission ator	E48. EIR (dBV	Maximum P per Carrier W)	E49. N ERIP Carrie (dBW)	faximum Density per er /4kHz)
WPXVT01	3700 4	200	R		Horizonta	ıl	36M0C	37F	0.0		0.0	
E50. Modulatio entirety.)	n and Services	(If th	he complete d	lescripti	on does no	t appear ir	this boy	x, please go	to the o	end of the form	to view	it in its
Digital v	ldeo with a	.5500	lated auc	lio su	lbcarrie	rs Modu		ns 				
WPAV102	3700 2	1200	ĸ		Horizonta	ll	30100	J/F	0.0		0.0	
E50. Modulation entirety.)	n and Services	(If th	he complete d	lescripti	on does no	t appear ir	this box	k, please go	to the	end of the form	to view	it in its
Digital V	ideo with a	.5500	iated auc		IDCarrie	rs Modi						
WPXVT03	3700 4	200	R		Horizonta	ıl	36M0C	67F	0.0		0.0	

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPXVT01	Geostationary	3700 4200	60.0/ 143.0	154.6	44.1	252.7	13.2	0.0
WPXVT02	Geostationary	3700 4200	60.0/ 143.0	154.6	44.1	252.7	13.2	0.0
WPXVT03	Geostationary	3700 4200	60.0/ 143.0	154.6	44.1	252.7	13.2	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign	E65. Phone Number
NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.	
E62. Street Address	

E63. City	E67. County	E64/68.	E66. Zip Code
		State/Country	_
		/	

Location of Earth St	ation Site						
E1: Site Identifier:	Oklahoma City Studio	E5. Call Sign:	KOPX-TV				
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707				
E3. Street:	13424 Railway Drive	E7. City:	Oklahoma City				
		E8. County:	Oklahoma				
E4. State	ОК	E9. Zip Code	73114				
E10. Area of Opera	tion:	Oklahoma City, OK					
E11. Latitude:	35 °36 '24.62 "N						
E12. Longitude:	97 °30 '11.75 "W						
E13. Lat/Lon Coordinates are:		● NAD-27	NAD-83	O N/A			
E14. Site Elevation (AMSL):		363.0 meters	3.0 meters				

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	OYes ONo ●N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e	Yes	O No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Oklahoma City Studio	KOPXS01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	KOPXS02					43.8 dBi at 3.7
						44.9 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KOPXS01	0.0/0.0	7.0	370.0	0.0	0.0	0.0	0.0
KOPXS02	0.0/0.0	7.0	370.0	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Band (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)			
KOPXS01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0			
E50. Modulation entirety.) Digital vi	and Services (If	the complete descript	tion does not appear ir ubcarriers Modu	n this box, please go t	to the end of the form	to view it in its			
KOPXS02	3700 4200	R	Horizontal	36M0G7F	0.0	0.0			
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Digital video with associated audio subcarriers Modulations									

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KOPXS01	Geostationary	3700 4200	60.0/ 143.0	127.8	33.3	236.6	30.0	0.0
KOPXS02	Geostationary	3700 4200	60.0/ 143.0	127.8	33.3	236.6	30.0	0.0
REMOTE CO	ONTROL POIN	T LOCATION						
E61. Call S NOTE: Plea callsign for wh	ign ase enter the calls nich this applicati	sign of the contro on is being filed	olling station, no	et the	. Phone Number			
E62. Street	Address							
E63. City			E67. Count	у		E64/68. State/Country /		E66. Zip Code

Location of Earth St	tation Site					
E1: Site Identifier:	Oklahoma City TX	E5. Call Sign:	KOPX-TV			
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707			
E3. Street:	1309 NW 122nd St.	E7. City:	Oklahoma City			
		E8. County:	Oklahoma			
E4. State	ОК	E9. Zip Code	73114			
E10. Area of Opera	tion:	Oklahoma City, OK				
E11. Latitude:	35 °35 '52.1 "N					
E12. Longitude:	97 °29 '23.2 "W					
E13. Lat/Lon Coordinates are:		ONAD-27	● NAD-83	O N∕A		
E14. Site Elevation	(AMSL):	345.0 meters				

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	• Yes	O ^{No}	O ^{N/A}
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes	O ^{No}	● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes	۲	No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e	Yes	O No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Oklahoma City TX	KOPXT01	1	Prodelin	Unknown	3.7	41.2 dBi at 3.7
						42.3 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KOPXT01	0.0/0.0	5.0	350.0	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
KOPXT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KOPXT01	Geostationary	3700 4200	60.0/ 143.0	127.8	33.3	236.7	30.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign		E65. Phone Number		
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.				
E62. Street Address				
E63. City	E67. County		E64/68. State/Country /	E66. Zip Code

Location of Earth St	tation Site			
E1: Site Identifier:	Orlando Studio	E5. Call Sign:	WOPX-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	7091 Grand National Drive	E7. City:	Orlando	
	#100	E8. County:	Orange	
E4. State	FL	E9. Zip Code	32819	
E10. Area of Opera	tion:	Orlando, FL		
E11. Latitude:	28 °27 '39.8 "N			
E12. Longitude:	81 °27 '15.04 "W			
E13. Lat/Lon Coord	linates are:	● NAD-27	● NAD-83	O ^{N/A}
E14. Site Elevation	(AMSL):	15.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	OYes ONo ●N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No	
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	● ^{No}	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.		Yes	O No	

E21. Common Name:	E22. ITU Name:					
E23. Orbit Location:	E24. Country:					
POINTS OF COMMUNICATION (Destination Points)						
E25. Site Identifier:						
E26. Common Name:	E27. Country:					

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Orlando Studio	WOPXS01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	WOPXS02					43.8 dBi at 3.7
						44.9 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WOPXS01	0.0/0.0	6.2	21.2	0.0	0.0	0.0	0.0
WOPXS02	0.0/0.0	6.2	21.2	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)			
WOPXS01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0			
E50. Modulation entirety.) Digital vi	and Services (If t	he complete descript	ion does not appear in ubcarriers Modu	this box, please go t	to the end of the form	to view it in its			
WOPXS02	3700 4200	R	Horizontal	36M0G7F	0.0	0.0			
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its ntirety.) Digital video with associated audio subcarriers Modulations									

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevatio Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WOPXS01	Geostationary	3700 4200	60.0/ 143.0	141.3	49.6	253.1	20.0	0.0
WOPXS02	Geostationary	3700 4200	60.0/ 143.0	141.3	49.6	253.1	20.0	0.0
REMOTE CO	ONTROL POIN	T LOCATION		•				·
E61. Call S NOTE: Plea callsign for wh	ign ase enter the calls ich this applicati	sign of the contro on is being filed	olling station, no	E65	. Phone Number			
E62. Street	Address							
E63. City			E67. Count	у		E64/68. State/Country /		E66. Zip Code

Location of Earth S	ation Site			
E1: Site Identifier:	Orlando TX	E5. Call Sign:	WOPX-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	7551 Golden Citrus Road	E7. City:	Holopaw	
		E8. County:	Osceola	
E4. State	FL	E9. Zip Code	34773	
E10. Area of Opera	tion:	Holopaw, FL		
E11. Latitude:	28 °5 '52.5 "N			
E12. Longitude:	81 °7 '50.7 "W			
E13. Lat/Lon Coord	linates are:	ONAD-27	● NAD-83	O N/A
E14. Site Elevation	(AMSL):	31.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes ● No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No	
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	● ^{No}	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.		Yes	O No	

E21. Common Name:	E22. ITU Name:							
E23. Orbit Location:	E24. Country:							
POINTS OF COMMUNICATION (Destination Points)	POINTS OF COMMUNICATION (Destination Points)							
E25. Site Identifier:								
E26. Common Name:	E27. Country:							

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Orlando TX	WOPXT01	1	DH	DH-38-GIB-150	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WOPXT01	0.0/0.0	5.1	36.1	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WOPXT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WOPXT01	Geostationary	3700 4200	60.0/ 143.0	141.5	50.1	253.5	19.8	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign	E65. Phone Number			
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.	lling station, not the			
E62. Street Address				
E63. City	E67. County		E64/68. State/Country /	E66. Zip Code

Location of Earth St	ation Site			
E1: Site Identifier:	Philadelphia Studio	E5. Call Sign:	WPPX-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	3901 B Main Street	E7. City:	Philadelphia	
		E8. County:	Philadelphia	
E4. State	PA	E9. Zip Code	19127	
E10. Area of Operat	tion:	Philadelphia, PA		
E11. Latitude:	40 °1 '13.3 "N			
E12. Longitude:	75 °12 '56.1 "W			
E13. Lat/Lon Coord	linates are:	O NAD-27	● NAD-83	O N/A
E14. Site Elevation	(AMSL):	20.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

	0	Yes	() ()	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	() ()	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, ha you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	ve	Yes	0	No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Philadelphia Studio	WPPXS01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2
	WPPXS02					41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPPXS01	0.0/0.0	24.9	44.9	20.0	0.0	4.9	0.0
WPPXS02	0.0/0.0	24.9	44.9	20.0	0.0	4.9	0.0

E28. Antenna Id	E43/44. Frequency Bar (MHz)	nds	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WPPXS01	3700 42	200	R	Horizontal	36M0G7F	0.0	0.0
E50. Modulation entirety.)	and Services	(If th	ne complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its
Digital vi	deo with as	SOC	iated audio su	bcarriers Modu	lations		
WPPXS02	3700 42	200	R	Horizontal	36M0G7F	0.0	0.0
E50. Modulation entirety.)	and Services	(If th	ne complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its
Digital vi	deo with as	soc	iated audio su	bcarriers Modu	lations		

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPPXS01	Geostationary	3700 4200	60.0/ 143.0	157.9	41.3	264.5	11.2	0.0
WPPXS02	Geostationary	3700 4200	60.0/ 143.0	157.9	41.3	264.5	11.2	0.0
REMOTE CO	DNTROL POIN	T LOCATION		•	•		•	·
E61. Call S NOTE: Plea callsign for wh	ign ase enter the calls ich this applicati	sign of the contro on is being filed	olling station, no	E65	. Phone Number			
E62. Street	Address							
E63. City			E67. Count	у		E64/68. State/Country /		E66. Zip Code

Location of Earth St	ation Site			
E1: Site Identifier:	Philadelphia TX	E5. Call Sign:	WPPX-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	413 Wigard Ave	E7. City:	Philadelphia	
		E8. County:	Philadelphia	
E4. State	PA	E9. Zip Code	19128	
E10. Area of Operat	tion:	Philadelphia, PA		
E11. Latitude:	40 °2 '39.0 "N			
E12. Longitude:	75 °14 '25.0 "W			
E13. Lat/Lon Coord	linates are:	ONAD-27	● NAD-83	O N/A
E14. Site Elevation (AMSL):		12.8 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	OYes ONo ●N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No	
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	● ^{No}	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.		Yes	O No	

E21. Common Name:	E22. ITU Name:					
E23. Orbit Location:	E24. Country:					
POINTS OF COMMUNICATION (Destination Points)						
E25. Site Identifier:						
E26. Common Name:	E27. Country:					

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Philadelphia TX	WPPXT01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPPXT01	0.0/0.0	4.9	17.7	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WPPXT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPPXT01	Geostationary	3700 4200	60.0/ 143.0	157.9	41.3	252.4	11.3	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign	E65. Phone Number			
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.	lling station, not the			
E62. Street Address				
E63. City	E67. County		E64/68. State/Country /	E66. Zip Code

Location of Earth St	ation Site			
E1: Site Identifier:	Phoenix Studio	E5. Call Sign:	KPPX-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	2777 E. Camelback Rd.	E7. City:	Phoenix	
	Suite 101	E8. County:	Maricopa	
E4. State	AZ	E9. Zip Code	85016	
E10. Area of Opera	tion:	Phoenix, AZ		
E11. Latitude:	33 °30 '32.6 "N			
E12. Longitude:	112 °1 '19.3 "W			
E13. Lat/Lon Coord	linates are:	O NAD-27	NAD-83	O N/A
E14. Site Elevation	(AMSL):	362.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	• Yes • No • N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ⊗ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes ● No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	۲	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	۲	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	۲	Yes	0	No

POINTS OF COMMUNICATION

Satellite Name: If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Phoenix Studio	KPPXS01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2
	KPPXS02					41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KPPXS01	0.0/0.0	14.1	366.0	9.1	0.0	5.0	0.0
KPPXS02	0.0/0.0	14.1	366.0	9.1	0.0	5.0	0.0

E28. Antenna Id	E43/44. Frequency Bar (MHz)	nds	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)	
KPPXS01	3700 42	200	R	Horizontal	36M0G7F	0.0	0.0	
E50. Modulation entirety.)	E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)							
Digital vi	Digital video with associated audio subcarriers Modulations							
KPPXS02	3700 42	200	R	Horizontal	36M0G7F	0.0	0.0	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)								
Digital video with associated audio subcarriers Modulations								

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KPPXS01	Geostationary	3700 4200	60.0/ 143.0	113.8	23.3	222.7	41.5	0.0
KPPXS02	Geostationary	3700 4200	60.0/ 143.0	113.8	23.3	222.7	41.5	0.0
REMOTE CO	ONTROL POIN	T LOCATION	•	•	•	•	•	
E61. Call S NOTE: Plea callsign for wh	ign ase enter the calls nich this applicati	sign of the contro on is being filed	olling station, no	et the	. Phone Number			
E62. Street	Address							
E63. City			E67. Count	у		E64/68. State/Country /		E66. Zip Code

Location of Earth Station Site					
E1: Site Identifier:	Phoenix TX	E5. Call Sign:	KPPX-TV		
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707		
E3. Street:	10919 S. Central Ave.	E7. City:	Phoenix		
	Site 3	E8. County:	Maricopa		
E4. State	AZ	E9. Zip Code	85040		
E10. Area of Opera	tion:	Phoenix, AZ			
E11. Latitude:	33 °20 '3.2 "N				
E12. Longitude:	112 °3 '40.5 "W				
E13. Lat/Lon Coordinates are:		O NAD−27	NAD-83	O N/A	
E14. Site Elevation (AMSL):		784.0 meters			
E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	• Yes	O ^{No}	O ^{N/A}		
--	-------	------------------------	------------------		
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes	O ^{No}	● N/A		
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes	۲	No		

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No	
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	● ^{No}	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.		Yes	O No	

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Phoenix TX	KPPXT01	1	Patriot	Unknown	3.1	39.6 dBi at 3.7
						40.7 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KPPXT01	0.0/0.0	4.0	788.0	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
KPPXT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KPPXT01	Geostationary	3700 4200	60.0/ 143.0	113.6	23.4	222.8	41.7	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign		E65. Phone Number		
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.				
E62. Street Address				
E63. City	E67. County		E64/68. State/Country /	E66. Zip Code

Location of Earth St	ation Site			
E1: Site Identifier:	Pittsburgh TX	E5. Call Sign:	WINP-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	3801 University Dr	E7. City:	Pittsburgh	
		E8. County:	Allegheny	
E4. State	PA	E9. Zip Code	15213	
E10. Area of Operat	tion:	Pittsburgh, PA		
E11. Latitude:	40 °26 '46.0 "N			
E12. Longitude:	79 °57 '50.0 "W			
E13. Lat/Lon Coord	linates are:	○ NAD-27	● NAD-83	O ^{N/A}
E14. Site Elevation	(AMSL):	356.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	OYes ONo ●N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No	
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	● ^{No}	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.		Yes	O No	

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Pittsburgh TX	WINPT01	1	DH	50DH1	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	WINPT02			38DH1	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WINPT01	0.0/0.0	6.0	362.0	0.0	0.0	0.0	0.0
WINPT02	0.0/0.0	4.6	360.6	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Ban (MHz)	lds	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)		
WINPT01	3700 420	00]	R	Horizontal	36M0G7F	0.0	0.0		
E50. Modulation entirety.)	and Services ((If the	e complete descriptio	on does not appear in	this box, please go to	o the end of the form	to view it in its		
Digital vi	deo with as:	soci	iated audio su	bcarriers Modu	lations				
WINPT02	3700 420	00	R	Horizontal	36M0G7F	0.0	0.0		
E50. Modulation entirety.) Digital vi	E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)								

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevatior Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WINPT01	Geostationary	3700 4200	60.0/ 143.0	151.5	39.1	248.7	14.6	0.0
WINPT02	Geostationary	3700 4200	60.0/ 143.0	151.5	39.1	248.7	14.6	0.0
REMOTE CO	ONTROL POIN	T LOCATION		•				- ·
E61. Call S NOTE: Plea callsign for wh	ign ase enter the calls nich this applicati	sign of the contro on is being filed	olling station, no	E65	. Phone Number			
E62. Street	Address							
E63. City			E67. Count	у		E64/68. State/Country /		E66. Zip Code

Location of Earth St	tation Site			
E1: Site Identifier:	Portland Studio	E5. Call Sign:	KPXG-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727–533–2707	
E3. Street:	432 NE 74th Ave	E7. City:	Portland	
		E8. County:	Multnomah	
E4. State	OR	E9. Zip Code	97213	
E10. Area of Opera	tion:	Portland, OR		
E11. Latitude:	45 °31 '32.16 "N			
E12. Longitude:	122 °35 '10.61 "W	7		
E13. Lat/Lon Coord	linates are:	O NAD-27	● NAD-83	O ^{N/A}
E14. Site Elevation	(AMSL):	70.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0 Ye	es 🔘	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	• Ye	es 🎯	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e 💿 Ye	es O	No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Portland Studio	KPXGS01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	KPXGS02					43.8 dBi at 3.7
						44.9 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KPXGS01	0.0/0.0	6.2	76.2	0.0	0.0	0.0	0.0
KPXGS02	0.0/0.0	6.2	76.2	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Band (MHz)	ds	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)	
KPXGS01	3700 420	00 R	Horizontal	36M0G7F	0.0	0.0	
E50. Modulation entirety.)	and Services (If the complete descri	ption does not appear in	this box, please go	to the end of the form	to view it in its	
Digital vi	deo with ass	sociated audio	subcarriers Modu	lations			
KPXGS02	3700 420	00 R	Horizontal	36M0G7F	0.0	0.0	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Digital video with associated audio subcarriers Modulations							

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KPXGS01	Geostationary	3700 4200	60.0/ 143.0	110.8	10.7	202.4	35.1	0.0
KPXGS02	Geostationary	3700 4200	60.0/ 143.0	110.8	10.7	202.4	35.1	0.0
REMOTE CO	ONTROL POIN	T LOCATION	•	•	•	•	•	
E61. Call S NOTE: Ple callsign for wh	ign ase enter the calls nich this applicati	sign of the contro on is being filed	olling station, no	E65	. Phone Number			
E62. Street	Address							
E63. City			E67. Count	у		E64/68. State/Country /		E66. Zip Code

Location of Earth St	tation Site			
E1: Site Identifier:	Portland TX	E5. Call Sign:	KPXG-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	299 NW Skyline Blvd	E7. City:	Portland	
		E8. County:	Multnomah	
E4. State	OR	E9. Zip Code	97210	
E10. Area of Opera	tion:	Portland, OR		
E11. Latitude:	45 °31 '20.5 "N			
E12. Longitude:	122 °44 '49.5 "W			
E13. Lat/Lon Coord	linates are:	O NAD-27	● NAD-83	O ^{N/A}
E14. Site Elevation	(AMSL):	331.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	OYes ONo ●N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e	Yes	O No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Portland TX	KPXGT01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KPXGT01	0.0/0.0	6.1	337.1	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
KPXGT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KPXGT01	Geostationary	3700 4200	60.0/ 143.0	110.6	10.6	202.2	35.2	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign	E65. Phone Number			
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.	lling station, not the			
E62. Street Address				
E63. City	E67. County		E64/68. State/Country /	E66. Zip Code

Location of Earth St	cation of Earth Station Site				
E1: Site Identifier:	Providence TX	E5. Call Sign:	WPXQ-TV		
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707		
E3. Street:	247 North Rd	E7. City:	Hopkinton		
		E8. County:	Washington		
E4. State	RI	E9. Zip Code	02833		
E10. Area of Operat	tion:	Hopkinton, RI			
E11. Latitude:	41 °29 '41.7 "N				
E12. Longitude:	71 °47 '4.7 "W				
E13. Lat/Lon Coord	linates are:	ONAD-27	● NAD-83	O N/A	
E14. Site Elevation	(AMSL):	122.0 meters			

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

	0	Yes	() ()	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	() ()	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, ha you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	ve	Yes	0	No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Providence TX	WPXQT01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2
	WPXQT02		Unknown			41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPXQT01	0.0/0.0	5.3	127.3	0.0	0.0	0.0	0.0
WPXQT02	0.0/0.0	5.3	127.3	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WPXQT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0
E50. Modulation entirety.) Digital vi	and Services (If t	he complete descript	ubcarriers Modu	this box, please go t	to the end of the form	to view it in its
WPXQT02	3700 4200	R	Horizontal	36M0G7F	0.0	0.0
E50. Modulation entirety.) Digital vi	and Services (If f	he complete descript	ion does not appear ir ubcarriers Modu	n this box, please go t	to the end of the form	to view it in its

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenn Elevatic Angle Wester Limit	a on n	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPXQT01	Geostationary	3700 4200	60.0/ 143.0	163.4	40.7	254.5	8.2		0.0
WPXQT02	Geostationary	3700 4200	60.0/ 143.0	163.4	40.7	254.5	8.2		0.0
REMOTE CO	ONTROL POIN	T LOCATION	•	•	•	•	•		
E61. Call S NOTE: Plea callsign for wh	ign ase enter the calls iich this applicati	sign of the contro on is being filed	olling station, no	E65	. Phone Number				
E62. Street	Address								
E63. City			E67. County	у		E64/68. State/Country /		E66.	. Zip Code

Location of Earth St	tation Site			
E1: Site Identifier:	Raleigh Studio	E5. Call Sign:	WRPX-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	3209 Gresham Lake Rd.	E7. City:	Raleigh	
		E8. County:	Wake	
E4. State	NC	E9. Zip Code	27615	
E10. Area of Opera	tion:	Raleigh, NC		
E11. Latitude:	35 °53 '7.9 "N			
E12. Longitude:	78 °34 '44.76 "W			
E13. Lat/Lon Coord	linates are:	ONAD-27	● NAD-83	O N/A
E14. Site Elevation	(AMSL):	106.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes ● No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e	Yes	O No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Raleigh Studio	WRPXS01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	WRPXS02				3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WRPXS01	0.0/0.0	6.0	112.0	0.0	0.0	0.0	0.0
WRPXS02	0.0/0.0	5.0	111.0	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Ba (MHz)	ands	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WRPXS01	3700 4	200	R	Horizontal	36M0G7F	0.0	0.0
E50. Modulation entirety.)	and Services	(If th	ne complete descripti	on does not appear in	this box, please go t	o the end of the form	to view it in its
Digital vi	deo with a	ISSOC	iated audio su	bcarriers Modu	lations		
WRPXS02	3700 4	200	R	Horizontal	36M0G7F	0.0	0.0
E50. Modulation entirety.) Digital vi	and Services	(If th	ne complete descripti iated audio su	on does not appear in ubcarriers Modu	this box, please go t	o the end of the form	to view it in its

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenn Elevatio Angle Western Limit	a on n	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WRPXS01	Geostationary	3700 4200	60.0/ 143.0	151.0	44.2	251.6	15.2		0.0
WRPXS02	Geostationary	3700 4200	60.0/ 143.0	151.0	44.2	251.6	15.2		0.0
REMOTE CO	ONTROL POIN	T LOCATION		•					
E61. Call S NOTE: Plea callsign for wh	ign ase enter the calls iich this applicati	sign of the contro on is being filed	olling station, no	t the	. Phone Number				
E62. Street	Address								
E63. City			E67. County	y		E64/68. State/Country /		E66.	Zip Code

Location of Earth St	tation Site			
E1: Site Identifier:	Raleigh TX	E5. Call Sign:	WRPX-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	653 White Level Rd.	E7. City:	Louisburg	
		E8. County:	Franklin	
E4. State	NC	E9. Zip Code	27549	
E10. Area of Opera	tion:	Louisburg, NC		
E11. Latitude:	36 °6 '11.5 "N			
E12. Longitude:	78 °11 '27.6 "W			
E13. Lat/Lon Coordinates are:		O NAD−27	NAD-83	O N/A
E14. Site Elevation (AMSL):		100.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	OYes ONo ●N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e	Yes	O No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Raleigh TX	WRPXT01	1	DH	38DH1	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WRPXT01	0.0/0.0	5.0	105.0	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WRPXT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WRPXT01	Geostationary	3700 4200	60.0/ 143.0	151.7	44.1	251.8	14.8	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign	E65. Phone Number			
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.				
E62. Street Address				
E63. City	E67. County		E64/68. State/Country /	E66. Zip Code

Location of Earth St	tation Site			
E1: Site Identifier:	Roanoke Studio	E5. Call Sign:	WPXR-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	401 3rd St. SW	E7. City:	Roanoke	
		E8. County:	Roanoke	
E4. State	VA	E9. Zip Code	24011	
E10. Area of Opera	tion:	Roanoke, VA		
E11. Latitude:	37 °16 '12.87 "N			
E12. Longitude:	79 °56 '44.51 "W			
E13. Lat/Lon Coord	linates are:	ONAD-27	● NAD-83	O N/A
E14. Site Elevation (AMSL):		296.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	OYes ONo ●N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e o	Yes	O No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Roanoke Studio	WPXRS01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPXRS01	0.0/0.0	14.7	301.7	8.8	0.0	5.9	0.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WPXRS01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPXRS01	Geostationary	3700 4200	60.0/ 143.0	149.9	42.2	250.0	15.8	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign		E65. Phone Number		
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.				
E62. Street Address				
E63. City	E67. County		E64/68. State/Country /	E66. Zip Code

Location of Earth St	tation Site			
E1: Site Identifier:	Roanoke TX	E5. Call Sign:	WPXR-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	8241 Honeysuckle Rd.	E7. City:	Bent Mountain	
		E8. County:	Roanoke	
E4. State	VA	E9. Zip Code	24059	
E10. Area of Opera	tion:	Bent Mountain, VA		
E11. Latitude:	37 °11 '37.4 "N			
E12. Longitude:	80 °9 '25.0 "W			
E13. Lat/Lon Coord	linates are:	O NAD−27	NAD-83	O N/A
E14. Site Elevation	(AMSL):	1148.0 meters		
E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A			
--	------------------			
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ● N/A			
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes ● No			

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No	
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	● No	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.		Yes	O No	

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Roanoke TX	WPXRT01	1	Patriot	Unknown	3.1	39.6 dBi at 3.7
						40.7 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPXRT01	0.0/0.0	4.0	1152.0	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WPXRT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPXRT01	Geostationary	3700 4200	60.0/ 143.0	149.5	42.2	249.9	16.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign	E65. Phone Number			
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.	lling station, not the			
E62. Street Address				
E63. City	E67. County		E64/68. State/Country /	E66. Zip Code

Location of Earth St	ation Site					
E1: Site Identifier:	Sacramento Studio	E5. Call Sign:	KSPX-TV			
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707			
E3. Street:	3352 Mather Field Rd	E7. City:	Rancho Cordova			
		E8. County:	Sacramento			
E4. State	CA	E9. Zip Code	95670			
E10. Area of Opera	tion:	Rancho Cordova, CA				
E11. Latitude:	38 °34 '25.93 "N					
E12. Longitude:	121 °18 '13.56 "W					
E13. Lat/Lon Coord	linates are:	O NAD-27	NAD-83	O N/A		
E14. Site Elevation	(AMSL):	38.0 meters				

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	OYes ONo ●N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No	
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	● No	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.		Yes	O No	

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Sacramento Studio	KSPXS01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2
	KSPXS02				5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KSPXS01	0.0/0.0	4.9	42.9	0.0	0.0	0.0	0.0
KSPXS02	0.0/0.0	6.0	44.0	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Ba (MHz)	ands	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)	
KSPXS01	3700 4	200	R	Horizontal	36M0G7F	0.0	0.0	
E50. Modulation entirety.)	and Services	(If th	ne complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its	
Digital vi	deo with a	ssoc	iated audio su	bcarriers Modu	lations			
KSPXS02	3700 4	200	R	Horizontal	36M0G7F	0.0	0.0	
E50. Modulation entirety.) Digital vi	E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)							

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenn Elevatio Angle Wester Limit	a on n	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KSPXS01	Geostationary	3700 4200	60.0/ 143.0	109.3	14.1	207.1	41.7		0.0
KSPXS02	Geostationary	3700 4200	60.0/ 143.0	109.3	14.1	207.1	41.7		0.0
REMOTE CO	ONTROL POIN	T LOCATION	•		•	•	•		
E61. Call S NOTE: Plea callsign for wh	ign ase enter the calls ich this applicati	sign of the contro on is being filed	olling station, no	t the	. Phone Number				
E62. Street	Address								
E63. City			E67. County	у		E64/68. State/Country /		E66.	Zip Code

Location of Earth St	ation Site			
E1: Site Identifier:	Sacramento TX	E5. Call Sign:	KSPX-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	1650 Levee Rd	E7. City:	Walnut Grove	
		E8. County:	Sacramento	
E4. State	СА	E9. Zip Code	95690	
E10. Area of Opera	tion:	Walnut Grove, CA		
E11. Latitude:	38 °15 '52.4 "N			
E12. Longitude:	121 °29 '24.2 "W			
E13. Lat/Lon Coord	linates are:	ONAD-27	● NAD-83	O ^{N/A}
E14. Site Elevation	(AMSL):	6.1 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	OYes ONo ●N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No	
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	● No	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.		Yes	O No	

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Sacramento TX	KSPXT01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KSPXT01	0.0/0.0	11.1	17.2	6.1	0.0	5.0	0.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
KSPXT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KSPXT01	Geostationary	3700 4200	60.0/ 143.0	109.0	14.0	207.0	42.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign		E65. Phone Number		
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.				
E62. Street Address				
E63. City	E67. County		E64/68. State/Country /	E66. Zip Code

Location of Earth St	tation Site			
E1: Site Identifier:	Salt Lake City TX	E5. Call Sign:	KUPX-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	Little Mount Farnsworth Peak	E7. City:	Tooele	
		E8. County:	Tooele	
E4. State	UT	E9. Zip Code	84044	
E10. Area of Opera	tion:	Tooele, Utah		
E11. Latitude:	40 ° 39 ' 12.0 "N			
E12. Longitude:	112 °12 '9.0 "W			
E13. Lat/Lon Coord	linates are:	O NAD-27	() NAD-83	O N/A
E14. Site Elevation	(AMSL):	2749.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes ● No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e	Yes	O No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Salt Lake City TX	KUPXT01	1	DH	38DH1	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KUPXT01	0.0/0.0	5.0	2754.0	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
KUPXT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KUPXT01	Geostationary	3700 4200	60.0/ 143.0	117.3	19.9	217.8	35.6	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign	E65. Phone Number			
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.				
E62. Street Address				
E63. City	E67. County		E64/68. State/Country /	E66. Zip Code

Location of Earth St	ation Site			
E1: Site Identifier:	SaltLakeCity Studio	E5. Call Sign:	KUPX-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	466 C Lawndale Dr	E7. City:	Salt Lake	
		E8. County:	Salt Lake	
E4. State	UT	E9. Zip Code	84115	
E10. Area of Operat	tion:	Salt Lake , Utah		
E11. Latitude:	40 °42 '47.4 "N			
E12. Longitude:	111 °54 '12.0 "W			
E13. Lat/Lon Coord	linates are:	O NAD−27	⊗ NAD-83	O N/A
E14. Site Elevation	(AMSL):	1296.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	• Yes • No • N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ⊗ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes ● No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	۲	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	۲	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	۲	Yes	0	No

POINTS OF COMMUNICATION

Satellite Name: If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
SaltLakeCity Studio	KUPXS01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	KUPXS02					43.8 dBi at 3.7
						44.9 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KUPXS01	0.0/0.0	6.0	1302.0	0.0	0.0	0.0	0.0
KUPXS02	0.0/0.0	6.0	1302.0	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Ban (MHz)	nds	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)		
KUPXS01	3700 420	00 F	R	Horizontal	36M0G7F	0.0	0.0		
E50. Modulation entirety.)	and Services ((If the	e complete descriptio	on does not appear in	this box, please go to	o the end of the form	to view it in its		
Digital vi	Digital video with associated audio subcarriers Modulations								
KUPXS02	3700 420	00 F	R	Horizontal	36M0G7F	0.0	0.0		
E50. Modulation entirety.)	E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)								
Digital vi	deo with as:	soci	ated audio su	bcarriers Modu	lations				

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenn Elevatio Angle Western Limit	a on n	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KUPXS01	Geostationary	3700 4200	60.0/ 143.0	117.6	20.1	218.1	35.4		0.0
KUPXS02	Geostationary	3700 4200	60.0/ 143.0	117.6	20.1	218.1	35.4		0.0
REMOTE CC	NTROL POIN	T LOCATION		•					
E61. Call Si NOTE: Plea callsign for wh	ign ase enter the calls ich this applicati	sign of the contro on is being filed	olling station, no	t the	. Phone Number				
E62. Street	Address								
E63. City			E67. County	у		E64/68. State/Country /		E66.	Zip Code

Location of Earth St	tation Site			
E1: Site Identifier:	San Antonio Studio	E5. Call Sign:	KPXL-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	6100 Bandera Road	E7. City:	San Antonio	
		E8. County:	Bexar	
E4. State	TX	E9. Zip Code	78238	
E10. Area of Opera	tion:	San Antonio, TX		
E11. Latitude:	29 °29 '3.2 "N			
E12. Longitude:	98 °36 '21.7 "W			
E13. Lat/Lon Coord	linates are:	O ^{NAD-27}	NAD-83	O N/A
E14. Site Elevation	(AMSL):	265.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes ● No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e	Yes	O No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
San Antonio Studio	KPXLS01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	KPXLS02					43.8 dBi at 3.7
						44.9 dBi at 4.2

s) E35. Abo ter Ground /Major Level <bl (meters)</bl 	we E36. Above Se Level R> (meters)	a E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
56.1	321.1	50.0	0.0	6.1	0.0
56.1	321.1	50.0	0.0	6.1	0.0
	E35. Abo ter Ground /Major Level <bl (meters) 56.1 56.1</bl 	E35. Above fer (Major s)E36. Above Sea Level (meters)56.1321.156.1321.1	E35. Above Ground (Major s)E36. Above Sea Level (meters)E37. Building 	E35. Above Ground (Major s)E36. Above Sea Level (meters)E37. Building 	E35. Above fer (Major s)E36. Above Sea Level (meters)E37. Building

E28. Antenna Id	E43/44. Frequency Bar (MHz)	nds	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
KPXLS01	3700 42	200	R	Horizontal	36M0G7F	0.0	0.0
E50. Modulation entirety.)	and Services	(If th	e complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its
Digital vi	deo with as	SSOC	lated audio su	bcarriers Modu	llations		
KPXLS02	3700 42	200	R	Horizontal	36M0G7F	0.0	0.0
E50. Modulation entirety.)	and Services	(If th	e complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its
Digital vi	deo with as	SSOC	iated audio su	bcarriers Modu	lations		

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevatior Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KPXLS01	Geostationary	3700 4200	60.0/ 143.0	122.2	36.3	240.0	34.4	0.0
KPXLS02	Geostationary	3700 4200	60.0/ 143.0	122.2	36.3	240.0	34.4	0.0
REMOTE CO	ONTROL POIN	T LOCATION		·				- ·
E61. Call S NOTE: Plea callsign for wh	ign ase enter the calls nich this applicati	sign of the contro on is being filed	olling station, no	et the	. Phone Number			
E62. Street	Address							
E63. City			E67. Count	у		E64/68. State/Country /		E66. Zip Code

Location of Earth S	tation Site			
E1: Site Identifier:	San Antonio TX	E5. Call Sign:	KPXL-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	7173 Hwy 173 South	E7. City:	Bandera	
		E8. County:	Bandera	
E4. State	ТХ	E9. Zip Code	78003	
E10. Area of Opera	tion:	Bandera, TX		
E11. Latitude:	29 °37 '12.0 "N			
E12. Longitude:	99 °2 '57.1 "W			
E13. Lat/Lon Coord	linates are:	O NAD-27	() NAD-83	O N/A
E14. Site Elevation	(AMSL):	467.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes ● No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e	Yes	O No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
San Antonio TX	KPXLT01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KPXLT01	0.0/0.0	4.9	471.9	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
KPXLT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KPXLT01	Geostationary	3700 4200	60.0/ 143.0	121.9	35.9	239.4	34.6	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign		E65. Phone Number		
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.				
E62. Street Address				
E63. City	E67. County		E64/68. State/Country /	E66. Zip Code

Location of Earth St	tation Site			
E1: Site Identifier:	San Francisco Studio	E5. Call Sign:	KKPX-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	660 Price Avenue	E7. City:	Redwood City	
	Ste B	E8. County:	San Mateo	
E4. State	СА	E9. Zip Code	94063	
E10. Area of Opera	tion:	Redwood City, CA		
E11. Latitude:	37 °29 '33.0 "N			
E12. Longitude:	122 °13 '49.6 "W			
E13. Lat/Lon Coord	linates are:	O ^{NAD-27}	() NAD-83	O N/A
E14. Site Elevation	(AMSL):	7.3 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes ● No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes		
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	● No	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.		Yes	O No	

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
San Francisco Studio	KKPXS01	1	Prodelin	Unknown	3.7	41.2 dBi at 3.7
						42.3 dBi at 4.2
	KKPXS02		Comtech		3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KKPXS01	0.0/0.0	9.0	16.3	4.0	0.0	5.0	0.0
KKPXS02	0.0/0.0	9.0	16.3	4.0	0.0	5.0	0.0

E28. Antenna Id	E43/44. Frequency Band (MHz)	E45. T/R Mode ls	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)	
KKPXS01	3700 420	0 R	Horizontal	36M0G7F	0.0	0.0	
E50. Modulation entirety.)	and Services (1	f the complete descrip	tion does not appear ir	this box, please go	to the end of the form	to view it in its	
Digital vi	deo with ass	ociated audio s	subcarriers Modu	lations			
KKPXS02	3700 420	0 R	Horizontal	36M0G7F	0.0	0.0	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)							
Digital vi	deo with ass	oclated audio s	Subcarriers Modi	llations			

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevatior Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KKPXS01	Geostationary	3700 4200	60.0/ 143.0	108.2	13.7	206.3	43.1	0.0
KKPXS02	Geostationary	3700 4200	60.0/ 143.0	108.2	13.7	206.3	43.1	0.0
REMOTE CO	ONTROL POIN	T LOCATION		•				·
E61. Call S NOTE: Ple callsign for wh	ign ase enter the calls nich this applicati	sign of the contro on is being filed	olling station, no	t the	. Phone Number			
E62. Street	Address							
E63. City			E67. County	y		E64/68. State/Country /		E66. Zip Code

Location of Earth St	tation Site			
E1: Site Identifier:	San Francisco TX	E5. Call Sign:	KKPX-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	500 Radio Road	E7. City:	Brisbane	
	T11 #7506	E8. County:	San Mateo	
E4. State	СА	E9. Zip Code	94005	
E10. Area of Opera	tion:	Brisbane, CA		
E11. Latitude:	37 °41 '14.4 "N			
E12. Longitude:	122 °26 '5.3 "W			
E13. Lat/Lon Coord	linates are:	ONAD-27	● NAD-83	O N/A
E14. Site Elevation	(AMSL):	391.7 meters		
E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A			
--	------------------			
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ● N/A			
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes ● No			

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e	Yes	O No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
San Francisco TX	KKPXT01	1	Prodelin	Unknown	3.8	41.5 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KKPXT01	0.0/0.0	11.0	402.7	6.0	0.0	5.0	0.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
KKPXT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KKPXT01	Geostationary	3700 4200	60.0/ 143.0	108.1	13.5	206.0	43.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign		E65. Phone Number		
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.	lling station, not the			
E62. Street Address				
E63. City	E67. County		E64/68. State/Country /	E66. Zip Code

Location of Earth St	ation Site			
E1: Site Identifier:	Scranton Studio	E5. Call Sign:	WQPX-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	409 Lackawanna Ave.	E7. City:	Scranton	
	Ste 700	E8. County:	Lackawanna	
E4. State	PA	E9. Zip Code	18503	
E10. Area of Opera	tion:	Scranton, PA		
E11. Latitude:	41 °24 '28.6 "N			
E12. Longitude:	75 °39 '56.8 "W			
E13. Lat/Lon Coord	linates are:	O ^{NAD-27}	● NAD-83	O N/A
E14. Site Elevation	(AMSL):	240.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	• Yes	O ^{No}	O ^{N/A}
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes	O ^{No}	● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes	۲	No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e	Yes	O No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Scranton Studio	WQPXS01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2
	WQPXS02					41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WQPXS01	0.0/0.0	42.7	282.7	38.1	0.0	4.6	0.0
WQPXS02	0.0/0.0	42.7	282.7	38.1	0.0	4.6	0.0

E28. Antenna Id	E43/44. Frequency Bar (MHz)	nds	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WQPXS01	3700 42	200	R	Horizontal	36M0G7F	0.0	0.0
E50. Modulation entirety.)	and Services	(If th	ne complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its
Digital vi	deo with as	SSOC	iated audio su	bcarriers Modu	lations		
WQPXS02	3700 42	200	R	Horizontal	36M0G7F	0.0	0.0
E50. Modulation entirety.)	and Services	(If th	e complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its
Digital vi	deo with as	SSOC	iated audio su	bcarriers Modu	lations		

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WQPXS01	Geostationary	3700 4200	60.0/ 143.0	157.8	39.7	251.6	11.1	0.0
WQPXS02	Geostationary	3700 4200	60.0/ 143.0	157.8	39.7	251.6	11.1	0.0
REMOTE CO	ONTROL POIN	T LOCATION			•			•
E61. Call S NOTE: Ple callsign for wh	ign ase enter the calls nich this applicati	sign of the contro on is being filed	olling station, no	et the	. Phone Number			
E62. Street	Address							
E63. City			E67. Count	у		E64/68. State/Country /		E66. Zip Code

Location of Earth St	ation Site			
E1: Site Identifier:	Scranton TX	E5. Call Sign:	WQPX-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	1049 N. Sekol Rd.	E7. City:	Scranton	
		E8. County:	Lackawanna	
E4. State	PA	E9. Zip Code	18503	
E10. Area of Operat	tion:	Scranton, PA		
E11. Latitude:	41 °26 '9.34 "N			
E12. Longitude:	75 °43 '35.89 "W			
E13. Lat/Lon Coord	linates are:	O NAD-27	● NAD-83	O ^{N/A}
E14. Site Elevation	(AMSL):	566.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	OYes ONo ●N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No	
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	● No	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.		Yes	O No	

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Scranton TX	WQPXT01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WQPXT01	0.0/0.0	4.6	570.6	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WQPXT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WQPXT01	Geostationary	3700 4200	60.0/ 143.0	157.8	39.7	251.6	11.2	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign		E65. Phone Number		
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.	lling station, not the			
E62. Street Address				
E63. City	E67. County		E64/68. State/Country /	E66. Zip Code

Location of Earth St	ation Site			
E1: Site Identifier:	Seattle Studio	E5. Call Sign:	KWPX-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	8112–C 304th Ave SE	E7. City:	Preston	
		E8. County:	King	
E4. State	WA	E9. Zip Code	98050	
E10. Area of Operat	tion:	Preston, WA		
E11. Latitude:	47 °31 '44.5 "N			
E12. Longitude:	121 °56 '8.7 "W			
E13. Lat/Lon Coord	linates are:	● NAD-27	NAD-83	O N/A
E14. Site Elevation	(AMSL):	158.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	• Yes	O ^{No}	O ^{N/A}
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes	O ^{No}	● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes	۲	No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e	Yes	O No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Seattle Studio	KWPXS01	1	Comtech	Unknown	5.0	0.0 dBi at 0
						43.8 dBi at 3.7
						44.9 dBi at 4.2
	KWPXS02					43.8 dBi at 3.7
						44.9 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KWPXS01	0.0/0.0	15.8	173.8	9.3	0.0	6.5	0.0
KWPXS02	0.0/0.0	15.8	173.8	9.3	0.0	6.5	0.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
KWPXS01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0
E50. Modulation entirety.)	and Services (If	the complete descript	tion does not appear ir	this box, please go	to the end of the form	to view it in its
Digital vi	deo with asso	ciated audio s	ubcarriers Modu	lations		
KWPXS02	3700 4200	R	Horizontal	36M0G7F	0.0	0.0
E50. Modulation entirety.) Digital vi	and Services (If	the complete descript	L tion does not appear ir ubcarriers Modu	this box, please go	to the end of the form	to view it in its

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevatior Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KWPXS01	Geostationary	3700 4200	60.0/ 143.0	112.0	10.3	202.6	32.9	0.0
KWPXS02	Geostationary	3700 4200	60.0/ 143.0	112.0	10.3	202.6	32.9	0.0
REMOTE CO	ONTROL POIN	T LOCATION		·				
E61. Call S NOTE: Ple callsign for wh	ign ase enter the calls nich this applicati	sign of the contro on is being filed	olling station, no	et the	. Phone Number			
E62. Street	Address							
E63. City			E67. Count	у		E64/68. State/Country /		E66. Zip Code

Location of Earth St	tation Site			
E1: Site Identifier:	Seattle TX	E5. Call Sign:	KWPX-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	10812 279th Ave SE	E7. City:	Issaquah	
		E8. County:	King	
E4. State	WA	E9. Zip Code	98027	
E10. Area of Opera	tion:	Issaquah, WA		
E11. Latitude:	47 °30 '15.4 "N			
E12. Longitude:	121 °58 '8.0 "W			
E13. Lat/Lon Coord	linates are:	O NAD−27	NAD-83	O N/A
E14. Site Elevation	(AMSL):	853.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	OYes ONo ●N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e	Yes	O No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Seattle TX	KWPXT01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KWPXT01	0.0/0.0	6.2	859.2	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
KWPXT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KWPXT01	Geostationary	3700 4200	60.0/ 143.0	111.9	10.3	202.5	32.9	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign	E65. Phone Number			
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.	lling station, not the			
E62. Street Address				
E63. City	E67. County		E64/68. State/Country /	E66. Zip Code

Location of Earth St	tation Site			
E1: Site Identifier:	Spokane Studio	E5. Call Sign:	KGPX-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727–533–2707	
E3. Street:	1201 W. Sprague Ave.	E7. City:	Spokane	
		E8. County:	Spokane	
E4. State	WA	E9. Zip Code	99201	
E10. Area of Opera	tion:	Spokane, WA		
E11. Latitude:	47 °39 '24.45 "N			
E12. Longitude:	117 °25 '47.32 "W	,		
E13. Lat/Lon Coord	linates are:	ONAD-27	⊗ NAD-83	O N/A
E14. Site Elevation	(AMSL):	580.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two–degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	OYes ONo ●N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No	
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	● No	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.		Yes	O No	

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Spokane Studio	KGPXS01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KGPXS01	0.0/0.0	14.6	594.6	10.0	0.0	4.6	0.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
KGPXS01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KGPXS01	Geostationary	3700 4200	60.0/ 143.0	115.8	13.2	208.2	31.4	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign	E65. Phone Number			
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.	lling station, not the			
E62. Street Address				
E63. City	E67. County		E64/68. State/Country /	E66. Zip Code

Location of Earth St	ation Site			
E1: Site Identifier:	Spokane TX	E5. Call Sign:	KGPX-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	6000 S. Park Lane	E7. City:	Spokane	
		E8. County:	Spokane	
E4. State	WA	E9. Zip Code	99223	
E10. Area of Operat	tion:	Spokane, WA		
E11. Latitude:	47 °35 '56.87 "N			
E12. Longitude:	117 °18 '1.27 "W			
E13. Lat/Lon Coord	linates are:	ONAD-27	● NAD-83	O ^{N/A}
E14. Site Elevation	(AMSL):	989.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

	0	Yes	() ()	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	() ()	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, ha you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	ve	Yes	0	No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Spokane TX	KGPXT01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KGPXT01	0.0/0.0	4.0	993.0	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
KGPXT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KGPXT01	Geostationary	3700 4200	60.0/ 143.0	115.9	13.3	208.3	31.4	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign	E65. Phone Number			
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.	lling station, not the			
E62. Street Address				
E63. City	E67. County		E64/68. State/Country /	E66. Zip Code

Location of Earth St	tation Site			
E1: Site Identifier:	St Louis Studio	E5. Call Sign:	WRBU	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	2000 Richardson Rd	E7. City:	Arnold	
	Suite 3	E8. County:	Jefferson	
E4. State	MS	E9. Zip Code	63010	
E10. Area of Opera	tion:	Arnold, MS		
E11. Latitude:	38 °25 '3.04 "N			
E12. Longitude:	90 °23 '29.44 "W			
E13. Lat/Lon Coord	linates are:	● NAD-27	NAD-83	O N/A
E14. Site Elevation	(AMSL):	175.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0 Ye	es 🔘	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	• Ye	es 🔘	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e 🔘 Ye	es O	No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
St Louis Studio	WRBUS01	1	Andrew	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	WRBUS02		Patriot	PRT-450	4.5	42.9 dBi at 3.7
						44.0 dBi at 4.2
	NA	0	NA	NA	0.0	0.0 dBi at 0

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WRBUS01	0.0/0.0	6.0	181.0	0.0	0.0	0.0	0.0
WRBUS02	0.0/0.0	5.8	180.8	0.0	0.0	0.0	0.0
NA	0.0/0.0	0.0	0.0	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Ban (MHz)	E45. T/R Mode ds	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WRBUS01	3700 420	00 R	Horizontal	36M0G7F	0.0	0.0
E50. Modulation entirety.)	and Services (If the complete descr	ription does not appear in	this box, please go	to the end of the form	to view it in its
Digital vi	deo with ass	sociated audio	subcarriers Modu	lations		
WRBUS02	3700 420	00 R	Horizontal	36M0G7F	0.0	0.0
E50. Modulation entirety.)	and Services (If the complete descr	ription does not appear in	this box, please go	to the end of the form	to view it in its
Digital vi	deo with ass	sociated audio	subcarriers Modu	lations		

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevatior Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WRBUS01	Geostationary	3700 4200	60.0/ 143.0	137.3	35.8	241.3	23.2	0.0
WRBUS02	Geostationary	3700 4200	60.0/ 143.0	137.3	35.8	241.3	23.2	0.0
REMOTE CO	ONTROL POIN	T LOCATION			•			- ·
E61. Call S NOTE: Plea callsign for wh	ign ase enter the calls nich this applicati	sign of the contro on is being filed	olling station, no	et the	. Phone Number			
E62. Street	Address							
E63. City			E67. Count	у		E64/68. State/Country /		E66. Zip Code

Location of Earth St	ation Site			
E1: Site Identifier:	St Louis TX	E5. Call Sign:	WRBU	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	4200 E. Dry Fork Rd	E7. City:	Imperial	
		E8. County:	Jefferson	
E4. State	MS	E9. Zip Code	63052	
E10. Area of Opera	tion:	Imperial, MS		
E11. Latitude:	38 °23 '18.0 "N			
E12. Longitude:	90 °29 '16.0 "W			
E13. Lat/Lon Coord	linates are:	O NAD-27	● NAD-83	O N/A
E14. Site Elevation	(AMSL):	274.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

	0	Yes	۲	No		
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	۲	No		
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, ha you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	ve	Yes	0	No		
E21. Common Name:	E22. ITU Name:					
--	----------------	--	--	--	--	--
E23. Orbit Location:	E24. Country:					
POINTS OF COMMUNICATION (Destination Points)						
E25. Site Identifier:						
E26. Common Name:	E27. Country:					

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
St Louis TX	WRBUT01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WRBUT01	0.0/0.0	5.7	279.7	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WRBUT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WRBUT01	Geostationary	3700 4200	60.0/ 143.0	137.2	35.8	241.2	23.3	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign	E65. Phone Number			
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.	lling station, not the			
E62. Street Address				
E63. City	E67. County		E64/68. State/Country /	E66. Zip Code

Location of Earth St	tation Site			
E1: Site Identifier:	Syracuse Studio	E5. Call Sign:	WSPX-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	6508–B Basile Rowe	E7. City:	East Syracuse	
		E8. County:	Onondaga	
E4. State	NY	E9. Zip Code	13057	
E10. Area of Opera	tion:	East Syracuse, NY		
E11. Latitude:	43 °3 '42.5 "N			
E12. Longitude:	76°3'31.8 "W			
E13. Lat/Lon Coord	linates are:	O NAD-27	NAD-83	O N/A
E14. Site Elevation	(AMSL):	104.0 meters		
E11. Latitude: E12. Longitude: E13. Lat/Lon Coord E14. Site Elevation	43 °3 '42.5 "N 76 °3 '31.8 "W dinates are: (AMSL):	• NAD–27 104.0 meters	● NAD-83	O N∕A

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes ● No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e	Yes	O No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Syracuse Studio	WSPXS01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	WSPXS02				3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WSPXS01	0.0/0.0	5.9	109.9	0.0	0.0	0.0	0.0
WSPXS02	0.0/0.0	5.0	109.0	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Ba (MHz)	ands	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WSPXS01	3700 42	200	R	Horizontal	36M0G7F	0.0	0.0
E50. Modulation entirety.)	and Services	(If th	ne complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its
Digital vi	deo with as	ssoc	iated audio su	bcarriers Modu	lations		
WSPXS02	3700 42	200	R	Horizontal	36M0G7F	0.0	0.0
E50. Modulation entirety.)	and Services	(If th	ne complete description	on does not appear in	this box, please go t	o the end of the form	to view it in its
Digital vi	deo with as	ssoc	iated audio su	bcarriers Modu	lations		

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenn Elevatic Angle Wester Limit	ia on n	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WSPXS01	Geostationary	3700 4200	60.0/ 143.0	158.0	37.9	250.8	10.9		0.0
WSPXS02	Geostationary	3700 4200	60.0/ 143.0	158.0	37.9	250.8	10.9		0.0
REMOTE CO	ONTROL POIN	T LOCATION		•					
E61. Call S NOTE: Plea callsign for wh	ign ase enter the calls nich this applicati	sign of the contro on is being filed	olling station, no	E65	. Phone Number				
E62. Street	Address								
E63. City			E67. County	у		E64/68. State/Country /		E66.	Zip Code

Location of Earth St	ation Site			
E1: Site Identifier:	Syracuse TX	E5. Call Sign:	WSPX-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	477 Grannis Road	E7. City:	West Monroe	
		E8. County:	Oswego	
E4. State	NY	E9. Zip Code	13167	
E10. Area of Operat	tion:	West Monroe, NY		
E11. Latitude:	43 °18 '18.0 "N			
E12. Longitude:	76°2'57.1 "W			
E13. Lat/Lon Coord	linates are:	ONAD-27	● NAD-83	O N/A
E14. Site Elevation	(AMSL):	174.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes ● No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e	Yes	O No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Syracuse TX	WSPXT01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WSPXT01	0.0/0.0	4.6	178.6	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WSPXT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WSPXT01	Geostationary	3700 4200	60.0/ 143.0	158.1	37.7	250.7	10.8	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign	E65. Phone Number			
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.				
E62. Street Address				
E63. City	E67. County		E64/68. State/Country /	E66. Zip Code

Location of Earth St	ation Site			
E1: Site Identifier:	Tampa TX	E5. Call Sign:	WXPX-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	13623 Rhodine Rd.	E7. City:	Riverview	
		E8. County:	Hillsborough	
E4. State	FL	E9. Zip Code	33579	
E10. Area of Operat	tion:	Riverview, FL		
E11. Latitude:	27 °49 '10.8 "N			
E12. Longitude:	82 °15 '38.0 "W			
E13. Lat/Lon Coord	linates are:	O ^{NAD-27}	● NAD-83	O ^{N/A}
E14. Site Elevation	(AMSL):	7.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0 Ye	es 🙆	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	• Ye	es 🎯	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e 💿 Ye	es O	No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Tampa TX	WXPXT01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	WXPXT02				3.1	39.6 dBi at 3.7
						40.7 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WXPXT01	0.0/0.0	6.1	13.1	0.0	0.0	0.0	0.0
WXPXT02	0.0/0.0	4.2	11.2	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Band (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)	
WXPXT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0	
E50. Modulation entirety.)	and Services (In	the complete descript	ion does not appear ir	n this box, please go t	to the end of the form	to view it in its	
Digital vi	Digital video with associated audio subcarriers Modulations						
WXPXT02	3700 4200	R	Horizontal	36M0G7F	0.0	0.0	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Digital video with associated audio subcarriers Modulations							

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WXPXT01	Geostationary	3700 4200	60.0/ 143.0	139.6	49.7	253.0	20.9	0.0
WXPXT02	Geostationary	3700 4200	60.0/ 143.0	139.6	49.7	253.0	20.9	0.0
REMOTE CO	ONTROL POIN	T LOCATION		•	•			
E61. Call S NOTE: Plea callsign for wh	ign ase enter the calls nich this applicati	sign of the contro on is being filed	olling station, no	E65	. Phone Number			
E62. Street	Address							
E63. City			E67. Count	у		E64/68. State/Country /		E66. Zip Code

Location of Earth St	ation Site			
E1: Site Identifier:	Tulsa Studio	E5. Call Sign:	KTPX-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	5800 east skelly dr	E7. City:	Tulsa	
		E8. County:	Tulsa	
E4. State	ОК	E9. Zip Code	74135	
E10. Area of Operat	tion:	Tulsa, OK		
E11. Latitude:	36 °6 '7.1 "N			
E12. Longitude:	95 °54 '42.6 "W			
E13. Lat/Lon Coord	linates are:	O ^{NAD-27}	● NAD-83	O ^{N/A}
E14. Site Elevation	(AMSL):	234.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0 Ye	es 🔘	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	• Ye	es 🎯	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e 💿 Ye	es O	No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Tulsa Studio	KTPXS01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	KTPXS02		DH		3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E35/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
0.0/0.0	6.2	240.2	0.0	0.0	0.0	0.0
0.0/0.0	5.1	239.1	0.0	0.0	0.0	0.0
	E33/34. Diameter Minor/Major (meters) 0.0/0.0 0.0/0.0	E33/34.E35. AboveDiameterGroundMinor/MajorLevel (meters)0.0/0.06.20.0/0.05.1	E33/34.E35. AboveE36. Above SeaDiameter Minor/Major (meters)Ground Level (meters)Level 	E33/34.E35. Above Ground Level (meters)E36. Above Sea 	E33/34. Diameter Minor/Major (meters)E35. Above Ground Level (meters)E36. Above Sea 	E33/34.E35. Above Ground Level (meters)E36. Above Sea

E28. Antenna Id	E43/44. Frequency Ban (MHz)	nds E4	45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
KTPXS01	3700 420	00 R		Horizontal	36M0G7F	0.0	0.0
E50. Modulation entirety.)	and Services ((If the c	complete descriptio	on does not appear in	this box, please go to	o the end of the form	to view it in its
Digital vi	deo with as:	socia	ated audio su	bcarriers Modu	lations		
KTPXS02	3700 420	00 R		Horizontal	36M0G7F	0.0	0.0
E50. Modulation entirety.)	and Services ((If the c	complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its
Digital vi	deo with as	socia	ated audio su	bcarriers Modu	lations		

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KTPXS01	Geostationary	3700 4200	60.0/ 143.0	129.8	34.0	237.8	28.5	0.0
KTPXS02	Geostationary	3700 4200	60.0/ 143.0	129.8	34.0	237.8	28.5	0.0
REMOTE CO	ONTROL POIN	T LOCATION	•	•	•			
E61. Call S NOTE: Plea callsign for wh	ign ase enter the calls ich this applicati	sign of the contro on is being filed	olling station, no	ot the	. Phone Number			
E62. Street	Address							
E63. City			E67. Count	у		E64/68. State/Country /		E66. Zip Code

Location of Earth St	ation Site			
E1: Site Identifier:	Tulsa TX	E5. Call Sign:	KTPX-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	3799 Belcher road	E7. City:	Mounds	
		E8. County:	Okmulgee	
E4. State	ОК	E9. Zip Code	74047	
E10. Area of Operat	tion:	Mounds, OK		
E11. Latitude:	35 °50 '1.19 "N			
E12. Longitude:	96 °7 '26.9 "W			
E13. Lat/Lon Coord	linates are:	ONAD-27	NAD-83	O N/A
E14. Site Elevation	(AMSL):	283.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes ● No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e	Yes	O No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Tulsa TX	KTPXT01	1	Prodelin	Unknown	3.7	41.2 dBi at 3.7
						42.3 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KTPXT01	0.0/0.0	5.0	288.0	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
KTPXT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KTPXT01	Geostationary	3700 4200	60.0/ 143.0	129.4	34.1	237.8	28.8	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign	E65. Phone Number			
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.	lling station, not the			
E62. Street Address				
E63. City	E67. County		E64/68. State/Country /	E66. Zip Code

Location of Earth St	ation Site			
E1: Site Identifier:	WashingtonDC Studio	E5. Call Sign:	WPXW-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	6199 Old Arrington Lane	E7. City:	Fairfax Station	
		E8. County:	Fairfax	
E4. State	VA	E9. Zip Code	22039	
E10. Area of Opera	tion:	Fairfax Station, VA		
E11. Latitude:	38 °47 '16.65 "N			
E12. Longitude:	77 °19 '47.44 "W			
E13. Lat/Lon Coord	linates are:	O NAD-27	● NAD-83	O ^{N/A}
E14. Site Elevation	(AMSL):	140.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	OYes ONo ●N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes	● No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e	Yes	O No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
WashingtonDC Studio	WPXWS01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2
	WPXWS02		DH	Gibralter	4.2	42.3 dBi at 3.7
						43.0 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPXWS01	0.0/0.0	4.7	144.7	0.0	0.0	0.0	0.0
WPXWS02	0.0/0.0	5.0	145.0	0.0	0.0	0.0	0.0

E28. Antenna Id	E43/44. Frequency Band (MHz)	E45. T/R Mode ls	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)	
WPXWS01	3700 420	0 R	Horizontal	36M0G7F	0.0	0.0	
E50. Modulation entirety.)	and Services (f the complete descrip	otion does not appear ir	this box, please go t	to the end of the form	to view it in its	
Digital vi	Digital video with associated audio subcarriers Modulations						
WPXWS02	3700 420	0 R	Horizontal	36M0G7F	0.0	0.0	
E50. Modulation entirety.) Digital vi	E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Digital video with associated audio subcarriers Modulations						

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPXWS01	Geostationary	3700 4200	60.0/ 143.0	154.4	41.8	251.4	13.2	0.0
WPXWS02	Geostationary	3700 4200	60.0/ 143.0	154.4	41.8	251.4	13.2	0.0
REMOTE CO	ONTROL POIN	T LOCATION	•	•	•			- ·
E61. Call S NOTE: Ple callsign for wh	ign ase enter the calls nich this applicati	sign of the contro on is being filed	olling station, no	E65	. Phone Number			
E62. Street	Address							
E63. City			E67. County			E64/68. State/Country /		E66. Zip Code

Location of Earth St	ation Site				
E1: Site Identifier:	WashingtonDC TX	E5. Call Sign:	WPXW-TV		
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707		
E3. Street:	4100 Wisconsin Ave, NW	E7. City:	Washington		
		E8. County:	Washington		
E4. State	DC	E9. Zip Code	20016		
E10. Area of Operat	tion:	Washington, DC			
E11. Latitude:	38 ° 56 ' 33.7 "N				
E12. Longitude:	77 °4 '39.9 "W				
E13. Lat/Lon Coord	linates are:	ONAD-27	NAD-83	O ^{N/A}	
E14. Site Elevation	(AMSL):	124.0 meters			

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0 Ye	es 🔘	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	• Ye	es 🎯	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e 💿 Ye	es O	No

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
WashingtonDC TX	WPXWT01	1	Patriot	380	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPXWT01	0.0/0.0	20.9	144.9	16.0	0.0	4.9	0.0

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WPXWT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPXWT01	Geostationary	3700 4200	60.0/ 143.0	154.8	41.8	251.5	13.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign	E65. Phone Number			
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.	lling station, not the			
E62. Street Address				
E63. City	E67. County		E64/68. State/Country /	E66. Zip Code

Location of Earth St	tation Site			
E1: Site Identifier:	Wausau TX	E5. Call Sign:	WTPX-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	16090 Landing Road	E7. City:	Wausua	
		E8. County:	Langlade	
E4. State	WI	E9. Zip Code	54403	
E10. Area of Operation:		Wausua, WI		
E11. Latitude:	45 °3 '33.0 "N			
E12. Longitude:	89 °26 '10.0 "W			
E13. Lat/Lon Coordinates are:		O NAD−27	NAD-83	O ^{N/A}
E14. Site Elevation (AMSL):		438.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	• Yes • No •	N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ●	N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	O Yes ● No	

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0	Yes				
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	0	Yes	● No			
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.		Yes	O No			
E21. Common Name:	E22. ITU Name:					
--	----------------	--	--	--	--	--
E23. Orbit Location:	E24. Country:					
POINTS OF COMMUNICATION (Destination Points)						
E25. Site Identifier:						
E26. Common Name:	E27. Country:					

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Wausau TX	WTPXT01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WTPXT01	0.0/0.0	5.0	443.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WTPXT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WTPXT01	Geostationary	3700 4200	60.0/ 143.0	142.1	30.8	238.9	19.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign	E65. Phone Number			
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.	lling station, not the			
E62. Street Address				
E63. City	E67. County		E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS FCC Form 312 – Schedule B:(Technical and Operational Description) FOR OFFICIAL USE ONLY

Location of Earth St	ation Site			
E1: Site Identifier:	West Palm Beach TX	E5. Call Sign:	WPXP-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	6075 State Rd 7	E7. City:	Lake Worth	
		E8. County:	Palm Beach	
E4. State	FL	E9. Zip Code	33467	
E10. Area of Opera	tion:	Lake Worth, FL		
E11. Latitude:	26 °35 '21.2 "N			
E12. Longitude:	80°12'42.8 "W			
E13. Lat/Lon Coord	linates are:	ONAD-27	NAD-83	O N/A
E14. Site Elevation	(AMSL):	8.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0 Ye	es 🔘	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	• Ye	es 🎯	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e 💿 Ye	es O	No

Satellite Name: PERMITTED LIST | | If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:					
E23. Orbit Location:	E24. Country:					
POINTS OF COMMUNICATION (Destination Points)						
E25. Site Identifier:						
E26. Common Name:	E27. Country:					

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
West Palm Beach TX	WPXPT01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna E3 Id Dia Mi (m	33/34. iameter linor/Major neters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPXPT01 0.0	0/0.0	4.8	12.8	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands	E45. T/R Mode	E46. Antenna Polarization(H,V,	E47. Emission Designator	E48. Maximum EIRP per Carrier	E49. Maximum ERIP Density per
	(MHz)		L,R)		(dBW)	Carrier
						(dBW/4kHz)

WPXPT01	3700	4200	R	Horizontal	36M0G7F	0.0	0.0
E50. Modulation	and Services	s (If th	ne complete description	on does not appear in	this box, please go to	o the end of the form	to view it in its
entirety.)							
Digital vi	deo with	assoc	iated audio su	bcarriers Modu	lations		

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPXPT01	Geostationary	3700 4200	60.0/ 143.0	141.5	52.1	254.9	19.4	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign		E65. Phone Number		
NOTE: Please enter the callsign of the contro callsign for which this application is being filed.	lling station, not the			
E62. Street Address				
E63. City	E67. County		E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS FCC Form 312 – Schedule B:(Technical and Operational Description) FOR OFFICIAL USE ONLY

Location of Earth St	ation Site			
E1: Site Identifier:	Tampa Studio	E5. Call Sign:	WXPX-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	14444 66th Street N	E7. City:	Clearwater	
		E8. County:	Pinellas	
E4. State	FL	E9. Zip Code	33764	
E10. Area of Opera	tion:	Clearwater, FL		
E11. Latitude:	27 °54 '16.6 "N			
E12. Longitude:	82 °43 '50.1 "W			
E13. Lat/Lon Coord	linates are:	O NAD−27	NAD-83	O N/A
E14. Site Elevation	(AMSL):	5.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0 Ye	es 🔘	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	• Ye	es 🎯	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e 💿 Ye	es O	No

Satellite Name: PERMITTED LIST | | If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Tampa Studio	WXPXS01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	WXPXS02		Andrew	ES45MPJ	4.5	42.9 dBi at 3.7
						44.0 dBi at 4.2
	WXPXS03		ATCi	5B	9.6	49.4 dBi at 3.7
						50.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WXPXS01	0.0/0.0	6.9	11.9	0.0	0.0	0.0	0.0
WXPXS02	0.0/0.0	6.6	11.6	0.0	0.0	0.0	0.0

WXPXS03	0.0/0.0	9.8		14.8		0.0		0.0		0.0	().0
FREQUENCY				4								
E28. Antenna Id	E43/44. Frequency H (MHz)	Bands	E45. T/R M	lode	E46. Anto Polarizat L,R)	enna ion(H,V,	E47. E Design	mission ator	E48. EIR (dBV	Maximum P per Carrier W)	E49 ER Ca (dl	9. Maximum IP Density per rrier 3W/4kHz)
WXPXS01	3700	4200	R		Horizonta Vertical	ll and	36M00	G7F	0.0		0.0	
E50. Modulation entirety.)	n and Services	(If th	he complete d	lescripti	on does no	t appear ii	n this boy	x, please go t	o the e	end of the form	to v	iew it in its
Digital v	ideo with	assoc	iated aud	lio su	ıbcarrie	rs Modu	ulatio	ns				
WXPXS02	3700	4200	R		Horizonta Vertical	ıl and	36M0C	37F	0.0		0.0	
E50. Modulation entirety.)	n and Services	(If tl	he complete d	lescripti	on does no	t appear ii	n this boy	x, please go t	o the e	end of the form	to v	iew it in its
Digital v	ideo with	assoc	iated aud	lio su	ıbcarrie	rs Modu	ulation	ns				
WXPXS03	3700	4200	R		Horizonta Vertical	ll and	36M0C	G7F	0.0		0.0	

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WXPXS01	Geostationary	3700 4200	60.0/ 143.0	139.0	49.3	252.7	21.3	0.0
WXPXS02	Geostationary	3700 4200	60.0/ 143.0	139.0	49.3	252.7	21.3	0.0
WXPXS03	Geostationary	3700 4200	60.0/ 143.0	139.0	49.3	252.7	21.3	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign	E65. Phone Number
NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.	
E62. Street Address	

E63. City	E67. County	E64/68.	E66. Zip Code
		State/Country	_
		/	

SATELLITE EARTH STATION AUTHORIZATIONS FCC Form 312 – Schedule B:(Technical and Operational Description) FOR OFFICIAL USE ONLY

Location of Earth St	ation Site			
E1: Site Identifier:	Des Moines Studio	E5. Call Sign:	KFPX-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	4570 114th Street	E7. City:	Urbandale	
		E8. County:	Polk	
E4. State	ΙΑ	E9. Zip Code	50322	
E10. Area of Operat	tion:	Urbandale, IA		
E11. Latitude:	41 °38 '23.7 "N			
E12. Longitude:	93 °46 '32.2 "W			
E13. Lat/Lon Coord	linates are:	○ NAD-27	NAD-83	O ^{N/A}
E14. Site Elevation	(AMSL):	302.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	● Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non–geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	O Yes O No ● N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	• Yes • No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	0 Ye	es 🔘	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	• Ye	es 🔘	No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, hav you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	e 🔘 Ye	es O	No

Satellite Name: PERMITTED LIST | | If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:
POINTS OF COMMUNICATION (Destination Points)	
E25. Site Identifier:	
E26. Common Name:	E27. Country:

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size <meters></meters>	E41/42. Antenna GainTransmint and/or Recieve (dBi at GHz)
Des Moines Studio	KFPXS01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	KFPXS02					43.8 dBi at 3.7
						44.9 dBi at 4.2

34. neter (or/Major] ers) (E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
).0	6.0	308.0	0.0	0.0	0.0	0.0
).0	6.0	308.0	0.0	0.0	0.0	0.0
	34. neter pr/Major ers)	34.E35. AboveneterGroundor/MajorLevel ers)(meters)0.06.00.06.0	34.E35. AboveE36. Above SeaieterGroundLevel (meters)(meters)0.06.0308.00.06.0308.0	34. neter or/Major ers)E35. Above Ground Level (meters)E36. Above Sea 	34. neter or/Major ers)E35. Above Ground Level (meters)E36. Above Sea 	34. neter or/Major ers)E35. Above Ground Level (meters)E36. Above Sea

FREQUENCY

E28. Antenna Id	E43/44. Frequency B (MHz)	ands	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)	
KFPXS01	3700 4	4200	R	Horizontal	36M0G7F	0.0	0.0	
E50. Modulation entirety.)	and Services	(If th	he complete descripti	on does not appear in	this box, please go t	o the end of the form	to view it in its	
Digital vi	deo with a	assoc	iated audio su	ıbcarriers Modu	lations			
KFPXS02	3700	4200	R	Horizontal	36M0G7F	0.0	0.0	
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Digital video with associated audio subcarriers Modulations								

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KFPXS01	Geostationary	3700 4200	60.0/ 143.0	135.4	31.3	236.6	23.8	0.0
KFPXS02	Geostationary	3700 4200	60.0/ 143.0	135.4	31.3	236.6	23.8	0.0
REMOTE CO	ONTROL POIN	T LOCATION			•			- ·
E61. Call S NOTE: Plea callsign for wh	ign ase enter the calls nich this applicati	sign of the contro on is being filed	olling station, no	et the	. Phone Number			
E62. Street	Address							
E63. City			E67. Count	у		E64/68. State/Country /		E66. Zip Code

FCC NOTICE REQUIRED BY THE PAPERWORK REDUCTION ACT

The public reporting for this collection of information is estimated to average 0.25 – 24 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the required data, and completing and reviewing the collection of information. If you have any comments on this burden estimate, or how we can improve the collection and reduce the burden it causes you, please write to the Federal Communications Commission, AMD–PERM, Paperwork Reduction Project (3060–0678), Washington, DC 20554. We will also accept your comments regarding the Paperwork Reduction Act aspects of this collection via the Internet if you send them to PRA@fcc.gov. PLEASE DO NOT SEND COMPLETED FORMS TO THIS ADDRESS.

Remember – You are not required to respond to a collection of information sponsored by the Federal government, and the government may not conduct or sponsor this collection, unless it displays a currently valid OMB control number or if we fail to provide you with this notice. This collection has been assigned an OMB control number of 3060–0678.

THE FOREGOING NOTICE IS REQUIRED BY THE PAPERWORK REDUCTION ACT OF 1995, PUBLIC LAW 104–13, OCTOBER 1, 1995, 44 U.S.C. SECTION 3507.