

Date & Time Filed: Oct 17 2018 5:39:46:130PM
File Number: SES-REG-INTR2018-09325
Callsign/Satellite ID:

APPLICATION FOR EARTH STATION AUTHORIZATIONS FCC 312 MAIN FORM FOR OFFICIAL USE ONLY	FCC Use Only
--	--------------

APPLICANT INFORMATION

Enter a description of this application to identify it on the main menu:

ION C-Band Receive Only Earth Stations

1-8. Legal Name of Applicant

Name:	ION Television License, LLC	Phone Number:	561-682-4110
DBA Name:		Fax Number:	
Street:	601 Clearwater Park Road	E-Mail:	biancafrye@ionmedia.com
City:	West Palm Beach	State:	FL
Country:	USA	Zipcode:	33401 -
Attention:	Legal Department		

9-16. Name of Contact Representative

Name: Mark Ruppert

Phone Number:

727-533-2707

Company: ION Media Networks

Fax Number:

Street: 14444 66th Street N

E-Mail:

markruppert@ionmedia.com

City: Clearwater

State:

FL

Country: USA

Zipcode:

33764-

Attention: Mark Ruppert

Relationship:

Engineer

CLASSIFICATION OF FILING

17. Choose the button next to the classification that applies to this filing for both questions a. and b. Choose only one for 17a and only one for 17b. a. ☒ a1. Earth Station (N/A) a2. Space Station	b. ☐ b1. Application for License of New Station ☒ b2. Application for Registration of New Domestic Receive–Only Station (N/A) b3. Amendment to a Pending Application (N/A) b4. Modification of License or Registration (N/A) b5. Assignment of License or Registration (N/A) b6. Transfer of Control of License or Registration (N/A) b7. Notification of Minor Modification (N/A) b8. Application for License of New Receive–Only Station Using Non–U.S. Licensed Satellite (N/A) b9. Letter of Intent to Use Non–U.S. Licensed Satellite to Provide Service in the United States ☐ b10. Other (Please specify) ☐ b11. Application for Earth Station to Access a Non–U.S.satellite Not Currently Authorized to Provide the Proposed Service in the Proposed Frequencies in the United States. ☐ b12. Application for Database Entry (N/A) b13. Amendment to a Pending Database Entry Application (N/A) b14. Modifiction of Database Entry
17c. Is a fee submitted with this application? ☒ If Yes, complete and attach FCC Form 159. If No, indicate reason for fee exemption (see 47 C.F.R.Section 1.1114). ☐ Governmental Entity ☐ Noncommercial educational licensee ☐ Other(please explain):	
17d. Fee Classification BGV – Fixed Satellite VSAT System	

18. If this filing is in reference to an existing station, enter: (a) Call sign of station: Not Applicable	19. If this filing is an amendment to a pending application enter: (a) Date pending application was filed: (b) File number of pending application: Not Applicable Not Applicable
--	--

TYPE OF SERVICE

20. NATURE OF SERVICE: This filing is for an authorization to provide or use the following type(s) of service(s): Select all that apply:	
☒ a. Fixed Satellite ☐ b. Mobile Satellite ☐ c. Radiodetermination Satellite ☐ d. Earth Exploration Satellite ☐ e. Direct to Home Fixed Satellite ☐ f. Digital Audio Radio Service ☐ g. Other (please specify)	
21. STATUS: Choose the button next to the applicable status. Choose only one. ☐ Common Carrier ☒ Non-Common Carrier	22. If earth station applicant, check all that apply. ☒ Using U.S. licensed satellites ☐ Using Non-U.S. licensed satellites
23. If applicant is providing INTERNATIONAL COMMON CARRIER service, see instructions regarding Sec. 214 filings. Choose one. Are these facilities: ☐ Connected to a Public Switched Network ☐ Not connected to a Public Switched Network ☒ N/A	

24. FREQUENCY BAND(S): Place an "X" in the box(es) next to all applicable frequency band(s).

- ☒ a. C-Band (4/6 GHz) ☐ b. Ku-Band (12/14 GHz)
☐ c. Other (Please specify upper and lower frequencies in MHz.)
Frequency Lower: Frequency Upper:

TYPE OF STATION

25. CLASS OF STATION: Choose the button next to the class of station that applies. Choose only one.

- ☒ a. Fixed Earth Station
☐ b. Temporary-Fixed Earth Station
☐ c. 12/14 GHz VSAT Network
☐ d. Mobile Earth Station
(N/A) e. Geostationary Space Station
(N/A) f. Non-Geostationary Space Station
☐ g. Other (please specify)

26. TYPE OF EARTH STATION FACILITY: Choose only one.

- ☐ Transmit/Receive ☐ Transmit-Only ☒ Receive-Only ☐ N/A

PURPOSE OF MODIFICATION

27. The purpose of this proposed modification is to: (Place an 'X' in the box(es) next to all that apply.)

Not Applicable

ENVIRONMENTAL POLICY

28. Would a Commission grant of any proposal in this application or amendment have a significant environmental impact as defined by 47 CFR 1.1307? If YES, submit the statement as required by Sections 1.1308 and 1.1311 of the Commission's rules, 47 C.F.R. §§ 1.1308 and 1.1311, as an exhibit to this application. A Radiation Hazard Study must accompany all applications for new transmitting facilities, major modifications, or major amendments.

☐ Yes ☒ No

ALIEN OWNERSHIP Earth station applicants not proposing to provide broadcast, common carrier, aeronautical en route or aeronautical fixed radio station services are not required to respond to Items 30–34.

29. Is the applicant a foreign government or the representative of any foreign government?

☐ Yes ☒ No

30. Is the applicant an alien or the representative of an alien?

☐ Yes ☒ No ☐ N/A

31. Is the applicant a corporation organized under the laws of any foreign government?

☐ Yes ☒ No ☐ N/A

32. Is the applicant a corporation of which more than one-fifth of the capital stock is owned of record or voted by aliens or their representatives or by a foreign government or representative thereof or by any corporation organized under the laws of a foreign country?

☐ Yes ☒ No ☐ N/A

33. Is the applicant a corporation directly or indirectly controlled by any other corporation of which more than one-fourth of the capital stock is owned of record or voted by aliens, their representatives, or by a foreign government or representative thereof or by any corporation organized under the laws of a foreign country?

☐ Yes ☒ No ☐ N/A

34. If any answer to questions 29, 30, 31, 32 and/or 33 is Yes, attach as an exhibit an identification of the aliens or foreign entities, their nationality, their relationship to the applicant, and the percentage of stock they own or vote.

BASIC QUALIFICATIONS

35. Does the Applicant request any waivers or exemptions from any of the Commission's Rules?
If Yes, attach as an exhibit, copies of the requests for waivers or exceptions with supporting documents.

☐ Yes ☒ No

36. Has the applicant or any party to this application or amendment had any FCC station authorization or license revoked or had any application for an initial, modification or renewal of FCC station authorization, license, or construction permit denied by the Commission? If Yes, attach as an exhibit, an explanation of circumstances.

☐ Yes ☒ No

37. Has the applicant, or any party to this application or amendment, or any party directly or indirectly controlling the applicant ever been convicted of a felony by any state or federal court? If Yes, attach as an exhibit, an explanation of circumstances.	☐ Yes ☒ No
38. Has any court finally adjudged the applicant, or any person directly or indirectly controlling the applicant, guilty of unlawfully monopolizing or attempting unlawfully to monopolize radio communication, directly or indirectly, through control of manufacture or sale of radio apparatus, exclusive traffic arrangement or any other means or unfair methods of competition? If Yes, attach as an exhibit, an explanation of circumstances	☐ Yes ☒ No
39. Is the applicant, or any person directly or indirectly controlling the applicant, currently a party in any pending matter referred to in the preceding two items? If yes, attach as an exhibit, an explanation of the circumstances.	☐ Yes ☒ No
40. If the applicant is a corporation and is applying for a space station license, attach as an exhibit the names, address, and citizenship of those stockholders owning a record and/or voting 10 percent or more of the Filer's voting stock and the percentages so held. In the case of fiduciary control, indicate the beneficiary(ies) or class of beneficiaries. Also list the names and addresses of the officers and directors of the Filer.	

41. By checking Yes, the undersigned certifies, that neither applicant nor any other party to the application is subject to a denial of Federal benefits that includes FCC benefits pursuant to Section 5301 of the Anti-Drug Act of 1988, 21 U.S.C. Section 862, because of a conviction for possession or distribution of a controlled substance. See 47 CFR 1.2002(b) for the meaning of "party to the application" for these purposes.

☒ Yes ☐ No

42a. Does the applicant intend to use a non-U.S. licensed satellite to provide service in the United States? If Yes, answer 42b and attach an exhibit providing the information specified in 47 C.F.R. 25.137, as appropriate. If No, proceed to question 43.

☐ Yes ☒ No

42b. What administration has licensed or is in the process of licensing the space station? If no license will be issued, what administration has coordinated or is in the process of coordinating the space station?

43. Description. (Summarize the nature of the application and the services to be provided).
(If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

(If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Applicant uses C-Band receive-only earth station to receive programming for owned television stations.

43a. Geographic Service Rule Certification

By selecting A, the undersigned certifies that the applicant is not subject to the geographic service or geographic coverage requirements specified in 47 C.F.R. Part 25.

☒ A

By selecting B, the undersigned certifies that the applicant is subject to the geographic service or geographic coverage requirements specified in 47 C.F.R. Part 25 and will comply with such requirements.

☐ B

By selecting C, the undersigned certifies that the applicant is subject to the geographic service or geographic coverage requirements specified in 47 C.F.R. Part 25 and will not comply with such requirements because it is not feasible as a technical matter to do so, or that, while technically feasible, such services would require so many compromises in satellite design and operation as to make it economically unreasonable. A narrative description and technical analysis demonstrating this claim are attached.

☐ C

CERTIFICATION

The Applicant waives any claim to the use of any particular frequency or of the electromagnetic spectrum as against the regulatory power of the United States because of the previous use of the same, whether by license or otherwise, and requests an authorization in accordance with this application. The applicant certifies that grant of this application would not cause the applicant to be in violation of the spectrum aggregation limit in 47 CFR Part 20. All statements made in exhibits are a material part hereof and are incorporated herein as if set out in full in this application. The undersigned, individually and for the applicant, hereby certifies that all statements made in this application and in all attached exhibits are true, complete and correct to the best of his or her knowledge and belief, and are made in good faith.

44. Applicant is a (an): (Choose the button next to applicable response.)

- ☐ Individual
☐ Unincorporated Association
☐ Partnership
☐ Corporation
☐ Governmental Entity
☒ Other (please specify)
Limited Liability Company

45. Name of Person Signing
Mark Ruppert

46. Title of Person Signing
Director, Support Engineering

47. Please supply any need attachments.

Attachment 1:

Attachment 2:

Attachment 3:

WILLFUL FALSE STATEMENTS MADE ON THIS FORM ARE PUNISHABLE BY FINE AND / OR IMPRISONMENT
(U.S. Code, Title 18, Section 1001), AND/OR REVOCATION OF ANY STATION AUTHORIZATION
(U.S. Code, Title 47, Section 312(a)(1)), AND/OR FORFEITURE (U.S. Code, Title 47, Section 503).

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Albany Studio	E5. Call Sign:	WYPX-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	1 Charles Boulevard	E7. City:	Guilderland
		E8. County:	Albany
E4. State	NY	E9. Zip Code	12084
E10. Area of Operation:	Guilderland, NY		
E11. Latitude:	42 °42 '13.6 "N		
E12. Longitude:	73 °53 '2.0 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	75.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Albany Studio	WYPXS01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	WYPXS02					43.8 dBi at 3.7
						44.9 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WYPXS01	0.0/0.0	5.4	80.4	0.0	0.0	0.0	0.0
WYPXS02	0.0/0.0	5.4	80.4	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WYPXS01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

WYPXS02	3700 4200	R	Horizontal	36M0G7F	0.0	0.0
---------	----------------	---	------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WYPXS01	Geostationary	3700 4200	60.0/ 143.0	160.8	38.9	252.6	9.4	0.0
WYPXS02	Geostationary	3700 4200	60.0/ 143.0	160.8	38.9	252.6	9.4	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Albany TX	E5. Call Sign:	WYPX-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	4661 State Hwy 30 North	E7. City:	Amsterdam
		E8. County:	Montgomery
E4. State	NY	E9. Zip Code	12010
E10. Area of Operation:	Amsterdam, NY		
E11. Latitude:	42 °59 '5.0 "N		
E12. Longitude:	74 °10 '56.5 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	221.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Albany TX	WYPXT01	1	AFC	PR-12	3.7	41.2 dBi at 3.7
						42.3 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WYPXT01	0.0/0.0	3.9	224.9	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WYPXT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WYPXT01	Geostationary	3700 4200	60.0/ 143.0	160.5	38.5	252.2	9.6	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Atlanta Studio	E5. Call Sign:	WPXA-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	200 Cobb Parkway N.	E7. City:	Marietta
	Suite 110	E8. County:	Cobb
E4. State	GA	E9. Zip Code	30062
E10. Area of Operation:	Marietta, GA		
E11. Latitude:	33 °57 '16.8 "N		
E12. Longitude:	84 °31 '17.5 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	338.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Atlanta Studio	WPXAS01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2
	WPXAS02					41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPXAS01	0.0/0.0	4.9	342.2	0.0	0.0	0.0	0.0
WPXAS02	0.0/0.0	4.2	342.2	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)		E45. T/R Mode	E46. Antenna Polarization(H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum EIRP Density per Carrier (dBW/4kHz)
WPXAS01	3700	4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

WPXAS02	3700	4200	R	Horizontal	36M0G7F	0.0	0.0
---------	------	------	---	------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPXAS01	Geostationary	3700 4200	60.0/ 143.0	141.5	43.0	248.3	20.7	0.0
WPXAS02	Geostationary	3700 4200	60.0/ 143.0	141.5	43.0	248.3	20.7	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City		E67. County	
		E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Atlanta TX	E5. Call Sign:	WPXA-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	140 Bear Mountain	E7. City:	Waleska
		E8. County:	Cherokee
E4. State	GA	E9. Zip Code	30183
E10. Area of Operation:	Waleska, GA		
E11. Latitude:	34 °18 '47.0 "N		
E12. Longitude:	84 °38 '54.0 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	709.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Atlanta TX	WPXAT01	1	Unknown	Unknown	3.1	39.6 dBi at 3.7
						40.7 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPXAT01	0.0/0.0	4.0	713.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WPXAT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPXAT01	Geostationary	3700 4200	60.0/ 143.0	141.6	42.6	248.0	20.6	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Birmingham Studio	E5: Call Sign:	WPXH-TV
E2: Contact Name	Mark Ruppert	E6: Phone Number:	727-533-2707
E3: Street:	2085 Golden Crest Drive	E7: City:	Birmingham
		E8: County:	Jefferson
E4: State	AL	E9: Zip Code	35209
E10: Area of Operation:	Birmingham, AL		
E11. Latitude:	33 °28 '59.47 "N		
E12. Longitude:	86 °48 '21.55 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	54.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Birmingham Studio	WPXHS01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	WPXHS02					43.8 dBi at 3.7
						44.9 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPXHS01	0.0/0.0	6.2	62.0	0.0	0.0	0.0	0.0
WPXHS02	0.0/0.0	6.2	62.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum EIRP Density per Carrier (dBW/4kHz)
WPXHS01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

WPXHS02	3700 4200	R	Horizontal	36M0G7F	0.0	0.0
---------	----------------	---	------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPXHS01	Geostationary	3700 4200	60.0/ 143.0	138.3	42.0	246.8	22.7	0.0
WPXHS02	Geostationary	3700 4200	60.0/ 143.0	138.3	42.0	246.8	22.7	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City		E67. County	
		E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Birmingham TX	E5. Call Sign:	WPXH-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	384 Smith Road	E7. City:	Oneonta
		E8. County:	Blount
E4. State	AL	E9. Zip Code	35121
E10. Area of Operation:	Oneonta, AL		
E11. Latitude:	33 °53 '27.0 "N		
E12. Longitude:	86 °28 '13.0 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	295.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Birmingham TX	WPXHT01	1	Comtech	Unknown	3.1	39.6 dBi at 3.7
						40.7 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPXHT01	0.0/0.0	5.0	300.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WPXHT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPXHT01	Geostationary	3700 4200	60.0/ 143.0	139.0	41.9	246.8	22.3	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Boise Studio	E5. Call Sign:	KTRV-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	679 S. Best Business Rd.	E7. City:	Kuna
		E8. County:	Ada
E4. State	ID	E9. Zip Code	83634
E10. Area of Operation:	Kuna, ID		
E11. Latitude:	43 °28 '54.5 "N		
E12. Longitude:	116 °24 '34.6 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	824.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Boise Studio	KTRVS01	1	AFC	PR-16	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	KTRVS02		DH	Unknown	4.2	42.3 dBi at 3.7
						43.4 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KTRVS01	0.0/0.0	12.5	836.5	0.0	0.0	0.0	0.0
KTRVS02	0.0/0.0	12.7	836.7	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)		E45. T/R Mode	E46. Antenna Polarization(H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum EIRP Density per Carrier (dBW/4kHz)
KTRVS01	3700	4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

KTRVS02	3700	4200	R	Horizontal	36M0G7F	0.0	0.0
---------	------	------	---	------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KTRVS01	Geostationary	3700 4200	60.0/ 143.0	115.0	15.7	211.1	34.9	0.0
KTRVS02	Geostationary	3700 4200	60.0/ 143.0	115.0	15.7	211.1	34.9	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Boise TX	E5. Call Sign:	KTRV-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	Deer Point 10.75 NNE of Boise ID	E7. City:	Boise County
		E8. County:	Boise
E4. State	ID	E9. Zip Code	83629
E10. Area of Operation:	Boise County, ID		
E11. Latitude:	43 °45 '18.0 "N		
E12. Longitude:	116 °5 '55.0 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	2219.8 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Boise TX	KTRVT01	1	True focus	4P 12.5-C	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KTRVT01	0.0/0.0	9.9	2229.7	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
KTRVT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KTRVT01	Geostationary	3700 4200	60.0/ 143.0	115.5	15.8	211.4	34.5	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Boston Studio	E5. Call Sign:	WBPX-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	1 Dunham Rd.	E7. City:	Billerica
		E8. County:	Middlesex
E4. State	MA	E9. Zip Code	01821
E10. Area of Operation:	Billerica, MA		
E11. Latitude:	42 °31 '14.0 "N		
E12. Longitude:	71 °14 '19.0 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	31.6 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Boston Studio	WPXS01	1	DH	50DH8	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	WPXS02					43.8 dBi at 3.7
						44.9 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPXS01	0.0/0.0	5.2	36.8	0.0	0.0	0.0	0.0
WPXS02	0.0/0.0	5.2	36.8	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)		E45. T/R Mode	E46. Antenna Polarization(H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WBPXS01	3700	4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

WBPXS02	3700	4200	R	Horizontal	36M0G7F	0.0	0.0
---------	------	------	---	------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WBPXS01	Geostationary	3700 4200	60.0/ 143.0	164.4	39.7	254.6	7.6	0.0
WBPXS02	Geostationary	3700 4200	60.0/ 143.0	164.4	39.7	254.6	7.6	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Boston TX	E5. Call Sign:	WBPX-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	1165 Chestnut Street	E7. City:	Newton
		E8. County:	Middlesex
E4. State	MA	E9. Zip Code	02464
E10. Area of Operation:	Newton, MA		
E11. Latitude:	42 °18 '27.8 "N		
E12. Longitude:	71 °13 '24.9 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	32.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Boston TX	WBPXT01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WBPXT01	0.0/0.0	4.3	36.3	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WBPXT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WBPXT01	Geostationary	3700 4200	60.0/ 143.0	164.4	40.0	254.6	7.6	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Buffalo Studio	E5. Call Sign:	WPXJ-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	726 Exchange St.	E7. City:	Buffalo
		E8. County:	Erie
E4. State	NY	E9. Zip Code	14210
E10. Area of Operation:	Buffalo, NY		
E11. Latitude:	42 °52 '29.22 "N		
E12. Longitude:	78 °50 '58.44 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	185.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Buffalo Studio	WPXJS01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2
	WPXJS02				5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPXJS01	0.0/0.0	46.9	231.9	41.1	0.0	5.8	0.0
WPXJS02	0.0/0.0	47.7	232.7	41.1	0.0	6.6	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)		E45. T/R Mode	E46. Antenna Polarization(H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum EIRP Density per Carrier (dBW/4kHz)
WPXJS01	3700	4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

WPXJS02	3700	4200	R	Horizontal	36M0G7F	0.0	0.0
---------	------	------	---	------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPXJS01	Geostationary	3700 4200	60.0/ 143.0	154.1	37.2	248.7	12.9	0.0
WPXJS02	Geostationary	3700 4200	60.0/ 143.0	154.1	37.2	248.7	12.9	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Buffalo TX	E5. Call Sign:	WPXJ-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	10733 South Lake Rd. Route 19	E7. City:	Pavilion
		E8. County:	Genesee
E4. State	NY	E9. Zip Code	14525
E10. Area of Operation:	Pavilion, NY		
E11. Latitude:	42 °53 '42.1 "N		
E12. Longitude:	78 °0 '55.0 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	283.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Buffalo TX	WPXJT01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPXJT01	0.0/0.0	4.2	287.2	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WPXJT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPXJT01	Geostationary	3700 4200	60.0/ 143.0	155.3	37.4	249.3	12.3	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Cedar Rapids Studio	E5. Call Sign:	KPXR-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	1957 Blairs Ferry Rd.	E7. City:	Cedar Rapids
		E8. County:	Linn
E4. State	IA	E9. Zip Code	52402
E10. Area of Operation:	Cedar Rapids, IA		
E11. Latitude:	42 °2 '2.05 "N		
E12. Longitude:	91 °40 '0.33 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	251.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Cedar Rapids Studio	KPXRS01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	KPXRS02				3.8	41.7 dBi at 3.84
						42.2 dBi at 4.04

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KPXRS01	0.0/0.0	7.0	258.0	0.0	0.0	0.0	0.0
KPXRS02	0.0/0.0	5.0	256.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)		E45. T/R Mode	E46. Antenna Polarization(H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
KPXRS01	3700	4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

KPXRS02	3800	4100	R	Horizontal	36M0G7F	0.0	0.0
---------	------	------	---	------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KPXRS01	Geostationary	3700 4200	60.0/ 143.0	138.0	32.2	238.3	22.2	0.0
KPXRS02	Geostationary	3700 4200	60.0/ 143.0	138.0	32.2	238.3	22.2	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Cedar Rapids TX	E5. Call Sign:	KPXR-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	5052 31st Ave.	E7. City:	Walker
		E8. County:	Benton
E4. State	IA	E9. Zip Code	52352
E10. Area of Operation:	Walker, IA		
E11. Latitude:	42 °17 '17.3 "N		
E12. Longitude:	91 °52 '54.5 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	303.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Cedar Rapids TX	KPXRT01	1	DH	Unknown	3.7	41.2 dBi at 3.7
						42.3 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KPXRT01	0.0/0.0	5.0	308.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
KPXRT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KPXRT01	Geostationary	3700 4200	60.0/ 143.0	137.9	31.8	238.0	22.2	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Charleston Studio	E5. Call Sign:	WLPX-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	600 C Prestige Dr	E7. City:	Hurricane
		E8. County:	Putnam
E4. State	WV	E9. Zip Code	25526
E10. Area of Operation:	Hurricane, WV		
E11. Latitude:	38 °27 '47.0 "N		
E12. Longitude:	81 °55 '55.9 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	205.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Charleston Studio	WLPXS01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	WLPXS02					43.8 dBi at 3.7
						44.9 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WLPXS01	0.0/0.0	6.0	211.0	0.0	0.0	0.0	0.0
WLPXS02	0.0/0.0	6.0	211.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)		E45. T/R Mode	E46. Antenna Polarization(H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum EIRP Density per Carrier (dBW/4kHz)
WLPXS01	3700	4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

WLPXS02	3700	4200	R	Horizontal	36M0G7F	0.0	0.0
---------	------	------	---	------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WLPXS01	Geostationary	3700 4200	60.0/ 143.0	147.9	40.2	248.0	16.9	0.0
WLPXS02	Geostationary	3700 4200	60.0/ 143.0	147.9	40.2	248.0	16.9	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Charleston TX	E5. Call Sign:	WLPX-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	592 DuPont Rd	E7. City:	Poca
		E8. County:	Putnam
E4. State	WV	E9. Zip Code	25159
E10. Area of Operation:	Poca, WV		
E11. Latitude:	38 °28 '11.8 "N		
E12. Longitude:	81 °46 '35.2 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	301.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Charleston TX	WLPXT01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WLPXT01	0.0/0.0	5.0	306.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WLPXT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WLPXT01	Geostationary	3700 4200	60.0/ 143.0	148.1	40.3	248.1	16.8	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Chicago Studio	E5. Call Sign:	WCPX-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	600 W Van Buren	E7. City:	Chicago
		E8. County:	Cook
E4. State	IL	E9. Zip Code	60661
E10. Area of Operation:	Chicago, IL		
E11. Latitude:	41 °52 '37.0 "N		
E12. Longitude:	87 °38 '34.6 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	180.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Chicago Studio	WCPXS01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2
	WCPXS02				5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WCPXS01	0.0/0.0	63.8	245.4	59.0	0.0	4.8	0.0
WCPXS02	0.0/0.0	65.5	245.5	59.0	0.0	6.5	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)		E45. T/R Mode	E46. Antenna Polarization(H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum EIRP Density per Carrier (dBW/4kHz)
WCPXS01	3700	4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

WCPXS02	3700	4200	R	Horizontal	36M0G7F	0.0	0.0
---------	------	------	---	------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WCPXS01	Geostationary	3700 4200	60.0/ 143.0	142.6	34.4	241.9	19.5	0.0
WCPXS02	Geostationary	3700 4200	60.0/ 143.0	142.6	34.4	241.9	19.5	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Cleveland Studio	E5. Call Sign:	WVPX-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	26650 Renaissance Pkwy.	E7. City:	Warrensville Heights
		E8. County:	Cuyahoga
E4. State	OH	E9. Zip Code	44128
E10. Area of Operation:	Warrensville Heights, OH		
E11. Latitude:	41 °26 '31.81 "N		
E12. Longitude:	81 °29 '25.58 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	347.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Cleveland Studio	WVPXS01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	WVPXS02		DH			43.8 dBi at 3.7
						44.9 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WVPXS01	0.0/0.0	6.0	353.0	0.0	0.0	0.0	0.0
WVPXS02	0.0/0.0	6.0	353.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)		E45. T/R Mode	E46. Antenna Polarization(H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WVPXS01	3700	4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

WVPXS02	3700	4200	R	Horizontal	36M0G7F	0.0	0.0
---------	------	------	---	------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WVPXS01	Geostationary	3700 4200	60.0/ 143.0	150.1	37.6	247.2	15.4	0.0
WVPXS02	Geostationary	3700 4200	60.0/ 143.0	150.1	37.6	247.2	15.4	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City		E67. County	
		E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Cleveland TX	E5. Call Sign:	WVPX-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	1561 Dreisbach Dr.	E7. City:	Akron
		E8. County:	Summit
E4. State	OH	E9. Zip Code	44130
E10. Area of Operation:	Akron, OH		
E11. Latitude:	41 °3 '52.7 "N		
E12. Longitude:	81 °34 '58.3 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	343.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Cleveland TX	WVPXT01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WVPXT01	0.0/0.0	6.0	349.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WVPXT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WVPXT01	Geostationary	3700 4200	60.0/ 143.0	149.7	37.9	247.2	15.6	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Columbia TX	E5. Call Sign:	WZRB
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	1747 Cushman Drive	E7. City:	Columbia
		E8. County:	Richland
E4. State	SC	E9. Zip Code	29204
E10. Area of Operation:	Columbia, SC		
E11. Latitude:	34 °2 '39.0 "N		
E12. Longitude:	80 °59 '50.0 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	112.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Columbia TX	WZRBT01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2
	WZRBT02		Patriot		4.5	42.9 dBi at 3.7
						44.0 dBi at 4.2
	NA	0	NA	NA	0.0	0.0 dBi at 0
						0.0 dBi at 0

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WZRBT01	0.0/0.0	4.2	116.2	0.0	0.0	0.0	0.0
WZRBT02	0.0/0.0	5.0	117.0	0.0	0.0	0.0	0.0

NA	0.0/0.0	0.0	0.0	0.0	0.0	0.0	0.0
----	---------	-----	-----	-----	-----	-----	-----

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)		E45. T/R Mode	E46. Antenna Polarization(H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum EIRP Density per Carrier (dBW/4kHz)
WZRBT01	3700	4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

WZRBT02	3700	4200	R	Horizontal	36M0G7F	0.0	0.0
---------	------	------	---	------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

NA	0	0	R	Horizontal	NA	0.0	0.0
----	---	---	---	------------	----	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WZRBT01	Geostationary	3700 4200	60.0/ 143.0	146.4	44.8	250.7	17.8	0.0
WZRBT02	Geostationary	3700 4200	60.0/ 143.0	146.4	44.8	250.7	17.8	0.0
NA	Geostationary	0 0	0.0/ 0.0	0.0	0.0	0.0	0.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.	E65. Phone Number
E62. Street Address	

E63. City	E67. County	E64/68. State/Country /	E66. Zip Code
-----------	-------------	-------------------------------	---------------

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Dallas Studio	E5. Call Sign:	KPXD-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	600 Six Flags Drive	E7. City:	Arlington
		E8. County:	Tarrant
E4. State	TX	E9. Zip Code	76011
E10. Area of Operation:	Arlington, TX		
E11. Latitude:	32 °44 '58.0 "N		
E12. Longitude:	97 °4 '4.4 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	166.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Dallas Studio	KPXDS01	1	Andrew	Unknown	4.5	42.9 dBi at 4.2
						44.0 dBi at 3.7
	KPXDS02		DH		3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KPXDS01	0.0/0.0	28.9	194.9	23.8	0.0	5.1	0.0
KPXDS02	0.0/0.0	27.7	193.7	23.8	0.0	3.9	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)		E45. T/R Mode	E46. Antenna Polarization(H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
KPXDS01	3700	4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

KPXDS02	3700	4200	R	Horizontal	36M0G7F	0.0	0.0
---------	------	------	---	------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KPXDS01	Geostationary	3700 4200	60.0/ 143.0	126.2	35.5	238.9	31.3	0.0
KPXDS02	Geostationary	3700 4200	60.0/ 143.0	126.2	35.5	238.9	31.3	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Dallas TX	E5. Call Sign:	KPXD-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	2133 Tar Road	E7. City:	Cedar Hill
		E8. County:	Dallas
E4. State	TX	E9. Zip Code	75104
E10. Area of Operation:	Cedar Hill, TX		
E11. Latitude:	32 °32 '36.0 "N		
E12. Longitude:	96 °57 '33.0 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	238.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Dallas TX	KPXDT01	1	Patriot	PRT 380	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KPXDT01	0.0/0.0	5.6	243.6	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
KPXDT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KPXDT01	Geostationary	3700 4200	60.0/ 143.0	126.2	35.7	239.2	31.3	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Denver Studio	E5. Call Sign:	KPXC-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	3001 S. Jamaica Ct. Suite 200	E7. City:	Aurora
		E8. County:	Arapahoe
E4. State	CO	E9. Zip Code	80014
E10. Area of Operation:	Aurora, CO		
E11. Latitude:	39 °39 '41.35 "N		
E12. Longitude:	104 °51 '46.34 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	1684.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Denver Studio	KPXCS01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	KPXCS02					43.8 dBi at 3.7
						44.9 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KPXCS01	0.0/0.0	5.9	1689.9	0.0	0.0	0.0	0.0
KPXCS02	0.0/0.0	5.9	1689.9	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)		E45. T/R Mode	E46. Antenna Polarization(H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
KPXCS01	3700	4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

KPXCS02	3700	4200	R	Horizontal	36M0G7F	0.0	0.0
---------	------	------	---	------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KPXCS01	Geostationary	3700 4200	60.0/ 143.0	123.2	25.6	226.7	32.2	0.0
KPXCS02	Geostationary	3700 4200	60.0/ 143.0	123.2	25.6	226.7	32.2	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City		E67. County	
		E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Denver TX	E5. Call Sign:	KPXC-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	6870 County Rd. 17	E7. City:	Ft. Lupton
		E8. County:	Weld
E4. State	CO	E9. Zip Code	80621
E10. Area of Operation:	Ft. Lupton, CO		
E11. Latitude:	40 °5 '59.0 "N		
E12. Longitude:	104 °54 '4.0 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	1543.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Denver TX	KPXCT01	1	Patriot	PRT 380	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KPXCT01	0.0/0.0	4.8	1547.8	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
KPXCT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KPXCT01	Geostationary	3700 4200	60.0/ 143.0	123.4	25.3	226.4	31.9	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Des Moines TX	E5. Call Sign:	KFPX-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	9199 Highway F-17 W.	E7. City:	Baxter
		E8. County:	Jasper
E4. State	IA	E9. Zip Code	50028
E10. Area of Operation:	Baxter, IA		
E11. Latitude:	41 °49 '5.2 "N		
E12. Longitude:	93 °12 '35.4 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	289.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Des Moines TX	KFPXT01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2
	NA		NA	NA	0.0	0.0 dBi at 0
						0.0 dBi at 0

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KFPXT01	0.0/0.0	5.1	293.0	0.0	0.0	0.0	0.0
NA	0.0/0.0	0.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
KFPXT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

NA	0 0	R	Horizontal	NA	0.0	0.0
----	----------	---	------------	----	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KFPXT01	Geostationary	3700 4200	60.0/ 143.0	136.1	31.5	237.0	23.3	0.0
NA	Geostationary	0 0	0.0/ 0.0	0.0	0.0	0.0	0.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City		E67. County	
		E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Detroit TX	E5. Call Sign:	WPXD-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	26935 West 11 Mile Rd.	E7. City:	Southfield
		E8. County:	Oakland
E4. State	MI	E9. Zip Code	48033
E10. Area of Operation:	Southfield, MI		
E11. Latitude:	42 °29 '1.0 "N		
E12. Longitude:	83 °18 '44.0 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	217.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Detroit TX	WPXDT01	1	DH	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	WPXDT02		Miralite	375	3.7	41.2 dBi at 3.7
						42.3 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPXDT01	0.0/0.0	5.6	222.6	0.0	0.0	0.0	0.0
WPXDT02	0.0/0.0	4.3	221.3	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)		E45. T/R Mode	E46. Antenna Polarization(H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum EIRP Density per Carrier (dBW/4kHz)
WPXDT01	3700	4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

WPXDT02	3700	4200	R	Horizontal	36M0G7F	0.0	0.0
---------	------	------	---	------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPXDT01	Geostationary	3700 4200	60.0/ 143.0	148.2	35.8	245.3	16.2	0.0
WPXDT02	Geostationary	3700 4200	60.0/ 143.0	148.2	35.8	245.3	16.2	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City		E67. County	
		E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Grand Rapids Studio	E5: Call Sign:	WZPX-TV
E2: Contact Name	Mark Ruppert	E6: Phone Number:	727-533-2707
E3: Street:	2610 Horizon Dr. SE Suite 135	E7: City:	Grand Rapids
		E8: County:	Kent
E4: State	MI	E9: Zip Code	49546
E10: Area of Operation:	Grand Rapids, MI		
E11: Latitude:	42 °54 '58.0 "N		
E12: Longitude:	85 °32 '36.5 "W		
E13: Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14: Site Elevation (AMSL):	236.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Grand Rapids Studio	WZPXS01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2
	WZPXS02					41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WZPXS01	0.0/0.0	5.1	241.1	5.0	0.0	1.5	0.0
WZPXS02	0.0/0.0	5.1	241.1	5.0	0.0	1.5	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)		E45. T/R Mode	E46. Antenna Polarization(H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum EIRP Density per Carrier (dBW/4kHz)
WZPXS01	3700	4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

WZPXS02	3700	4200	R	Horizontal	36M0G7F	0.0	0.0
---------	------	------	---	------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WZPXS01	Geostationary	3700 4200	60.0/ 143.0	145.6	34.4	243.2	17.6	0.0
WZPXS02	Geostationary	3700 4200	60.0/ 143.0	145.6	34.4	243.2	17.6	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City		E67. County	
		E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Grand Rapids TX	E5. Call Sign:	WZPX-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	11311 Kelly Hwy	E7. City:	Vermontville
		E8. County:	Eaton
E4. State	MI	E9. Zip Code	49096
E10. Area of Operation:	Vermontville, MI		
E11. Latitude:	42 °40 '45.3 "N		
E12. Longitude:	85 °3 '56.4 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	269.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Grand Rapids TX	WZPXT01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WZPXT01	0.0/0.0	5.0	274.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WZPXT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WZPXT01	Geostationary	3700 4200	60.0/ 143.0	146.1	34.9	243.7	17.3	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Greensboro Studio	E5. Call Sign:	WGPX-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	1114 N. O'Henry Blvd.	E7. City:	Greensboro
		E8. County:	Guilford
E4. State	NC	E9. Zip Code	27405
E10. Area of Operation:	Greensboro, NC		
E11. Latitude:	36 °5 '12.9 "N		
E12. Longitude:	79 °45 '57.7 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	230.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Greensboro Studio	WGPXS01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2
	WGPXS02					41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WGPXS01	0.0/0.0	4.3	234.3	0.0	0.0	0.0	0.0
WGPXS02	0.0/0.0	4.3	234.3	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)		E45. T/R Mode	E46. Antenna Polarization(H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum EIRP Density per Carrier (dBW/4kHz)
WGPXS01	3700	4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

WGPXS02	3700	4200	R	Horizontal	36M0G7F	0.0	0.0
---------	------	------	---	------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WGPXS01	Geostationary	3700 4200	60.0/ 143.0	149.4	43.4	250.7	16.1	0.0
WGPXS02	Geostationary	3700 4200	60.0/ 143.0	149.4	43.4	250.7	16.1	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Greensboro TX	E5. Call Sign:	WGPX-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	7840 Friendship Church Rd.	E7. City:	Browns Summit
		E8. County:	Rockingham
E4. State	NC	E9. Zip Code	27214
E10. Area of Operation:	Browns Summit, NC		
E11. Latitude:	36 °14 '54.8 "N		
E12. Longitude:	79 °39 '20.1 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	227.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Greensboro TX	WGPXT01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WGPXT01	0.0/0.0	4.3	231.3	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WGPXT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WGPXT01	Geostationary	3700 4200	60.0/ 143.0	149.7	43.3	250.7	15.9	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Greenville Studio	E5. Call Sign:	WEPX-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	1301 S. Glenburnie Rd.	E7. City:	New Bern
		E8. County:	Craven
E4. State	NC	E9. Zip Code	28562
E10. Area of Operation:	New Bern, NC		
E11. Latitude:	35 °7 '16.6 "N		
E12. Longitude:	77 °5 '17.73 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	19.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Greenville Studio	WEPXS01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	WEPXS02				3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WEPXS01	0.0/0.0	6.0	25.0	0.0	0.0	0.0	0.0
WEPXS02	0.0/0.0	4.2	23.2	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)		E45. T/R Mode	E46. Antenna Polarization(H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WEPXS01	3700	4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

WEPXS02	3700	4200	R	Horizontal	36M0G7F	0.0	0.0
---------	------	------	---	------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WEPXS01	Geostationary	3700 4200	60.0/ 143.0	152.8	45.6	252.9	14.2	0.0
WEPXS02	Geostationary	3700 4200	60.0/ 143.0	152.8	45.6	252.9	14.2	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City		E67. County	
		E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Greenville TX	E5. Call Sign:	WEPX-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	488 E. Hanrahan Rd	E7. City:	Grifton
		E8. County:	Pitt
E4. State	NC	E9. Zip Code	28530
E10. Area of Operation:	Grifton, NC		
E11. Latitude:	35 °24 '10.0 "N		
E12. Longitude:	77 °25 '9.0 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	19.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Greenville TX	WEPXT01	1	DH	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WEPXT01	0.0/0.0	4.0	23.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WEPXT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WEPXT01	Geostationary	3700 4200	60.0/ 143.0	152.5	45.2	252.6	14.4	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Hartford Studio	E5. Call Sign:	WHPX-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	3 Shaws Cove Suite 226	E7. City:	New London
		E8. County:	New London
E4. State	CT	E9. Zip Code	06320
E10. Area of Operation:	New London, CT		
E11. Latitude:	41 °20 '50.32 "N		
E12. Longitude:	72 °6 '9.82 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	15.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Hartford Studio	WHPXS01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2
	WHPXS02				5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WHPXS01	0.0/0.0	15.1	30.1	9.8	0.0	5.3	0.0
WHPXS02	0.0/0.0	16.0	31.0	9.8	0.0	6.2	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)		E45. T/R Mode	E46. Antenna Polarization(H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WHPXS01	3700	4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

WHPXS02	3700	4200	R	Horizontal	36M0G7F	0.0	0.0
---------	------	------	---	------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WHPXS01	Geostationary	3700 4200	60.0/ 143.0	176.8	40.8	254.3	8.5	0.0
WHPXS02	Geostationary	3700 4200	60.0/ 143.0	176.8	40.8	254.3	8.5	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City		E67. County	
		E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Hartford TX	E5. Call Sign:	WHPX-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	1334 RT 85	E7. City:	Montville
		E8. County:	New London
E4. State	CT	E9. Zip Code	06370
E10. Area of Operation:	Montville, CT		
E11. Latitude:	41 °25 '3.7 "N		
E12. Longitude:	72 °11 '53.2 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	9.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Hartford TX	WHPXT01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WHPXT01	0.0/0.0	6.2	99.1	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WHPXT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WHPXT01	Geostationary	3700 4200	60.0/ 143.0	162.8	40.7	254.2	8.6	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Honolulu Studio	E5. Call Sign:	KPXO-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	875 Waimanu Steet	E7. City:	Honolulu
	#630	E8. County:	Honolulu
E4. State	HI	E9. Zip Code	96813
E10. Area of Operation:	Honolulu, HI		
E11. Latitude:	21 °17 '59.11 "N		
E12. Longitude:	157 °51 '16.34 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	34.3 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Honolulu Studio	KPXOS01	1	Scientific Atlanta	8345	4.5	42.9 dBi at 3.7
						44.0 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KPXOS01	0.0/0.0	26.3	60.6	21.3	0.0	5.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
KPXOS01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KPXOS01	Geostationary	3700 4200	60.0/ 143.0	267.3	-2.0	136.8	57.1	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Houston TX	E5. Call Sign:	KPXB-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	3111 Senior Rd	E7. City:	Missouri City
		E8. County:	Fort Bend
E4. State	TX	E9. Zip Code	77489
E10. Area of Operation:	Missouri City, TX		
E11. Latitude:	29 °33 '41.0 "N		
E12. Longitude:	95 °30 '5.0 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	32.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Houston TX	KPXBT01	1	DH	Unknown	4.5	42.9 dBi at 3.7
						44.0 dBi at 4.2
	KPXBT02				3.7	41.2 dBi at 3.7
						42.3 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KPXBT01	0.0/0.0	5.0	37.0	0.0	0.0	0.0	0.0
KPXBT02	0.0/0.0	4.9	36.9	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)		E45. T/R Mode	E46. Antenna Polarization(H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum EIRP Density per Carrier (dBW/4kHz)
KPXBTO1	3700	4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

KPXBTO2	3700	4200	R	Horizontal	36M0G7F	0.0	0.0
---------	------	------	---	------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KPXB01	Geostationary	3700 4200	60.0/ 143.0	125.2	38.7	242.5	31.7	0.0
KPXB02	Geostationary	3700 4200	60.0/ 143.0	125.2	38.7	242.5	31.7	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City		E67. County	
		E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Indianapolis TX	E5. Call Sign:	WIPX-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	2327 West State Road 252	E7. City:	Trafalgar
		E8. County:	Johnson
E4. State	IN	E9. Zip Code	46181
E10. Area of Operation:	Trafalgar, IN		
E11. Latitude:	39 °24 '13.7 "N		
E12. Longitude:	86 °8 '40.5 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	255.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Indianapolis TX	WIPXT01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	WIPXT02		Easi			43.8 dBi at 3.7
						44.9 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WIPXT01	0.0/0.0	6.0	261.0	0.0	0.0	0.0	0.0
WIPXT02	0.0/0.0	6.0	261.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)		E45. T/R Mode	E46. Antenna Polarization(H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum EIRP Density per Carrier (dBW/4kHz)
WIPXT01	3700	4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

WIPXT02	3700	4200	R	Horizontal	36M0G7F	0.0	0.0
---------	------	------	---	------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WIPXT01	Geostationary	3700 4200	60.0/ 143.0	143.0	37.3	244.3	19.6	0.0
WIPXT02	Geostationary	3700 4200	60.0/ 143.0	143.0	37.3	244.3	19.6	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City		E67. County	
		E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Jacksonville Studio	E5. Call Sign:	WPXC-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	7434 Blythe Island Hwy	E7. City:	Brunswick
		E8. County:	Glynn
E4. State	GA	E9. Zip Code	31523
E10. Area of Operation:	Brunswick, GA		
E11. Latitude:	31 °8 '36.34 "N		
E12. Longitude:	81 °34 '42.61 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	10.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Jacksonville Studio	WPXCS01	1	Andrew	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	WPXCS02		Comtech		3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPXCS01	0.0/0.0	6.0	16.0	0.0	0.0	0.0	0.0
WPXCS02	0.0/0.0	5.0	15.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)		E45. T/R Mode	E46. Antenna Polarization(H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WPXCS01	3700	4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

WPXCS02	3700	4200	R	Horizontal	36M0G7F	0.0	0.0
---------	------	------	---	------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPXCS01	Geostationary	3700 4200	60.0/ 143.0	143.5	47.1	251.7	19.2	0.0
WPXCS02	Geostationary	3700 4200	60.0/ 143.0	143.5	47.1	251.7	19.2	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City		E67. County	
		E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Jacksonville TX	E5. Call Sign:	WPXC-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	871 McKendree Road	E7. City:	Kingsland
		E8. County:	Camden
E4. State	GA	E9. Zip Code	31548
E10. Area of Operation:	Kingsland, GA		
E11. Latitude:	30 °49 '39.8 "N		
E12. Longitude:	81 °44 '26.4 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	17.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Jacksonville TX	WPXCT01	1	Patriot	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPXCT01	0.0/0.0	5.0	22.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WPXCT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPXCT01	Geostationary	3700 4200	60.0/ 143.0	143.0	47.3	251.8	19.5	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	JacksonvilleNC TX	E5. Call Sign:	WPXU-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	904 Old Folkstone Rd	E7. City:	Sneads Ferry
		E8. County:	Onslow
E4. State	NC	E9. Zip Code	28460
E10. Area of Operation:	Sneads Ferry, NC		
E11. Latitude:	34 °31 '11.0 "N		
E12. Longitude:	77 °26 '51.0 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	9.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
JacksonvilleNC TX	WPXUT01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPXUT01	0.0/0.0	5.0	14.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WPXUT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPXUT01	Geostationary	3700 4200	60.0/ 143.0	151.9	46.0	252.9	14.7	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Kansas City Studio	E5. Call Sign:	KPXE-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	4220 Shawnee Mission Parkway	E7. City:	Fairway
	Suite 110B	E8. County:	Johnson
E4. State	KS	E9. Zip Code	66205
E10. Area of Operation:	Fairway, KS		
E11. Latitude:	39 °1 '44.7 "N		
E12. Longitude:	94 °38 '4.4 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	279.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Kansas City Studio	KPXES01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2
	KPXES02		Prodelin		5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KPXES01	0.0/0.0	5.0	282.8	0.0	0.0	0.0	0.0
KPXES02	0.0/0.0	6.0	283.9	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)		E45. T/R Mode	E46. Antenna Polarization(H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum EIRP Density per Carrier (dBW/4kHz)
KPXES01	3700	4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

KPXES02	3700	4200	R	Horizontal	36M0G7F	0.0	0.0
---------	------	------	---	------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KPXES01	Geostationary	3700 4200	60.0/ 143.0	133.0	32.8	237.2	25.9	0.0
KPXES02	Geostationary	3700 4200	60.0/ 143.0	133.0	32.8	237.2	25.9	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Columbus TX	E5. Call Sign:	WSFJ-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	770 Twin Rivers Dr.	E7. City:	Columbus
		E8. County:	Franklin
E4. State	OH	E9. Zip Code	43215
E10. Area of Operation:	Columbus, OH		
E11. Latitude:	39 °58 '16.0 "N		
E12. Longitude:	83 °1 '40.0 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	219.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Columbus TX	WSFJT01	1	DH	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WSFJT01	0.0/0.0	6.0	225.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WSFJT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WSFJT01	Geostationary	3700 4200	60.0/ 143.0	147.3	38.3	246.5	17.1	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Kansas City TX	E5. Call Sign:	KPXE-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	6309 E. 56th Street	E7. City:	Kansas City
		E8. County:	Jackson
E4. State	MO	E9. Zip Code	64129
E10. Area of Operation:	Kansas City, MO		
E11. Latitude:	39 °1 '19.9 "N		
E12. Longitude:	94 °30 '49.7 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	281.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Kansas City TX	KPXET01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KPXET01	0.0/0.0	5.0	286.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
KPXET01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KPXET01	Geostationary	3700 4200	60.0/ 143.0	133.6	32.18	119.54	23.35	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Knoxville Studio	E5. Call Sign:	WPXK-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	9000 Exective Park Drive	E7. City:	Knoxville
	Bld D Ste 210	E8. County:	Knox
E4. State	TN	E9. Zip Code	37923
E10. Area of Operation:	Knoxville, TN		
E11. Latitude:	35 °55 '18.39 "N		
E12. Longitude:	84 °4 '46.32 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	290.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Knoxville Studio	WPXKS01	1	Patriot	Unknown	4.5	42.9 dBi at 3.7
						44.0 dBi at 4.2
	WPXKS02		Comtech		5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPXKS01	0.0/0.0	5.9	295.9	0.0	0.0	0.0	0.0
WPXKS02	0.0/0.0	6.0	296.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)		E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WPXKS01	3700	4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

WPXKS02	3700	4200	R	Horizontal	36M0G7F	0.0	0.0
---------	------	------	---	------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPXKS01	Geostationary	3700 4200	60.0/ 143.0	143.5	41.5	247.6	19.5	0.0
WPXKS02	Geostationary	3700 4200	60.0/ 143.0	143.5	41.5	247.6	19.5	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City		E67. County	
		E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Knoxville TX	E5. Call Sign:	WPXK-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	363 Sharps Ridge Memorial Park Road	E7. City:	Knoxville	
		E8. County:	Knox	
E4. State	TN	E9. Zip Code	37917	
E10. Area of Operation:	Knoxville, TN			
E11. Latitude:	36 °0 '12.8 "N			
E12. Longitude:	83 °56 '34.0 "W			
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A	
E14. Site Elevation (AMSL):	423.0 meters			

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Knoxville TX	WPXKT01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPXKT01	0.0/0.0	4.6	427.6	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WPXKT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPXKT01	Geostationary	3700 4200	60.0/ 143.0	143.7	41.5	247.7	19.4	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Lexington TX	E5. Call Sign:	WUPX-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	2166 McCausey Ridge Rd.	E7. City:	Frenchburg
		E8. County:	Menifee
E4. State	KY	E9. Zip Code	40322
E10. Area of Operation:	Frenchburg, KY		
E11. Latitude:	37 °54 '26.6 "N		
E12. Longitude:	83 °38 '1.1 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	369.7 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Lexington TX	WUPXT01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2
	WUPXT02		Unknown			41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WUPXT01	0.0/0.0	4.4	374.1	0.0	0.0	0.0	0.0
WUPXT02	0.0/0.0	4.4	374.1	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)		E45. T/R Mode	E46. Antenna Polarization(H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum EIRP Density per Carrier (dBW/4kHz)
WUPXT01	3700	4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

WUPXT02	3700	4200	R	Horizontal	36M0G7F	0.0	0.0
---------	------	------	---	------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WUPXT01	Geostationary	3700 4200	60.0/ 143.0	145.3	39.9	247.0	18.4	0.0
WUPXT02	Geostationary	3700 4200	60.0/ 143.0	145.3	39.9	247.0	18.4	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City		E67. County	
		E64/68. State/Country /	
		E66. Zip Code	

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Los Angeles Studio	E5. Call Sign:	KPXN-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	2531 Nina St.	E7. City:	Pasadena
		E8. County:	Los Angeles
E4. State	CA	E9. Zip Code	91107
E10. Area of Operation:	Pasadena, CA		
E11. Latitude:	34 °8 '50.7 "N		
E12. Longitude:	118 °5 '53.5 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	233.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Los Angeles Studio	KPXNS01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	KPXNS02				3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KPXNS01	0.0/0.0	5.9	228.9	0.0	0.0	0.0	0.0
KPXNS02	0.0/0.0	5.0	228.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)		E45. T/R Mode	E46. Antenna Polarization(H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum EIRP Density per Carrier (dBW/4kHz)
KPXNS01	3700	4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

KPXNS02	3700	4200	R	Horizontal	36M0G7F	0.0	0.0
---------	------	------	---	------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KPXNS01	Geostationary	3700 4200	60.0/ 143.0	109.7	18.1	214.2	44.4	0.0
KPXNS02	Geostationary	3700 4200	60.0/ 143.0	109.7	18.1	214.2	44.4	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Los Angeles TX	E5. Call Sign:	KPXN-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	1 Mount Harvard	E7. City:	Flintridge
		E8. County:	Los Angeles
E4. State	CA	E9. Zip Code	91011
E10. Area of Operation:	Mt Harvard, CA		
E11. Latitude:	34 °12 '47.3 "N		
E12. Longitude:	118 °3 '43.9 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	1648.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Los Angeles TX	KPXNT01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KPXNT01	0.0/0.0	4.7	1658.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
KPXNT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KPXNT01	Geostationary	3700 4200	60.0/ 143.0	109.7	18.1	214.0	44.3	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Martinsburg TX	E5. Call Sign:	WWPX-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	71 Swinging Bridge Road	E7. City:	Martinsburg
		E8. County:	Berkeley
E4. State	WV	E9. Zip Code	25403
E10. Area of Operation:	Martinsburg, WV		
E11. Latitude:	39 °27 '27.6 "N		
E12. Longitude:	78 °3 '51.5 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	444.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Martinsburg TX	WWPXT01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WWPXT01	0.0/0.0	4.0	448.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WWPXT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WWPXT01	Geostationary	3700 4200	60.0/ 143.0	153.7	40.9	250.6	13.6	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Memphis TX	E5. Call Sign:	WPXX-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	3145 Brother Blvd.	E7. City:	Bartlett
		E8. County:	Shelby
E4. State	TN	E9. Zip Code	38133
E10. Area of Operation:	Bartlett, TN		
E11. Latitude:	35 °12 '43.2 "N		
E12. Longitude:	89 °48 '55.2 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	86.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Memphis TX	WPXXT01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	WPXXT02				3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2
	WPXXT03				3.1	39.6 dBi at 3.7
						40.7 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPXXT01	0.0/0.0	5.9	91.9	0.0	0.0	0.0	0.0
WPXXT02	0.0/0.0	4.5	90.5	0.0	0.0	0.0	0.0

WPXXT03	0.0/0.0	4.2	90.2	0.0	0.0	0.0	0.0
---------	---------	-----	------	-----	-----	-----	-----

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)		E45. T/R Mode	E46. Antenna Polarization(H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum EIRP Density per Carrier (dBW/4kHz)
WPXXT01	3700	4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

WPXXT02	3700	4200	R	Horizontal	36M0G7F	0.0	0.0
---------	------	------	---	------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

WPXXT03	3700	4200	R	Horizontal	36M0G7F	0.0	0.0
---------	------	------	---	------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPXXT01	Geostationary	3700 4200	60.0/ 143.0	135.8	38.7	243.5	24.4	0.0
WPXXT02	Geostationary	3700 4200	60.0/ 143.0	135.8	38.7	243.5	24.4	0.0
WPXXT03	Geostationary	3700 4200	60.0/ 143.0	135.8	38.7	243.5	24.4	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.	E65. Phone Number
E62. Street Address	

E63. City	E67. County	E64/68. State/Country /	E66. Zip Code
-----------	-------------	-------------------------------	---------------

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Miami Studio	E5. Call Sign:	WPXM-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	14901 NE 20th Avenue	E7. City:	North Miami
		E8. County:	Miami-Dade
E4. State	FL	E9. Zip Code	33181
E10. Area of Operation:	North Miami, FL		
E11. Latitude:	25 °54 '49.5 "N		
E12. Longitude:	80 °9 '31.2 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	54.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Miami Studio	WPXMS01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2
	WPXMS02		DH			41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPXMS01	0.0/0.0	4.8	58.8	0.0	0.0	0.0	0.0
WPXMS02	0.0/0.0	4.8	58.8	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)		E45. T/R Mode	E46. Antenna Polarization(H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WPXMS01	3700	4200	R	Horizontal	36M0G7F	0.0	0.0
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Digital video with associated audio subcarriers Modulations							
WPXMS02	3700	4200	R	Horizontal	36M0G7F	0.0	0.0
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Digital video with associated audio subcarriers Modulations							

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPXMS01	Geostationary	3700 4200	60.0/ 143.0	140.9	52.7	255.2	19.5	0.0
WPXMS02	Geostationary	3700 4200	60.0/ 143.0	140.9	52.7	255.2	19.5	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City		E67. County	
		E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Miami TX	E5. Call Sign:	WPXM-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	695 NW 199th Street	E7. City:	Miami
		E8. County:	Miami-Dade
E4. State	FL	E9. Zip Code	33169
E10. Area of Operation:	Miami, FL		
E11. Latitude:	25 °57 '31.0 "N		
E12. Longitude:	80 °12 '43.0 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	11.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Miami TX	WPXMT01	1	Prodelin	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPXMT01	0.0/0.0	4.8	15.8	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WPXMT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPXMT01	Geostationary	3700 4200	60.0/ 143.0	140.8	52.6	255.1	19.6	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Milwaukee Studio	E5. Call Sign:	WPXE-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	6161 N Flint Rd	E7. City:	Glendale
		E8. County:	Milwaukee
E4. State	WI	E9. Zip Code	53209
E10. Area of Operation:	Glendale, WI		
E11. Latitude:	43 °7 '46.67 "N		
E12. Longitude:	87 °56 '35.97 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	198.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Milwaukee Studio	WPXES01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	WPXES02				3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPXES01	0.0/0.0	6.0	204.0	0.0	0.0	0.0	0.0
WPXES02	0.0/0.0	5.0	203.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)		E45. T/R Mode	E46. Antenna Polarization(H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum EIRP Density per Carrier (dBW/4kHz)
WPXES01	3700	4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

WPXES02	3700	4200	R	Horizontal	36M0G7F	0.0	0.0
---------	------	------	---	------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPXES01	Geostationary	3700 4200	60.0/ 143.0	142.9	33.1	241.1	19.1	0.0
WPXES02	Geostationary	3700 4200	60.0/ 143.0	142.9	33.1	241.1	19.1	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Milwaukee TX	E5. Call Sign:	WPXE-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	1100 E. Capitol Dr	E7. City:	Shorewood
		E8. County:	Milwaukee
E4. State	WI	E9. Zip Code	53211
E10. Area of Operation:	Shorewood, WI		
E11. Latitude:	43 °5 '26.0 "N		
E12. Longitude:	87 °53 '50.0 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	95.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Milwaukee TX	WPXET01	1	DH	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPXET01	0.0/0.0	5.0	100.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WPXET01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPXET01	Geostationary	3700 4200	60.0/ 143.0	143.0	33.2	241.2	19.1	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Minneapolis TX	E5. Call Sign:	KPXM-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	20167 St. Francis Blvd. NW	E7. City:	Nowthen
		E8. County:	Anoka
E4. State	MN	E9. Zip Code	56303
E10. Area of Operation:	Nowthen, MN		
E11. Latitude:	45 °20 '11.9 "N		
E12. Longitude:	93 °23 '31.2 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	278.9 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Minneapolis TX	KPXMT01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	NA	0	NA	NA	0.0	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KPXMT01	0.0/0.0	6.0	284.9	0.0	0.0	0.0	0.0
NA	0.0/0.0	0.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)		E45. T/R Mode	E46. Antenna Polarization(H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
KPXMT01	3700	4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

NA	3700	4200	R	Horizontal	36M0G7F	0.0	0.0
----	------	------	---	------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KPXMT01	Geostationary	3700 4200	60.0/ 143.0	137.9	28.6	235.1	21.4	0.0
NA	Geostationary	3700 4200	60.0/ 143.0	137.5	28.4	234.9	21.5	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Nashville Studio	E5. Call Sign:	WNPX-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	1281 N. Mt. Juliet Rd.	E7. City:	Mt. Juliet
		E8. County:	Wilson
E4. State	TN	E9. Zip Code	37122
E10. Area of Operation:	Mt. Juliet, TN		
E11. Latitude:	36 °11 '26.78 "N		
E12. Longitude:	86 °30 '40.56 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	169.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Nashville Studio	WNPXS01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2
	WNPXS02					41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WNPXS01	0.0/0.0	5.0	174.0	0.0	0.0	0.0	0.0
WNPXS02	0.0/0.0	5.0	174.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum EIRP Density per Carrier (dBW/4kHz)
WNPXS01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

WNPXS02	3700 4200	R	Horizontal	36M0G7F	0.0	0.0
---------	----------------	---	------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WNPXS01	Geostationary	3700 4200	60.0/ 143.0	140.5	39.9	245.6	21.3	0.0
WNPXS02	Geostationary	3700 4200	60.0/ 143.0	140.5	39.9	245.6	21.3	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Nashville TX	E5. Call Sign:	WNPX-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	3210 Blevins Rd.	E7. City:	Whites Creek
		E8. County:	Davidson
E4. State	TN	E9. Zip Code	37189
E10. Area of Operation:	Whites Creek, TN		
E11. Latitude:	36 °16 '4.9 "N		
E12. Longitude:	86 °47 '44.7 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	231.7 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Nashville TX	WNPXT01	1	Patriot	Unknown	3.1	39.6 dBi at 3.7
						40.7 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WNPXT01	0.0/0.0	4.1	235.8	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WNPXT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WNPXT01	Geostationary	3700 4200	60.0/ 143.0	140.3	39.6	245.3	21.5	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	New Orleans Studio	E5. Call Sign:	WPXL-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	3900 Veterans Blvd	E7. City:	Metairie
	Suite 202	E8. County:	Jefferson
E4. State	LA	E9. Zip Code	70002
E10. Area of Operation:	Metairie, LA		
E11. Latitude:	30 °0 '12.89 "N		
E12. Longitude:	90 °10 '19.09 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	8.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:

E22. ITU Name:

E23. Orbit Location:

E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
New Orleans Studio	WPXLS01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	WPXLS02					43.8 dBi at 3.7
						44.9 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPXLS01	0.0/0.0	6.0	14.0	0.0	0.0	0.0	0.0
WPXLS02	0.0/0.0	6.0	14.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)		E45. T/R Mode	E46. Antenna Polarization(H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WPXLS01	3700	4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

WPXLS02	3700	4200	R	Horizontal	36M0G7F	0.0	0.0
---------	------	------	---	------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPXLS01	Geostationary	3700 4200	60.0/ 143.0	131.4	42.5	246.4	27.0	0.0
WPXLS02	Geostationary	3700 4200	60.0/ 143.0	131.4	42.5	246.4	27.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign

E65. Phone Number

NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.

E62. Street Address

E63. City

E67. County

E64/68.
State/Country
/

E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	New Orleans TX	E5. Call Sign:	WPXL-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	3210 Old Behrman Hwy.	E7. City:	New Orleans
		E8. County:	Orleans
E4. State	LA	E9. Zip Code	70114
E10. Area of Operation:	New Orleans, LA		
E11. Latitude:	29 °55 '13.1 "N		
E12. Longitude:	90 °1 '28.5 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	11.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
New Orleans TX	WPXLT01	1	Comtech	Unknown	3.1	39.6 dBi at 3.7
						40.7 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPXLT01	0.0/0.0	4.0	15.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WPXLT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPXLT01	Geostationary	3700 4200	60.0/ 143.0	131.5	42.6	246.5	26.9	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	New York Studio	E5. Call Sign:	WPXN-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	810 7th Avenue	E7. City:	New York
	31st Floor	E8. County:	New York
E4. State	NY	E9. Zip Code	10019
E10. Area of Operation:	New York, NY		
E11. Latitude:	40 °45 '46.3 "N		
E12. Longitude:	73 °58 '57.9 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	59.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
New York Studio	WPXNS01	1	Patriot	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPXNS01	0.0/0.0	168.1	227.1	163.2	0.0	4.9	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WPXNS01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPXNS01	Geostationary	3700 4200	60.0/ 143.0	160.0	40.9	253.1	10.1	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Norfolk TX	E5. Call Sign:	WPXV-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	3702C Nansemond Parkway	E7. City:	Suffolk	
		E8. County:	N/A	
E4. State	VA	E9. Zip Code	23435	
E10. Area of Operation:	Suffolk, VA			
E11. Latitude:	36 °48 '31.8 "N			
E12. Longitude:	76 °30 '11.3 "W			
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A	
E14. Site Elevation (AMSL):	10.0 meters			

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:

E22. ITU Name:

E23. Orbit Location:

E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Norfolk TX	WPXVT01	1	Patriot	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2
	WPXVT02		Comtech			41.4 dBi at 3.7
						42.5 dBi at 4.2
	WPXVT03		Patriot		3.1	39.6 dBi at 3.7
						40.7 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPXVT01	0.0/0.0	4.1	14.1	0.0	0.0	0.0	0.0
WPXVT02	0.0/0.0	4.9	14.9	0.0	0.0	0.0	0.0

WPXVT03	0.0/0.0	4.2	14.2	0.0	0.0	0.0	0.0
---------	---------	-----	------	-----	-----	-----	-----

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)		E45. T/R Mode	E46. Antenna Polarization(H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum EIRP Density per Carrier (dBW/4kHz)
WPXVT01	3700	4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

WPXVT02	3700	4200	R	Horizontal	36M0G7F	0.0	0.0
---------	------	------	---	------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

WPXVT03	3700	4200	R	Horizontal	36M0G7F	0.0	0.0
---------	------	------	---	------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPXVT01	Geostationary	3700 4200	60.0/ 143.0	154.6	44.1	252.7	13.2	0.0
WPXVT02	Geostationary	3700 4200	60.0/ 143.0	154.6	44.1	252.7	13.2	0.0
WPXVT03	Geostationary	3700 4200	60.0/ 143.0	154.6	44.1	252.7	13.2	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.	E65. Phone Number
E62. Street Address	

E63. City

E67. County

E64/68.
State/Country
/

E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Oklahoma City Studio	E5. Call Sign:	KOPX-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	13424 Railway Drive	E7. City:	Oklahoma City
		E8. County:	Oklahoma
E4. State	OK	E9. Zip Code	73114
E10. Area of Operation:	Oklahoma City, OK		
E11. Latitude:	35 °36 '24.62 "N		
E12. Longitude:	97 °30 '11.75 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	363.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:

E22. ITU Name:

E23. Orbit Location:

E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:
E26. Common Name:
E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (___dBi at ___GHz)
Oklahoma City Studio	KOPXS01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	KOPXS02					43.8 dBi at 3.7
						44.9 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KOPXS01	0.0/0.0	7.0	370.0	0.0	0.0	0.0	0.0
KOPXS02	0.0/0.0	7.0	370.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)		E45. T/R Mode	E46. Antenna Polarization(H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
KOPXS01	3700	4200	R	Horizontal	36M0G7F	0.0	0.0
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Digital video with associated audio subcarriers Modulations							
KOPXS02	3700	4200	R	Horizontal	36M0G7F	0.0	0.0
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Digital video with associated audio subcarriers Modulations							

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KOPXS01	Geostationary	3700 4200	60.0/ 143.0	127.8	33.3	236.6	30.0	0.0
KOPXS02	Geostationary	3700 4200	60.0/ 143.0	127.8	33.3	236.6	30.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City		E67. County	
		E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Oklahoma City TX	E5. Call Sign:	KOPX-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	1309 NW 122nd St.	E7. City:	Oklahoma City
		E8. County:	Oklahoma
E4. State	OK	E9. Zip Code	73114
E10. Area of Operation:	Oklahoma City, OK		
E11. Latitude:	35 °35 '52.1 "N		
E12. Longitude:	97 °29 '23.2 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	345.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>
Oklahoma City TX	KOPXT01	1	Prodelin	Unknown	3.7

E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
41.2 dBi at 3.7
42.3 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KOPXT01	0.0/0.0	5.0	350.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum EIRP Density per Carrier (dBW/4kHz)
KOPXT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KOPXT01	Geostationary	3700 4200	60.0/ 143.0	127.8	33.3	236.7	30.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.	E65. Phone Number
--	-------------------

E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Orlando Studio	E5. Call Sign:	WOPX-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	7091 Grand National Drive	E7. City:	Orlando
	#100	E8. County:	Orange
E4. State	FL	E9. Zip Code	32819
E10. Area of Operation:	Orlando, FL		
E11. Latitude:	28 °27 '39.8 "N		
E12. Longitude:	81 °27 '15.04 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	15.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Orlando Studio	WOPXS01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	WOPXS02					43.8 dBi at 3.7
						44.9 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WOPXS01	0.0/0.0	6.2	21.2	0.0	0.0	0.0	0.0
WOPXS02	0.0/0.0	6.2	21.2	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)		E45. T/R Mode	E46. Antenna Polarization(H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WOPXS01	3700	4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

WOPXS02	3700	4200	R	Horizontal	36M0G7F	0.0	0.0
---------	------	------	---	------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WOPXS01	Geostationary	3700 4200	60.0/ 143.0	141.3	49.6	253.1	20.0	0.0
WOPXS02	Geostationary	3700 4200	60.0/ 143.0	141.3	49.6	253.1	20.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City		E67. County	
		E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Orlando TX	E5. Call Sign:	WOPX-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	7551 Golden Citrus Road	E7. City:	Holopaw
		E8. County:	Osceola
E4. State	FL	E9. Zip Code	34773
E10. Area of Operation:	Holopaw, FL		
E11. Latitude:	28 °5 '52.5 "N		
E12. Longitude:	81 °7 '50.7 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	31.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Orlando TX	WOPXT01	1	DH	DH-38-GIB-150	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WOPXT01	0.0/0.0	5.1	36.1	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WOPXT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WOPXT01	Geostationary	3700 4200	60.0/ 143.0	141.5	50.1	253.5	19.8	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Philadelphia Studio	E5. Call Sign:	WPPX-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	3901 B Main Street	E7. City:	Philadelphia
		E8. County:	Philadelphia
E4. State	PA	E9. Zip Code	19127
E10. Area of Operation:	Philadelphia, PA		
E11. Latitude:	40 °1 '13.3 "N		
E12. Longitude:	75 °12 '56.1 "W		
E13. Lat/Lon Coordinates are:	☐ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	20.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Philadelphia Studio	WPPXS01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2
	WPPXS02					41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPPXS01	0.0/0.0	24.9	44.9	20.0	0.0	4.9	0.0
WPPXS02	0.0/0.0	24.9	44.9	20.0	0.0	4.9	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)		E45. T/R Mode	E46. Antenna Polarization(H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WPPXS01	3700	4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

WPPXS02	3700	4200	R	Horizontal	36M0G7F	0.0	0.0
---------	------	------	---	------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPPXS01	Geostationary	3700 4200	60.0/ 143.0	157.9	41.3	264.5	11.2	0.0
WPPXS02	Geostationary	3700 4200	60.0/ 143.0	157.9	41.3	264.5	11.2	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Philadelphia TX	E5. Call Sign:	WPPX-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	413 Wigard Ave	E7. City:	Philadelphia
		E8. County:	Philadelphia
E4. State	PA	E9. Zip Code	19128
E10. Area of Operation:	Philadelphia, PA		
E11. Latitude:	40 °2 '39.0 "N		
E12. Longitude:	75 °14 '25.0 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	12.8 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Philadelphia TX	WPPXT01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPPXT01	0.0/0.0	4.9	17.7	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WPPXT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPPXT01	Geostationary	3700 4200	60.0/ 143.0	157.9	41.3	252.4	11.3	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Phoenix Studio	E5. Call Sign:	KPPX-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	2777 E. Camelback Rd.	E7. City:	Phoenix
	Suite 101	E8. County:	Maricopa
E4. State	AZ	E9. Zip Code	85016
E10. Area of Operation:	Phoenix, AZ		
E11. Latitude:	33 °30 '32.6 "N		
E12. Longitude:	112 °1 '19.3 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	362.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Phoenix Studio	KPPXS01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2
	KPPXS02					41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KPPXS01	0.0/0.0	14.1	366.0	9.1	0.0	5.0	0.0
KPPXS02	0.0/0.0	14.1	366.0	9.1	0.0	5.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)		E45. T/R Mode	E46. Antenna Polarization(H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum EIRP Density per Carrier (dBW/4kHz)
KPPXS01	3700	4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

KPPXS02	3700	4200	R	Horizontal	36M0G7F	0.0	0.0
---------	------	------	---	------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KPPXS01	Geostationary	3700 4200	60.0/ 143.0	113.8	23.3	222.7	41.5	0.0
KPPXS02	Geostationary	3700 4200	60.0/ 143.0	113.8	23.3	222.7	41.5	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Phoenix TX	E5. Call Sign:	KPPX-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	10919 S. Central Ave.	E7. City:	Phoenix
	Site 3	E8. County:	Maricopa
E4. State	AZ	E9. Zip Code	85040
E10. Area of Operation:	Phoenix, AZ		
E11. Latitude:	33 °20 '3.2 "N		
E12. Longitude:	112 °3 '40.5 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	784.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Phoenix TX	KPPXT01	1	Patriot	Unknown	3.1	39.6 dBi at 3.7
						40.7 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KPPXT01	0.0/0.0	4.0	788.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
KPPXT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KPPXT01	Geostationary	3700 4200	60.0/ 143.0	113.6	23.4	222.8	41.7	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Pittsburgh TX	E5. Call Sign:	WINP-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	3801 University Dr	E7. City:	Pittsburgh
		E8. County:	Allegheny
E4. State	PA	E9. Zip Code	15213
E10. Area of Operation:	Pittsburgh, PA		
E11. Latitude:	40 °26 '46.0 "N		
E12. Longitude:	79 °57 '50.0 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	356.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Pittsburgh TX	WINPT01	1	DH	50DH1	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	WINPT02			38DH1	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WINPT01	0.0/0.0	6.0	362.0	0.0	0.0	0.0	0.0
WINPT02	0.0/0.0	4.6	360.6	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)		E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WINPT01	3700	4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

WINPT02	3700	4200	R	Horizontal	36M0G7F	0.0	0.0
---------	------	------	---	------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WINPT01	Geostationary	3700 4200	60.0/ 143.0	151.5	39.1	248.7	14.6	0.0
WINPT02	Geostationary	3700 4200	60.0/ 143.0	151.5	39.1	248.7	14.6	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City		E67. County	
		E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Portland Studio	E5. Call Sign:	KPXG-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	432 NE 74th Ave	E7. City:	Portland
		E8. County:	Multnomah
E4. State	OR	E9. Zip Code	97213
E10. Area of Operation:	Portland, OR		
E11. Latitude:	45 °31 '32.16 "N		
E12. Longitude:	122 °35 '10.61 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	70.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Portland Studio	KPXGS01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	KPXGS02					43.8 dBi at 3.7
						44.9 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KPXGS01	0.0/0.0	6.2	76.2	0.0	0.0	0.0	0.0
KPXGS02	0.0/0.0	6.2	76.2	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)		E45. T/R Mode	E46. Antenna Polarization(H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum EIRP Density per Carrier (dBW/4kHz)
KPXGS01	3700	4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

KPXGS02	3700	4200	R	Horizontal	36M0G7F	0.0	0.0
---------	------	------	---	------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KPXGS01	Geostationary	3700 4200	60.0/ 143.0	110.8	10.7	202.4	35.1	0.0
KPXGS02	Geostationary	3700 4200	60.0/ 143.0	110.8	10.7	202.4	35.1	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Portland TX	E5. Call Sign:	KPXG-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	299 NW Skyline Blvd	E7. City:	Portland
		E8. County:	Multnomah
E4. State	OR	E9. Zip Code	97210
E10. Area of Operation:	Portland, OR		
E11. Latitude:	45 °31 '20.5 "N		
E12. Longitude:	122 °44 '49.5 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	331.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Portland TX	KPXGT01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KPXGT01	0.0/0.0	6.1	337.1	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
KPXGT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KPXGT01	Geostationary	3700 4200	60.0/ 143.0	110.6	10.6	202.2	35.2	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Providence TX	E5. Call Sign:	WPXQ-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	247 North Rd	E7. City:	Hopkinton
		E8. County:	Washington
E4. State	RI	E9. Zip Code	02833
E10. Area of Operation:	Hopkinton, RI		
E11. Latitude:	41 °29 '41.7 "N		
E12. Longitude:	71 °47 '4.7 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	122.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Providence TX	WPXQT01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2
	WPXQT02		Unknown			41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPXQT01	0.0/0.0	5.3	127.3	0.0	0.0	0.0	0.0
WPXQT02	0.0/0.0	5.3	127.3	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)		E45. T/R Mode	E46. Antenna Polarization(H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum EIRP Density per Carrier (dBW/4kHz)
WPXQT01	3700	4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

WPXQT02	3700	4200	R	Horizontal	36M0G7F	0.0	0.0
---------	------	------	---	------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPXQT01	Geostationary	3700 4200	60.0/ 143.0	163.4	40.7	254.5	8.2	0.0
WPXQT02	Geostationary	3700 4200	60.0/ 143.0	163.4	40.7	254.5	8.2	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Raleigh Studio	E5. Call Sign:	WRPX-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	3209 Gresham Lake Rd.	E7. City:	Raleigh
		E8. County:	Wake
E4. State	NC	E9. Zip Code	27615
E10. Area of Operation:	Raleigh, NC		
E11. Latitude:	35 °53 '7.9 "N		
E12. Longitude:	78 °34 '44.76 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	106.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Raleigh Studio	WRPXS01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	WRPXS02				3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WRPXS01	0.0/0.0	6.0	112.0	0.0	0.0	0.0	0.0
WRPXS02	0.0/0.0	5.0	111.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)		E45. T/R Mode	E46. Antenna Polarization(H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WRPXS01	3700	4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

WRPXS02	3700	4200	R	Horizontal	36M0G7F	0.0	0.0
---------	------	------	---	------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WRPXS01	Geostationary	3700 4200	60.0/ 143.0	151.0	44.2	251.6	15.2	0.0
WRPXS02	Geostationary	3700 4200	60.0/ 143.0	151.0	44.2	251.6	15.2	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Raleigh TX	E5. Call Sign:	WRPX-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	653 White Level Rd.	E7. City:	Louisburg
		E8. County:	Franklin
E4. State	NC	E9. Zip Code	27549
E10. Area of Operation:	Louisburg, NC		
E11. Latitude:	36 °6 '11.5 "N		
E12. Longitude:	78 °11 '27.6 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	100.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Raleigh TX	WRPXT01	1	DH	38DH1	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WRPXT01	0.0/0.0	5.0	105.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WRPXT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WRPXT01	Geostationary	3700 4200	60.0/ 143.0	151.7	44.1	251.8	14.8	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Roanoke Studio	E5. Call Sign:	WPXR-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	401 3rd St. SW	E7. City:	Roanoke
		E8. County:	Roanoke
E4. State	VA	E9. Zip Code	24011
E10. Area of Operation:	Roanoke, VA		
E11. Latitude:	37 °16 '12.87 "N		
E12. Longitude:	79 °56 '44.51 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	296.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Roanoke Studio	WPXRS01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPXRS01	0.0/0.0	14.7	301.7	8.8	0.0	5.9	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WPXRS01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPXRS01	Geostationary	3700 4200	60.0/ 143.0	149.9	42.2	250.0	15.8	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Roanoke TX	E5. Call Sign:	WPXR-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	8241 Honeysuckle Rd.	E7. City:	Bent Mountain
		E8. County:	Roanoke
E4. State	VA	E9. Zip Code	24059
E10. Area of Operation:	Bent Mountain, VA		
E11. Latitude:	37 °11 '37.4 "N		
E12. Longitude:	80 °9 '25.0 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	1148.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Roanoke TX	WPXRT01	1	Patriot	Unknown	3.1	39.6 dBi at 3.7
						40.7 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPXRT01	0.0/0.0	4.0	1152.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WPXRT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPXRT01	Geostationary	3700 4200	60.0/ 143.0	149.5	42.2	249.9	16.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Sacramento Studio	E5. Call Sign:	KSPX-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	3352 Mather Field Rd	E7. City:	Rancho Cordova
		E8. County:	Sacramento
E4. State	CA	E9. Zip Code	95670
E10. Area of Operation:	Rancho Cordova, CA		
E11. Latitude:	38 °34 '25.93 "N		
E12. Longitude:	121 °18 '13.56 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	38.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Sacramento Studio	KSPXS01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2
	KSPXS02				5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KSPXS01	0.0/0.0	4.9	42.9	0.0	0.0	0.0	0.0
KSPXS02	0.0/0.0	6.0	44.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)		E45. T/R Mode	E46. Antenna Polarization(H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
KSPXS01	3700	4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

KSPXS02	3700	4200	R	Horizontal	36M0G7F	0.0	0.0
---------	------	------	---	------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KSPXS01	Geostationary	3700 4200	60.0/ 143.0	109.3	14.1	207.1	41.7	0.0
KSPXS02	Geostationary	3700 4200	60.0/ 143.0	109.3	14.1	207.1	41.7	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Sacramento TX	E5. Call Sign:	KSPX-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	1650 Levee Rd	E7. City:	Walnut Grove
		E8. County:	Sacramento
E4. State	CA	E9. Zip Code	95690
E10. Area of Operation:	Walnut Grove, CA		
E11. Latitude:	38 °15 '52.4 "N		
E12. Longitude:	121 °29 '24.2 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	6.1 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Sacramento TX	KSPXT01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KSPXT01	0.0/0.0	11.1	17.2	6.1	0.0	5.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
KSPXT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KSPXT01	Geostationary	3700 4200	60.0/ 143.0	109.0	14.0	207.0	42.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Salt Lake City TX	E5. Call Sign:	KUPX-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	Little Mount Farnsworth Peak	E7. City:	Tooele
		E8. County:	Tooele
E4. State	UT	E9. Zip Code	84044
E10. Area of Operation:	Tooele, Utah		
E11. Latitude:	40 °39 '12.0 "N		
E12. Longitude:	112 °12 '9.0 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	2749.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Salt Lake City TX	KUPXT01	1	DH	38DH1	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KUPXT01	0.0/0.0	5.0	2754.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
KUPXT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KUPXT01	Geostationary	3700 4200	60.0/ 143.0	117.3	19.9	217.8	35.6	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	SaltLakeCity Studio	E5. Call Sign:	KUPX-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	466 C Lawndale Dr	E7. City:	Salt Lake
		E8. County:	Salt Lake
E4. State	UT	E9. Zip Code	84115
E10. Area of Operation:	Salt Lake , Utah		
E11. Latitude:	40 °42 '47.4 "N		
E12. Longitude:	111 °54 '12.0 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	1296.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
SaltLakeCity Studio	KUPXS01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	KUPXS02					43.8 dBi at 3.7
						44.9 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KUPXS01	0.0/0.0	6.0	1302.0	0.0	0.0	0.0	0.0
KUPXS02	0.0/0.0	6.0	1302.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)		E45. T/R Mode	E46. Antenna Polarization(H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum EIRP Density per Carrier (dBW/4kHz)
KUPXS01	3700	4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

KUPXS02	3700	4200	R	Horizontal	36M0G7F	0.0	0.0
---------	------	------	---	------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KUPXS01	Geostationary	3700 4200	60.0/ 143.0	117.6	20.1	218.1	35.4	0.0
KUPXS02	Geostationary	3700 4200	60.0/ 143.0	117.6	20.1	218.1	35.4	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City		E67. County	
		E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	San Antonio Studio	E5. Call Sign:	KPXL-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	6100 Bandera Road	E7. City:	San Antonio
		E8. County:	Bexar
E4. State	TX	E9. Zip Code	78238
E10. Area of Operation:	San Antonio, TX		
E11. Latitude:	29 °29 '3.2 "N		
E12. Longitude:	98 °36 '21.7 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	265.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
San Antonio Studio	KPXLS01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	KPXLS02					43.8 dBi at 3.7
						44.9 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KPXLS01	0.0/0.0	56.1	321.1	50.0	0.0	6.1	0.0
KPXLS02	0.0/0.0	56.1	321.1	50.0	0.0	6.1	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)		E45. T/R Mode	E46. Antenna Polarization(H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum EIRP Density per Carrier (dBW/4kHz)
KPXLS01	3700	4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

KPXLS02	3700	4200	R	Horizontal	36M0G7F	0.0	0.0
---------	------	------	---	------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KPXLS01	Geostationary	3700 4200	60.0/ 143.0	122.2	36.3	240.0	34.4	0.0
KPXLS02	Geostationary	3700 4200	60.0/ 143.0	122.2	36.3	240.0	34.4	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	San Antonio TX	E5. Call Sign:	KPXL-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	7173 Hwy 173 South	E7. City:	Bandera
		E8. County:	Bandera
E4. State	TX	E9. Zip Code	78003
E10. Area of Operation:	Bandera, TX		
E11. Latitude:	29 °37 '12.0 "N		
E12. Longitude:	99 °2 '57.1 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	467.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
San Antonio TX	KPXLT01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KPXLT01	0.0/0.0	4.9	471.9	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
KPXLT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KPXL01	Geostationary	3700 4200	60.0/ 143.0	121.9	35.9	239.4	34.6	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	San Francisco Studio	E5. Call Sign:	KKPX-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	660 Price Avenue	E7. City:	Redwood City
	Ste B	E8. County:	San Mateo
E4. State	CA	E9. Zip Code	94063
E10. Area of Operation:	Redwood City, CA		
E11. Latitude:	37 °29 '33.0 "N		
E12. Longitude:	122 °13 '49.6 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	7.3 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
San Francisco Studio	KKPXS01	1	Prodelin	Unknown	3.7	41.2 dBi at 3.7
						42.3 dBi at 4.2
	KKPXS02		Comtech		3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KKPXS01	0.0/0.0	9.0	16.3	4.0	0.0	5.0	0.0
KKPXS02	0.0/0.0	9.0	16.3	4.0	0.0	5.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)		E45. T/R Mode	E46. Antenna Polarization(H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
KKPXS01	3700	4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

KKPXS02	3700	4200	R	Horizontal	36M0G7F	0.0	0.0
---------	------	------	---	------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KKPXS01	Geostationary	3700 4200	60.0/ 143.0	108.2	13.7	206.3	43.1	0.0
KKPXS02	Geostationary	3700 4200	60.0/ 143.0	108.2	13.7	206.3	43.1	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City		E67. County	
		E64/68. State/Country /	
		E66. Zip Code	

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	San Francisco TX	E5. Call Sign:	KKPX-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	500 Radio Road	E7. City:	Brisbane
	T11 #7506	E8. County:	San Mateo
E4. State	CA	E9. Zip Code	94005
E10. Area of Operation:	Brisbane, CA		
E11. Latitude:	37 °41 '14.4 "N		
E12. Longitude:	122 °26 '5.3 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	391.7 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
San Francisco TX	KKPXT01	1	Prodelin	Unknown	3.8	41.5 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KKPXT01	0.0/0.0	11.0	402.7	6.0	0.0	5.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
KKPXT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KKPXT01	Geostationary	3700 4200	60.0/ 143.0	108.1	13.5	206.0	43.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Scranton Studio	E5. Call Sign:	WQPX-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	409 Lackawanna Ave.	E7. City:	Scranton
	Ste 700	E8. County:	Lackawanna
E4. State	PA	E9. Zip Code	18503
E10. Area of Operation:	Scranton, PA		
E11. Latitude:	41 °24 '28.6 "N		
E12. Longitude:	75 °39 '56.8 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	240.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Scranton Studio	WQPXS01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2
	WQPXS02					41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WQPXS01	0.0/0.0	42.7	282.7	38.1	0.0	4.6	0.0
WQPXS02	0.0/0.0	42.7	282.7	38.1	0.0	4.6	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)		E45. T/R Mode	E46. Antenna Polarization(H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WQPXS01	3700	4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

WQPXS02	3700	4200	R	Horizontal	36M0G7F	0.0	0.0
---------	------	------	---	------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WQPXS01	Geostationary	3700 4200	60.0/ 143.0	157.8	39.7	251.6	11.1	0.0
WQPXS02	Geostationary	3700 4200	60.0/ 143.0	157.8	39.7	251.6	11.1	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City		E67. County	
		E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Scranton TX	E5. Call Sign:	WQPX-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	1049 N. Sekol Rd.	E7. City:	Scranton
		E8. County:	Lackawanna
E4. State	PA	E9. Zip Code	18503
E10. Area of Operation:	Scranton, PA		
E11. Latitude:	41 °26 '9.34 "N		
E12. Longitude:	75 °43 '35.89 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	566.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Scranton TX	WQPXT01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WQPXT01	0.0/0.0	4.6	570.6	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WQPXT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WQPXT01	Geostationary	3700 4200	60.0/ 143.0	157.8	39.7	251.6	11.2	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Seattle Studio	E5. Call Sign:	KWPX-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	8112-C 304th Ave SE	E7. City:	Preston
		E8. County:	King
E4. State	WA	E9. Zip Code	98050
E10. Area of Operation:	Preston, WA		
E11. Latitude:	47 °31 '44.5 "N		
E12. Longitude:	121 °56 '8.7 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	158.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Seattle Studio	KWPXS01	1	Comtech	Unknown	5.0	0.0 dBi at 0
						43.8 dBi at 3.7
						44.9 dBi at 4.2
	KWPXS02					43.8 dBi at 3.7
						44.9 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KWPXS01	0.0/0.0	15.8	173.8	9.3	0.0	6.5	0.0
KWPXS02	0.0/0.0	15.8	173.8	9.3	0.0	6.5	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)		E45. T/R Mode	E46. Antenna Polarization(H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum EIRP Density per Carrier (dBW/4kHz)
KWPXS01	3700	4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

KWPXS02	3700	4200	R	Horizontal	36M0G7F	0.0	0.0
---------	------	------	---	------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KWPXS01	Geostationary	3700 4200	60.0/ 143.0	112.0	10.3	202.6	32.9	0.0
KWPXS02	Geostationary	3700 4200	60.0/ 143.0	112.0	10.3	202.6	32.9	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Seattle TX	E5. Call Sign:	KWPX-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	10812 279th Ave SE	E7. City:	Issaquah
		E8. County:	King
E4. State	WA	E9. Zip Code	98027
E10. Area of Operation:	Issaquah, WA		
E11. Latitude:	47 °30 '15.4 "N		
E12. Longitude:	121 °58 '8.0 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	853.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Seattle TX	KWPXT01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KWPXT01	0.0/0.0	6.2	859.2	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
KWPXT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KWPXT01	Geostationary	3700 4200	60.0/ 143.0	111.9	10.3	202.5	32.9	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Spokane Studio	E5. Call Sign:	KGPX-TV	
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707	
E3. Street:	1201 W. Sprague Ave.	E7. City:	Spokane	
		E8. County:	Spokane	
E4. State	WA	E9. Zip Code	99201	
E10. Area of Operation:	Spokane, WA			
E11. Latitude:	47 °39 '24.45 "N			
E12. Longitude:	117 °25 '47.32 "W			
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A	
E14. Site Elevation (AMSL):	580.0 meters			

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Spokane Studio	KGPXS01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KGPXS01	0.0/0.0	14.6	594.6	10.0	0.0	4.6	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
KGPXS01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KGPXS01	Geostationary	3700 4200	60.0/ 143.0	115.8	13.2	208.2	31.4	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Spokane TX	E5. Call Sign:	KGPM-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	6000 S. Park Lane	E7. City:	Spokane
		E8. County:	Spokane
E4. State	WA	E9. Zip Code	99223
E10. Area of Operation:	Spokane, WA		
E11. Latitude:	47 °35 '56.87 "N		
E12. Longitude:	117 °18 '1.27 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	989.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Spokane TX	KGPXT01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KGPXT01	0.0/0.0	4.0	993.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
KGPXT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KGPXT01	Geostationary	3700 4200	60.0/ 143.0	115.9	13.3	208.3	31.4	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	St Louis Studio	E5. Call Sign:	WRBU
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	2000 Richardson Rd	E7. City:	Arnold
	Suite 3	E8. County:	Jefferson
E4. State	MS	E9. Zip Code	63010
E10. Area of Operation:	Arnold, MS		
E11. Latitude:	38 °25 '3.04 "N		
E12. Longitude:	90 °23 '29.44 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	175.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____ GHz)
St Louis Studio	WRBUS01	1	Andrew	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	WRBUS02		Patriot	PRT-450	4.5	42.9 dBi at 3.7
						44.0 dBi at 4.2
	NA	0	NA	NA	0.0	0.0 dBi at 0

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WRBUS01	0.0/0.0	6.0	181.0	0.0	0.0	0.0	0.0
WRBUS02	0.0/0.0	5.8	180.8	0.0	0.0	0.0	0.0
NA	0.0/0.0	0.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)		E45. T/R Mode	E46. Antenna Polarization(H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum EIRP Density per Carrier (dBW/4kHz)
WRBUS01	3700	4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

WRBUS02	3700	4200	R	Horizontal	36M0G7F	0.0	0.0
---------	------	------	---	------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WRBUS01	Geostationary	3700 4200	60.0/ 143.0	137.3	35.8	241.3	23.2	0.0
WRBUS02	Geostationary	3700 4200	60.0/ 143.0	137.3	35.8	241.3	23.2	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	St Louis TX	E5. Call Sign:	WRBU
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	4200 E. Dry Fork Rd	E7. City:	Imperial
		E8. County:	Jefferson
E4. State	MS	E9. Zip Code	63052
E10. Area of Operation:	Imperial, MS		
E11. Latitude:	38 °23 '18.0 "N		
E12. Longitude:	90 °29 '16.0 "W		
E13. Lat/Lon Coordinates are:	☐ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	274.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
St Louis TX	WRBUT01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WRBUT01	0.0/0.0	5.7	279.7	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WRBUT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WRBUT01	Geostationary	3700 4200	60.0/ 143.0	137.2	35.8	241.2	23.3	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Syracuse Studio	E5. Call Sign:	WSPX-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	6508-B Basile Rowe	E7. City:	East Syracuse
		E8. County:	Onondaga
E4. State	NY	E9. Zip Code	13057
E10. Area of Operation:	East Syracuse, NY		
E11. Latitude:	43 °3 '42.5 "N		
E12. Longitude:	76 °3 '31.8 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	104.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Syracuse Studio	WSPXS01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	WSPXS02				3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WSPXS01	0.0/0.0	5.9	109.9	0.0	0.0	0.0	0.0
WSPXS02	0.0/0.0	5.0	109.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)		E45. T/R Mode	E46. Antenna Polarization(H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum EIRP Density per Carrier (dBW/4kHz)
WSPXS01	3700	4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

WSPXS02	3700	4200	R	Horizontal	36M0G7F	0.0	0.0
---------	------	------	---	------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WSPXS01	Geostationary	3700 4200	60.0/ 143.0	158.0	37.9	250.8	10.9	0.0
WSPXS02	Geostationary	3700 4200	60.0/ 143.0	158.0	37.9	250.8	10.9	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City		E67. County	
		E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Syracuse TX	E5. Call Sign:	WSPX-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	477 Grannis Road	E7. City:	West Monroe
		E8. County:	Oswego
E4. State	NY	E9. Zip Code	13167
E10. Area of Operation:	West Monroe, NY		
E11. Latitude:	43 °18 '18.0 "N		
E12. Longitude:	76 °2 '57.1 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	174.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Syracuse TX	WSPXT01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WSPXT01	0.0/0.0	4.6	178.6	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WSPXT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WSPXT01	Geostationary	3700 4200	60.0/ 143.0	158.1	37.7	250.7	10.8	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Tampa TX	E5. Call Sign:	WXPX-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	13623 Rhodine Rd.	E7. City:	Riverview
		E8. County:	Hillsborough
E4. State	FL	E9. Zip Code	33579
E10. Area of Operation:	Riverview, FL		
E11. Latitude:	27 °49 '10.8 "N		
E12. Longitude:	82 °15 '38.0 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	7.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Tampa TX	WXPXT01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	WXPXT02				3.1	39.6 dBi at 3.7
						40.7 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WXPXT01	0.0/0.0	6.1	13.1	0.0	0.0	0.0	0.0
WXPXT02	0.0/0.0	4.2	11.2	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum EIRP Density per Carrier (dBW/4kHz)
WXPXT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

WXPXT02	3700 4200	R	Horizontal	36M0G7F	0.0	0.0
---------	----------------	---	------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WXPXT01	Geostationary	3700 4200	60.0/ 143.0	139.6	49.7	253.0	20.9	0.0
WXPXT02	Geostationary	3700 4200	60.0/ 143.0	139.6	49.7	253.0	20.9	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City		E67. County	
		E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Tulsa Studio	E5. Call Sign:	KTPX-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	5800 east skelly dr	E7. City:	Tulsa
		E8. County:	Tulsa
E4. State	OK	E9. Zip Code	74135
E10. Area of Operation:	Tulsa, OK		
E11. Latitude:	36 °6 '7.1 "N		
E12. Longitude:	95 °54 '42.6 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	234.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Tulsa Studio	KTPXS01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	KTPXS02		DH		3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KTPXS01	0.0/0.0	6.2	240.2	0.0	0.0	0.0	0.0
KTPXS02	0.0/0.0	5.1	239.1	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)		E45. T/R Mode	E46. Antenna Polarization(H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
KTPXS01	3700	4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

KTPXS02	3700	4200	R	Horizontal	36M0G7F	0.0	0.0
---------	------	------	---	------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KTPXS01	Geostationary	3700 4200	60.0/ 143.0	129.8	34.0	237.8	28.5	0.0
KTPXS02	Geostationary	3700 4200	60.0/ 143.0	129.8	34.0	237.8	28.5	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City		E67. County	
		E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Tulsa TX	E5. Call Sign:	KTPX-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	3799 Belcher road	E7. City:	Mounds
		E8. County:	Okmulgee
E4. State	OK	E9. Zip Code	74047
E10. Area of Operation:	Mounds, OK		
E11. Latitude:	35 °50 '1.19 "N		
E12. Longitude:	96 °7 '26.9 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	283.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Tulsa TX	KTPXT01	1	Prodelin	Unknown	3.7	41.2 dBi at 3.7
						42.3 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KTPXT01	0.0/0.0	5.0	288.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
KTPXT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KTPXT01	Geostationary	3700 4200	60.0/ 143.0	129.4	34.1	237.8	28.8	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	WashingtonDC Studio	E5. Call Sign:	WPXW-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	6199 Old Arrington Lane	E7. City:	Fairfax Station
		E8. County:	Fairfax
E4. State	VA	E9. Zip Code	22039
E10. Area of Operation:	Fairfax Station, VA		
E11. Latitude:	38 °47 '16.65 "N		
E12. Longitude:	77 °19 '47.44 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	140.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
WashingtonDC Studio	WPXWS01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2
	WPXWS02		DH	Gibraltar	4.2	42.3 dBi at 3.7
						43.0 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPXWS01	0.0/0.0	4.7	144.7	0.0	0.0	0.0	0.0
WPXWS02	0.0/0.0	5.0	145.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum EIRP Density per Carrier (dBW/4kHz)
WPXWS01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

WPXWS02	3700 4200	R	Horizontal	36M0G7F	0.0	0.0
---------	----------------	---	------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPXWS01	Geostationary	3700 4200	60.0/ 143.0	154.4	41.8	251.4	13.2	0.0
WPXWS02	Geostationary	3700 4200	60.0/ 143.0	154.4	41.8	251.4	13.2	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	WashingtonDC TX	E5. Call Sign:	WPXW-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	4100 Wisconsin Ave, NW	E7. City:	Washington
		E8. County:	Washington
E4. State	DC	E9. Zip Code	20016
E10. Area of Operation:	Washington, DC		
E11. Latitude:	38 °56 '33.7 "N		
E12. Longitude:	77 °4 '39.9 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	124.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
WashingtonDC TX	WPXWT01	1	Patriot	38O	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPXWT01	0.0/0.0	20.9	144.9	16.0	0.0	4.9	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WPXWT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPXWT01	Geostationary	3700 4200	60.0/ 143.0	154.8	41.8	251.5	13.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Wausau TX	E5. Call Sign:	WTPX-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	16090 Landing Road	E7. City:	Wausua
		E8. County:	Langlade
E4. State	WI	E9. Zip Code	54403
E10. Area of Operation:	Wausua, WI		
E11. Latitude:	45 °3 '33.0 "N		
E12. Longitude:	89 °26 '10.0 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	438.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Wausau TX	WTPXT01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WTPXT01	0.0/0.0	5.0	443.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
WTPXT01	3700 4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WTPXT01	Geostationary	3700 4200	60.0/ 143.0	142.1	30.8	238.9	19.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	West Palm Beach TX	E5. Call Sign:	WPXP-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	6075 State Rd 7	E7. City:	Lake Worth
		E8. County:	Palm Beach
E4. State	FL	E9. Zip Code	33467
E10. Area of Operation:	Lake Worth, FL		
E11. Latitude:	26 °35 '21.2 "N		
E12. Longitude:	80 °12 '42.8 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	8.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
West Palm Beach TX	WPXPT01	1	Comtech	Unknown	3.8	41.4 dBi at 3.7
						42.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WPXPT01	0.0/0.0	4.8	12.8	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)

WPXPT01	3700	4200	R	Horizontal	36M0G7F	0.0	0.0
E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) Digital video with associated audio subcarriers Modulations							

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WPXPT01	Geostationary	3700 4200	60.0/ 143.0	141.5	52.1	254.9	19.4	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City		E67. County	
		E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Tampa Studio	E5. Call Sign:	WXPX-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	14444 66th Street N	E7. City:	Clearwater
		E8. County:	Pinellas
E4. State	FL	E9. Zip Code	33764
E10. Area of Operation:	Clearwater, FL		
E11. Latitude:	27 °54 '16.6 "N		
E12. Longitude:	82 °43 '50.1 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	5.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Tampa Studio	WXPXS01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	WXPXS02		Andrew	ES45MPJ	4.5	42.9 dBi at 3.7
						44.0 dBi at 4.2
	WXPXS03		ATCi	5B	9.6	49.4 dBi at 3.7
						50.5 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
WXPXS01	0.0/0.0	6.9	11.9	0.0	0.0	0.0	0.0
WXPXS02	0.0/0.0	6.6	11.6	0.0	0.0	0.0	0.0

WXPXS03	0.0/0.0	9.8	14.8	0.0	0.0	0.0	0.0
---------	---------	-----	------	-----	-----	-----	-----

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)		E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum EIRP Density per Carrier (dBW/4kHz)
WXPXS01	3700	4200	R	Horizontal and Vertical	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

WXPXS02	3700	4200	R	Horizontal and Vertical	36M0G7F	0.0	0.0
---------	------	------	---	-------------------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

WXPXS03	3700	4200	R	Horizontal and Vertical	36M0G7F	0.0	0.0
---------	------	------	---	-------------------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
WXPXS01	Geostationary	3700 4200	60.0/ 143.0	139.0	49.3	252.7	21.3	0.0
WXPXS02	Geostationary	3700 4200	60.0/ 143.0	139.0	49.3	252.7	21.3	0.0
WXPXS03	Geostationary	3700 4200	60.0/ 143.0	139.0	49.3	252.7	21.3	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.	E65. Phone Number
E62. Street Address	

E63. City	E67. County	E64/68. State/Country /	E66. Zip Code
-----------	-------------	-------------------------------	---------------

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 – Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	Des Moines Studio	E5. Call Sign:	KFPX-TV
E2: Contact Name	Mark Ruppert	E6. Phone Number:	727-533-2707
E3. Street:	4570 114th Street	E7. City:	Urbandale
		E8. County:	Polk
E4. State	IA	E9. Zip Code	50322
E10. Area of Operation:	Urbandale, IA		
E11. Latitude:	41 °38 '23.7 "N		
E12. Longitude:	93 °46 '32.2 "W		
E13. Lat/Lon Coordinates are:	☒ NAD-27	☒ NAD-83	☐ N/A
E14. Site Elevation (AMSL):	302.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	☒ Yes ☐ No ☐ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	☐ Yes ☐ No ☒ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	☐ Yes ☒ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	☐ Yes ☒ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	☐ Yes ☒ No
E20. FAA Notification – (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	☒ Yes ☐ No

POINTS OF COMMUNICATION

Satellite Name: PERMITTED LIST If you selected OTHER, please enter the following:
--

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at ____GHz)
Des Moines Studio	KFPXS01	1	Comtech	Unknown	5.0	43.8 dBi at 3.7
						44.9 dBi at 4.2
	KFPXS02					43.8 dBi at 3.7
						44.9 dBi at 4.2

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
KFPXS01	0.0/0.0	6.0	308.0	0.0	0.0	0.0	0.0
KFPXS02	0.0/0.0	6.0	308.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)		E45. T/R Mode	E46. Antenna Polarization(H,V,L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
KFPXS01	3700	4200	R	Horizontal	36M0G7F	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

KFPXS02	3700	4200	R	Horizontal	36M0G7F	0.0	0.0
---------	------	------	---	------------	---------	-----	-----

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

Digital video with associated audio subcarriers Modulations

FREQUENCY COORDINATION

E28. Antenna Id	E51. Satellite Orbit Type	E52/53. Frequency Limits(MHz)	E54/55. Range of Satellite Arc E/W Limit	E56. Earth Station Azimuth Angle Eastern Limit	E57. Antenna Elevation Angle Eastern Limit	E58. Earth Station Azimuth Angle Western Limit	E59. Antenna Elevation Angle Western Limit	E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)
KFPXS01	Geostationary	3700 4200	60.0/ 143.0	135.4	31.3	236.6	23.8	0.0
KFPXS02	Geostationary	3700 4200	60.0/ 143.0	135.4	31.3	236.6	23.8	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

FCC NOTICE REQUIRED BY THE PAPERWORK REDUCTION ACT

The public reporting for this collection of information is estimated to average 0.25 – 24 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the required data, and completing and reviewing the collection of information. If you have any comments on this burden estimate, or how we can improve the collection and reduce the burden it causes you, please write to the Federal Communications Commission, AMD-PER, Paperwork Reduction Project (3060-0678), Washington, DC 20554. We will also accept your comments regarding the Paperwork Reduction Act aspects of this collection via the Internet if you send them to PRA@fcc.gov. PLEASE DO NOT SEND COMPLETED FORMS TO THIS ADDRESS.

Remember – You are not required to respond to a collection of information sponsored by the Federal government, and the government may not conduct or sponsor this collection, unless it displays a currently valid OMB control number or if we fail to provide you with this notice. This collection has been assigned an OMB control number of 3060-0678.

THE FOREGOING NOTICE IS REQUIRED BY THE PAPERWORK REDUCTION ACT OF 1995, PUBLIC LAW 104-13, OCTOBER 1, 1995, 44 U.S.C. SECTION 3507.