

FREQUENCY COORDINATION AND INTERFERENCE ANALYSIS REPORT

Prepared for
ESPN Inc.
LOS ANGELES, CA
Satellite Earth Station

Prepared By:
COMSEARCH
19700 Janelia Farm Boulevard
Ashburn, VA 20147
May 06, 2018

TABLE OF CONTENTS

1. CONCLUSIONS	3
2. SUMMARY OF RESULTS	4
3. SUPPLEMENTAL SHOWING	5
4. EARTH STATION COORDINATION DATA.....	6
5. CERTIFICATION.....	10

1. CONCLUSIONS

An interference study considering all existing, proposed and prior coordinated microwave facilities within the coordination contours of the proposed earth station demonstrates that this site will operate satisfactorily with the common carrier microwave environment. Further, there will be no restrictions of its operation due to interference considerations.

2. SUMMARY OF RESULTS

There were no great circle interference cases identified during the interference study of the proposed earth station.

3. SUPPLEMENTAL SHOWING

Pursuant to Part 25.203(c) of the FCC Rules and Regulations, the satellite earth station proposed in this application was coordinated by Comsearch using computer techniques and in accordance with Part 25 of the FCC Rules and Regulations.

Coordination data for this earth station was sent to the below listed carriers with a letter dated 05/06/2018.

Company

American Tower, LLC

4. EARTH STATION COORDINATION DATA

This section presents the data pertinent to frequency coordination of the proposed earth station that was circulated to all carriers within its coordination contours.

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Date: 05/06/2018
Job Number: 180506COMSTC15

Administrative Information

Licensee Code: ESPN
Licensee Name: ESPN Inc.

Site Information

LOS ANGELES, CA
Venue Name: LAPC1
Latitude (NAD 83): 34° 2' 38.4" N
Longitude (NAD 83): 118° 15' 55.8" W
Climate Zone: A
Rain Zone: 4
Ground Elevation (AMSL): 74.61 m / 244.8 ft

Link Information

Satellite Type: Geostationary
Mode: RO - Receive-Only
Modulation: Digital
Satellite Arc: 82° W to 139° West Longitude
Azimuth Range: 127.3° to 214.1°
Corresponding Elevation Angles: 34.8° / 44.6°
Antenna Centerline (AGL): 2.74 m / 9.0 ft

Antenna Information

Receive - F40371
Manufacturer: MICRODYNE CORPORATION
Model: PR-12
Gain / Diameter: 41.0 dBi / 3.7 m
3-dB / 15-dB Beamwidth: 1.44° / 2.90°

Interference Objectives: Long Term -156.0 dBW/MHz 20%
 Short Term -146.0 dBW/MHz 0.01%

Frequency Information

Receive 4.0 GHz
Emission / Frequency Range (MHz): 4M50G7W - 72M0G7W / 3700.0 - 4200.0

Max Great Circle Coordination Distance: 305.5 km / 189.8 mi
Precipitation Scatter Contour Radius: 358.9 km / 223.0 mi

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values

LOS ANGELES, CA

Licensee Name ESPN Inc.
Latitude (NAD 83) 34° 2' 38.4" N
Longitude (NAD 83) 118° 15' 55.8" W
Ground Elevation (AMSL) 74.61 m / 244.8 ft
Antenna Centerline (AGL) 2.74 m / 9.0 ft
Antenna Model MICRODYNE CORPORATION PR-12
Antenna Mode Receive 4.0 GHz
Interference Objectives: Long Term -156.0 dBW/MHz 20%
Short Term -146.0 dBW/MHz 0.01%

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Receive 4.0 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)
0	1.71	120.55	-10.00	202.35
5	1.74	116.65	-10.00	201.49
10	1.75	112.65	-10.00	201.23
15	1.95	108.63	-10.00	195.80
20	2.27	104.56	-10.00	188.43
25	2.04	100.36	-10.00	193.49
30	1.67	96.15	-10.00	203.32
35	1.55	91.96	-10.00	206.57
40	1.35	87.79	-10.00	209.84
45	1.21	83.63	-10.00	213.83
50	1.57	79.44	-10.00	206.12
55	1.45	75.33	-10.00	206.99
60	0.92	71.35	-10.00	224.35
65	0.85	67.35	-10.00	228.46
70	0.61	63.49	-10.00	242.73
75	0.45	59.71	-10.00	255.35
80	0.39	56.01	-10.00	261.61
85	0.74	52.24	-10.00	234.58
90	0.34	49.04	-9.81	268.90
95	0.22	45.92	-9.18	288.17
100	0.27	42.96	-8.59	285.56
105	0.21	40.40	-8.08	296.51
110	0.00	38.38	-7.68	300.49
115	0.00	36.65	-7.33	302.83
120	0.00	35.46	-7.09	304.45
125	0.00	34.86	-6.94	305.48
130	0.00	34.87	-6.95	305.42
135	0.00	35.51	-7.10	304.38
140	0.00	36.74	-7.35	302.71
145	0.00	38.50	-7.70	300.33
150	0.00	40.72	-8.14	297.36
155	0.00	43.30	-8.66	293.94
160	0.00	45.72	-9.14	290.79
165	0.00	47.70	-9.54	288.22
170	0.00	49.19	-9.84	286.31
175	0.00	50.12	-10.00	285.28
180	0.00	50.43	-10.00	285.28
185	0.00	50.12	-10.00	285.28

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values


LOS ANGELES, CA

Licensee Name ESPN Inc.
Latitude (NAD 83) 34° 2' 38.4" N
Longitude (NAD 83) 118° 15' 55.8" W
Ground Elevation (AMSL) 74.61 m / 244.8 ft
Antenna Centerline (AGL) 2.74 m / 9.0 ft
Antenna Model MICRODYNE CORPORATION PR-12
Antenna Mode Receive 4.0 GHz
Interference Objectives: Long Term -156.0 dBW/MHz 20%
Short Term -146.0 dBW/MHz 0.01%

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Receive 4.0 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)
190	0.00	49.19	-9.84	286.31
195	0.00	47.72	-9.54	288.19
200	0.00	46.34	-9.27	289.98
205	0.00	45.34	-9.07	291.28
210	0.00	44.77	-8.95	292.02
215	0.00	44.63	-8.93	292.20
220	0.00	44.93	-8.99	291.81
225	0.00	45.67	-9.13	290.85
230	0.00	46.81	-9.36	289.37
235	0.00	48.33	-9.67	287.41
240	0.00	50.20	-10.00	285.28
245	0.00	52.37	-10.00	285.28
250	0.00	54.81	-10.00	285.28
255	0.00	57.47	-10.00	285.28
260	0.00	60.33	-10.00	285.28
265	0.00	63.35	-10.00	285.28
270	0.00	66.50	-10.00	285.28
275	0.00	69.77	-10.00	285.28
280	0.00	73.13	-10.00	285.28
285	0.00	76.56	-10.00	285.28
290	0.00	80.04	-10.00	285.28
295	0.00	83.56	-10.00	285.28
300	0.00	87.11	-10.00	285.28
305	0.29	90.67	-10.00	274.31
310	0.35	94.25	-10.00	266.39
315	0.52	97.83	-10.00	248.44
320	0.56	101.38	-10.00	246.07
325	0.71	104.92	-10.00	236.38
330	0.72	108.37	-10.00	235.99
335	0.79	111.77	-10.00	231.93
340	0.91	115.10	-10.00	224.99
345	1.16	118.40	-10.00	215.30
350	1.45	121.60	-10.00	207.09
355	1.51	124.28	-10.00	205.29

5. CERTIFICATION

I HEREBY CERTIFY THAT I AM THE TECHNICALLY QUALIFIED PERSON RESPONSIBLE FOR THE PREPARATION OF THE FREQUENCY COORDINATION DATA CONTAINED IN THIS APPLICATION, THAT I AM FAMILIAR WITH PARTS 101 AND 25 OF THE FCC RULES AND REGULATIONS, THAT I HAVE EITHER PREPARED OR REVIEWED THE FREQUENCY COORDINATION DATA SUBMITTED WITH THIS APPLICATION, AND THAT IT IS COMPLETE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.



Timothy O. Crutcher
Frequency Planner
COMSEARCH
19700 Janelia Farm Boulevard
Ashburn, VA 20147

DATED: May 06, 2018

FREQUENCY COORDINATION AND INTERFERENCE ANALYSIS REPORT

Prepared for
ESPN Inc.
LOS ANGELES, CA LAPC2
Satellite Earth Station

Prepared By:
COMSEARCH
19700 Janelia Farm Boulevard
Ashburn, VA 20147
May 06, 2018

TABLE OF CONTENTS

1. CONCLUSIONS	3
2. SUMMARY OF RESULTS	4
3. SUPPLEMENTAL SHOWING	5
4. EARTH STATION COORDINATION DATA.....	6
5. CERTIFICATION.....	10

1. CONCLUSIONS

An interference study considering all existing, proposed and prior coordinated microwave facilities within the coordination contours of the proposed earth station demonstrates that this site will operate satisfactorily with the common carrier microwave environment. Further, there will be no restrictions of its operation due to interference considerations.

2. SUMMARY OF RESULTS

There were no great circle interference cases identified during the interference study of the proposed earth station.

3. SUPPLEMENTAL SHOWING

Pursuant to Part 25.203(c) of the FCC Rules and Regulations, the satellite earth station proposed in this application was coordinated by Comsearch using computer techniques and in accordance with Part 25 of the FCC Rules and Regulations.

Coordination data for this earth station was sent to the below listed carriers with a letter dated 05/06/2018.

Company

American Tower, LLC

4. EARTH STATION COORDINATION DATA

This section presents the data pertinent to frequency coordination of the proposed earth station that was circulated to all carriers within its coordination contours.

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Date: 05/06/2018
Job Number: 180506COMSTC13

Administrative Information

Licensee Code: ESPN
Licensee Name: ESPN Inc.

Site Information

LOS ANGELES, CA
Venue Name: LAPC
Latitude (NAD 83): 34° 2' 38.4" N
Longitude (NAD 83): 118° 15' 57.6" W
Climate Zone: A
Rain Zone: 4
Ground Elevation (AMSL): 74.36 m / 244.0 ft

Link Information

Satellite Type: Geostationary
Mode: RO - Receive-Only
Modulation: Digital
Satellite Arc: 82° W to 139° West Longitude
Azimuth Range: 127.3° to 214.1°
Corresponding Elevation Angles: 34.8° / 44.6°
Antenna Centerline (AGL): 2.74 m / 9.0 ft

Antenna Information

Receive - F40371
Manufacturer: MICRODYNE CORPORATION
Model: PR-12
Gain / Diameter: 41.0 dBi / 3.7 m
3-dB / 15-dB Beamwidth: 1.44° / 2.90°

Interference Objectives: Long Term -156.0 dBW/MHz 20%
 Short Term -146.0 dBW/MHz 0.01%

Frequency Information

Receive 4.0 GHz
Emission / Frequency Range (MHz): 4M50G7W - 72M0G7W / 3700.0 - 4200.0

Max Great Circle Coordination Distance: 305.5 km / 189.8 mi
Precipitation Scatter Contour Radius: 358.9 km / 223.0 mi

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values

LOS ANGELES, CA

Licensee Name ESPN Inc.
Latitude (NAD 83) 34° 2' 38.4" N
Longitude (NAD 83) 118° 15' 57.6" W
Ground Elevation (AMSL) 74.36 m / 244.0 ft
Antenna Centerline (AGL) 2.74 m / 9.0 ft
Antenna Model MICRODYNE CORPORATION PR-12
Antenna Mode Receive 4.0 GHz
Interference Objectives: Long Term -156.0 dBW/MHz 20%
Short Term -146.0 dBW/MHz 0.01%

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Receive 4.0 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)
0	1.62	120.52	-10.00	204.86
5	1.76	116.66	-10.00	200.97
10	1.74	112.65	-10.00	201.59
15	1.94	108.63	-10.00	196.11
20	2.00	104.52	-10.00	194.42
25	2.10	100.37	-10.00	192.34
30	1.74	96.15	-10.00	201.53
35	1.48	91.96	-10.00	206.15
40	1.38	87.79	-10.00	208.84
45	1.17	83.63	-10.00	215.18
50	1.52	79.45	-10.00	205.22
55	1.53	75.31	-10.00	204.74
60	1.06	71.32	-10.00	218.32
65	0.73	67.39	-10.00	235.73
70	0.60	63.49	-10.00	243.65
75	0.43	59.72	-10.00	257.52
80	0.40	56.00	-10.00	261.27
85	0.77	52.22	-10.00	233.02
90	0.35	49.03	-9.81	268.17
95	0.22	45.92	-9.18	287.64
100	0.28	42.95	-8.59	284.74
105	0.21	40.40	-8.08	296.34
110	0.00	38.38	-7.68	300.50
115	0.00	36.65	-7.33	302.83
120	0.00	35.46	-7.09	304.46
125	0.00	34.85	-6.94	305.48
130	0.00	34.87	-6.95	305.43
135	0.00	35.51	-7.10	304.38
140	0.00	36.74	-7.35	302.71
145	0.00	38.50	-7.70	300.33
150	0.00	40.72	-8.14	297.36
155	0.00	43.30	-8.66	293.94
160	0.00	45.72	-9.14	290.79
165	0.00	47.70	-9.54	288.22
170	0.00	49.19	-9.84	286.31
175	0.00	50.12	-10.00	285.28
180	0.00	50.43	-10.00	285.28
185	0.00	50.12	-10.00	285.28

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values


LOS ANGELES, CA

Licensee Name: ESPN Inc.
Latitude (NAD 83): 34° 2' 38.4" N
Longitude (NAD 83): 118° 15' 57.6" W
Ground Elevation (AMSL): 74.36 m / 244.0 ft
Antenna Centerline (AGL): 2.74 m / 9.0 ft
Antenna Model: MICRODYNE CORPORATION PR-12
Antenna Mode: Receive 4.0 GHz
Interference Objectives: Long Term: -156.0 dBW/MHz 20%
Short Term: -146.0 dBW/MHz 0.01%

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Receive 4.0 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)
190	0.00	49.19	-9.84	286.31
195	0.00	47.72	-9.54	288.19
200	0.00	46.34	-9.27	289.98
205	0.00	45.34	-9.07	291.27
210	0.00	44.77	-8.95	292.02
215	0.00	44.63	-8.93	292.20
220	0.00	44.93	-8.99	291.81
225	0.00	45.67	-9.13	290.85
230	0.00	46.81	-9.36	289.37
235	0.00	48.34	-9.67	287.41
240	0.00	50.20	-10.00	285.28
245	0.00	52.37	-10.00	285.28
250	0.00	54.81	-10.00	285.28
255	0.00	57.47	-10.00	285.28
260	0.00	60.33	-10.00	285.28
265	0.00	63.35	-10.00	285.28
270	0.00	66.51	-10.00	285.28
275	0.00	69.77	-10.00	285.28
280	0.00	73.13	-10.00	285.28
285	0.00	76.56	-10.00	285.28
290	0.00	80.04	-10.00	285.28
295	0.00	83.56	-10.00	285.28
300	0.00	87.11	-10.00	285.28
305	0.28	90.67	-10.00	275.80
310	0.33	94.25	-10.00	269.74
315	0.52	97.83	-10.00	248.73
320	0.56	101.38	-10.00	245.67
325	0.79	104.94	-10.00	231.85
330	0.73	108.37	-10.00	235.46
335	0.83	111.78	-10.00	229.45
340	0.91	115.10	-10.00	225.40
345	1.15	118.39	-10.00	215.80
350	1.18	121.45	-10.00	214.74
355	1.53	124.29	-10.00	204.76

5. CERTIFICATION

I HEREBY CERTIFY THAT I AM THE TECHNICALLY QUALIFIED PERSON RESPONSIBLE FOR THE PREPARATION OF THE FREQUENCY COORDINATION DATA CONTAINED IN THIS APPLICATION, THAT I AM FAMILIAR WITH PARTS 101 AND 25 OF THE FCC RULES AND REGULATIONS, THAT I HAVE EITHER PREPARED OR REVIEWED THE FREQUENCY COORDINATION DATA SUBMITTED WITH THIS APPLICATION, AND THAT IT IS COMPLETE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

A handwritten signature in cursive script that reads "Timothy O. Crutcher".

Timothy O. Crutcher
Frequency Planner
COMSEARCH
19700 Janelia Farm Boulevard
Ashburn, VA 20147

DATED: May 06, 2018