



Entravision Communications, LLC
Laredo Site
Coordinates: 27-30-1.7 N, 99-26-55.9 W (NAD 83)

Micronet Communications, Inc.
 720 F Avenue, Suite 100
 Plano, Texas 75074
 972-422-7200

File: V1820012

=====

TECHNICAL CHARACTERISTICS OF RECEIVE ONLY EARTH STATION

=====

Company:	Entravision Communications Company, L.L.C.		
Site Name, State:	Laredo, TX		
Call Sign:			
Latitude	(NAD83)	27 30	1.7 N
Longitude	(NAD83)	99 26	55.9 W
Elevation AMSL	(ft/m)	439.63	134.00
Receive Frequency Range	(MHz)	3700-4200	
Transmit Frequency Range	(MHz)		
Range of Satellite Orbital Long.	(deg W)	60.00	160.00
Range of Azimuths from North	(deg)	119.30	255.39
Antenna Centerline	(ft/m)	6.56	2.00
Antenna Elevation Angles	(deg)	36.24	17.58

Equipment Parameters		Receive
----------------------	--	---------

Antenna Gain, Main Beam	(dbI)	40.40
15 DB Half Beamwidth	(deg)	2.40

Antennas Receive: PRODELIN 1374 (3.0M)


Max Transmitter Power	(dbW/4KHz)	
Max EIRP Main Beam	(dbW/4KHz)	
Modulation / Emission Designator	ANALOG	36M0G7W

Coordination Parameters		Receive
-------------------------	--	---------


Max Greater Circle Distances	(km)	283.33	
Max Rain Scatter Distances	(km)	243.95	
Max Interference Power Long Term	(dbW)	-140.60	
Max Interference Power Short Term	(dbW)	-118.40	
Rain Zone / Radio Zone		2	A

Horizon Angle & Satellite Arc for Laredo, TX


Micronet Communications, Inc.



Horizon Gain for Laredo, TX Micronet Communications, Inc.



Minimum Discrimination Angles for Laredo, TX
Micronet Communications, Inc.



Final Contour & Rain Scatter for Laredo, TX - Receive

