Approved by OMB
3060−0678

Date & Time Filed: Sep 14 2018 10:25:26:223AM
File Number: SES−REG−INTR2018−05766
Callsign/Satellite ID:

APPLICATION FOR EARTH STATION AUTHORIZATIONS FCC 312 MAIN FORM FOR OFFICIAL USE ONLY	FCC Use Only

APPLICANT INFORMATION
Enter a description of this application to identify it on the main menu:
R−O Earth Station Application, Nos. 701−750

1−8. Legal Name of Applicant

Name:	Corporation of the Presiding Bishop of The Church of Jesus Christ of Latter−day	**Phone Number:**	510−531−3200
DBA Name:		**Fax Number:**	
Street:	50 E. North Temple St	**E−Mail:**	
City:	Salt Lake City	**State:**	UT
Country:	USA	**Zipcode:**	84150 −
Attention:	Bart Eichelberger		

9−16. Name of Contact Representative

Name:	Jennifer Hindin	**Phone Number:**	2027194975
Company:	Wiley Rein LLP	**Fax Number:**	
Street:	1776 K St NW	**E−Mail:**	jhindin@wileyrein.com
City:	Washington	**State:**	DC
Country:	USA	**Zipcode:**	20006−
Attention:		**Relationship:**	Legal Counsel

CLASSIFICATION OF FILING

17. Choose the button next to the classification that applies to this filing for both questions a. and b. Choose only one for 17a and only one for 17b. a. ◉ a1. Earth Station (N/A) a2. Space Station	b. ○ b1. Application for License of New Station ◉ b2. Application for Registration of New Domestic Receive−Only Station (N/A) b3. Amendment to a Pending Application (N/A) b4. Modification of License or Registration (N/A) b5. Assignment of License or Registration (N/A) b6. Transfer of Control of License or Registration (N/A) b7. Notification of Minor Modification (N/A) b8. Application for License of New Receive−Only Station Using Non−U.S. Licensed Satellite (N/A) b9. Letter of Intent to Use Non−U.S. Licensed Satellite to Provide Service in the United States ○ b10. Other (Please specify) ○ b11. Application for Earth Station to Access a Non−U.S.satellite Not Currently Authorized to Provide the Proposed Service in the Proposed Frequencies in the United States. ○ b12. Application for Database Entry (N/A) b13. Amendment to a Pending Database Entry Application (N/A) b14. Modifiction of Database Entry
17c. Is a fee submitted with this application? ○ If Yes, complete and attach FCC Form 159. If No, indicate reason for fee exemption (see 47 C.F.R.Section 1.1114). ○ Governmental Entity ○ Noncommercial educational licensee ◉ Other(please explain): Agency Tracking ID	
17d. Fee Classification BGV − Fixed Satellite VSAT System	

18. If this filing is in reference to an existing station, enter: (a) Call sign of station: Not Applicable	19. If this filing is an amendment to a pending application enter: (a) Date pending application was filed: Not Applicable (b) File number of pending application: Not Applicable

TYPE OF SERVICE

20. NATURE OF SERVICE: This filing is for an authorization to provide or use the following type(s) of service(s): Select all that apply:

- [x] a. Fixed Satellite
- [ ] b. Mobile Satellite
- [ ] c. Radiodetermination Satellite
- [ ] d. Earth Exploration Satellite
- [ ] e. Direct to Home Fixed Satellite
- [ ] f. Digital Audio Radio Service
- [ ] g. Other (please specify)

21. STATUS: Choose the button next to the applicable status. Choose only one.

- ○ Common Carrier
- ◉ Non−Common Carrier

22. If earth station applicant, check all that apply.

- [x] Using U.S. licensed satellites
- [ ] Using Non−U.S. licensed satellites

23. If applicant is providng INTERNATIONAL COMMON CARRIER service, see instructions regarding Sec. 214 filings. Choose one. Are these facilities:

- ○ Connected to a Public Switched Network
- ○ Not connected to a Public Switched Network
- ◉ N/A

24. FREQUENCY BAND(S): Place an "X" in the box(es) next to all applicable frequency band(s).

☒ a. C−Band (4/6 GHz) ☐ b. Ku−Band (12/14 GHz)

☐ c.Other (Please specify upper and lower frequencies in MHz.)

Frequency Lower: Frequency Upper:

TYPE OF STATION

25. CLASS OF STATION: Choose the button next to the class of station that applies. Choose only one.

◉ a. Fixed Earth Station

○ b. Temporary−Fixed Earth Station

○ c. 12/14 GHz VSAT Network

○ d. Mobile Earth Station

(N/A) e. Geostationary Space Station

(N/A) f. Non−Geostationary Space Station

○ g. Other (please specify)

26. TYPE OF EARTH STATION FACILITY: Choose only one.

○ Transmit/Receive ○ Transmit−Only ◉ Receive−Only ○ N/A

PURPOSE OF MODIFICATION

27. The purpose of this proposed modification is to: (Place an ’X’ in the box(es) next to all that apply.)

Not Applicable

ENVIRONMENTAL POLICY

28. Would a Commission grant of any proposal in this application or amendment have a significant environmental impact as defined by 47 CFR 1.1307? If YES, submit the statement as required by Sections 1.1308 and 1.1311 of the Commission's rules, 47 C.F.R. §§ 1.1308 and 1.1311, as an exhibit to this application. A Radiation Hazard Study must accompany all applications for new transmitting facilities, major modifications, or major amendments.	○ Yes ◉ No

ALIEN OWNERSHIP Earth station applicants not proposing to provide broadcast, common carrier, aeronautical en route or aeronautical fixed radio station services are not required to respond to Items 30−34.

29. Is the applicant a foreign government or the representative of any foreign government?	○ Yes ◉ No
30. Is the applicant an alien or the representative of an alien?	○ Yes ○ No ◉ N/A
31. Is the applicant a corporation organized under the laws of any foreign government?	○ Yes ○ No ◉ N/A
32. Is the applicant a corporation of which more than one−fifth of the capital stock is owned of record or voted by aliens or their representatives or by a foreign government or representative thereof or by any corporation organized under the laws of a foreign country?	○ Yes ○ No ◉ N/A

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
						dBi at

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
	/						

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
			/					

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	E5. Call Sign:
E2: Contact Name	E6. Phone Number:
E3. Street:	E7. City:
	E8. County:
E4. State	E9. Zip Code

E10. Area of Operation:

E11. Latitude: ° ’ "

E12. Longitude: ° ’ "

E13. Lat/Lon Coordinates are: ○ NAD−27 ○ NAD−83 ○ N/A

E14. Site Elevation (AMSL): meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	○ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ○ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ○ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ○ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ○ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ○ No

POINTS OF COMMUNICATION

Satellite Name: If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
						dBi at

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
	/						

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
			/					

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	E5. Call Sign:
E2: Contact Name	E6. Phone Number:
E3. Street:	E7. City:
	E8. County:
E4. State	E9. Zip Code

E10. Area of Operation:

E11. Latitude: ° ’ "

E12. Longitude: ° ’ "

E13. Lat/Lon Coordinates are: ○ NAD−27 ○ NAD−83 ○ N/A

E14. Site Elevation (AMSL): meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	○ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ○ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ○ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ○ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ○ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ○ No

POINTS OF COMMUNICATION

Satellite Name: If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
						dBi at

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
	/						

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
			/					

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	KEY WEST	E5. Call Sign:		
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000	
E3. Street:	3424 Northside Drive	E7. City:	KEY WEST	
		E8. County:		
E4. State	FL	E9. Zip Code	33040	
E10. Area of Operation:		KEY WEST		
E11. Latitude:	24 °34 ’11.37 "N			
E12. Longitude:	81 °45 ’39.56 "W			
E13. Lat/Lon Coordinates are:		◉ NAD−27	○ NAD−83	○ N/A
E14. Site Elevation (AMSL):		0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
KEY WEST	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	CLERMONT, MINNEOLA	E5. Call Sign:		
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000	
E3. Street:	14600 Green Valley Boulevard	E7. City:	CLERMONT	
		E8. County:		
E4. State	FL	E9. Zip Code	34711	
E10. Area of Operation:		CLERMONT		
E11. Latitude:	28 °33 ’35.06 "N			
E12. Longitude:	81 °48 ’39.48 "W			
E13. Lat/Lon Coordinates are:		◉ NAD−27	○ NAD−83	○ N/A
E14. Site Elevation (AMSL):		0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
CLERMONT, MINNEOLA	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	LEESBURG	E5. Call Sign:		
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000	
E3. Street:	1875 Mount Vernon Road	E7. City:	LEESBURG	
		E8. County:		
E4. State	FL	E9. Zip Code	34748	
E10. Area of Operation:		LEESBURG		
E11. Latitude:	28 °48 ’54.56 "N			
E12. Longitude:	81 °50 ’47.84 "W			
E13. Lat/Lon Coordinates are:		◉ NAD−27	○ NAD−83	○ N/A
E14. Site Elevation (AMSL):		0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name: If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:

E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
LEESBURG	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.			E65. Phone Number
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	ARCADIA	E5. Call Sign:		
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000	
E3. Street:	1117 East Gibson Street	E7. City:	ARCADIA	
		E8. County:		
E4. State	FL	E9. Zip Code	34266	
E10. Area of Operation:		ARCADIA		
E11. Latitude:	27 °13 ’27.95 "N			
E12. Longitude:	81 °50 ’48.82 "W			
E13. Lat/Lon Coordinates are:		◉ NAD−27	○ NAD−83	○ N/A
E14. Site Elevation (AMSL):		0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
ARCADIA	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	WHITEHOUSE	E5. Call Sign:	
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000
E3. Street:	798 Chaffee Road North	E7. City:	JACKSONVILLE
		E8. County:	
E4. State	FL	E9. Zip Code	32220

E10. Area of Operation: JACKSONVILLE

E11. Latitude: 30 °19 ’55.52 "N

E12. Longitude: 81 °50 ’57.49 "W

E13. Lat/Lon Coordinates are: ◉ NAD−27 ○ NAD−83 ○ N/A

E14. Site Elevation (AMSL): 0.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
WHITEHOUSE	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	LAKELAND	E5. Call Sign:		
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000	
E3. Street:	2337 South Crystal Lake Drive	E7. City:	LAKELAND	
		E8. County:		
E4. State	FL	E9. Zip Code	33801	
E10. Area of Operation:		LAKELAND		
E11. Latitude:	28 °1 ’25.35 "N			
E12. Longitude:	81 °54 ’44.67 "W			
E13. Lat/Lon Coordinates are:		◉ NAD−27	○ NAD−83	○ N/A
E14. Site Elevation (AMSL):		0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
LAKELAND	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	CAPE CORAL	E5. Call Sign:		
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000	
E3. Street:	1928 Chiquita Boulevard South	E7. City:	CAPE CORAL	
		E8. County:		
E4. State	FL	E9. Zip Code	33991	
E10. Area of Operation:		CAPE CORAL		
E11. Latitude:	26 °36 ’57.0 "N			
E12. Longitude:	82 °0 ’27.46 "W			
E13. Lat/Lon Coordinates are:		◉ NAD−27	○ NAD−83	○ N/A
E14. Site Elevation (AMSL):		0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as

○ Yes ◉ No

E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as

○ Yes ◉ No

E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation?

○ Yes ◉ No

FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.

POINTS OF COMMUNICATION

Satellite Name:	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
CAPE CORAL	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	PLANT CITY	E5. Call Sign:		
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000	
E3. Street:	1805 North Park Road	E7. City:	PLANT CITY	
		E8. County:		
E4. State	FL	E9. Zip Code	33563	
E10. Area of Operation:		PLANT CITY		
E11. Latitude:	28 °1 ’52.11 "N			
E12. Longitude:	82 °6 ’19.14 "W			
E13. Lat/Lon Coordinates are:		◉ NAD−27	○ NAD−83	○ N/A
E14. Site Elevation (AMSL):		0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name: If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
PLANT CITY	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	OCALA 1, 2, 3 (SP)	E5. Call Sign:		
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000	
E3. Street:	1831 Southeast 18th Avenue	E7. City:	OCALA	
		E8. County:		
E4. State	FL	E9. Zip Code	34471	
E10. Area of Operation:		OCALA		
E11. Latitude:	29 °10 ’11.89 "N			
E12. Longitude:	82 °6 ’48.19 "W			
E13. Lat/Lon Coordinates are:		◉ NAD−27	○ NAD−83	○ N/A
E14. Site Elevation (AMSL):		0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
OCALA 1, 2, 3 (SP)	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign

NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.

E65. Phone Number

E62. Street Address

E63. City

E67. County

E64/68. State/Country /

E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	STARKE	E5. Call Sign:		
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000	
E3. Street:	1305 Raiford Road	E7. City:	STARKE	
		E8. County:		
E4. State	FL	E9. Zip Code	32091	
E10. Area of Operation:		STARKE		
E11. Latitude:	29 °57 ’32.33 "N			
E12. Longitude:	82 °7 ’0.3 "W			
E13. Lat/Lon Coordinates are:		◉ NAD−27	○ NAD−83	○ N/A
E14. Site Elevation (AMSL):		0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
STARKE	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	MACCLENNY	E5. Call Sign:		
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000	
E3. Street:	904 South 5th Street	E7. City:	MACCLENNY	
		E8. County:		
E4. State	FL	E9. Zip Code	32063	
E10. Area of Operation:		MACCLENNY		
E11. Latitude:	30 °16 ’20.22 "N			
E12. Longitude:	82 °7 ’11.44 "W			
E13. Lat/Lon Coordinates are:		◉ NAD−27	○ NAD−83	○ N/A
E14. Site Elevation (AMSL):		0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as

○ Yes ◉ No

E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as

○ Yes ◉ No

E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation?

○ Yes ◉ No

FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.

POINTS OF COMMUNICATION

Satellite Name: If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:

E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
MACCLENNY	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	PORT CHARLOTTE	E5. Call Sign:	
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000
E3. Street:	1303 Forrest Nelson Blvd	E7. City:	PORT CHARLOTTE
		E8. County:	
E4. State	FL	E9. Zip Code	33952

E10. Area of Operation: PORT CHARLOTTE

E11. Latitude: 27 °0 ’39.75 "N

E12. Longitude: 82 °7 ’23.49 "W

E13. Lat/Lon Coordinates are: ◉ NAD−27 ○ NAD−83 ○ N/A

E14. Site Elevation (AMSL): 0.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
PORT CHARLOTTE	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
			/					

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	DADE CITY	E5. Call Sign:	
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000
E3. Street:	9016 Fort King Road	E7. City:	DADE CITY
		E8. County:	
E4. State	FL	E9. Zip Code	33525

E10. Area of Operation: DADE CITY

E11. Latitude: 28 °17 ’20.02 "N

E12. Longitude: 82 °12 ’13.66 "W

E13. Lat/Lon Coordinates are: ◉ NAD−27 ○ NAD−83 ○ N/A

E14. Site Elevation (AMSL): 0.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as

○ Yes ◉ No

E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as

○ Yes ◉ No

E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation?

○ Yes ◉ No

FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.

POINTS OF COMMUNICATION

Satellite Name:	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
DADE CITY	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	LITHIA, RIVERVIEW, V	E5. Call Sign:		
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000	
E3. Street:	4806 Bell Shoals Road	E7. City:	VALRICO	
		E8. County:		
E4. State	FL	E9. Zip Code	33596	
E10. Area of Operation:		VALRICO		
E11. Latitude:	27 °52 ’2.45 "N			
E12. Longitude:	82 °16 ’7.58 "W			
E13. Lat/Lon Coordinates are:		◉ NAD−27	○ NAD−83	○ N/A
E14. Site Elevation (AMSL):		0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as

○ Yes ◉ No

E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as

○ Yes ◉ No

E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation?

○ Yes ◉ No

FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.

POINTS OF COMMUNICATION

Satellite Name:	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
LITHIA, RIVERVIEW, V	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	BRANDON, PROVIDENCE	E5. Call Sign:		
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000	
E3. Street:	1412 John Moore Road	E7. City:	BRANDON	
		E8. County:		
E4. State	FL	E9. Zip Code	33511	
E10. Area of Operation:		BRANDON		
E11. Latitude:	27 °55 ’7.2 "N			
E12. Longitude:	82 °17 ’10.74 "W			
E13. Lat/Lon Coordinates are:		◉ NAD−27	○ NAD−83	○ N/A
E14. Site Elevation (AMSL):		0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as

○ Yes	

POINTS OF COMMUNICATION

E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
BRANDON, PROVIDENCE	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	GAINESVILLE FL (UF)	E5. Call Sign:		
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000	
E3. Street:	1220 Southwest 5th Avenue	E7. City:	GAINESVILLE	
		E8. County:		
E4. State	FL	E9. Zip Code	32601	
E10. Area of Operation:		GAINESVILLE		
E11. Latitude:	29 °38 ’52.06 "N			
E12. Longitude:	82 °20 ’17.39 "W			
E13. Lat/Lon Coordinates are:		◉ NAD−27	○ NAD−83	○ N/A
E14. Site Elevation (AMSL):		0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
GAINESVILLE FL (UF)	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	LAKE BUTLER	E5. Call Sign:		
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000	
E3. Street:	14970 West State Road 238	E7. City:	LAKE BUTLER	
		E8. County:		
E4. State	FL	E9. Zip Code	32054	
E10. Area of Operation:		LAKE BUTLER		
E11. Latitude:	30 °1 ’12.54 "N			
E12. Longitude:	82 °22 ’18.54 "W			
E13. Lat/Lon Coordinates are:		◉ NAD−27	○ NAD−83	○ N/A
E14. Site Elevation (AMSL):		0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as

○ Yes ◉ No

E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as

○ Yes ◉ No

E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation?
FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.

○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name: If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:

E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
LAKE BUTLER	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	GAINESVILLE 1, 5	E5. Call Sign:		
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000	
E3. Street:	3745 Northwest 16th Boulevard	E7. City:	GAINESVILLE	
		E8. County:		
E4. State	FL	E9. Zip Code	32605	
E10. Area of Operation:		GAINESVILLE		
E11. Latitude:	29 °40 ’7.91 "N			
E12. Longitude:	82 °22 ’48.07 "W			
E13. Lat/Lon Coordinates are:		◉ NAD−27	○ NAD−83	○ N/A
E14. Site Elevation (AMSL):		0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
GAINESVILLE 1, 5	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	BROOKSVILLE	E5. Call Sign:		
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000	
E3. Street:	21043 Yontz Road	E7. City:	BROOKSVILLE	
		E8. County:		
E4. State	FL	E9. Zip Code	34601	
E10. Area of Operation:		BROOKSVILLE		
E11. Latitude:	28 °34 ’43.72 "N			
E12. Longitude:	82 °23 ’19.26 "W			
E13. Lat/Lon Coordinates are:		◉ NAD−27	○ NAD−83	○ N/A
E14. Site Elevation (AMSL):		0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:

E26. Common Name: E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
BROOKSVILLE	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	NEW TAMPA, TAMPA BAY	E5. Call Sign:		
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000	
E3. Street:	13510 N 42nd St	E7. City:	TAMPA	
		E8. County:		
E4. State	FL	E9. Zip Code	33613	
E10. Area of Operation:		TAMPA		
E11. Latitude:	28 °4 ’12.7 "N			
E12. Longitude:	82 °24 ’52.27 "W			
E13. Lat/Lon Coordinates are:		◉ NAD−27	○ NAD−83	○ N/A
E14. Site Elevation (AMSL):		0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as

○ Yes ◉ No

E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as

○ Yes ◉ No

E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation?
FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.

○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name: If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:

E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
NEW TAMPA, TAMPA BAY	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	APOLLO BEACH	E5. Call Sign:	
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000
E3. Street:	5208 12th Street Northeast	E7. City:	APOLLO BEACH
		E8. County:	
E4. State	FL	E9. Zip Code	33572

E10. Area of Operation: APOLLO BEACH

E11. Latitude: 27 °44 ’18.22 "N

E12. Longitude: 82 °25 ’8.56 "W

E13. Lat/Lon Coordinates are: ◉ NAD−27 ○ NAD−83 ○ N/A

E14. Site Elevation (AMSL): 0.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
APOLLO BEACH	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	WILLISTON	E5. Call Sign:				
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000			
E3. Street:	530 North Main Street	E7. City:	WILLISTON			
		E8. County:				
E4. State	FL	E9. Zip Code	32696			
E10. Area of Operation:		WILLISTON				
E11. Latitude:	29 °23 ’44.26 "N					
E12. Longitude:	82 °26 ’57.64 "W					
E13. Lat/Lon Coordinates are:		◉ NAD−27	○ NAD−83	○ N/A		
E14. Site Elevation (AMSL):		0.0 meters				

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.

◉ Yes ○ No ○ N/A

E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?

○ Yes ○ No ◉ N/A

E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.

○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as

○ Yes ◉ No

E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as

○ Yes ◉ No

E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation?
FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.

○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name: If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:

E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
WILLISTON	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	GAINESVILLE 2, 3 &	E5. Call Sign:		
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000	
E3. Street:	10600 Southwest 24th Avenue	E7. City:	GAINESVILLE	
		E8. County:		
E4. State	FL	E9. Zip Code	32607	
E10. Area of Operation:		GAINESVILLE		
E11. Latitude:	29 °37 ’51.69 "N			
E12. Longitude:	82 °27 ’18.38 "W			
E13. Lat/Lon Coordinates are:		◉ NAD−27	○ NAD−83	○ N/A
E14. Site Elevation (AMSL):		0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.

(●) Yes ( ) No ( ) N/A

E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?

( ) Yes ( ) No (●) N/A

E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.

( ) Yes (●) No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	( ) Yes (●) No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	( ) Yes (●) No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	( ) Yes (●) No

POINTS OF COMMUNICATION

Satellite Name: If you selected OTHER, please enter the following:	
E21. Common Name:	E22. ITU Name:

E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
GAINESVILLE 2, 3 &	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	LECANTO	E5. Call Sign:	
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000
E3. Street:	3474 West Southern Street	E7. City:	LECANTO
		E8. County:	
E4. State	FL	E9. Zip Code	34461

E10. Area of Operation: LECANTO

E11. Latitude: 28 °51 ’19.2 "N

E12. Longitude: 82 °29 ’29.27 "W

E13. Lat/Lon Coordinates are: ◉ NAD−27 ○ NAD−83 ○ N/A

E14. Site Elevation (AMSL): 0.0 meters

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as	○ Yes ◉ No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	○ Yes ◉ No
E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
LECANTO	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 − Schedule B:(Technical and Operational Description)
FOR OFFICIAL USE ONLY

Location of Earth Station Site

E1: Site Identifier:	BENEVA (SP), LAKEWOO	E5. Call Sign:		
E2: Contact Name	Bart Eichelberger	E6. Phone Number:	801−240−1000	
E3. Street:	7001 Beneva Road	E7. City:	SARASOTA	
		E8. County:		
E4. State	FL	E9. Zip Code	34238	
E10. Area of Operation:		SARASOTA		
E11. Latitude:	27 °15 ’15.01 "N			
E12. Longitude:	82 °29 ’47.57 "W			
E13. Lat/Lon Coordinates are:		◉ NAD−27	○ NAD−83	○ N/A
E14. Site Elevation (AMSL):		0.0 meters		

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two−degree spacing policy.	◉ Yes ○ No ○ N/A
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non−geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	○ Yes ○ No ◉ N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	○ Yes ◉ No

E18. Is frequency coordination required? If YES, attach a frequency coordination report as

○ Yes ◉ No

E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as

○ Yes ◉ No

E20. FAA Notification − (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and or the FAA's study regarding the potential hazard of the structure to aviation?
FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.

○ Yes ◉ No

POINTS OF COMMUNICATION

Satellite Name:	If you selected OTHER, please enter the following:

E21. Common Name:	E22. ITU Name:
E23. Orbit Location:	E24. Country:

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier:	
E26. Common Name:	E27. Country:

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E32. Antenna Size<meters>	E41/42. Antenna GainTransmint and/or Recieve (____dBi at _____GHz)
BENEVA (SP), LAKEWOO	STANDARD	1	GENERAL DYNAMICS	Satcom 1344	3.4	40.2 dBi at 4

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
STANDARD	0.0/0.0	4.0	0.0	0.0	0.0	0.0	0.0

FREQUENCY

E28. Antenna Id	E43/44. Frequency Bands (MHz)	E45. T/R Mode	E46. Antenna Polarization(H,V, L,R)	E47. Emission Designator	E48. Maximum EIRP per Carrier (dBW)	E49. Maximum ERIP Density per Carrier (dBW/4kHz)
STANDARD	3700 4200	R	Horizontal and Vertical	36M0G7W	0.0	0.0

E50. Modulation and Services (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.)

NULL

FREQUENCY COORDINATION

E28. Antenna Id	**E51. Satellite Orbit Type**	**E52/53. Frequency Limits(MHz)**	**E54/55. Range of Satellite Arc E/W Limit**	**E56. Earth Station Azimuth Angle Eastern Limit**	**E57. Antenna Elevation Angle Eastern Limit**	**E58. Earth Station Azimuth Angle Western Limit**	**E59. Antenna Elevation Angle Western Limit**	**E60. Maximum EIRP Density toward the Horizon (dBW/4kHz)**
STANDARD	Geostationary	3700 4200	9.0/ 223.0	94.0	5.0	275.0	5.0	0.0

REMOTE CONTROL POINT LOCATION

E61. Call Sign NOTE: Please enter the callsign of the controlling station, not the callsign for which this application is being filed.		E65. Phone Number	
E62. Street Address			
E63. City	E67. County	E64/68. State/Country /	E66. Zip Code

FCC NOTICE REQUIRED BY THE PAPERWORK REDUCTION ACT

The public reporting for this collection of information is estimated to average 0.25 − 24 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the required data, and completing and reviewing the collection of information. If you have any comments on this burden estimate, or how we can improve the collection and reduce the burden it causes you, please write to the Federal Communications Commission, AMD−PERM, Paperwork Reduction Project (3060−0678), Washington, DC 20554. We will also accept your comments regarding the Paperwork Reduction Act aspects of this collection via the Internet if you send them to PRA@fcc.gov. PLEASE DO NOT SEND COMPLETED FORMS TO THIS ADDRESS.

Remember − You are not required to respond to a collection of information sponsored by the Federal government, and the government may not conduct or sponsor this collection, unless it displays a currently valid OMB control number or if we fail to provide you with this notice. This collection has been assigned an OMB control number of 3060−0678.

THE FOREGOING NOTICE IS REQUIRED BY THE PAPERWORK REDUCTION ACT OF 1995, PUBLIC LAW 104−13, OCTOBER 1, 1995, 44 U.S.C. SECTION 3507.