

FREQUENCY COORDINATION AND INTERFERENCE ANALYSIS REPORT

Prepared for
Fox Broadcasting Company
GILBERT, AZ
Satellite Earth Station
Five – ASC Signal 4.5 Meter Antennas – Pages 7-9
Five – General Dynamics 4.6 Meter Antennas – Pages 10-12

Prepared By:
COMSEARCH
19700 Janelia Farm Boulevard
Ashburn, VA 20147
November 04, 2020

TABLE OF CONTENTS

1. CONCLUSIONS	3
2. SUMMARY OF RESULTS	4
3. SUPPLEMENTAL SHOWING	5
4. EARTH STATION COORDINATION DATA.....	6
5. CERTIFICATION.....	13

1. CONCLUSIONS

An interference study considering all existing, proposed and prior coordinated microwave facilities within the coordination contours of the proposed earth station demonstrates that this site will operate satisfactorily with the common carrier microwave environment. Further, there will be no restrictions of its operation due to interference considerations.

2. SUMMARY OF RESULTS

A number of great circle interference cases were identified during the interference study of the proposed earth station. Each of the cases, which exceeded the interference objective on a line-of-sight basis, was profiled and the propagation losses estimated using NBS TN101 (Revised) techniques.

The following companies reported potential great circle interference conflicts that did not meet the objectives on a line-of-sight basis. Fox Broadcasting Company will accept the cases reported.

Company

Global Telecom & Technology Americas, In

No other carriers reported potential interference cases.

3. SUPPLEMENTAL SHOWING

Pursuant to Part 25.203(c) of the FCC Rules and Regulations, the satellite earth station proposed in this application was coordinated by Comsearch using computer techniques and in accordance with Part 25 of the FCC Rules and Regulations.

Coordination data for this earth station was sent to the below listed carriers with a letter dated 11/04/2020.

Company

Global Telecom & Technology Americas, In
KPHO Broadcasting Corporation

4. EARTH STATION COORDINATION DATA

This section presents the data pertinent to frequency coordination of the proposed earth station that was circulated to all carriers within its coordination contours.

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Date: 11/04/2020
Job Number: 201104COMSTC03

Administrative Information

Licensee Name Fox Broadcasting Company

Site Information

GILBERT, AZ
Latitude (NAD 83) 33° 22' 30.0" N
Longitude (NAD 83) 111° 48' 44.0" W
Climate Zone A
Rain Zone 5
Ground Elevation (AMSL) 372.19 m / 1221.1 ft

Link Information

Satellite Type Geostationary
Mode RO - Receive-Only
Modulation Digital
Satellite Arc 60° W to 139° West Longitude
Azimuth Range 113.4° to 223.0°
Corresponding Elevation Angles 23.1° / 41.5°
Antenna Centerline (AGL) 3.05 m / 10.0 ft

Antenna Information

Receive Five Antennas
Manufacturer ASC Signal
Model 4.5M
Gain / Diameter 43.9 dBi / 4.5 m
3-dB / 15-dB Beamwidth 0.56° / 1.20°

Interference Objectives: Long Term -156.0 dBW/MHz 20%
Short Term -146.0 dBW/MHz 0.01%

Frequency Information

Receive 4.0 GHz
Emission / Frequency Range (MHz) 36M0G7W / 4000.0 - 4200.0

Max Great Circle Coordination Distance 340.7 km / 211.7 mi
Precipitation Scatter Contour Radius 392.6 km / 243.9 mi

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values

GILBERT, AZ

Licensee Name Fox Broadcasting Company
Latitude (NAD 83) 33° 22' 30.0" N
Longitude (NAD 83) 111° 48' 44.0" W
Ground Elevation (AMSL) 372.19 m / 1221.1 ft
Antenna Centerline (AGL) 3.05 m / 10.0 ft
Antenna Mode Receive 4.0 GHz
Interference Objectives: Long Term -156.0 dBW/MHz 20%
Short Term -146.0 dBW/MHz 0.01%

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Receive 4.0 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)
0	0.00	111.43	-10.00	285.28
5	0.00	106.88	-10.00	285.28
10	0.00	102.31	-10.00	285.28
15	0.00	97.72	-10.00	285.28
20	0.00	93.13	-10.00	285.28
25	0.00	88.53	-10.00	285.28
30	0.00	83.93	-10.00	285.28
35	0.00	79.34	-10.00	285.28
40	0.00	74.76	-10.00	285.28
45	0.00	70.21	-10.00	285.28
50	0.00	65.68	-10.00	285.28
55	0.00	61.18	-10.00	285.28
60	0.00	56.74	-10.00	285.28
65	0.00	52.36	-10.00	285.28
70	0.00	48.06	-10.00	285.28
75	0.00	43.87	-9.05	291.37
80	0.00	39.83	-8.00	298.29
85	0.00	35.98	-6.90	305.75
90	0.00	32.41	-5.77	314.26
95	0.00	29.21	-4.64	322.27
100	0.00	26.51	-3.58	329.85
105	0.00	24.49	-2.72	336.15
110	0.00	23.32	-2.19	340.06
115	0.00	23.14	-2.11	340.70
120	0.00	23.96	-2.49	337.89
125	0.00	25.69	-3.25	332.32
130	0.00	28.17	-4.24	325.09
135	0.00	31.21	-5.36	317.16
140	0.00	34.63	-6.49	308.61
145	0.00	37.98	-7.49	301.76
150	0.00	41.09	-8.34	296.04
155	0.00	43.91	-9.06	291.31
160	0.00	46.37	-9.66	287.48
165	0.00	48.40	-10.00	285.28
170	0.00	49.92	-10.00	285.28
175	0.00	50.87	-10.00	285.28
180	0.00	51.19	-10.00	285.28
185	0.00	50.87	-10.00	285.28

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values

GILBERT, AZ

Licensee Name Fox Broadcasting Company
Latitude (NAD 83) 33° 22' 30.0" N
Longitude (NAD 83) 111° 48' 44.0" W
Ground Elevation (AMSL) 372.19 m / 1221.1 ft
Antenna Centerline (AGL) 3.05 m / 10.0 ft
Antenna Mode Receive 4.0 GHz
Interference Objectives: Long Term -156.0 dBW/MHz 20%
Short Term -146.0 dBW/MHz 0.01%

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Receive 4.0 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)
190	0.00	49.92	-10.00	285.28
195	0.00	48.40	-10.00	285.28
200	0.00	46.40	-9.66	287.43
205	0.00	44.56	-9.22	290.27
210	0.00	43.11	-8.86	292.60
215	0.00	42.10	-8.61	294.30
220	0.00	41.56	-8.47	295.22
225	0.00	41.50	-8.45	295.31
230	0.00	41.94	-8.57	294.56
235	0.00	42.86	-8.80	293.03
240	0.00	44.21	-9.14	290.81
245	0.00	45.98	-9.56	288.07
250	0.00	48.10	-10.00	285.28
255	0.00	50.53	-10.00	285.28
260	0.00	53.22	-10.00	285.28
265	0.00	56.14	-10.00	285.28
270	0.00	59.24	-10.00	285.28
275	0.00	62.50	-10.00	285.28
280	0.00	65.89	-10.00	285.28
285	0.00	69.38	-10.00	285.28
290	0.00	72.95	-10.00	285.28
295	0.00	76.59	-10.00	285.28
300	0.00	80.27	-10.00	285.28
305	0.00	83.99	-10.00	285.28
310	0.00	87.73	-10.00	285.28
315	0.00	91.47	-10.00	285.28
320	0.00	95.21	-10.00	285.28
325	0.00	98.94	-10.00	285.28
330	0.00	102.63	-10.00	285.28
335	0.00	106.28	-10.00	285.28
340	0.00	109.86	-10.00	285.28
345	0.00	113.37	-10.00	285.28
350	0.00	116.78	-10.00	285.28
355	0.00	115.95	-10.00	285.28

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Date: 11/04/2020
Job Number: 201104COMSTC04

Administrative Information

Licensee Name Fox Broadcasting Company

Site Information

GILBERT, AZ
Latitude (NAD 83) 33° 22' 30.0" N
Longitude (NAD 83) 111° 48' 44.0" W
Climate Zone A
Rain Zone 5
Ground Elevation (AMSL) 372.19 m / 1221.1 ft

Link Information

Satellite Type Geostationary
Mode RO - Receive-Only
Modulation Digital
Satellite Arc 60° W to 139° West Longitude
Azimuth Range 113.4° to 223.0°
Corresponding Elevation Angles 23.1° / 41.5°
Antenna Centerline (AGL) 3.05 m / 10.0 ft

Antenna Information

Receive – Five Antennas
Manufacturer General Dynamics
Model 4.6M
Gain / Diameter 44.1 dBi / 4.6 m
3-dB / 15-dB Beamwidth 0.56° / 1.20°

Interference Objectives: Long Term -156.0 dBW/MHz 20%
Short Term -146.0 dBW/MHz 0.01%

Frequency Information

Receive 4.0 GHz
Emission / Frequency Range (MHz) 36M0G7W / 4000.0 - 4200.0

Max Great Circle Coordination Distance 340.7 km / 211.7 mi
Precipitation Scatter Contour Radius 392.6 km / 243.9 mi

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values

GILBERT, AZ

Licensee Name Fox Broadcasting Company
Latitude (NAD 83) 33° 22' 30.0" N
Longitude (NAD 83) 111° 48' 44.0" W
Ground Elevation (AMSL) 372.19 m / 1221.1 ft
Antenna Centerline (AGL) 3.05 m / 10.0 ft
Antenna Mode Receive 4.0 GHz
Interference Objectives: Long Term -156.0 dBW/MHz 20%
Short Term -146.0 dBW/MHz 0.01%

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Receive 4.0 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)
0	0.00	111.43	-10.00	285.28
5	0.00	106.88	-10.00	285.28
10	0.00	102.31	-10.00	285.28
15	0.00	97.72	-10.00	285.28
20	0.00	93.13	-10.00	285.28
25	0.00	88.53	-10.00	285.28
30	0.00	83.93	-10.00	285.28
35	0.00	79.34	-10.00	285.28
40	0.00	74.76	-10.00	285.28
45	0.00	70.21	-10.00	285.28
50	0.00	65.68	-10.00	285.28
55	0.00	61.18	-10.00	285.28
60	0.00	56.74	-10.00	285.28
65	0.00	52.36	-10.00	285.28
70	0.00	48.06	-10.00	285.28
75	0.00	43.87	-9.05	291.37
80	0.00	39.83	-8.00	298.29
85	0.00	35.98	-6.90	305.75
90	0.00	32.41	-5.77	314.26
95	0.00	29.21	-4.64	322.27
100	0.00	26.51	-3.58	329.85
105	0.00	24.49	-2.72	336.15
110	0.00	23.32	-2.19	340.06
115	0.00	23.14	-2.11	340.70
120	0.00	23.96	-2.49	337.89
125	0.00	25.69	-3.25	332.32
130	0.00	28.17	-4.24	325.09
135	0.00	31.21	-5.36	317.16
140	0.00	34.63	-6.49	308.61
145	0.00	37.98	-7.49	301.76
150	0.00	41.09	-8.34	296.04
155	0.00	43.91	-9.06	291.31
160	0.00	46.37	-9.66	287.48
165	0.00	48.40	-10.00	285.28
170	0.00	49.92	-10.00	285.28
175	0.00	50.87	-10.00	285.28
180	0.00	51.19	-10.00	285.28
185	0.00	50.87	-10.00	285.28

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values


GILBERT, AZ

Licensee Name Fox Broadcasting Company
Latitude (NAD 83) 33° 22' 30.0" N
Longitude (NAD 83) 111° 48' 44.0" W
Ground Elevation (AMSL) 372.19 m / 1221.1 ft
Antenna Centerline (AGL) 3.05 m / 10.0 ft
Antenna Mode Receive 4.0 GHz
Interference Objectives: Long Term -156.0 dBW/MHz 20%
Short Term -146.0 dBW/MHz 0.01%

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Receive 4.0 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)
190	0.00	49.92	-10.00	285.28
195	0.00	48.40	-10.00	285.28
200	0.00	46.40	-9.66	287.43
205	0.00	44.56	-9.22	290.27
210	0.00	43.11	-8.86	292.60
215	0.00	42.10	-8.61	294.30
220	0.00	41.56	-8.47	295.22
225	0.00	41.50	-8.45	295.31
230	0.00	41.94	-8.57	294.56
235	0.00	42.86	-8.80	293.03
240	0.00	44.21	-9.14	290.81
245	0.00	45.98	-9.56	288.07
250	0.00	48.10	-10.00	285.28
255	0.00	50.53	-10.00	285.28
260	0.00	53.22	-10.00	285.28
265	0.00	56.14	-10.00	285.28
270	0.00	59.24	-10.00	285.28
275	0.00	62.50	-10.00	285.28
280	0.00	65.89	-10.00	285.28
285	0.00	69.38	-10.00	285.28
290	0.00	72.95	-10.00	285.28
295	0.00	76.59	-10.00	285.28
300	0.00	80.27	-10.00	285.28
305	0.00	83.99	-10.00	285.28
310	0.00	87.73	-10.00	285.28
315	0.00	91.47	-10.00	285.28
320	0.00	95.21	-10.00	285.28
325	0.00	98.94	-10.00	285.28
330	0.00	102.63	-10.00	285.28
335	0.00	106.28	-10.00	285.28
340	0.00	109.86	-10.00	285.28
345	0.00	113.37	-10.00	285.28
350	0.00	116.78	-10.00	285.28
355	0.00	115.95	-10.00	285.28

5. CERTIFICATION

I HEREBY CERTIFY THAT I AM THE TECHNICALLY QUALIFIED PERSON RESPONSIBLE FOR THE PREPARATION OF THE FREQUENCY COORDINATION DATA CONTAINED IN THIS APPLICATION, THAT I AM FAMILIAR WITH PARTS 101 AND 25 OF THE FCC RULES AND REGULATIONS, THAT I HAVE EITHER PREPARED OR REVIEWED THE FREQUENCY COORDINATION DATA SUBMITTED WITH THIS APPLICATION, AND THAT IT IS COMPLETE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.



Timothy O. Crutcher
Frequency Planner
COMSEARCH
19700 Janelia Farm Boulevard
Ashburn, VA 20147

DATED: November 04, 2020