



UNITED STATES OF AMERICA  
FEDERAL COMMUNICATIONS COMMISSION  
**RADIO STATION AUTHORIZATION**

**Name:** MCI Communications Services, Inc.

**Call Sign:** E010140

**Authorization Type:** Renewal of License

**File Number:** SES-RWL-20170727-00822

**Common Carrier**

**Grant date:** 09/14/2017

**Expiration Date:** 08/07/2032

**Nature of Service:** Domestic Fixed Satellite Service

**Nature of Service:** International Fixed Satellite Service

**Class of Station:** Fixed Earth Stations

**A) Site Location(s)**

| #  | Site ID | Address                                                        | Latitude     | Longitude    | Elevation<br>(Meters) | Special Provisions<br>NAD (Refer to Section H) |
|----|---------|----------------------------------------------------------------|--------------|--------------|-----------------------|------------------------------------------------|
| 1) | MTJKVA  | 1295 INDUSTRIAL PARK RD<br>QUICKSBURG, SHENANDOAH, VA<br>22847 | 38°43'45.4"N | 78°39'25.1"W | 280.4                 | 83                                             |

Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209

*Subject to the provisions of the Communications Act of 1934, The Communications Satellite Act of 1962, subsequent acts and treaties, and all present and future regulations made by this Commission, and further subject to the conditions and requirements set forth in this license, the grantee is authorized to construct, use and operate the radio facilities described below for radio communications for the term beginning August 7, 2017 (3 AM Eastern Standard Time) and ending August 7, 2032 (3 AM Eastern Standard Time) . The required date of completion of construction and commencement of operation is 00/00/0000. Grantee must file with the Commission a certification upon completion of construction and commencement of operation.*

**B) Particulars of Operations**

The General Provision 1010 applies to all receiving frequency bands.

The General Provision 1900 applies to all transmitting frequency bands.

For the text of these provisions, refer to Section H.

| #  | Frequency<br>(MHz)  | Polarization<br>Code | Emission | Tx/Rx<br>Mode | Max<br>EIRP<br>/Carrier<br>(dBW) | Max EIRP<br>Density<br>/Carrier<br>(dBW/4kHz) | Associated<br>Antenna | Special<br>Provisions<br>(Refer to<br>Section H) | Modulation/<br>Services       |
|----|---------------------|----------------------|----------|---------------|----------------------------------|-----------------------------------------------|-----------------------|--------------------------------------------------|-------------------------------|
| 1) | 5925.0000-6425.0000 | H, V, L, R           | 36M0F3F  | Tx            | 87.00                            | 60.00                                         | MJS-03A               |                                                  | ANALOG VIDEO                  |
| 2) | 5925.0000-6425.0000 | H, V, L, R           | 2M05F7W- | Tx            | 87.00                            | 59.90                                         | MJS-03A               |                                                  | FDM/FM                        |
| 3) | 5925.0000-6425.0000 | H, V, L, R           | 36M0F7W  | Tx            | 87.00                            | 44.40                                         | MJS-03A               |                                                  | FDM/FM                        |
| 4) | 5925.0000-6425.0000 | H, V, L, R           | 56K0G7W- | Tx            | 68.80                            | 57.30                                         | MJS-03A               |                                                  | DIGITAL VIDEO, VOICE,<br>DATA |
| 5) | 5925.0000-6425.0000 | H, V, L, R           | 72M0G7W  | Tx            | 87.00                            | 44.40                                         | MJS-03A               |                                                  | DIGITAL VIDEO, VOICE,<br>DATA |
| 6) | 5925.0000-6425.0000 | H, V, L, R           | 56K0G2W- | Tx            | 68.80                            | 57.30                                         | MJS-03A               |                                                  | DIGITAL VIDEO, VOICE,<br>DATA |
| 7) | 5925.0000-6425.0000 | H, V, L, R           | 72M0G2W  | Tx            | 87.00                            | 44.40                                         | MJS-03A               |                                                  | DIGITAL VIDEO, VOICE,<br>DATA |



**UNITED STATES OF AMERICA**  
**FEDERAL COMMUNICATIONS COMMISSION**  
**RADIO STATION AUTHORIZATION**

**Name:** MCI Communications Services, Inc.

**Call Sign:** E010140

**Authorization Type:** Renewal of License

**File Number:** SES-RWL-20170727-00822

**Common Carrier**

**Grant date:** 09/14/2017

**Expiration Date:** 08/07/2032

**B) Particulars of Operations**

The General Provision 1010 applies to all receiving frequency bands.

The General Provision 1900 applies to all transmitting frequency bands.

For the text of these provisions, refer to Section H.

| #   | Frequency<br>(MHz)  | Polarization<br>Code | Emission | Tx/Rx<br>Mode | Max<br>EIRP<br>/Carrier<br>(dBW) | Max EIRP<br>Density<br>/Carrier<br>(dBW/4kHz) | Associated<br>Antenna | Special<br>Provisions<br>(Refer to<br>Section H) | Modulation/<br>Services |        |        |
|-----|---------------------|----------------------|----------|---------------|----------------------------------|-----------------------------------------------|-----------------------|--------------------------------------------------|-------------------------|--------|--------|
| 8)  | 5850.0000-5925.0000 | H, V, L, R           | 2M05F7W- | Tx            | 87.00                            | 59.90                                         | MJS-03A               |                                                  | FDM/FM                  |        |        |
| 9)  | 5850.0000-5925.0000 | H, V, L, R           | 36M0F7W  | Tx            | 87.00                            | 44.40                                         | MJS-03A               |                                                  | FDM/FM                  |        |        |
| 10) | 5850.0000-5925.0000 | H, V, L, R           | 56K0G7W- | Tx            | 68.80                            | 57.30                                         | MJS-03A               |                                                  | DIGITAL<br>DATA         | VIDEO, | VOICE, |
| 11) | 5850.0000-5925.0000 | H, V, L, R           | 72M0G7W  | Tx            | 87.00                            | 44.40                                         | MJS-03A               |                                                  | DIGITAL<br>DATA         | VIDEO, | VOICE, |
| 12) | 5850.0000-5925.0000 | H, V, L, R           | 56K0G2W- | Tx            | 68.80                            | 57.30                                         | MJS-03A               |                                                  | DIGITAL<br>DATA         | VIDEO, | VOICE, |
| 13) | 5850.0000-5925.0000 | H, V, L, R           | 72M0G2W  | Tx            | 87.00                            | 44.40                                         | MJS-03A               |                                                  | DIGITAL<br>DATA         | VIDEO, | VOICE, |
| 14) | 3700.0000-4200.0000 | H, V, L, R           | 18M0F3F  | Rx            |                                  |                                               | MJS-03A               |                                                  | ANALOG VIDEO            |        |        |
| 15) | 3700.0000-4200.0000 | H, V, L, R           | 36M0F3F  | Rx            |                                  |                                               | MJS-03A               |                                                  | ANALOG VIDEO            |        |        |
| 16) | 3700.0000-4200.0000 | H, V, L, R           | 2M05F7W- | Rx            |                                  |                                               | MJS-03A               |                                                  | FDM/FM                  |        |        |
| 17) | 3700.0000-4200.0000 | H, V, L, R           | 36M0F7W  | Rx            |                                  |                                               | MJS-03A               |                                                  | FDM/FM                  |        |        |
| 18) | 3700.0000-4200.0000 | H, V, L, R           | 56K0G7W- | Rx            |                                  |                                               | MJS-03A               |                                                  | DIGITAL<br>DATA         | VIDEO, | VOICE, |
| 19) | 3700.0000-4200.0000 | H, V, L, R           | 72M0G7W  | Rx            |                                  |                                               | MJS-03A               |                                                  | DIGITAL<br>DATA         | VIDEO, | VOICE, |
| 20) | 3700.0000-4200.0000 | H, V, L, R           | 56K0G2W- | Rx            |                                  |                                               | MJS-03A               |                                                  | DIGITAL<br>DATA         | VIDEO, | VOICE, |
| 21) | 3700.0000-4200.0000 | H, V, L, R           | 72M0G2W  | Rx            |                                  |                                               | MJS-03A               |                                                  | DIGITAL<br>DATA         | VIDEO, | VOICE, |
| 22) | 3625.0000-3700.0000 | H, V, L, R           | 2M05F7W- | Rx            |                                  |                                               | MJS-03A               |                                                  | FDM/FM                  |        |        |
| 23) | 3625.0000-3700.0000 | H, V, L, R           | 36M0F7W  | Rx            |                                  |                                               | MJS-03A               |                                                  | FDM/FM                  |        |        |
| 24) | 3625.0000-3700.0000 | H, V, L, R           | 56K0G7W- | Rx            |                                  |                                               | MJS-03A               |                                                  | DIGITAL<br>DATA         | VIDEO, | VOICE, |
| 25) | 3625.0000-3700.0000 | H, V, L, R           | 72M0G7W  | Rx            |                                  |                                               | MJS-03A               |                                                  | DIGITAL<br>DATA         | VIDEO, | VOICE, |
| 26) | 3625.0000-3700.0000 | H, V, L, R           | 56K0G2W- | Rx            |                                  |                                               | MJS-03A               |                                                  | DIGITAL<br>DATA         | VIDEO, | VOICE, |
| 27) | 3625.0000-3700.0000 | H, V, L, R           | 72M0G2W  | Rx            |                                  |                                               | MJS-03A               |                                                  | DIGITAL<br>DATA         | VIDEO, | VOICE, |



UNITED STATES OF AMERICA  
FEDERAL COMMUNICATIONS COMMISSION  
**RADIO STATION AUTHORIZATION**

Name: MCI Communications Services, Inc.

Call Sign: E010140

Authorization Type: Renewal of License

File Number: SES-RWL-20170727-00822

Common Carrier

Grant date: 09/14/2017

Expiration Date: 08/07/2032

## B) Particulars of Operations

The General Provision 1010 applies to all receiving frequency bands.

The General Provision 1900 applies to all transmitting frequency bands.

For the text of these provisions, refer to Section H.

| #   | Frequency<br>(MHz)  | Polarization<br>Code | Emission | Tx/Rx<br>Mode | Max<br>EIRP<br>/Carrier<br>(dBW) | Max EIRP<br>Density<br>/Carrier<br>(dBW/4kHz) | Associated<br>Antenna | Special<br>Provisions<br>(Refer to<br>Section H) | Modulation/<br>Services |
|-----|---------------------|----------------------|----------|---------------|----------------------------------|-----------------------------------------------|-----------------------|--------------------------------------------------|-------------------------|
| 28) | 5925.0000-6425.0000 | H, V, L, R           | 18M0F3F  | Tx            | 87.00                            | 60.00                                         | MJS-03A               |                                                  | ANALOG VIDEO            |

## C) Frequency Coordination Limits

| #  | Frequency Limits<br>(MHz) | Satellite Arc<br>(Deg. Long.) |               | Elevation<br>(Degrees) |               | Azimuth<br>(Degrees) |               | Max EIRP<br>Density toward<br>Horizon<br>(dBW/4kHz) | Associated<br>Antenna(s) |
|----|---------------------------|-------------------------------|---------------|------------------------|---------------|----------------------|---------------|-----------------------------------------------------|--------------------------|
|    |                           | East<br>Limit                 | West<br>Limit | East<br>Limit          | West<br>Limit | East<br>Limit        | West<br>Limit |                                                     |                          |
| 1) | 5925.0000-6425.0000       | 7.0W-151.0W                   |               | 05.6-05.0              |               | 101.7-258.7          |               | 15.4                                                | MJS-03A                  |
| 2) | 3700.0000-4200.0000       | 7.0W-151.0W                   |               | 05.6-05.0              |               | 101.7-258.7          |               | 0                                                   | MJS-03A                  |
| 3) | 3625.0000-3700.0000       | 18.0W-55.5W                   |               | 14.0-39.1              |               | 109.4-145.6          |               |                                                     | MJS-03A                  |
| 4) | 5850.0000-5925.0000       | 18.0W-55.5W                   |               | 14.0-39.1              |               | 109.4-145.6          |               | -2.35                                               | MJS-03A                  |

## D) Points of Communications

The following stations located in the Satellite orbits consistent with Sections B and C of this Entry:

- 1) MTJKVA to Permitted Space Station List
- 2) MTJKVA to INTELSAT 9 (S2380) @ 29.5 W.L. (U.S.-licensed)
- 3) MTJKVA to INTELSAT 35e (S2959) @ 34.5 degrees W.L. (U.S.-licensed)
- 4) MTJKVA to INTELSAT 907 (S2411) @ 27.5 degrees W.L. (U.S.-licensed)
- 5) MTJKVA to INTELSAT 905 (S2409) @ 24.5 degrees W.L. (U.S.-licensed)
- 6) MTJKVA to INTELSAT 23 (S2831) @ 53 degrees W.L. (U.S.-licensed)
- 7) MTJKVA to INTELSAT 29e (S2913) @ 50.0 degrees W.L. (U.S.-licensed)
- 8) MTJKVA to INTELSAT 25 (S2804) @ 31.5 degrees W.L. (U.S.-licensed)
- 9) MTJKVA to INTELSAT 34 (S2915) @ 55.5 degrees W.L. (U.S.-licensed)
- 10) MTJKVA to INTELSAT 37e (S2972) @ 18.0 degrees W.L. (U.S.-licensed)
- 11) MTJKVA to New Skies Satellite, N.V. 7 (S2463) @ 20 W.L. (Netherlands-licensed)



UNITED STATES OF AMERICA  
FEDERAL COMMUNICATIONS COMMISSION  
**RADIO STATION AUTHORIZATION**

Name: MCI Communications Services, Inc.

Call Sign: E010140

Authorization Type: Renewal of License

File Number: SES-RWL-20170727-00822

Common Carrier

Grant date: 09/14/2017

Expiration Date: 08/07/2032

**E) Antenna Facilities**

| Site ID                                                | Antenna ID | Units      | Diameter (meters) | Manufacturer | Model number | Site Elevation (Meters) | Max Antenna Height (Meters) | Special Provisions (Refer to Section H) |
|--------------------------------------------------------|------------|------------|-------------------|--------------|--------------|-------------------------|-----------------------------|-----------------------------------------|
| MTJKVA                                                 | MJS-03A    | 1          | 18.3              | VERTEX       | 18.3KPC      | 280.4                   | 11 AGL/ 291.4 AMSL          |                                         |
| Max Gains(s):                                          |            | 56.3 dBi @ | 4.0000 GHz        | 60.0 dBi @   | 6.0000 GHz   |                         |                             |                                         |
| Maximum total input power at antenna flange (Watts) =  |            |            |                   |              | 2,250.00     |                         |                             |                                         |
| Maximum aggregate output EIRP for all carriers (dBW) = |            |            |                   |              | 93.50        |                         |                             |                                         |

**G) Antenna Structure marking and lighting requirements:**

None unless otherwise specified under Special and General Provisions

**H) Special and General Provisions**

A) This RADIO STATION AUTHORIZATION is granted subject to the following special provisions and general conditions:

4 --- Licensee must ensure that a current listing of the name, title, mailing address, email address, and telephone number of the responsible point of contact are on file at the FCC. Any changes must be filed electronically in the International Bureau Filing System (MyIBFS) using the "Pleadings and Comments" link on the MyIBFS homepage within 10 days of the change.

5 --- Licensee must notify the Commission when this earth station is no longer operational or when it has not been used to provide any service during any 6-month operation.

6 --- Licensee must comply with the license modification and notification requirements of 47 CFR § 25.118 to change the coordinates of its authorized earth station.

5802 --- This authorization is issued pursuant to and subject to the terms and policy adopted in the Commission's Order, released December 11, 2000 (FCC 00-363).

5822 --- The 3600-3650 MHz band is shared on a co-primary basis in the U.S. and Possessions with Federal Government radiolocation systems. Unacceptable interference may be caused to this earth station from radiolocation systems, including high-powered, highly mobile, shipborne and airborne radar transmitters, operating in the frequency band. Consistent with the applicant's EMC analysis (as required by US245 and based on the NTIA TR-99-361 Report, Technical Characteristics of Radiolocation Systems operating in the 3.1-3.7 GHz Band and Procedures for assessing EMC with Fixed Earth Station Receivers (available at <http://www.ntia.doc.gov/osmhome/reports.html>), the licensee accepts this potential for unacceptable interference. In the case that out-of-band interference does occur, the licensee is further aware that use of a RF filter ahead of the low noise amplifier (LNA) will limit potential out-of-band interference to its receiving earth station. Additionally, per US 245, in the band 3600-3650 MHz, these fixed-satellite service operations are limited to international inter-continental satellite systems.



**UNITED STATES OF AMERICA**  
**FEDERAL COMMUNICATIONS COMMISSION**  

---

**RADIO STATION AUTHORIZATION**

**Name:** MCI Communications Services, Inc.

**Call Sign:** E010140

**Authorization Type:** Renewal of License

**File Number:** SES-RWL-20170727-00822

Common Carrier

**Grant date:** 09/14/2017

**Expiration Date:** 08/07/2032

## **H) Special and General Provisions**

**A)** This RADIO STATION AUTHORIZATION is granted subject to the following special provisions and general conditions:

90041 --- O3b Limited IS GRANTED a waiver of Section 25.210(i)(1) of the Commission's rules, 47 C.F.R § 25.210(i)(1), with respect to the cross-polarization isolation requirements for the O3b Limited NGSO satellite system space station antennas.

90398 --- Changes to previously authorized transmitting facilities, operations and devices regulated by the Commission that may have significant environmental impact, and are not excluded by §1.1306, require the preparation of an Environmental Assessment (EA) by the licensee. (See 47 C.F.R. §§1.1307, 1.1308 and 1.1311)

90399 --- The licensee shall, at all times, take all necessary measures to ensure that operation of this (these) authorized earth station(s) does not create potential exposure of humans to radiofrequency radiation in excess of the FCC exposure limits defined in 47 CFR §§ 1.1307(b) and 1.1310. Physical measures must be taken to ensure compliance with limits for both occupational/controlled exposure and for general population/uncontrolled exposure, as defined in these rule sections. Compliance can be accomplished in most cases by appropriate restrictions, such as fencing. Requirements for restrictions can be determined by predictions based on calculations, modeling, or by field measurements. The FCC's OET Bulletin 65 (available on-line at [www.fcc.gov/oet/rfsafety](http://www.fcc.gov/oet/rfsafety)) provides information on predicting exposure levels and on methods for ensuring compliance, including the use of warning and alerting signs and protective equipment for workers.



**UNITED STATES OF AMERICA**  
**FEDERAL COMMUNICATIONS COMMISSION**  

---

**RADIO STATION AUTHORIZATION**

**Name:** MCI Communications Services, Inc.

**Call Sign:** E010140

**Authorization Type:** Renewal of License

**File Number:** SES-RWL-20170727-00822

Common Carrier

**Grant date:** 09/14/2017

**Expiration Date:** 08/07/2032

**B) This RADIO STATION AUTHORIZATION is granted subject to the additional conditions specified below:**

This authorization is issued on the grantee's representation that the statements contained in the application are true and that the undertakings described will be carried out in good faith.

This authorization shall not be construed in any manner as a finding by the Commission on the question of marking or lighting of the antenna system should future conditions require. The grantee expressly agrees to install such marking or lighting as the Commission may require under the provisions of Section 303(q) of the Communications Act. 47 U.S.C. § 303(q).

Neither this authorization nor the right granted by this authorization shall be assigned or otherwise transferred to any person, firm, company or corporation without the written consent of the Commission. This authorization is subject to the right of use or control by the government of the United States conferred by Section 706 of the Communications Act. 47 U.S.C. § 706. Operation of this station is governed by Part 25 of the Commission's Rules. 47 C.F.R. Part 25.

This authorization shall not vest in the licensee any right to operate this station nor any right in the use of the designated frequencies beyond the term of this license, nor in any other manner than authorized herein.

This authorization is issued on the grantee's representation that the station is in compliance with environmental requirements set forth in Section 1.1307 of the Commission's Rules. 47 C.F.R. § 1.1307.

This authorization is issued on the grantee's representation that the station is in compliance with the Federal Aviation Administration (FAA) requirements as set forth in Section 17.4 of the Commission's Rules. 47 C.F.R. § 17.4.

The following condition applies when this authorization permits construction of or modifies the construction permit of a radio station.

This authorization shall be automatically forfeited if the station is not ready for operation by the required date of completion of construction unless an application for modification of authorization to request additional time to complete construction is filed by that date, together with a showing that failure to complete construction by the required date was due to factors not under control of the grantee.

**Licensees are required to pay annual regulatory fees related to this authorization. The requirement to collect annual regulatory fees from regulatees is contained in Public Law 103-66, "The Omnibus Budget Reconciliation Act of 1993." These regulatory fees, which are likely to change each fiscal year, are used to offset costs associated with the Commission's enforcement, public service, international and policy and rulemaking activities. The Commission issues a Report and Order each year, setting the new regulatory fee rates. Receive only earth stations are exempt from payment of regulatory fees.**