



**UNITED STATES OF AMERICA**  
**FEDERAL COMMUNICATIONS COMMISSION**  


---

**RADIO STATION AUTHORIZATION**

**Name:** Intelsat License LLC, as debtor-in-possession

**Call Sign:** E940532

**Authorization Type:** Renewal of License

**File Number:** SES-RWL-20191122-01541

Non Common Carrier

**Grant date:** 08/03/2020

**Expiration Date:** 12/23/2034

**Nature of Service:** Domestic Fixed Satellite Service

**Nature of Service:** Fixed Satellite Service

**Nature of Service:** International Fixed Satellite Service

**Class of Station:** Fixed Earth Stations

**A) Site Location(s)**

| #  | Site ID   | Address  | Latitude     | Longitude    | Elevation (Meters) | Special Provisions NAD (Refer to Section H) |
|----|-----------|--|--------------|--------------|--------------------|---|
| 1) | Ellenwood | 2857 Fork Creek Church Road<br>ELLENWOOD, DEKALB, GA 30294 | 33°39'50.4"N | 84°16'18.7"W | 237.8              | 83  |

Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209

*Subject to the provisions of the Communications Act of 1934, The Communications Satellite Act of 1962, subsequent acts and treaties, and all present and future regulations made by this Commission, and further subject to the conditions and requirements set forth in this license, the grantee is authorized to construct, use and operate the radio facilities described below for radio communications for the term beginning December 23, 2019 (3 AM Eastern Standard Time) and ending December 23, 2034 (3 AM Eastern Standard Time). The required date of completion of construction and commencement of operation is 00/00/0000. Grantee must file with the Commission a certification upon completion of construction and commencement of operation.*

**B) Particulars of Operations**

The General Provision 1010 applies to all receiving frequency bands.

The General Provision 1900 applies to all transmitting frequency bands.

For the text of these provisions, refer to Section H.

| #  | Frequency (MHz)       | Polarization Code | Emission | Tx/Rx Mode | Max EIRP /Carrier (dBW) | Max EIRP Density /Carrier (dBW/4kHz) | Associated Antenna | Special Provisions (Refer to Section H) | Modulation/ Services            |
|----|-----------------------|-------------------|----------|------------|-------------------------|--------------------------------------|--------------------|---|---------------------------------|
| 1) | 14497.6000-14498.4000 | H,V               | 670KF1D  | Tx         | 86.00                   | 75.90                                | 11.1M/K3           | 2610                                    | FM-COMMAND & / or Ranging tones |
| 2) | 14000.0000-14500.0000 | H,V               | 1M36G2W  | Tx         | 60.40                   | 35.10                                | 11.1M/K3           |   | SCPC DATA                       |
| 3) | 14000.0000-14500.0000 | H,V               | 16M0F8F  | Tx         | 81.00                   | 54.00                                | 11.1M/K3           |   | TELEVISION/FM                   |
| 4) | 14000.0000-14500.0000 | H,V               | 30M0F8F  | Tx         | 84.00                   | 57.00                                | 11.1M/K3           |   | TELEVISION/FM                   |
| 5) | 14000.0000-14500.0000 | H,V               | 2M70G7F  | Tx         | 63.60                   | 35.30                                | 11.1M/K3           |   | DIGITAL TV-SCPC                 |
| 6) | 14000.0000-14500.0000 | H,V               | 6M40G7F  | Tx         | 66.70                   | 34.60                                | 11.1M/K3           |   | DIGITAL TV-SCPC                 |
| 7) | 14000.0000-14500.0000 | H,V               | 8M00G7F  | Tx         | 67.50                   | 34.50                                | 11.1M/K3           |   | DIGITAL TV-SCPC                 |
| 8) | 14000.0000-14500.0000 | H,V               | 24M0G7F  | Tx         | 82.40                   | 44.60                                | 11.1M/K3           |   | Digital TV - MCPC               |



**UNITED STATES OF AMERICA  
FEDERAL COMMUNICATIONS COMMISSION**

**RADIO STATION AUTHORIZATION**

**Name:** Intelsat License LLC, as debtor-in-possession

**Call Sign:** E940532

**Authorization Type:** Renewal of License

**File Number:** SES-RWL-20191122-01541

Non Common Carrier

**Grant date:** 08/03/2020

**Expiration Date:** 12/23/2034

**B) Particulars of Operations**

The General Provision 1010 applies to all receiving frequency bands.

The General Provision 1900 applies to all transmitting frequency bands.

For the text of these provisions, refer to Section H.

| #   | Frequency (MHz)       | Polarization Code | Emission | Tx/Rx Mode | Max EIRP /Carrier (dBW) | Max EIRP Density /Carrier (dBW/4kHz) | Associated Antenna | Special Provisions (Refer to Section H) | Modulation/ Services            |
|-----|-----------------------|-------------------|----------|------------|-------------------------|--------------------------------------|--------------------|---|---------------------------------|
| 9)  | 14000.0000-14250.0000 | H, V              | 1M36G2W  | Tx         | 60.40                   | 35.10                                | 11.1M/K3           |   | SCPC DATA                       |
| 10) | 14000.0000-14250.0000 | H, V              | 16M0F8F  | Tx         | 81.00                   | 54.00                                | 11.1M/K3           |   | TELEVISION/FM                   |
| 11) | 14000.0000-14250.0000 | H, V              | 30M0F8F  | Tx         | 84.00                   | 57.00                                | 11.1M/K3           |   | TELEVISION/FM                   |
| 12) | 14000.0000-14250.0000 | H, V              | 2M70G7F  | Tx         | 63.60                   | 35.30                                | 11.1M/K3           |   | DIGITAL TV-SCPC                 |
| 13) | 14000.0000-14250.0000 | H, V              | 6M40G7F  | Tx         | 66.70                   | 34.60                                | 11.1M/K3           |   | DIGITAL TV-SCPC                 |
| 14) | 14000.0000-14250.0000 | H, V              | 8M00G7F  | Tx         | 67.50                   | 34.50                                | 11.1M/K3           |   | DIGITAL TV-SCPC                 |
| 15) | 14000.0000-14250.0000 | H, V              | 24M0G7F  | Tx         | 82.40                   | 44.60                                | 11.1M/K3           |   | Digital TV - MCPC               |
| 16) | 13998.6000-13999.4000 | H, V              | 670KF1D  | Tx         | 83.50                   | 73.40                                | 11.1M/K3           |   | FM-COMMAND & / or Ranging tones |
| 17) | 13997.5000-13998.5000 | H, V              | 890KF2D  | Tx         | 83.50                   | 72.40                                | 11.1M/K3           |   | FM-COMMAND & / or Ranging tones |
| 18) | 13954.0000-13992.0000 | H, V              | 18M0G7W  | Tx         | 72.00                   | 35.50                                | 11.1M/K3           |   | Digital TV - MCPC               |
| 19) | 13954.0000-13992.0000 | H, V              | 36M0G7W  | Tx         | 75.00                   | 35.50                                | 11.1M/K3           |   | Digital TV - MCPC               |
| 20) | 13814.0000-13954.0000 | H, V              | 18M0F9W  | Tx         | 72.00                   | 45.00                                | 11.1M/K3           |   | ANALOG TV                       |
| 21) | 13814.0000-13954.0000 | H, V              | 36M0F9W  | Tx         | 75.00                   | 45.00                                | 11.1M/K3           |   | ANALOG TV                       |
| 22) | 13814.0000-13954.0000 | H, V              | 18M0G7W  | Tx         | 72.00                   | 35.50                                | 11.1M/K3           |   | Digital TV - SCPC               |
| 23) | 13814.0000-13954.0000 | H, V              | 2M20G7W  | Tx         | 69.20                   | 42.50                                | 11.1M/K3           |   | Digital TV - SCPC               |
| 24) | 13814.0000-13954.0000 | H, V              | 2M90G7W  | Tx         | 70.40                   | 42.30                                | 11.1M/K3           |   | Digital TV - MCPC               |
| 25) | 13814.0000-13954.0000 | H, V              | 36M0G7W  | Tx         | 75.00                   | 35.50                                | 11.1M/K3           |   | Digital TV - SCPC               |
| 26) | 13814.0000-13954.0000 | H, V              | 375KG7W  | Tx         | 68.00                   | 49.10                                | 11.1M/K3           |   | Digital TV - SCPC               |
| 27) | 13814.0000-13954.0000 | H, V              | 6M85G7W  | Tx         | 69.00                   | 37.00                                | 11.1M/K3           |   | Digital TV - SCPC               |
| 28) | 13756.0000-13814.0000 | H, V              | 18M0G7W  | Tx         | 72.00                   | 35.50                                | 11.1M/K3           |   | Digital TV - MCPC               |
| 29) | 13756.0000-13814.0000 | H, V              | 36M0G7W  | Tx         | 75.00                   | 35.50                                | 11.1M/K3           |   | Digital TV - MCPC               |
| 30) | 12750.0000-13250.0000 | H, V              | 1M36G2W  | Tx         | 60.40                   | 35.10                                | 11.1M/K3           |   | SCPC DATA                       |
| 31) | 12750.0000-13250.0000 | H, V              | 16M0F8F  | Tx         | 81.00                   | 54.00                                | 11.1M/K3           |   | TELEVISION/FM                   |



**UNITED STATES OF AMERICA**  
**FEDERAL COMMUNICATIONS COMMISSION**  


---

**RADIO STATION AUTHORIZATION**

**Name:** Intelsat License LLC, as debtor-in-possession

**Call Sign:** E940532

**Authorization Type:** Renewal of License

**File Number:** SES-RWL-20191122-01541

Non Common Carrier

**Grant date:** 08/03/2020

**Expiration Date:** 12/23/2034

**B) Particulars of Operations**

The General Provision 1010 applies to all receiving frequency bands.

The General Provision 1900 applies to all transmitting frequency bands.

For the text of these provisions, refer to Section H.

| #   | Frequency (MHz)       | Polarization Code | Emission | Tx/Rx Mode | Max EIRP /Carrier (dBW) | Max EIRP Density /Carrier (dBW/4kHz) | Associated Antenna | Special Provisions (Refer to Section H) | Modulation/ Services   |
|-----|-----------------------|-------------------|----------|------------|-------------------------|--------------------------------------|--------------------|---|------------------------|
| 32) | 12750.0000-13250.0000 | H, V              | 30M0F8F  | Tx         | 84.00                   | 57.00                                | 11.1M/K3           |   | TELEVISION/FM          |
| 33) | 12750.0000-13250.0000 | H, V              | 2M70G7F  | Tx         | 63.60                   | 35.30                                | 11.1M/K3           |   | DIGITAL TV-SCPC        |
| 34) | 12750.0000-13250.0000 | H, V              | 6M40G7F  | Tx         | 66.70                   | 34.60                                | 11.1M/K3           |   | DIGITAL TV-SCPC        |
| 35) | 12750.0000-13250.0000 | H, V              | 8M00G7F  | Tx         | 67.50                   | 34.50                                | 11.1M/K3           |   | DIGITAL TV-SCPC        |
| 36) | 12750.0000-13250.0000 | H, V              | 24M0G7F  | Tx         | 82.40                   | 44.60                                | 11.1M/K3           |   | Digital TV - MCPC      |
| 37) | 11700.0000-12200.0000 | H, V              | 1M36G2W  | Rx         |                         |                                      | 11.1M/K3           |   | SCPC DATA              |
| 38) | 11700.0000-12200.0000 | H, V              | 16M0F8F  | Rx         |                         |                                      | 11.1M/K3           |   | TELEVISION/FM          |
| 39) | 11700.0000-12200.0000 | H, V              | 30M0F8F  | Rx         |                         |                                      | 11.1M/K3           |   | TELEVISION/FM          |
| 40) | 11700.0000-12200.0000 | H, V              | 2M70G7F  | Rx         |                         |                                      | 11.1M/K3           |   | DIGITAL TV-SCPC        |
| 41) | 11700.0000-12200.0000 | H, V              | 6M40G7F  | Rx         |                         |                                      | 11.1M/K3           |   | DIGITAL TV-SCPC        |
| 42) | 11700.0000-12200.0000 | H, V              | 8M00G7F  | Rx         |                         |                                      | 11.1M/K3           |   | DIGITAL TV-SCPC        |
| 43) | 11700.0000-12200.0000 | H, V              | 24M0G7F  | Rx         |                         |                                      | 11.1M/K3           |   | Digital TV - MCPC      |
| 44) | 11450.9000-11451.1000 | H, V              | 80K0P7D  | Rx         |                         |                                      | 11.1M/K3           |   | PM/PSK - 2 - Telemetry |
| 45) | 11450.0000-11700.0000 | H, V              | 1M36G2W  | Rx         |                         |                                      | 11.1M/K3           |   | SCPC DATA              |
| 46) | 11450.0000-11700.0000 | H, V              | 16M0F8F  | Rx         |                         |                                      | 11.1M/K3           |   | TELEVISION/FM          |
| 47) | 11450.0000-11700.0000 | H, V              | 30M0F8F  | Rx         |                         |                                      | 11.1M/K3           |   | TELEVISION/FM          |
| 48) | 11450.0000-11700.0000 | H, V              | 2M70G7F  | Rx         |                         |                                      | 11.1M/K3           |   | DIGITAL TV-SCPC        |
| 49) | 11450.0000-11700.0000 | H, V              | 6M40G7F  | Rx         |                         |                                      | 11.1M/K3           |   | DIGITAL TV-SCPC        |
| 50) | 11450.0000-11700.0000 | H, V              | 8M00G7F  | Rx         |                         |                                      | 11.1M/K3           |   | DIGITAL TV-SCPC        |
| 51) | 11450.0000-11700.0000 | H, V              | 24M0G7F  | Rx         |                         |                                      | 11.1M/K3           |   | Digital TV - MCPC      |
| 52) | 11446.9000-11449.1000 | H, V              | 180KP7D  | Rx         |                         |                                      | 11.1M/K3           |   | PM/PSK - 2 - Telemetry |
| 53) | 11200.0000-11450.0000 | H, V              | 1M36G2W  | Rx         |                         |                                      | 11.1M/K3           |   | SCPC DATA              |
| 54) | 11200.0000-11450.0000 | H, V              | 16M0F8F  | Rx         |                         |                                      | 11.1M/K3           |   | TELEVISION/FM          |
| 55) | 11200.0000-11450.0000 | H, V              | 30M0F8F  | Rx         |                         |                                      | 11.1M/K3           |   | TELEVISION/FM          |



**UNITED STATES OF AMERICA**  
**FEDERAL COMMUNICATIONS COMMISSION**  


---

**RADIO STATION AUTHORIZATION**

**Name:** Intelsat License LLC, as debtor-in-possession

**Call Sign:** E940532

**Authorization Type:** Renewal of License

**File Number:** SES-RWL-20191122-01541

Non Common Carrier

**Grant date:** 08/03/2020

**Expiration Date:** 12/23/2034

**B) Particulars of Operations**

The General Provision 1010 applies to all receiving frequency bands.

The General Provision 1900 applies to all transmitting frequency bands.

For the text of these provisions, refer to Section H.

| #   | Frequency (MHz)       | Polarization Code | Emission | Tx/Rx Mode | Max EIRP /Carrier (dBW) | Max EIRP Density /Carrier (dBW/4kHz) | Associated Antenna | Special Provisions (Refer to Section H) | Modulation/ Services            |
|-----|-----------------------|-------------------|----------|------------|-------------------------|--------------------------------------|--------------------|---|---------------------------------|
| 56) | 11200.0000-11450.0000 | H, V              | 2M70G7F  | Rx         |                         |                                      | 11.1M/K3           |   | DIGITAL TV-SCPC                 |
| 57) | 11200.0000-11450.0000 | H, V              | 6M40G7F  | Rx         |                         |                                      | 11.1M/K3           |   | DIGITAL TV-SCPC                 |
| 58) | 11200.0000-11450.0000 | H, V              | 8M00G7F  | Rx         |                         |                                      | 11.1M/K3           |   | DIGITAL TV-SCPC                 |
| 59) | 11200.0000-11450.0000 | H, V              | 24M0G7F  | Rx         |                         |                                      | 11.1M/K3           |   | Digital TV - MCPC               |
| 60) | 10700.0000-10950.0000 | H, V              | 1M36G2W  | Rx         |                         |                                      | 11.1M/K3           |   | SCPC DATA                       |
| 61) | 10700.0000-10950.0000 | H, V              | 16M0F8F  | Rx         |                         |                                      | 11.1M/K3           |   | TELEVISION/FM                   |
| 62) | 10700.0000-10950.0000 | H, V              | 30M0F8F  | Rx         |                         |                                      | 11.1M/K3           |   | TELEVISION/FM                   |
| 63) | 10700.0000-10950.0000 | H, V              | 2M70G7F  | Rx         |                         |                                      | 11.1M/K3           |   | DIGITAL TV-SCPC                 |
| 64) | 10700.0000-10950.0000 | H, V              | 6M40G7F  | Rx         |                         |                                      | 11.1M/K3           |   | DIGITAL TV-SCPC                 |
| 65) | 10700.0000-10950.0000 | H, V              | 8M00G7F  | Rx         |                         |                                      | 11.1M/K3           |   | DIGITAL TV-SCPC                 |
| 66) | 10700.0000-10950.0000 | H, V              | 24M0G7F  | Rx         |                         |                                      | 11.1M/K3           |   | Digital TV - MCPC               |
| 67) | 14497.6000-14498.4000 | H, V              | 670KF1D  | Tx         | 86.00                   | 75.90                                | 7.2M               |   | FM-COMMAND & / or Ranging tones |
| 68) | 14000.0000-14500.0000 | H, V              | 1M36G2W  | Tx         | 60.40                   | 35.10                                | 7.2M               |   | SCPC DATA                       |
| 69) | 14000.0000-14500.0000 | H, V              | 16M0F8F  | Tx         | 81.00                   | 54.00                                | 7.2M               |   | TELEVISION/FM                   |
| 70) | 14000.0000-14500.0000 | H, V              | 30M0F8F  | Tx         | 84.00                   | 57.00                                | 7.2M               |   | TELEVISION/FM                   |
| 71) | 14000.0000-14500.0000 | OTHER             | 950KF3D  | Tx         | 80.00                   | 56.20                                | 7.2M               |   | TT&C CARRIER                    |
| 72) | 14000.0000-14500.0000 | OTHER             | 950KF3D  | Tx         | 80.00                   | 56.20                                | 7.2M               |   | TT&C CARRIER                    |
| 73) | 14000.0000-14500.0000 | OTHER             | 1M00G7F  | Tx         | 68.40                   | 44.40                                | 7.2M               |   | DIGITAL VIDEO                   |
| 74) | 14000.0000-14500.0000 | OTHER             | 1M00G7F  | Tx         | 68.40                   | 44.40                                | 7.2M               |   | DIGITAL VIDEO                   |
| 75) | 14000.0000-14500.0000 | H, V              | 2M70G7F  | Tx         | 63.60                   | 35.30                                | 7.2M               |   | DIGITAL TV-SCPC                 |
| 76) | 14000.0000-14500.0000 | OTHER             | 36M0G7F  | Tx         | 83.90                   | 44.40                                | 7.2M               |   | DIGITAL VIDEO                   |
| 77) | 14000.0000-14500.0000 | OTHER             | 36M0G7F  | Tx         | 83.90                   | 44.40                                | 7.2M               |   | DIGITAL VIDEO                   |
| 78) | 14000.0000-14500.0000 | H, V              | 6M40G7F  | Tx         | 66.70                   | 34.60                                | 7.2M               |   | DIGITAL TV-SCPC                 |



**UNITED STATES OF AMERICA**  
**FEDERAL COMMUNICATIONS COMMISSION**

---

**RADIO STATION AUTHORIZATION**

**Name:** Intelsat License LLC, as debtor-in-possession

**Call Sign:** E940532

**Authorization Type:** Renewal of License

**File Number:** SES-RWL-20191122-01541

Non Common Carrier

**Grant date:** 08/03/2020

**Expiration Date:** 12/23/2034

**B) Particulars of Operations**

The General Provision 1010 applies to all receiving frequency bands.

The General Provision 1900 applies to all transmitting frequency bands.

For the text of these provisions, refer to Section H.

| #    | Frequency (MHz)       | Polarization Code | Emission | Tx/Rx Mode | Max EIRP /Carrier (dBW) | Max EIRP Density /Carrier (dBW/4kHz) | Associated Antenna | Special Provisions (Refer to Section H) | Modulation/ Services            |
|------|-----------------------|-------------------|----------|------------|-------------------------|--------------------------------------|--------------------|---|---------------------------------|
| 79)  | 14000.0000-14500.0000 | H, V              | 8M00G7F  | Tx         | 67.50                   | 34.50                                | 7.2M               |   | DIGITAL TV-SCPC                 |
| 80)  | 14000.0000-14500.0000 | H, V              | 24M0G7F  | Tx         | 82.40                   | 44.60                                | 7.2M               |   | Digital TV - MCPC               |
| 81)  | 14000.0000-14500.0000 | OTHER             | 36M0G7W  | Tx         | 83.90                   | 44.40                                | 7.2M               |   | DIGITAL VIDEO, AUDIO AND DATA   |
| 82)  | 14000.0000-14500.0000 | OTHER             | 56K0G7W  | Tx         | 55.90                   | 44.40                                | 7.2M               |   | DIGITAL VIDEO, AUDIO AND DATA   |
| 83)  | 14000.0000-14500.0000 | OTHER             | 36M0G7W  | Tx         | 83.90                   | 44.40                                | 7.2M               |   | DIGITAL VIDEO, AUDIO AND DATA   |
| 84)  | 14000.0000-14500.0000 | OTHER             | 56K0G7W  | Tx         | 55.90                   | 44.40                                | 7.2M               |   | DIGITAL VIDEO, AUDIO AND DATA   |
| 85)  | 14000.0000-14250.0000 | H, V              | 1M36G2W  | Tx         | 60.40                   | 35.10                                | 7.2M               |   | SCPC DATA                       |
| 86)  | 14000.0000-14250.0000 | H, V              | 16M0F8F  | Tx         | 81.00                   | 54.00                                | 7.2M               |   | TELEVISION/FM                   |
| 87)  | 14000.0000-14250.0000 | H, V              | 30M0F8F  | Tx         | 84.00                   | 57.00                                | 7.2M               |   | TELEVISION/FM                   |
| 88)  | 14000.0000-14250.0000 | H, V              | 2M70G7F  | Tx         | 63.60                   | 35.30                                | 7.2M               |   | DIGITAL TV-SCPC                 |
| 89)  | 14000.0000-14250.0000 | H, V              | 6M40G7F  | Tx         | 66.70                   | 34.60                                | 7.2M               |   | DIGITAL TV-SCPC                 |
| 90)  | 14000.0000-14250.0000 | H, V              | 8M00G7F  | Tx         | 67.50                   | 34.50                                | 7.2M               |   | DIGITAL TV-SCPC                 |
| 91)  | 14000.0000-14250.0000 | H, V              | 24M0G7F  | Tx         | 82.40                   | 44.60                                | 7.2M               |   | Digital TV - MCPC               |
| 92)  | 13998.6000-13999.4000 | H, V              | 670KF1D  | Tx         | 83.50                   | 73.40                                | 7.2M               |   | FM-COMMAND & / or Ranging tones |
| 93)  | 13997.5000-13998.5000 | H, V              | 890KF2D  | Tx         | 83.50                   | 72.40                                | 7.2M               |   | FM-COMMAND & / or Ranging tones |
| 94)  | 13995.5000-13995.5000 | H, V, L, R        | 750KF2D  | Tx         | 78.40                   | 55.70                                | 7.2M               |   | TT&C CARRIER                    |
| 95)  | 13954.0000-13992.0000 | H, V              | 18M0G7W  | Tx         | 72.00                   | 35.50                                | 7.2M               |   | Digital TV - MCPC               |
| 96)  | 13954.0000-13992.0000 | H, V              | 36M0G7W  | Tx         | 75.00                   | 35.50                                | 7.2M               |   | Digital TV - MCPC               |
| 97)  | 13814.0000-13954.0000 | H, V              | 2M20G2W  | Tx         | 69.20                   | 42.50                                | 7.2M               |   | SCPC DATA                       |
| 98)  | 13814.0000-13954.0000 | H, V              | 375KG2W  | Tx         | 68.00                   | 49.10                                | 7.2M               |   | SCPC DATA                       |
| 99)  | 13814.0000-13954.0000 | H, V              | 18M0F9W  | Tx         | 72.00                   | 45.00                                | 7.2M               |   | TELEVISION/FM                   |
| 100) | 13814.0000-13954.0000 | H, V              | 36M0F9W  | Tx         | 75.00                   | 45.00                                | 7.2M               |   | TELEVISION/FM                   |



**UNITED STATES OF AMERICA**  
**FEDERAL COMMUNICATIONS COMMISSION**

---

**RADIO STATION AUTHORIZATION**

**Name:** Intelsat License LLC, as debtor-in-possession

**Call Sign:** E940532

**Authorization Type:** Renewal of License

**File Number:** SES-RWL-20191122-01541

Non Common Carrier

**Grant date:** 08/03/2020

**Expiration Date:** 12/23/2034

**B) Particulars of Operations**

The General Provision 1010 applies to all receiving frequency bands.

The General Provision 1900 applies to all transmitting frequency bands.

For the text of these provisions, refer to Section H.

| #    | Frequency (MHz)       | Polarization Code | Emission | Tx/Rx Mode | Max EIRP /Carrier (dBW) | Max EIRP Density /Carrier (dBW/4kHz) | Associated Antenna | Special Provisions (Refer to Section H) | Modulation/ Services          |
|------|-----------------------|-------------------|----------|------------|-------------------------|--------------------------------------|--------------------|---|-------------------------------|
| 101) | 13814.0000-13954.0000 | H, V              | 18M0G7W  | Tx         | 72.00                   | 35.50                                | 7.2M               |   | DIGITAL TV-SCPC               |
| 102) | 13814.0000-13954.0000 | H, V              | 2M90G7W  | Tx         | 70.40                   | 42.30                                | 7.2M               |   | DIGITAL TV-SCPC               |
| 103) | 13814.0000-13954.0000 | H, V              | 36M0G7W  | Tx         | 75.00                   | 35.50                                | 7.2M               |   | DIGITAL TV-SCPC               |
| 104) | 13814.0000-13954.0000 | H, V              | 6M85G7W  | Tx         | 69.00                   | 37.00                                | 7.2M               |   | DIGITAL TV-SCPC               |
| 105) | 13778.0000-14000.0000 | OTHER             | 950KF3D  | Tx         | 80.00                   | 56.20                                | 7.2M               |   | TT&C CARRIER                  |
| 106) | 13778.0000-14000.0000 | OTHER             | 950KF3D  | Tx         | 80.00                   | 56.20                                | 7.2M               |   | TT&C CARRIER                  |
| 107) | 13772.0000-13778.0000 | H, V, L, R        | 6M00G7W  | Tx         | 70.00                   | 38.20                                | 7.2M               |   | DIGITAL VIDEO, AUDIO AND DATA |
| 108) | 13772.0000-13778.0000 | OTHER             | 6M00G7W  | Tx         | 70.00                   | 38.20                                | 7.2M               |   | DIGITAL VIDEO, AUDIO AND DATA |
| 109) | 13756.0000-13814.0000 | H, V              | 18M0G7W  | Tx         | 72.00                   | 35.50                                | 7.2M               |   | Digital TV - MCPC             |
| 110) | 13756.0000-13814.0000 | H, V              | 36M0G7W  | Tx         | 75.00                   | 35.50                                | 7.2M               |   | Digital TV - MCPC             |
| 111) | 13750.0000-13772.0000 | OTHER             | 950KF3D  | Tx         | 80.00                   | 56.20                                | 7.2M               |   | TT&C CARRIER                  |
| 112) | 13750.0000-13772.0000 | OTHER             | 950KF3D  | Tx         | 80.00                   | 56.20                                | 7.2M               |   | TT&C CARRIER                  |
| 113) | 13246.5000-13246.5000 | H, V, L, R        | 750KF2D  | Tx         | 78.40                   | 55.70                                | 7.2M               |   | TT&C CARRIER                  |
| 114) | 12750.0000-13250.0000 | H, V              | 1M36G2W  | Tx         | 60.40                   | 35.10                                | 7.2M               |   | SCPC DATA                     |
| 115) | 12750.0000-13250.0000 | H, V              | 16M0F8F  | Tx         | 81.00                   | 54.00                                | 7.2M               |   | TELEVISION/FM                 |
| 116) | 12750.0000-13250.0000 | H, V              | 30M0F8F  | Tx         | 84.00                   | 57.00                                | 7.2M               |   | TELEVISION/FM                 |
| 117) | 12750.0000-13250.0000 | H, V              | 2M70G7F  | Tx         | 63.60                   | 35.30                                | 7.2M               |   | DIGITAL TV-SCPC               |
| 118) | 12750.0000-13250.0000 | H, V              | 6M40G7F  | Tx         | 66.70                   | 34.60                                | 7.2M               |   | DIGITAL TV-SCPC               |
| 119) | 12750.0000-13250.0000 | H, V              | 8M00G7F  | Tx         | 67.50                   | 34.50                                | 7.2M               |   | DIGITAL TV-SCPC               |
| 120) | 12750.0000-13250.0000 | H, V              | 24M0G7F  | Tx         | 82.40                   | 44.60                                | 7.2M               |   | Digital TV - MCPC             |
| 121) | 11700.0000-12200.0000 | H, V              | 1M36G2W  | Rx         |                         |                                      | 7.2M               |   | SCPC DATA                     |
| 122) | 11700.0000-12200.0000 | H, V              | 16M0F8F  | Rx         |                         |                                      | 7.2M               |   | TELEVISION/FM                 |
| 123) | 11700.0000-12200.0000 | H, V              | 30M0F8F  | Rx         |                         |                                      | 7.2M               |   | TELEVISION/FM                 |



**UNITED STATES OF AMERICA  
FEDERAL COMMUNICATIONS COMMISSION**

**RADIO STATION AUTHORIZATION**

**Name:** Intelsat License LLC, as debtor-in-possession

**Call Sign:** E940532

**Authorization Type:** Renewal of License

**File Number:** SES-RWL-20191122-01541

Non Common Carrier

**Grant date:** 08/03/2020

**Expiration Date:** 12/23/2034

**B) Particulars of Operations**

The General Provision 1010 applies to all receiving frequency bands.

The General Provision 1900 applies to all transmitting frequency bands.

For the text of these provisions, refer to Section H.

| #    | Frequency (MHz)       | Polarization Code | Emission | Tx/Rx Mode | Max EIRP /Carrier (dBW) | Max EIRP Density /Carrier (dBW/4kHz) | Associated Antenna | Special Provisions (Refer to Section H) | Modulation/ Services          |
|------|-----------------------|-------------------|----------|------------|-------------------------|--------------------------------------|--------------------|---|-------------------------------|
| 124) | 11700.0000-12200.0000 | H, V              | 2M70G7F  | Rx         |                         |                                      | 7.2M               |   | DIGITAL TV-SCPC               |
| 125) | 11700.0000-12200.0000 | H, V              | 6M40G7F  | Rx         |                         |                                      | 7.2M               |   | DIGITAL TV-SCPC               |
| 126) | 11700.0000-12200.0000 | H, V              | 8M00G7F  | Rx         |                         |                                      | 7.2M               |   | DIGITAL TV-SCPC               |
| 127) | 11700.0000-12200.0000 | H, V              | 24M0G7F  | Rx         |                         |                                      | 7.2M               |   | Digital TV - MCPC             |
| 128) | 11450.9000-11451.1000 | H, V              | 80K0P7D  | Rx         |                         |                                      | 7.2M               |   | PM/PSK - 2 - Telemetry        |
| 129) | 11450.0000-12200.0000 | OTHER             | 300KF3D  | Rx         |                         |                                      | 7.2M               |   | TT&C CARRIER                  |
| 130) | 11450.0000-12200.0000 | OTHER             | 300KF3D  | Rx         |                         |                                      | 7.2M               |   | TT&C CARRIER                  |
| 131) | 11450.0000-12200.0000 | OTHER             | 1M00G7F  | Rx         |                         |                                      | 7.2M               |   | DIGITAL VIDEO                 |
| 132) | 11450.0000-12200.0000 | OTHER             | 1M00G7F  | Rx         |                         |                                      | 7.2M               |   | DIGITAL VIDEO                 |
| 133) | 11450.0000-12200.0000 | OTHER             | 36M0G7F  | Rx         |                         |                                      | 7.2M               |   | DIGITAL VIDEO                 |
| 134) | 11450.0000-12200.0000 | OTHER             | 36M0G7F  | Rx         |                         |                                      | 7.2M               |   | DIGITAL VIDEO                 |
| 135) | 11450.0000-12200.0000 | OTHER             | 36M0G7W  | Rx         |                         |                                      | 7.2M               |   | DIGITAL VIDEO, AUDIO AND DATA |
| 136) | 11450.0000-12200.0000 | OTHER             | 56K0G7W  | Rx         |                         |                                      | 7.2M               |   | DIGITAL VIDEO, AUDIO AND DATA |
| 137) | 11450.0000-12200.0000 | OTHER             | 36M0G7W  | Rx         |                         |                                      | 7.2M               |   | DIGITAL VIDEO, AUDIO AND DATA |
| 138) | 11450.0000-12200.0000 | OTHER             | 56K0G7W  | Rx         |                         |                                      | 7.2M               |   | DIGITAL VIDEO, AUDIO AND DATA |
| 139) | 11450.0000-11700.0000 | H, V              | 1M36G2W  | Rx         |                         |                                      | 7.2M               |   | SCPC DATA                     |
| 140) | 11450.0000-11700.0000 | H, V              | 16M0F8F  | Rx         |                         |                                      | 7.2M               |   | TELEVISION/FM                 |
| 141) | 11450.0000-11700.0000 | H, V              | 30M0F8F  | Rx         |                         |                                      | 7.2M               |   | TELEVISION/FM                 |
| 142) | 11450.0000-11700.0000 | H, V              | 6M40G7F  | Rx         |                         |                                      | 7.2M               |   | DIGITAL TV-SCPC               |
| 143) | 11450.0000-11700.0000 | H, V              | 8M00G7F  | Rx         |                         |                                      | 7.2M               |   | DIGITAL TV-SCPC               |
| 144) | 11450.0000-11700.0000 | H, V              | 24M0G7F  | Rx         |                         |                                      | 7.2M               |   | Digital TV - MCPC             |
| 145) | 11450.0000-11700.0000 | H, V              | 2M70G7F  | Rx         |                         |                                      | 7.2M               |   | DIGITAL TV - SCPC             |



**UNITED STATES OF AMERICA**  
**FEDERAL COMMUNICATIONS COMMISSION**

---

**RADIO STATION AUTHORIZATION**

**Name:** Intelsat License LLC, as debtor-in-possession

**Call Sign:** E940532

**Authorization Type:** Renewal of License

**File Number:** SES-RWL-20191122-01541

Non Common Carrier

**Grant date:** 08/03/2020

**Expiration Date:** 12/23/2034

**B) Particulars of Operations**

The General Provision 1010 applies to all receiving frequency bands.

The General Provision 1900 applies to all transmitting frequency bands.

For the text of these provisions, refer to Section H.

| #    | Frequency (MHz)       | Polarization Code | Emission | Tx/Rx Mode | Max EIRP /Carrier (dBW) | Max EIRP Density /Carrier (dBW/4kHz) | Associated Antenna | Special Provisions (Refer to Section H) | Modulation/ Services   |
|------|-----------------------|-------------------|----------|------------|-------------------------|--------------------------------------|--------------------|---|------------------------|
| 146) | 11449.0000-11449.0000 | H, V, L, R        | 300KF2D  | Rx         |                         |                                      | 7.2M               |   | TT&C CARRIER           |
| 147) | 11448.0000-11448.0000 | H, V, L, R        | 300KF2D  | Rx         |                         |                                      | 7.2M               |   | TT&C CARRIER           |
| 148) | 11446.9000-11449.1000 | H, V              | 180KP7D  | Rx         |                         |                                      | 7.2M               |   | PM/PSK - 2 - Telemetry |
| 149) | 11200.0000-11450.0000 | H, V              | 1M36G2W  | Rx         |                         |                                      | 7.2M               |   | SCPC DATA              |
| 150) | 11200.0000-11450.0000 | H, V              | 16M0F8F  | Rx         |                         |                                      | 7.2M               |   | TELEVISION/FM          |
| 151) | 11200.0000-11450.0000 | H, V              | 30M0F8F  | Rx         |                         |                                      | 7.2M               |   | TELEVISION/FM          |
| 152) | 11200.0000-11450.0000 | H, V              | 2M70G7F  | Rx         |                         |                                      | 7.2M               |   | DIGITAL TV-SCPC        |
| 153) | 11200.0000-11450.0000 | H, V              | 6M40G7F  | Rx         |                         |                                      | 7.2M               |   | DIGITAL TV-SCPC        |
| 154) | 11200.0000-11450.0000 | H, V              | 8M00G7F  | Rx         |                         |                                      | 7.2M               |   | DIGITAL TV-SCPC        |
| 155) | 11200.0000-11450.0000 | H, V              | 24M0G7F  | Rx         |                         |                                      | 7.2M               |   | Digital TV - MCPC      |
| 156) | 10950.0000-11200.0000 | H, V              | 375KG7W  | Rx         |                         |                                      | 7.2M               |   | SCPC DATA              |
| 157) | 10950.0000-11200.0000 | H, V              | 18M0F9W  | Rx         |                         |                                      | 7.2M               |   | Analog TV/FM           |
| 158) | 10950.0000-11200.0000 | H, V              | 36M0F9W  | Rx         |                         |                                      | 7.2M               |   | Analog TV/FM           |
| 159) | 10950.0000-11200.0000 | OTHER             | 300KF3D  | Rx         |                         |                                      | 7.2M               |   | TT&C CARRIER           |
| 160) | 10950.0000-11200.0000 | OTHER             | 300KF3D  | Rx         |                         |                                      | 7.2M               |   | TT&C CARRIER           |
| 161) | 10950.0000-11200.0000 | OTHER             | 1M00G7F  | Rx         |                         |                                      | 7.2M               |   | DIGITAL VIDEO          |
| 162) | 10950.0000-11200.0000 | OTHER             | 1M00G7F  | Rx         |                         |                                      | 7.2M               |   | DIGITAL VIDEO          |
| 163) | 10950.0000-11200.0000 | OTHER             | 36M0G7F  | Rx         |                         |                                      | 7.2M               |   | DIGITAL VIDEO          |
| 164) | 10950.0000-11200.0000 | OTHER             | 36M0G7F  | Rx         |                         |                                      | 7.2M               |   | DIGITAL VIDEO          |
| 165) | 10950.0000-11200.0000 | H, V              | 18M0G7W  | Rx         |                         |                                      | 7.2M               |   | Digital TV - SCPC      |
| 166) | 10950.0000-11200.0000 | H, V              | 2M20G7W  | Rx         |                         |                                      | 7.2M               |   | Digital TV - SCPC      |
| 167) | 10950.0000-11200.0000 | H, V              | 2M90G7W  | Rx         |                         |                                      | 7.2M               |   | Digital TV - MCPC      |
| 168) | 10950.0000-11200.0000 | H, V              | 36M0G7W  | Rx         |                         |                                      | 7.2M               |   | Digital TV - SCPC      |
| 169) | 10950.0000-11200.0000 | H, V              | 6M85G7W  | Rx         |                         |                                      | 7.2M               |   | Digital TV - SCPC      |





**UNITED STATES OF AMERICA**  
**FEDERAL COMMUNICATIONS COMMISSION**  


---

**RADIO STATION AUTHORIZATION**

**Name:** Intelsat License LLC, as debtor-in-possession

**Call Sign:** E940532

**Authorization Type:** Renewal of License

**File Number:** SES-RWL-20191122-01541

Non Common Carrier

**Grant date:** 08/03/2020

**Expiration Date:** 12/23/2034

**B) Particulars of Operations**

The General Provision 1010 applies to all receiving frequency bands.

The General Provision 1900 applies to all transmitting frequency bands.

For the text of these provisions, refer to Section H.

| #    | Frequency (MHz)       | Polarization Code | Emission | Tx/Rx Mode | Max EIRP /Carrier (dBW) | Max EIRP Density /Carrier (dBW/4kHz) | Associated Antenna | Special Provisions (Refer to Section H) | Modulation/ Services          |
|------|-----------------------|-------------------|----------|------------|-------------------------|--------------------------------------|--------------------|---|-------------------------------|
| 170) | 10950.0000-11200.0000 | OTHER             | 36M0G7W  | Rx         |                         |                                      | 7.2M               |   | DIGITAL VIDEO, AUDIO AND DATA |
| 171) | 10950.0000-11200.0000 | OTHER             | 56K0G7W  | Rx         |                         |                                      | 7.2M               |   | DIGITAL VIDEO, AUDIO AND DATA |
| 172) | 10950.0000-11200.0000 | OTHER             | 36M0G7W  | Rx         |                         |                                      | 7.2M               |   | DIGITAL VIDEO, AUDIO AND DATA |
| 173) | 10950.0000-11200.0000 | OTHER             | 56K0G7W  | Rx         |                         |                                      | 7.2M               |   | DIGITAL VIDEO, AUDIO AND DATA |
| 174) | 10700.0000-10950.0000 | H, V              | 1M36G2W  | Rx         |                         |                                      | 7.2M               |   | SCPC DATA                     |
| 175) | 10700.0000-10950.0000 | H, V              | 16M0F8F  | Rx         |                         |                                      | 7.2M               |   | TELEVISION/FM                 |
| 176) | 10700.0000-10950.0000 | H, V              | 30M0F8F  | Rx         |                         |                                      | 7.2M               |   | TELEVISION/FM                 |
| 177) | 10700.0000-10950.0000 | H, V              | 2M70G7F  | Rx         |                         |                                      | 7.2M               |   | DIGITAL TV-SCPC               |
| 178) | 10700.0000-10950.0000 | H, V              | 6M40G7F  | Rx         |                         |                                      | 7.2M               |   | DIGITAL TV-SCPC               |
| 179) | 10700.0000-10950.0000 | H, V              | 8M00G7F  | Rx         |                         |                                      | 7.2M               |   | DIGITAL TV-SCPC               |
| 180) | 10700.0000-10950.0000 | H, V              | 24M0G7F  | Rx         |                         |                                      | 7.2M               |   | Digital TV - MCPC             |

**C) Frequency Coordination Limits**

| #   | Frequency Limits (MHz) | Satellite Arc (Deg. Long.) |            | Elevation (Degrees) |            | Azimuth (Degrees) |            | Max EIRP Density toward Horizon (dBW/4kHz) | Associated Antenna(s) |
|-----|------------------------|----------------------------|------------|---------------------|------------|-------------------|------------|--|-----------------------|
|     |                        | East Limit                 | West Limit | East Limit          | West Limit | East Limit        | West Limit |  |                       |
| 1)  | 14000.0000-14500.0000  | 69.0W                      | -139.0W    | 47.6                | -20.6      | 153.8             | -248.6     | -2.2                                       | 7.2M                  |
| 2)  | 11700.0000-12200.0000  | 69.0W                      | -139.0W    | 47.6                | -20.6      | 153.8             | -248.6     | 0  | 7.2M                  |
| 3)  | 14000.0000-14500.0000  | 43.0W                      | -58.0W     | 31.3                | -41.8      | 122.3             | -138.3     | -6.8                                       | 7.2M                  |
| 4)  | 14497.6000-14498.4000  | 43.0W                      | -58.0W     | 31.3                | -41.8      | 122.3             | -138.3     | 8.9  | 7.2M                  |
| 5)  | 13997.5000-13998.5000  | 43.0W                      | -58.0W     | 31.3                | -41.8      | 122.3             | -138.3     | 6.4  | 7.2M                  |
| 6)  | 11700.0000-12200.0000  | 43.0W                      | -58.0W     | 31.3                | -41.8      | 122.3             | -138.3     | 0  | 7.2M                  |
| 7)  | 12750.0000-13250.0000  | 43.0W                      | -58.0W     | 31.3                | -41.8      | 122.3             | -138.3     | 6.3  | 7.2M                  |
| 8)  | 10700.0000-10950.0000  | 43.0W                      | -58.0W     | 31.3                | -41.8      | 122.3             | -138.3     | 0  | 7.2M                  |
| 9)  | 11200.0000-11450.0000  | 43.0W                      | -58.0W     | 31.3                | -41.8      | 122.3             | -138.3     | 0  | 7.2M                  |
| 10) | 11446.7000-11449.1000  | 43.0W                      | -58.0W     | 31.3                | -41.8      | 122.3             | -138.3     | 0  | 7.2M                  |



**UNITED STATES OF AMERICA  
FEDERAL COMMUNICATIONS COMMISSION**

**RADIO STATION AUTHORIZATION**

**Name:** Intelsat License LLC, as debtor-in-possession

**Call Sign:** E940532

**Authorization Type:** Renewal of License

**File Number:** SES-RWL-20191122-01541

**Non Common Carrier**

**Grant date:** 08/03/2020

**Expiration Date:** 12/23/2034

**C) Frequency Coordination Limits**

| #   | Frequency Limits<br>(MHz) | Satellite Arc<br>(Deg. Long.) |               | Elevation<br>(Degrees) |               | Azimuth<br>(Degrees) |               | Max EIRP<br>Density toward<br>Horizon<br>(dBW/4kHz) | Associated<br>Antenna(s) |
|-----|---------------------------|-------------------------------|---------------|------------------------|---------------|----------------------|---------------|---|--------------------------|
|     |                           | East<br>Limit                 | West<br>Limit | East<br>Limit          | West<br>Limit | East<br>Limit        | West<br>Limit |   |                          |
| 11) | 11450.0000-11700.0000     | 43.0W                         | 58.0W         | 31.3                   | 41.8          | 122.3                | 138.3         | 0   | 7.2M                     |
| 12) | 11450.9000-11451.1000     | 43.0W                         | 58.0W         | 31.3                   | 41.8          | 122.3                | 138.3         | 0   | 7.2M                     |
| 13) | 13756.0000-13814.0000     | 43.0W                         | 43.0W         | 31.3                   | 31.3          | 122.2                | 122.3         | -28.3   | 7.2M                     |
| 14) | 13954.0000-13992.0000     | 43.0W                         | 43.0W         | 31.3                   | 31.3          | 122.2                | 122.3         | -28.3   | 7.2M                     |
| 15) | 13814.0000-13954.0000     | 43.0W                         | 43.0W         | 31.2                   | 31.3          | 122.2                | 122.3         | -14.7   | 7.2M                     |
| 16) | 13998.6000-13999.4000     | 58.0W                         | 58.0W         | 41.7                   | 41.8          | 138.2                | 138.3         | 14.5  | 7.2M                     |
| 17) | 10950.0000-11200.0000     | 43.0W                         | 58.0W         | 31.3                   | 41.8          | 122.2                | 138.3         | 0   | 7.2M                     |
| 18) | 12750.0000-13250.0000     | 43.0W                         | 58.0W         | 31.3                   | 41.8          | 122.3                | 138.3         | 6.3   | 7.2M                     |
| 19) | 10950.0000-11200.0000     | 43.0W                         | 58.0W         | 31.3                   | 41.8          | 122.3                | 138.3         | 0   | 7.2M                     |
| 20) | 13772.0000-13778.0000     | 49.0W                         | 51.0W         | 35.8                   | 37.2          | 128.1                | 130.2         | -14.9   | 7.2M                     |
| 21) | 10950.0000-11200.0000     | 49.0W                         | 51.0W         | 35.8                   | 37.2          | 128.1                | 130.2         |   | 7.2M                     |
| 22) | 11450.0000-12200.0000     | 49.0W                         | 51.0W         | 35.8                   | 37.2          | 128.1                | 130.2         |   | 7.2M                     |
| 23) | 13750.0000-13772.0000     | 49.0W                         | 51.0W         | 35.8                   | 37.2          | 128.1                | 130.2         | -8.7  | 7.2M                     |
| 24) | 13778.0000-14000.0000     | 49.0W                         | 51.0W         | 35.8                   | 37.2          | 128.1                | 130.2         | -8.7  | 7.2M                     |
| 25) | 14000.0000-14500.0000     | 49.0W                         | 51.0W         | 35.8                   | 37.2          | 128.1                | 130.2         | -8.7  | 7.2M                     |
| 26) | 13750.0000-14500.0000     | 43.0W                         | 58.0W         | 31.3                   | 41.8          | 122.3                | 138.3         | -12.7   | 7.2M                     |
| 27) | 14000.0000-14500.0000     | 43.0W                         | 58.0W         | 31.3                   | 41.8          | 122.3                | 138.3         | -12.7   | 7.2M                     |
| 28) | 11450.0000-12750.0000     | 49.0W                         | 51.0W         | 35.8                   | 37.2          | 128.1                | 130.2         |   | 7.2M                     |
| 29) | 13246.5000-13246.5000     | 43.0W                         | 58.0W         | 31.3                   | 41.8          | 122.3                | 138.3         | -12.7   | 7.2M                     |
| 30) | 13750.0000-13772.0000     | 49.0W                         | 51.0W         | 35.5                   | 37.2          | 128.1                | 130.2         | -8.7  | 7.2M                     |
| 31) | 13995.0000-13995.0000     | 43.0W                         | 58.0W         | 31.3                   | 41.8          | 122.3                | 138.3         | -12.7   | 7.2M                     |
| 32) | 13995.5000-13995.5000     | 43.0W                         | 58.0W         | 31.3                   | 41.8          | 122.3                | 138.3         | -12.7   | 7.2M                     |
| 33) | 14000.5000-14000.5000     | 43.0W                         | 58.0W         | 31.3                   | 41.8          | 122.3                | 138.3         | -12.7   | 7.2M                     |
| 34) | 14494.5000-14494.5000     | 43.0W                         | 58.0W         | 31.3                   | 41.8          | 122.3                | 138.3         | -12.7   | 7.2M                     |
| 35) | 14498.5000-14498.5000     | 43.0W                         | 58.0W         | 31.3                   | 41.8          | 122.3                | 138.3         | -12.7   | 7.2M                     |
| 36) | 12750.0000-13250.0000     | 43.0W                         | 58.0W         | 31.3                   | 41.8          | 122.3                | 138.3         | -10.4   | 11.1M/K3                 |
| 37) | 14000.0000-14500.0000     | 69.0W                         | 139.0W        | 47.6                   | 20.6          | 153.8                | 248.6         | -2.2  | 11.1M/K3                 |
| 38) | 11700.0000-12200.0000     | 69.0W                         | 139.0W        | 47.6                   | 20.6          | 153.8                | 248.6         | 0   | 11.1M/K3                 |
| 39) | 14000.0000-14500.0000     | 43.0W                         | 58.0W         | 31.3                   | 41.8          | 122.3                | 138.3         | -6.8  | 11.1M/K3                 |
| 40) | 14497.6000-14498.4000     | 43.0W                         | 58.0W         | 31.3                   | 41.8          | 122.3                | 138.3         | 8.9   | 11.1M/K3                 |
| 41) | 13997.5000-13998.5000     | 43.0W                         | 58.0W         | 31.3                   | 41.8          | 122.3                | 138.3         | 6.4   | 11.1M/K3                 |
| 42) | 11700.0000-12200.0000     | 43.0W                         | 58.0W         | 31.3                   | 41.8          | 122.3                | 138.3         | 0   | 11.1M/K3                 |
| 43) | 12750.0000-13250.0000     | 43.0W                         | 58.0W         | 31.3                   | 41.8          | 122.3                | 138.3         | -10.4   | 11.1M/K3                 |
| 44) | 10700.0000-10950.0000     | 43.0W                         | 58.0W         | 31.3                   | 41.8          | 122.3                | 138.3         | 0   | 11.1M/K3                 |
| 45) | 11200.0000-11450.0000     | 43.0W                         | 58.0W         | 31.3                   | 41.8          | 122.3                | 138.3         | 0   | 11.1M/K3                 |



**UNITED STATES OF AMERICA**  
**FEDERAL COMMUNICATIONS COMMISSION**  


---

**RADIO STATION AUTHORIZATION**

**Name:** Intelsat License LLC, as debtor-in-possession

**Call Sign:** E940532

**Authorization Type:** Renewal of License

**File Number:** SES-RWL-20191122-01541

Non Common Carrier

**Grant date:** 08/03/2020

**Expiration Date:** 12/23/2034

**C) Frequency Coordination Limits**

| #   | Frequency Limits<br>(MHz) | Satellite Arc<br>(Deg. Long.) |               | Elevation<br>(Degrees) |               | Azimuth<br>(Degrees) |               | Max EIRP<br>Density toward<br>Horizon<br>(dBW/4kHz) | Associated<br>Antenna(s) |
|-----|---------------------------|-------------------------------|---------------|------------------------|---------------|----------------------|---------------|---|--------------------------|
|     |                           | East<br>Limit                 | West<br>Limit | East<br>Limit          | West<br>Limit | East<br>Limit        | West<br>Limit |   |                          |
| 46) | 11446.7000-11449.1000     | 43.0W                         | 58.0W         | 31.3                   | 41.8          | 122.3                | 138.3         | 0   | 11.1M/K3                 |
| 47) | 11450.0000-11700.0000     | 43.0W                         | 58.0W         | 31.3                   | 41.8          | 122.3                | 138.3         | 0   | 11.1M/K3                 |
| 48) | 11450.9000-11451.1000     | 43.0W                         | 58.0W         | 31.3                   | 41.8          | 122.3                | 138.3         | 0   | 11.1M/K3                 |
| 49) | 13756.0000-13814.0000     | 43.0W                         | 43.0W         | 31.2                   | 31.4          | 122.2                | 122.3         | -32.3   | 11.1M/K3                 |
| 50) | 13954.0000-13992.0000     | 43.0W                         | 43.0W         | 31.3                   | 31.3          | 122.2                | 122.3         | -32.3   | 11.1M/K3                 |
| 51) | 13814.0000-13954.0000     | 43.0W                         | 43.0W         | 31.2                   | 31.3          | 122.2                | 122.3         | -18.7   | 11.1M/K3                 |
| 52) | 13998.6000-13999.4000     | 58.0W                         | 58.0W         | 41.7                   | 41.8          | 138.2                | 138.3         | 14.5  | 11.1M/K3                 |

**D) Points of Communications**

The following stations located in the Satellite orbits consistent with Sections B and C of this Entry:

- 1) Ellenwood to Permitted Space Station List
- 2) Ellenwood to INTELSAT 1R @ 157.1 E.L. (S2368) of the INTELSAT system (U.S.-licensed)
- 3) Ellenwood to INTELSAT 11 @ 43.0 W.L. satellite(s) of the INTELSAT system (U.S.-licensed)

**E) Antenna Facilities**

| Site ID   | Antenna ID | Units  | Diameter (meters) | Manufacturer           | Model number           | Site Elevation (Meters) | Max Antenna Height (Meters) | Special Provisions (Refer to Section H) |
|-----------|------------|--|-------------------|------------------------|------------------------|-------------------------|-----------------------------|---|
| Ellenwood | 11.1M/K3   | 1  | 11.1              | VERTEX                 | 11 KPK                 | 237.8                   | 12.3 AGL/ 250.1 AMSL        |   |
|           |            | Max Gains(s):  |                   | 61.0 dBi @ 12.0000 GHz | 62.4 dBi @ 14.0000 GHz |                         |                             |   |
|           |            | Maximum total input power at antenna flange (Watts) =  |                   | 1,900.00               |                        |                         |                             |   |
|           |            | Maximum aggregate output EIRP for all carriers (dBW) = |                   | 95.19                  |                        |                         |                             |   |
| Ellenwood | 7.2M       | 1  | 7.2               | GENERAL DYNAMICS       | 7.2KPK                 | 237.8                   | 8.4 AGL/ 246.2 AMSL         |   |
|           |            | Max Gains(s):  |                   | 57.0 dBi @ 12.0000 GHz | 58.4 dBi @ 14.0000 GHz |                         |                             |   |
|           |            | Maximum total input power at antenna flange (Watts) =  |                   | 725.00                 |                        |                         |                             |   |
|           |            | Maximum aggregate output EIRP for all carriers (dBW) = |                   | 87.00                  |                        |                         |                             |   |

**F) Remote Control Point:**

Ellenwood

**Call Sign:** E940532



**UNITED STATES OF AMERICA**  
**FEDERAL COMMUNICATIONS COMMISSION**  

---

**RADIO STATION AUTHORIZATION**

**Name:** Intelsat License LLC, as debtor-in-possession

**Call Sign:** E940532

**Authorization Type:** Renewal of License

**File Number:** SES-RWL-20191122-01541

Non Common Carrier

**Grant date:** 08/03/2020

**Expiration Date:** 12/23/2034

**G) Antenna Structure marking and lighting requirements:**

None unless otherwise specified under Special and General Provisions

**H) Special and General Provisions**

A) This RADIO STATION AUTHORIZATION is granted subject to the following special provisions and general conditions:

4 --- Licensee must ensure that a current listing of the name, title, mailing address, email address, and telephone number of the responsible point of contact are on file at the FCC. Any changes must be filed electronically in the International Bureau Filing System (MyIBFS) using the "Pleadings and Comments" link on the MyIBFS homepage within 10 days of the change.

6 --- Licensee must comply with the license modification and notification requirements of 47 CFR § 25.118 to change the coordinates of its authorized earth station.

8 --- Licensee must notify the Commission when all earth stations operating under this authorization are no longer operational or when they have not been used to provide any service during any 6-month operation.

2610 --- No harmful interference shall be caused by the operation of this station to other lawfully operated radio stations and operation of this station must be terminated immediately upon notification of harmful interference.

3840 --- The use of the bands 10.7-10.95 GHz, 11.2-11.45 GHz and 12.75-13.25 GHz by the fixed-satellite service shall be in accordance with the provisions of Appendix 30B.

3841 --- The use of the frequency bands 10.7-11.7 GHz and 12.75-13.25 GHz in the fixed-satellite service is limited to international systems.

3853 --- The use of the bands 10.95-11.2 GHz and 11.45-11.7 GHz in the fixed-satellite service is limited to international systems.

3854 --- Licensee shall comply with EIRP density limit 71 dBW in any 6MHz band from 13.77 to 13.78 GHz, per ITU footnote S5.503 and the Section 25.204 (f) of the Commission's Rules.

5841 --- Use of the frequency band 13.75-14 GHz shall comply with United States Footnotes US356 (used to be S5.502) and US357 (used to be S5.503) in the Section 2.106 and the Section 25.204 (f) of the Commission's Rules.

90398 --- Changes to previously authorized transmitting facilities, operations and devices regulated by the Commission that may have significant environmental impact, and are not excluded by §1.1306, require the preparation of an Environmental Assessment (EA) by the licensee. (See 47 C.F.R. §§1.1307, 1.1308 and 1.1311)



**UNITED STATES OF AMERICA**  
**FEDERAL COMMUNICATIONS COMMISSION**  

---

**RADIO STATION AUTHORIZATION**

**Name:** Intelsat License LLC, as debtor-in-possession

**Call Sign:** E940532

**Authorization Type:** Renewal of License

**File Number:** SES-RWL-20191122-01541

Non Common Carrier

**Grant date:** 08/03/2020

**Expiration Date:** 12/23/2034

## H) Special and General Provisions

A) This RADIO STATION AUTHORIZATION is granted subject to the following special provisions and general conditions:

- 90399 --- The licensee shall, at all times, take all necessary measures to ensure that operation of this (these) authorized earth station(s) does not create potential exposure of humans to radiofrequency radiation in excess of the FCC exposure limits defined in 47 CFR §§ 1.1307(b) and 1.1310. Physical measures must be taken to ensure compliance with limits for both occupational/controlled exposure and for general population/uncontrolled exposure, as defined in these rule sections. Compliance can be accomplished in most cases by appropriate restrictions, such as fencing. Requirements for restrictions can be determined by predictions based on calculations, modeling, or by field measurements. The FCC's OET Bulletin 65 (available on-line at [www.fcc.gov/oet/rfsafety](http://www.fcc.gov/oet/rfsafety)) provides information on predicting exposure levels and on methods for ensuring compliance, including the use of warning and alerting signs and protective equipment for workers.
- 90405 --- Operations with PERMITTED LIST satellite must comply with §25.212 levels and operations above these levels must coordinate with satellite operators prior to operations.
- 900407 --- The Permitted Space Station List (Permitted List) is a list of all geostationary space stations providing fixed-satellite service pursuant to a Commission license or grant of U.S. market access. The Permitted List currently includes the following frequency bands per §25.103 and §25.115(k)(1):

3600-4200 MHz (space-to-Earth)  
5850-6725 MHz (Earth-to-space)  
10.95-11.2 GHz (space-to-Earth)  
11.45-12.2 GHz (space-to-Earth)  
13.75-14.5 GHz (Earth-to-space)  
18.3-18.8 GHz (space-to-Earth)  
19.7-20.2 GHz (space-to-Earth)  
24.75-25.25 GHz (Earth-to-space)  
28.35-28.6 GHz (Earth-to-space)  
29.25-30.0 GHz (Earth-to-space).

Earth stations with "Permitted List" designated as a point of communication may access any space station on the Permitted List, provided the operations comply with the applicable "routine" uplink and downlink limits, are within the specific frequency bands authorized in the earth station license, have completed coordination with terrestrial stations pursuant to §25.203, and otherwise comply with all terms and conditions of both the earth station license and the space station grant.



**UNITED STATES OF AMERICA**  
**FEDERAL COMMUNICATIONS COMMISSION**  

---

**RADIO STATION AUTHORIZATION**

**Name:** Intelsat License LLC, as debtor-in-possession

**Call Sign:** E940532

**Authorization Type:** Renewal of License

**File Number:** SES-RWL-20191122-01541

Non Common Carrier

**Grant date:** 08/03/2020

**Expiration Date:** 12/23/2034

**B) This RADIO STATION AUTHORIZATION is granted subject to the additional conditions specified below:**

This authorization is issued on the grantee's representation that the statements contained in the application are true and that the undertakings described will be carried out in good faith.

This authorization shall not be construed in any manner as a finding by the Commission on the question of marking or lighting of the antenna system should future conditions require. The grantee expressly agrees to install such marking or lighting as the Commission may require under the provisions of Section 303(q) of the Communications Act. 47 U.S.C. § 303(q).

Neither this authorization nor the right granted by this authorization shall be assigned or otherwise transferred to any person, firm, company or corporation without the written consent of the Commission. This authorization is subject to the right of use or control by the government of the United States conferred by Section 706 of the Communications Act. 47 U.S.C. § 706. Operation of this station is governed by Part 25 of the Commission's Rules. 47 C.F.R. Part 25.

This authorization shall not vest in the licensee any right to operate this station nor any right in the use of the designated frequencies beyond the term of this license, nor in any other manner than authorized herein.

This authorization is issued on the grantee's representation that the station is in compliance with environmental requirements set forth in Section 1.1307 of the Commission's Rules. 47 C.F.R. § 1.1307.

This authorization is issued on the grantee's representation that the station is in compliance with the Federal Aviation Administration (FAA) requirements as set forth in Section 17.4 of the Commission's Rules. 47 C.F.R. § 17.4.

The following condition applies when this authorization permits construction of or modifies the construction permit of a radio station.

This authorization shall be automatically forfeited if the station is not ready for operation by the required date of completion of construction unless an application for modification of authorization to request additional time to complete construction is filed by that date, together with a showing that failure to complete construction by the required date was due to factors not under control of the grantee.

**Licensees are required to pay annual regulatory fees related to this authorization. The requirement to collect annual regulatory fees from regulatees is contained in Public Law 103-66, "The Omnibus Budget Reconciliation Act of 1993." These regulatory fees, which are likely to change each fiscal year, are used to offset costs associated with the Commission's enforcement, public service, international and policy and rulemaking activities. The Commission issues a Report and Order each year, setting the new regulatory fee rates. Receive only earth stations are exempt from payment of regulatory fees.**