

Approved by OMB
3060-0678

APPLICATION FOR EARTH STATION SPECIAL TEMPORARY AUTHORITY

APPLICANT INFORMATION Enter a description of this application to identify it on the main menu:
STA Application for Diamod Ocean Valiant

1. Applicant

Name:	CapRock Communications, Inc.	Phone Number:	832-668-2751
DBA Name:		Fax Number:	832-668-2780
Street:	4400 S. Sam Houston Parkway Ea	E-Mail:	esands@caprock.com
City:	Houston	State:	TX
Country:	USA	Zipcode:	77048 -
Attention:	Ms EllenAnn Sands		

With Condition



File # SES-STA-20090715-00867

Call Sign _____ Grant Date 7/21/09
(or other identifier)

From 7/21/09 Term Dates To: 8/19/09

Approved: Jeannette D. Spriggs

Attachment

SES-STA-20090715-00867

Condition:

All operations shall be on an unprotected and non-harmful interference basis, *i.e.*, CapRock Communications, Inc. shall not cause harmful interference to, and shall not claim protection from, interference caused to it by any other lawfully operating station.

With Condition



File # SES-STA-2009 0715-00 867

Call Sign _____ Grant Date 7/21/09
(or other identifier)

Term Dates
From 7/21/09 To: 8/19/09

Approved: Jeanette A. Spurgis

2. Contact

Name:	Raul Magallanes	Phone Number:	281.317.1397
Company:	The Law Office of Raul Magallanes, PLLC	Fax Number:	281.271.8085
Street:	PO Box 1213	E-Mail:	info@rmtelecomlaw.com
City:	Houston	State:	TX
Country:	USA	Zipcode:	77549 -
Attention:	Raul Magallanes	Relationship:	Legal Counsel

(If your application is related to an application filed with the Commission, enter either the file number or the IB Submission ID of the related application. Please enter only one.)

3. Reference File Number or Submission ID

4a. Is a fee submitted with this application?

- If Yes, complete and attach FCC Form 159. If No, indicate reason for fee exemption (see 47 C.F.R. Section 1.1114).
 Governmental Entity Noncommercial educational licensee
 Other (please explain):

4b. Fee Classification CGX – Fixed Satellite Transmit/Receive Earth Station

5. Type Request

- Use Prior to Grant Change Station Location Other

6. Requested Use Prior Date
07/18/2009

7. CityGalveston	8. Latitude (dd mm ss.s h) 29 49 28.77 N
9. State TX	10. Longitude (dd mm ss.s h) 93 57 18.23 W
11. Please supply any need attachments. Attachment 1: Cover Letter Attachment 2: Exhibit A Attachment 3: Exhibit B	
12. Description. (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) <div style="border: 1px solid black; padding: 5px; margin: 5px 0;">STA Application for Diamod Ocean Valiant</div>	
13. By checking Yes, the undersigned certifies that neither applicant nor any other party to the application is subject to a denial of Federal benefits that includes FCC benefits pursuant to Section 5301 of the Anti-Drug Act of 1988, 21 U.S.C. Section 862, because of a conviction for possession or distribution of a controlled substance. See 47 CFR 1.2002(b) for the meaning of "party to the application" for these purposes. <input checked="" type="radio"/> Yes <input type="radio"/> No	
14. Name of Person Signing EllenAnn Sands	15. Title of Person Signing Corporate Counsel
WILLFUL FALSE STATEMENTS MADE ON THIS FORM ARE PUNISHABLE BY FINE AND / OR IMPRISONMENT (U.S. Code, Title 18, Section 1001), AND/OR REVOCATION OF ANY STATION AUTHORIZATION (U.S. Code, Title 47, Section 312(a)(1)), AND/OR FORFEITURE (U.S. Code, Title 47, Section 503).	

FCC NOTICE REQUIRED BY THE PAPERWORK REDUCTION ACT

The public reporting for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the required data, and completing and reviewing the collection of information. If you have any comments on this burden estimate, or how we can improve the collection and reduce the burden it causes you, please write to the Federal Communications Commission, AMD-PERM, Paperwork Reduction Project (3060-0678), Washington, DC 20554. We will also accept your comments regarding the Paperwork Reduction Act aspects of this collection via the Internet if you send them to PRA@fcc.gov. PLEASE DO NOT SEND COMPLETED FORMS TO THIS ADDRESS.

Remember – You are not required to respond to a collection of information sponsored by the Federal government, and the government may not conduct or sponsor this collection, unless it displays a currently valid OMB control number or if we fail to provide you with this notice. This collection has been assigned an OMB control number of 3060-0678.

THE FOREGOING NOTICE IS REQUIRED BY THE PAPERWORK REDUCTION ACT OF 1995, PUBLIC LAW 104-13, OCTOBER 1, 1995, 44 U.S.C. SECTION 3507.



TELECOMMUNICATIONS LAW
The Law Office of
Raúl Magallanes

FCC LICENSING & REGULATION
P.O. Box 1213, Houston, TX 77549
(281) 317-1397 T. (281) 271-8085 F
info@rmtelecomlaw.com
www.rmtelecomlaw.com

July 15, 2009

Acting Chief
System Analysis Branch
Satellite Division
International Bureau
Federal Communications Commission
445 12th Street SW
Washington, DC 20554

Re: Request for Special Temporary Authority

Pursuant to Section 25.120(a) of the Rules and Regulations (“Regulations”) of the Federal Communications Commission (“Commission”), CapRock Communications, Inc. (“CapRock”), by way of the underlying application, seeks Commission consideration for a Special Temporary Authority (“STA”) to test an earth station at a 29° 49’ 28.8” N, 93° 57’ 18.2” W).

Pursuant to Section 25.120(a) of the Regulations, in “*circumstances requiring ... temporary use of facilities, request may be made for special temporary authority to install and/or operate new or modified equipment.*” In addition, according to Section 25.120(b)(4) of the Regulations, the Commission may grant temporary authorization for a period not to exceed 30 days, if the STA request has not been placed on public notice, and an application for regular authority is not contemplated.

In the instance case, the STA request has not been placed on public notice and CapRock does not plan to file an application for regular authority. The proposed antenna will be tested and “burned in” for a period of 30 days. An STA under these conditions is contemplated by the Regulations due to “*circumstances requiring ... temporary use of facilities.*” An application for regular authority is not submitted because this site will be used for testing purposes. Therefore, CapRock respectfully requests an STA for a period not to exceed 30 days. The planned satellite is IS-707 (53.0 degrees West).

CapRock believes that the granting of this STA is in the public interest and that delay in the institution of these temporary operations would seriously prejudice the public interest. In order to ensure service, the requested STA date is July 18, 2009. In accordance to Section 25.120(a) of the Regulations, this STA is being filed at least 3 working days prior to the date of proposed operation.

An analysis pursuant to Section 25.115(f) is presented below:

Request for Routine Processing of Non-Compliant Antenna

The antenna at issue is a C-band Seatel 9797 (2.4m) ("Antenna"). This Antenna does not strictly comply with Section 25.209 of the Regulations. However, according to Section 25.218 of the Regulations, an applicant may request routine processing of an application if it meets the applicable off-axis EIRP envelopes.

Furthermore, an application pursuant to Section 25.218 must file the corresponding tables outlined in Section 25.115(h) of the Regulations. Applicant presents below the tables outlined in Section 25.115(h) and therefore requests routine processing of this application.

EIRP DENSITY TABLE, AZIMUTH - §25.218 (h) (1)

Antenna Manufacturer	Seatel	Antenna Diameter	2.4	m
Antenna Model	9797	Antenna Gain	41.3	dBi
Transmit Frequency	6.040	Max EIRP Density	-9.8	dBW/4KHz

Off-Axis degrees	§25.218 SD (dBW/4KHz)	Actual SD (dBW/4KHz)	Margin (dB)
1.5	21.9	15.2	-6.7
1.6	21.2	12.7	-8.5
1.7	20.5	10.2	-10.3
1.8	19.9	7.2	-12.7
1.9	19.3	4.2	-15.1
2.0	18.8	1.7	-17.1
2.1	18.2	-1.3	-19.5
2.2	17.7	-4.8	-22.5
2.3	17.3	-5.8	-23.1
2.4	16.8	-4.8	-21.6
2.5	16.4	-3.7	-20.0
2.6	15.9	-2.4	-18.3
2.7	15.5	-2.3	-17.8
2.8	15.1	-2.4	-17.5
2.9	14.7	-3.7	-18.4
3.0	14.4	-5.8	-20.2
3.1	14.0	-8.7	-22.7
3.2	13.7	-12.3	-26.0
3.3	13.3	-13.8	-27.1
3.4	13.0	-9.8	-22.8
3.5	12.7	-5.8	-18.5
3.6	12.4	-4.8	-17.2
3.7	12.1	-4.0	-16.1
3.8	11.8	-3.8	-15.6
3.9	11.5	-4.8	-16.3
4.0	11.2	-5.8	-17.0
4.1	11.0	-7.3	-18.3
4.2	10.7	-8.7	-19.4
4.3	10.5	-10.9	-21.4
4.4	10.2	-14.8	-25.0
4.5	10.0	-20.9	-30.9
4.6	9.7	-26.8	-36.5

Off-Axis degrees	§25.218 SD (dBW/4KHz)	Actual SD (dBW/4KHz)	Margin (dB)
7.5	5.3	-15.9	-21.2
7.6	5.3	-14.8	-20.1
7.7	5.3	-10.9	-16.2
7.8	5.3	-12.3	-17.6
7.9	5.3	-11.8	-17.1
8.0	5.3	-11.8	-17.1
8.1	5.3	-10.8	-16.1
8.2	5.3	-10.8	-16.1
8.3	5.3	-10.8	-16.1
8.4	5.3	-12.3	-17.6
8.5	5.3	-12.8	-18.1
8.6	5.3	-13.3	-18.6
8.7	5.3	-14.8	-20.1
8.8	5.3	-15.9	-21.2
8.9	5.3	-16.8	-22.1
9.0	5.3	-17.3	-22.6
9.1	5.3	-17.8	-23.1
9.2	5.3	-18.8	-24.1
9.3	5.1	-19.8	-24.9
9.4	5.0	-20.3	-25.3
9.5	4.9	-21.3	-26.2
9.6	4.7	-21.8	-26.5
9.7	4.6	-22.3	-26.9
9.8	4.5	-22.3	-26.8
9.9	4.4	-21.8	-26.2
10.0	4.3	-20.8	-25.1
15.0	-0.1	-21.8	-21.7
20.0	-3.2	-25.8	-22.6
25.0	-5.6	-27.8	-22.1
30.0	-7.6	-24.8	-17.2
35.0	-9.3	-27.3	-18.0
40.0	-10.8	-24.8	-14.0

4.7	9.5	-26.8	-36.3
4.8	9.3	-20.9	-30.2
4.9	9.0	-15.9	-24.9
5.0	8.8	-14.8	-23.6
5.1	8.6	-12.3	-20.9
5.2	8.4	-10.8	-19.2
5.3	8.2	-9.8	-18.0
5.4	8.0	-8.7	-16.7
5.5	7.8	-7.8	-15.6
5.6	7.6	-7.3	-14.9
5.7	7.4	-7.8	-15.2
5.8	7.2	-7.3	-14.5
5.9	7.0	-8.7	-15.7
6.0	6.8	-9.8	-16.6
6.1	6.7	-11.8	-18.5
6.2	6.5	-12.8	-19.3
6.3	6.3	-14.8	-21.1
6.4	6.1	-15.8	-21.9
6.5	6.0	-15.8	-21.8
6.6	5.8	-15.8	-21.6
6.7	5.6	-15.8	-21.4
6.8	5.5	-15.8	-21.3
6.9	5.3	-16.8	-22.1
7.0	5.2	-17.3	-22.5
7.1	5.3	-18.3	-23.6
7.2	5.3	-18.8	-24.1
7.3	5.3	-17.1	-22.4
7.4	5.3	-17.3	-22.6

45.0	-12.0	-27.3	-15.3
50.0	-12.7	-27.8	-15.1
55.0	-12.7	-24.8	-12.1
60.0	-12.7	-30.8	-18.1
65.0	-12.7	-32.8	-20.1
70.0	-12.7	-32.3	-19.6
75.0	-12.7	-32.8	-20.1
80.0	-12.7	-32.3	-19.6
85.0	-12.7	-31.8	-19.1
90.0	-12.7	-29.8	-17.1
95.0	-12.7	-30.8	-18.1
100.0	-12.7	-29.8	-17.1
105.0	-12.7	-19.8	-7.1
110.0	-12.7	-22.3	-9.6
115.0	-12.7	-19.8	-7.1
120.0	-12.7	-19.8	-7.1
125.0	-12.7	-19.8	-7.1
130.0	-12.7	-19.8	-7.1
135.0	-12.7	-19.8	-7.1
140.0	-12.7	-20.8	-8.1
145.0	-12.7	-20.8	-8.1
150.0	-12.7	-19.8	-7.1
155.0	-12.7	-22.3	-9.6
160.0	-12.7	-23.8	-11.1
165.0	-12.7	-19.3	-6.6
170.0	-12.7	-22.3	-9.6
175.0	-12.7	-27.3	-14.6
180.0	-12.7	-29.8	-17.1

EIRP DENSITY TABLE, ELEVATION - \$25.218 (h) (2)

Antenna Manufacturer	Seatel	Antenna Diameter	2.4	m
Antenna Model	9797	Antenna Gain	41.1	dBi
Transmit Frequency	5.850	Max EIRP Density	-9.8	dBW/4KHz
		GHz		

Off-Axis degrees	\$25.218 SD (dBW/4KHz)	Actual SD (dBW/4KHz)	Margin (dB)	Off-Axis degrees	\$25.218 SD (dBW/4KHz)	Actual SD (dBW/4KHz)	Margin (dB)
1.5	24.9	20.3	-4.6	6.1	9.7	-9.0	-18.6
1.6	24.2	18.4	-5.8	6.2	9.5	-8.1	-17.6
1.7	23.5	16.4	-7.1	6.3	9.3	-7.9	-17.2
1.8	22.9	14.2	-8.7	6.4	9.1	-8.3	-17.4
1.9	22.3	11.4	-10.9	6.5	9.0	-9.2	-18.2
2.0	21.8	8.6	-13.2	6.6	8.8	-11.0	-19.8
2.1	21.2	5.1	-16.2	6.7	8.6	-13.3	-21.9
2.2	20.7	1.6	-19.2	6.8	8.5	-17.0	-25.5
2.3	20.3	-0.9	-21.1	6.9	8.3	-20.3	-28.6
2.4	19.8	-1.5	-21.3	7.0	8.2	-17.7	-25.8
2.5	19.4	-1.3	-20.6	7.1	8.0	-14.0	-22.0
2.6	18.9	-1.2	-20.1	7.2	7.9	-11.4	-19.2
2.7	18.5	-1.7	-20.2	7.3	7.7	-9.6	-17.3
2.8	18.1	-3.0	-21.1	7.4	7.6	-8.6	-16.1
2.9	17.7	-5.1	-22.8	7.5	7.4	-8.1	-15.5
3.0	17.4	-8.6	-26.0	7.6	7.3	-8.0	-15.3
3.1	17.0	-15.5	-32.5	7.7	7.1	-8.4	-15.6
3.2	16.7	-23.6	-40.3	7.8	7.0	-9.3	-16.3
3.3	16.3	-13.1	-29.4	7.9	6.9	-10.7	-17.6
3.4	16.0	-8.6	-24.6	8.0	6.7	-12.8	-19.5
3.5	15.7	-6.6	-22.3	8.1	6.6	-15.6	-22.2
3.6	15.4	-5.4	-20.8	8.2	6.5	-18.0	-24.5
3.7	15.1	-5.1	-20.2	8.3	6.3	-18.1	-24.4
3.8	14.8	-5.5	-20.3	8.4	6.2	-15.6	-21.8
3.9	14.5	-6.5	-21.1	8.5	6.1	-13.3	-19.3
4.0	14.2	-8.5	-22.7	8.6	5.9	-11.5	-17.5
4.1	14.0	-12.1	-26.1	8.7	5.8	-10.3	-16.2
4.2	13.7	-18.2	-31.9	8.8	5.7	-9.6	-15.3
4.3	13.5	-27.4	-40.9	8.9	5.6	-9.4	-14.9
4.4	13.2	-14.7	-27.9	9.0	5.4	-9.5	-14.9
4.5	13.0	-10.2	-23.1	9.1	5.3	-9.9	-15.2
4.6	12.7	-7.3	-20.1	9.2	5.2	-10.7	-15.9
4.7	12.5	-5.6	-18.1	9.3	5.1	-11.5	-16.6

4.8	12.3	-4.6	-16.8
4.9	12.0	-4.1	-16.1
5.0	11.8	-4.0	-15.9
5.1	11.6	-4.4	-16.0
5.2	11.4	-5.3	-16.7
5.3	11.2	-6.6	-17.8
5.4	11.0	-8.8	-19.8
5.5	10.8	-12.2	-23.0
5.6	10.6	-18.1	-28.7
5.7	10.4	-35.2	-45.6
5.8	10.2	-18.8	-29.1
5.9	10.0	-13.3	-23.3
6.0	9.8	-10.5	-20.3

9.4	5.0	-12.0	-17.0
9.5	4.9	-12.1	-16.9
9.6	4.7	-11.4	-16.1
9.7	4.6	-10.2	-14.8
9.8	4.5	-9.0	-13.5
9.9	4.4	-8.0	-12.5
10.0	4.3	-7.3	-11.6
15.0	-0.1	-18.0	-17.9
20.0	-3.2	-26.7	-23.5
25.0	-5.6	-27.3	-21.7
30.0	-7.6	-31.7	-24.1
35.0	-9.3	-24.4	-15.1
40.0	-10.8	-25.8	-15.1
45.0	-12.0	-29.3	-17.3

Pursuant to 25.215 (h)(3), a horizon gain table was generated for this particular location and satellite arc, as part of the frequency coordination report included with the underlying application.

**FREQUENCY COORDINATION AND INTERFERENCE
ANALYSIS REPORT TEMPORARY TRANSMIT ONLY EARTH STATION
OPERATION DATES: 7/14/2009 – 01/14/2010**

Prepared for
CAPROCK COMMUNICATIONS CORP.
OCEAN VALLIAN, TX
Satellite Earth Station

Prepared By:
COMSEARCH
19700 Janella Farm Boulevard
Ashburn, VA 20147
July 14, 2009

CONCLUSIONS

An interference study considering all existing, proposed and prior coordinated microwave facilities within the coordination contours of the proposed earth station demonstrates that this site will operate satisfactorily with the common carrier microwave environment. Further, there will be no restrictions of its operation due to interference considerations.

SUMMARY OF RESULTS

A number of great circle interference cases were identified during the interference study of the proposed earth station. Each of the cases, which exceeded the interference objective on a line-of-sight basis, was profiled and the propagation losses estimated using NBS TN101 (Revised) techniques. The losses were found to be sufficient to reduce the signal levels to acceptable magnitudes in every case.

There are no unresolved interference cases involving this earth station.

SUPPLEMENTAL SHOWING

Pursuant to Part 25.203(c) of the FCC Rules and Regulations, the satellite earth station proposed in this application was coordinated by Comsearch using computer techniques and in accordance with Part 25 of the FCC Rules and Regulations.

Verbal and written coordination for this earth station was conducted with the below listed carriers on 07/14/2009.

Company

Alda Gold II, LLC.
American National Insurance Company
Bell Atlantic Mobile Allentown-Verizon W
CENTERPOINT ENERGY, INC.
Calcasieu Parish Sheriff's Office
Centennial Southeast License Company LLC
Central Telephone Company of Texas
ENTERPRISE PRODUCTS OPERATING LLC
EQUISTAR CHEMICALS, LP
ERF Wireless Bundled Services, Inc.
Federal Communications Commission
GTE Moblinet of South Texas LTD Partners
GTE Moblinet of Texas RSA #17 LTD Ptnsh
Great Western Communications, LLC
Harris County ITC
Houston, City of
International Communications Group, Inc.
LOUISIANA STATE COMMUNICATION SECTION
MCI Communication Services, Inc.
METROPOLITAN AREA NETWORKS, INC.
PATHNET, INC. - DEBTOR IN POSSESSION
Sam Houston Electric Cooperative
San Antonio MTA, L.P.
Southern & Central Wireless, LLC
Stratos Offshore Services Company
TEXAS NEW MEXICO POWER COMPANY
Texas Eastern Communications, Inc.
Transcontinental Gas Pipeline Corp.
Union Pacific Railroad Company
Verizon Wireless Personal Comm., LP
Verizon Wireless Texas, LLC

CERTIFICATION

I HEREBY CERTIFY THAT I AM THE TECHNICALLY QUALIFIED PERSON RESPONSIBLE FOR THE PREPARATION OF THE FREQUENCY COORDINATION DATA CONTAINED IN THIS APPLICATION, THAT I AM FAMILIAR WITH PARTS 101 AND 25 OF THE FCC RULES AND REGULATIONS, THAT I HAVE EITHER PREPARED OR REVIEWED THE FREQUENCY COORDINATION DATA SUBMITTED WITH THIS APPLICATION, AND THAT IT IS COMPLETE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.



Timothy O. Crutcher
Frequency Planner
COMSEARCH
19700 Janelia Farm Boulevard
Ashburn, VA 20147

DATED: July 14, 2009

EARTH STATION COORDINATION DATA

This section presents the data pertinent to frequency coordination of the proposed earth station that was circulated to all carriers within its coordination contours.

Date: 07/14/2009
Job Number: 090714COMSTC01

Administrative Information

Status TEMPORARY (Operation from 07/17/2009 to 01/17/2010)
Licensee Name CAPROCK COMMUNICATIONS CORP.

Site Information

Latitude (NAD 83) **OCEAN VALIAN, TX**
29° 49' 28.8" N
Longitude (NAD 83) 93° 57' 18.2" W
Climate Zone B
Rain Zone 1
Ground Elevation (AMSL) 0.0 m / 0.0 ft

Link Information

Satellite Type Geostationary
Mode TO - Transmit-Only
Modulation Digital
Satellite Arc 53° W to 53° West Longitude
Azimuth Range 119.8° to 119.8°
Corresponding Elevation Angles 33.7° / 33.7°
Antenna Centerline (AGL) 0.91 m / 3.0 ft

Antenna Information

Manufacturer **Transmit**
SEATEL 9797
Gain / Diameter 41.1 dBi / 2.4 m
3-dB / 15-dB Beamwidth 1.00° / 2.00°

Max Available RF Power (dBW/4 KHz) -8.3
(dBW/MHz) 15.7
Maximum EIRP (dBW/4 KHz) 32.8
(dBW/MHz) 56.8

Interference Objectives: Long Term -154.0 dBW/4 KHz 20%
Short Term -131.0 dBW/4 KHz 0.0025%

Frequency Information

Emission / Frequency Range (MHz) **Transmit 6.1 GHz**
204KG7W / 5925.0 - 6425.0

Max Great Circle Coordination Distance 170.9 km / 106.2 mi
Precipitation Scatter Contour Radius 100.0 km / 62.1 mi

Coordination Values**OCEAN VALLIAN, TX**

Licensee Name

CAPROCK COMMUNICATIONS CORP.

Latitude (NAD 83)

29° 49' 28.8" N

Longitude (NAD 83)

93° 57' 18.2" W

Ground Elevation (AMSL)

0.0 m / 0.0 ft

Antenna Centerline (AGL)

0.91 m / 3.0 ft

Antenna Mode

Transmit 6.1 GHz

Interference Objectives: Long Term

-154.0 dBW/4 KHz 20%

Short Term

-131.0 dBW/4 KHz 0.0025%

Max Available RF Power

-8.3 (dBW/4 KHz)

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Transmit 6.1 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)
0	0.00	114.43	-10.00	170.86
5	0.00	110.44	-10.00	170.86
10	0.00	106.38	-10.00	170.86
15	0.00	102.28	-10.00	170.86
20	0.00	98.15	-10.00	170.86
25	0.89	94.05	-10.00	113.21
30	0.89	89.85	-10.00	113.14
35	0.89	85.65	-10.00	113.18
40	0.89	81.46	-10.00	113.20
45	0.89	77.28	-10.00	113.23
50	0.89	73.14	-10.00	113.26
55	0.97	69.03	-10.00	109.44
60	0.97	64.98	-10.00	109.47
65	0.85	61.05	-10.00	115.25
70	0.85	57.18	-10.00	115.26
75	0.85	53.43	-10.00	115.28
80	0.84	49.82	-10.00	115.34
85	1.09	46.25	-9.63	106.84
90	1.13	43.02	-8.84	107.94
95	1.13	40.11	-8.08	109.96
100	0.68	37.93	-7.47	129.44
105	0.83	35.72	-6.82	123.17
110	0.77	34.21	-6.35	128.06
115	0.56	33.45	-6.11	142.12
120	0.54	33.16	-6.02	143.99
125	0.52	33.54	-6.14	145.07
130	0.44	34.62	-6.48	152.42
135	0.44	36.20	-6.97	150.19
140	0.40	38.33	-7.59	152.97
145	0.38	40.88	-8.29	153.52
150	0.36	43.77	-9.03	152.14
155	0.37	46.93	-9.79	148.03
160	0.31	50.37	-10.00	155.11
165	0.38	53.92	-10.00	146.45
170	0.38	57.66	-10.00	146.48
175	0.40	61.50	-10.00	143.15
180	0.38	65.45	-10.00	146.47
185	0.36	69.47	-10.00	148.05

Coordination Values**OCEAN VALIAN, TX**

Licensee Name CAPROCK COMMUNICATIONS CORP.

Latitude (NAD 83) 29° 49' 28.8" N

Longitude (NAD 83) 93° 57' 18.2" W

Ground Elevation (AMSL) 0.0 m / 0.0 ft

Antenna Centerline (AGL) 0.91 m / 3.0 ft

Antenna Mode Transmit 6.1 GHz

Interference Objectives: Long Term -154.0 dBW/4 kHz 20%

Short Term -131.0 dBW/4 kHz 0.0025%

Max Available RF Power -8.3 (dBW/4 kHz)

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Transmit 6.1 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)
190	0.35	73.55	-10.00	149.36
195	0.35	77.67	-10.00	149.36
200	0.00	81.85	-10.00	170.86
205	0.00	85.99	-10.00	170.86
210	0.00	90.15	-10.00	170.86
215	0.00	94.31	-10.00	170.86
220	0.00	98.46	-10.00	170.86
225	0.00	102.58	-10.00	170.86
230	0.00	106.68	-10.00	170.86
235	0.00	110.73	-10.00	170.86
240	0.00	114.72	-10.00	170.86
245	0.00	118.64	-10.00	170.86
250	0.00	122.46	-10.00	170.86
255	0.00	126.16	-10.00	170.86
260	0.00	129.71	-10.00	170.86
265	0.00	133.08	-10.00	170.86
270	0.00	136.20	-10.00	170.86
275	0.00	139.03	-10.00	170.86
280	0.00	141.50	-10.00	170.86
285	0.00	143.53	-10.00	170.86
290	0.00	145.05	-10.00	170.86
295	0.00	145.99	-10.00	170.86
300	0.00	146.29	-10.00	170.86
305	0.00	145.94	-10.00	170.86
310	0.00	144.96	-10.00	170.86
315	0.00	143.40	-10.00	170.86
320	0.00	141.33	-10.00	170.86
325	0.00	138.83	-10.00	170.86
330	0.00	135.98	-10.00	170.86
335	0.00	132.84	-10.00	170.86
340	0.00	129.46	-10.00	170.86
345	0.00	125.90	-10.00	170.86
350	0.00	122.19	-10.00	170.86
355	0.00	118.36	-10.00	170.86

International Bureau
Federal Communications Commission
445 12th Street SW
Washington, DC 20554

CapRock Communications, Inc. will be using a Seatel 9797 antenna in the underlying application. This antenna has a diameter of 2.4m and operates in the C-band. CapRock certifies that this antenna will be limited to a 0.5 degree pointing error pursuant to 47 C.F.R 25.115(h)(4).

David Bunting



Vice President Engineering

CapRock Communications, Inc.
4400 S. Sam Houston Pkwy. E.
Houston, TX 77048