EXHIBIT A

ocation										
APPLICATION FOR SATELLITE SPACE AND EARTH STATION AUTHORIZATIONS Technical and Operational Description) (Place an "X" in one of the blocks below)										
STA REQUEST Registration of new Domestic Amendment to a Pending Application Modification of License/Registration Notification of Minor Modification Receive-Only Station										
B1. Location of Earth Station Site. If temporary-fixed, mobile, or VSAT remote facility, specify area of operation and point of contact. If VSAT hub station, give its location For VSAT networks attach individual Schedule B, Page 1 sheets for each hub station and each remote station. Individually provide the Location, Points of Communications, and Destination Points for each hub and remote station.										
SAME AS IN LICENSE (CALL SIGN KA270)										
B2. Points of Communications: List the names and orbit locations of all satellites with which this earth station will communicate. The entry "ALSAT" is sufficient to identify the names and locations of all satellite facilities licensed by the U.S. All non-U.S. licensed satellites must be listed individually.										
B3. Destination points for communications using non-U.S. licensed satellites. For each non-U.S. licensed satellite facility identified in section B2 above, specify the destination point(s) (countries) where the services will be provided by this earth station via each non-U.S. license satellite system. Use additional sheets as needed.										
List of Destination Points										
Place an "X" in one of the blocks below) STA REQUEST Registration of new Domestic Amendment to a Pending Application Modification of License/Registration Notification of Minor Modification Receive-Only Station B1. Location of Earth Station Site. If temporary-fixed, mobile, or VSAT remote facility, specify area of operation and point of contact. If VSAT hub station, give its location For VSAT networks attach individual Schedule B, Page 1 sheets for each hub station and each remote station. Individually provide the Location, Points of Communications, and Destination Points for each hub and remote station. SAME AS IN LICENSE (CALL SIGN KA270) B2. Points of Communications: List the names and orbit locations of all satellites with which this earth station will communicate. The entry "ALSAT" is sufficient to identify the names and locations of all satellite facilities licensed by the U.S. All non-U.S. licensed satellites must be listed individually Satellite Name and Orbit Location Satellite Name and Orbit Location										

FEDERAL COMMUNICATIONS COMMISSION APPLICATION FOR SATELLITE SPACE AND EARTH STATION AUTHORIZATIONS FCC Form 312 - Schedule B: (Technical and Operational Description)

B4. Earth Station Antenna Facilities: Use additional pages as needed.

(meters) (dBi atGHz)	(a) Site ID*	(b) Antenna ID**	(c) Quantity	(d) Manufacturer	(e) Model	(f) Antenna Size (meters)	(g) Antenna Gain Transmit and/or Receive (dBi atGHz)
----------------------	--------------	---------------------	-----------------	------------------	-----------	---------------------------------	--

SAME AS IN LICENSE (CALL SIGN KA270)

B5. Antenna Heights and Maximum Power Limits: (The corresponding Antenna ID in tables B4 and B5 applies to the same antenna)

		TVIGATITICITI I III	ntenna Height	(e) Building	(f) Maximum	(g) Total Input	
(a)	(b) Antenna Structure	(c) Above	(d) Above	Height Above	Antenna Height	Power at	(h) Total EIRP
Antenna	Registration No.	Ground Level	Mean Sea Level	Ground Level	Above Rooftop	antenna flange	for all carriers
ID**		(meters)	(meters)	(meters)***	(meters)***	(Watts)	(dBW)

SAME AS IN LICENSE (CALL SIGN KA270)

Notes:

- * If this is an application for a VSAT network, identify the site (Item B1b, Schedule B, Page 1) where each antenna is located. Also include this Site-ID on Schedule B, Page 5.
- ** Identify each antenna in VSAT network or multi-antenna station with a unique identifier, such as HUB, REMOTE1, A1, A2, 10M, 12M, 7M, etc. Use this same antenna ID throughout tables B4, B5, B6, and B7 when referring to the same antenna.
- *** Attach sketch of site or exemption, See 47 CFR Part 17.

Page 3: Coordination

FEDERAL COMMUNICATIONS COMMISSION APPLICATION FOR SATELLITE SPACE AND EARTH STATION AUTHORIZATIONS

FCC Form 312 - Schedule B: (Technical and Operational Description)

B6. Frequency Coordination Limits: Use additional pages as needed.

SAME AS IN LICENSE (CALL SIGN KA270)

Notes:

- * Provide the ANTENNA-ID from table B4 to identify the antenna to which each frequency band and orbital arc range is associated.
- ** If operating with geostationary satellites, give the orbital arc limits and the associated elevation and azimuth angles. If operating with non-geostationary satellites, give the notation "NON-GEO" for the satellite arc and give the minimum operational elevation angle and the maximum azimuth angle range.

FEDERAL COMMUNICATIONS COMMISSION APPLICATION FOR SATELLITE SPACE AND EARTH STATION AUTHORIZATIONS

FCC Form 312 - Schedule B: (Technical and Operational Description)

B7. Particulars of Operation (Full particulars are required for each r.f. carrier): Use additional pages as needed.

(a) Antenna ID*	(b) Frequency Limits (MHz)	(c) T/R Mode **	(d) Antenna Polarization (H,V,L,R)	(e) Emission Designator	(f) Maximum EIRP per Carrier (dBW)	(g) Maximum EIRP Density per Carrier (dBW/4kHz)	(h) Description of Modulation and Services
	6308-6362	T	H, V	4M20G7W	63	32.79	Digital data and video
	6308-6362	T	H, V	3M87G7W	63	33.14	Digital data and video
	6308-6362	T	H, V	7M74G7W	66	30.13	Digital data and video
	6308-6362	T	H, V	2M00G7W	59	32.01	Digital data and video
	6308-6362	T	H, V	3M00G7W	59	30.2	Digital data and video
	6308-6362	T	H, V	5M53G7W	66	34.59	Digital data and video
	4083-4137	R	V,H	4M20G7W	-	-	Digital data and video
	4083-4137	R	V,H	3M87G7W	-	-	Digital data and video
	4083-4137	R	V,H	7M74G7W	-	-	Digital data and video
	4083-4137	R	V,H	2M00G7W	-	-	Digital data and video
	4083-4137	R	V,H	3M00G7W	-	-	Digital data and video
	4083-4137	R	V,H	5M53G7W	-	-	Digital data and video

FEDERAL COMMUNICATIONS COMMISSION APPLICATION FOR SATELLITE SPACE AND EARTH STATION AUTHORIZATIONS FCC Form 312 - Schedule B: (Technical and Operational Description)

If VSAT Network, provide the SITE-ID (Item B1b) of the station that B8-B13 are in response to (HUB, REMOTE1, etc.):

B8. If the core	□ NO										
	measurements? If NO, provide as an exhibit, a technical analysis showing compliance with two-degree spacing policy. B9. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service										
	(FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in YES N/A NO										
Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurement? B10. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.											
D10. 15	the facility operated by remote control: If TES, provide		YES	\boxtimes NO							
	Remote Control Point Location:										
B10a. Street Address											
	B10b. City		B10e. Zip Code								
	B10f. Telephone Number										
	Brot. retephone Number										
B11. Is frequency coordination required? If YES, attach a frequency coordination report as an exhibit.											
			YES	∐ NO							
See Note 1 B12. Is coordination with another country required? If YES, attach the name of the country(ies)											
	ed plot of coordination contours as an exhibit.		YES	\bowtie NO							
	a provide continuon continuo de un continuo.		1123								
B13. F	B13. FAA Notification - (See 47 CFT Part 17and 47 CFT Part 25.113(c))										
	Where FAA notification is required, have you attached a copy of a completed FCC Form 854						⊠ NO				
and/or the FAA's study regarding the potential hazard of the structure to aviation? EXISTING FACILITY											
FAILURE TO COMPLY WITH 47 CFT PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION											

Note 1. The coordination information in the current KA270 license will fully cover the proposed operations with JCSAT-2A.