

FREQUENCY COORDINATION AND INTERFERENCE ANALYSIS REPORT

Prepared for
SOLO SATELLITE COMMUNICATIONS
MIAMI, FL
Satellite Earth Station

Prepared By:
COMSEARCH
19700 Janelia Farm Boulevard
Ashburn, VA 20147
March 25, 2011

An interference study considering all existing, proposed and prior coordinated microwave facilities within the coordination contours of the proposed earth station demonstrates that this site will operate satisfactorily with the common carrier microwave environment. Further, there will be no restrictions of its operation due to interference considerations.

A number of great circle interference cases were identified during the interference study of the proposed earth station. Each of the cases, which exceeded the interference objective on a line-of-sight basis, was profiled and the propagation losses estimated using NBS TN101 (Revised) techniques. The losses were found to be sufficient to reduce the signal levels to acceptable magnitudes in every case.

The following companies reported potential great circle interference conflicts that did not meet the objectives on a line-of-sight basis. When over-the-horizon losses are considered on the interfering paths, sufficient blockage exists to negate harmful interference from occurring with the proposed transmit-only earth station.

No carriers reported potential interference cases.

Pursuant to Part 25.203(c) of the FCC Rules and Regulations, the satellite earth station proposed in this application was coordinated by Comsearch using computer techniques and in accordance with Part 25 of the FCC Rules and Regulations.

Coordination data for this earth station was sent to the below listed carriers with a letter dated 03/25/2011.

Company

Embarq Florida, Inc.
FLORIDA POWER AND LIGHT COMPANY
Federal Communications Commission
METROPOLITAN AREA NETWORKS, INC.
Miami-Dade County
New Cingular Wireless PCS LLC - S FL
Palm Beach County Facilities Dev & Ops
South Florida Water Management District
Verizon Wireless Personal Comm, LP(S FL)

The following section presents the data pertinent to frequency coordination of the proposed earth station that was circulated to all carriers within its coordination contours.

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Date: 03/25/2011
Job Number: 110325COMSTC01

Administrative Information

Status: TEMPORARY (Operation from 03/26/2011 to 04/15/2011)
Licensee Name: SOLO SATELLITE COMMUNICATIONS

Site Information

MIAMI, FL

Venue Name: CRANDON PARK TENNIS
Latitude (NAD 83): 25° 42' 26.0" N
Longitude (NAD 83): 80° 9' 36.0" W
Climate Zone: B
Rain Zone: 1
Ground Elevation (AMSL): 0.4 m / 1.3 ft

Link Information

Satellite Type: Geostationary
Mode: TO - Transmit-Only
Modulation: Digital
Satellite Arc: 43° W to 43° West Longitude
Azimuth Range: 119.8° to 119.8°
Corresponding Elevation Angles: 39.2° / 39.2°
Antenna Centerline (AGL): 3.66 m / 12.0 ft

Antenna Information

Transmit

Manufacturer: Gigasat FA370
Gain / Diameter: 45.6 dBi / 3.7 m
3-dB / 15-dB Beamwidth: 1.00° / 2.00°

Max Available RF Power (dBW/4 kHz): -14.0
(dBW/MHz): 10.0

Maximum EIRP (dBW/4 kHz): 31.6
(dBW/MHz): 55.6

Interference Objectives: Long Term: -154.0 dBW/4 kHz 20%
Short Term: -131.0 dBW/4 kHz 0.0025%

Frequency Information

Transmit 6.1 GHz

Emission / Frequency Range (MHz): 36M0G7W / 6376.0

Max Great Circle Coordination Distance: 154.8 km / 96.2 mi
Precipitation Scatter Contour Radius: 100.0 km / 62.1 mi

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values

MIAMI, FL

Licensee Name SOLO SATELLITE COMMUNICATIONS
Latitude (NAD 83) 25° 42' 26.0" N
Longitude (NAD 83) 80° 9' 36.0" W
Ground Elevation (AMSL) 0.4 m / 1.3 ft
Antenna Centerline (AGL) 3.66 m / 12.0 ft
Antenna Mode Transmit 6.1 GHz
Interference Objectives: Long Term -154.0 dBW/4 kHz 20%
Short Term -131.0 dBW/4 kHz 0.0025%
Max Available RF Power -14.0 (dBW/4 kHz)

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Transmit 6.1 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)
0	0.00	112.65	-10.00	146.06
5	0.00	108.97	-10.00	146.06
10	0.00	105.22	-10.00	146.06
15	0.00	101.41	-10.00	146.06
20	0.00	97.57	-10.00	146.06
25	0.00	93.71	-10.00	146.06
30	0.00	89.83	-10.00	146.06
35	0.00	85.96	-10.00	146.06
40	0.00	82.10	-10.00	146.06
45	0.00	78.26	-10.00	146.06
50	0.00	74.46	-10.00	146.06
55	0.00	70.71	-10.00	146.06
60	0.00	67.03	-10.00	146.06
65	0.00	63.44	-10.00	146.06
70	0.00	59.96	-10.00	146.06
75	0.00	56.61	-10.00	146.06
80	0.00	53.43	-10.00	146.06
85	0.00	50.45	-10.00	146.06
90	0.00	47.71	-9.96	146.20
95	0.00	45.26	-9.39	148.35
100	0.00	43.15	-8.87	150.45
105	0.00	41.44	-8.43	152.26
110	0.00	40.17	-8.10	153.67
115	0.00	39.41	-7.89	154.56
120	0.00	39.16	-7.82	154.84
125	0.00	39.45	-7.90	154.50
130	0.00	40.26	-8.12	153.57
135	0.00	41.57	-8.47	152.12
140	0.00	43.31	-8.92	150.27
145	0.00	45.45	-9.44	148.16
150	0.00	47.93	-10.00	146.06
155	0.00	50.69	-10.00	146.06
160	0.00	53.69	-10.00	146.06
165	0.00	56.89	-10.00	146.06
170	0.00	60.25	-10.00	146.06
175	0.00	63.75	-10.00	146.06
180	0.00	67.35	-10.00	146.06
185	0.00	71.03	-10.00	146.06

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>


Coordination Values

MIAMI, FL

Licensee Name SOLO SATELLITE COMMUNICATIONS
Latitude (NAD 83) 25° 42' 26.0" N
Longitude (NAD 83) 80° 9' 36.0" W
Ground Elevation (AMSL) 0.4 m / 1.3 ft
Antenna Centerline (AGL) 3.66 m / 12.0 ft
Antenna Mode Transmit 6.1 GHz
Interference Objectives: Long Term -154.0 dBW/4 kHz 20%
Short Term -131.0 dBW/4 kHz 0.0025%
Max Available RF Power -14.0 (dBW/4 kHz)

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Transmit 6.1 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)
190	0.00	74.78	-10.00	146.06
195	0.00	78.59	-10.00	146.06
200	0.00	82.43	-10.00	146.06
205	0.00	86.29	-10.00	146.06
210	0.00	90.17	-10.00	146.06
215	0.00	94.04	-10.00	146.06
220	0.00	97.90	-10.00	146.06
225	0.00	101.74	-10.00	146.06
230	0.00	105.54	-10.00	146.06
235	0.00	109.29	-10.00	146.06
240	0.00	112.97	-10.00	146.06
245	0.00	116.56	-10.00	146.06
250	0.00	120.04	-10.00	146.06
255	0.00	123.39	-10.00	146.06
260	0.00	126.57	-10.00	146.06
265	0.00	129.55	-10.00	146.06
270	0.00	132.29	-10.00	146.06
275	0.00	134.74	-10.00	146.06
280	0.00	136.85	-10.00	146.06
285	0.00	138.56	-10.00	146.06
290	0.00	139.83	-10.00	146.06
295	0.00	140.59	-10.00	146.06
300	0.00	140.84	-10.00	146.06
305	0.00	140.55	-10.00	146.06
310	0.00	139.74	-10.00	146.06
315	0.00	138.43	-10.00	146.06
320	0.00	136.69	-10.00	146.06
325	0.00	134.55	-10.00	146.06
330	0.00	132.07	-10.00	146.06
335	0.00	129.31	-10.00	146.06
340	0.00	126.31	-10.00	146.06
345	0.00	123.11	-10.00	146.06
350	0.00	119.75	-10.00	146.06
355	0.00	116.25	-10.00	146.06

I HEREBY CERTIFY THAT I AM THE TECHNICALLY QUALIFIED PERSON RESPONSIBLE FOR THE PREPARATION OF THE FREQUENCY COORDINATION DATA CONTAINED IN THIS APPLICATION, THAT I AM FAMILIAR WITH PARTS 101 AND 25 OF THE FCC RULES AND REGULATIONS, THAT I HAVE EITHER PREPARED OR REVIEWED THE FREQUENCY COORDINATION DATA SUBMITTED WITH THIS APPLICATION, AND THAT IT IS COMPLETE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.



Timothy O. Crutcher
Frequency Planner
COMSEARCH
19700 Janelia Farm Boulevard
Ashburn, VA 20147

DATED: March 25, 2011