

Request for Extension of Emergency STA

On March 29, 2011, Allen Holdings, Inc ., d/b/a Allen Communications was granted special temporary authorization (“STA”) to install and operate a 5.5 m Vertex antenna for service supporting the U.S. Navy on the JSAT 1B satellite serving Japan. Several U.S. Navy ships are in the Pacific and communication over Ku-band frequencies is mission essential.

The requested extension will allow Allen Communications to continue to provide a link between the ships and the shore network via JCSAT 1B and the terrestrial infrastructure only available at Paumalu. This is the sole option available to provide timely support for this mission and also ensure the ships can complete their mission. JCSAT-1B has been authorized as a point of communications in File Number SES-MOD-20080327-00366.

FEDERAL COMMUNICATIONS COMMISSION
SATELLITE EARTH STATION AUTHORIZATIONS
(Technical and Operational Description)

(Place an "X" in one of the blocks below)

License of New Station Registration of New Domestic Receive-Only Station Amendment to a Pending Application Modification of License/Registration Notification of Minor Modification

B1. Location of Earth Station Site. If temporary-fixed, mobile, or VSAT remote facility, specify area of operation and point of contact. If VSAT hub station, give its location. For VSAT networks attach individual Schedule B, Page 1 sheets for each hub station and each remote station. Individually provide the Location, Points of Communications, and Destination Points for each hub and remote station.

| | | | | |
|---|---|-----------------------------|--|--|
| B1a. Station Call Sign | B1b. Site Identifier (HUB, REMOTE1, etc.) | B1c. Telephone Number | B1j. Geographic Coordinates Deg. - Min. - Sec. - N/S E/W | B1k. Lat./Lon. Coordinates are: <input type="checkbox"/> NAD-27 <input type="checkbox"/> NAD-83 |
| B1d. Street Address of Station or Area of Operation | | B1e. Name of Contact Person | | Lat. _____ Lon. _____ |
| B1f. City | B1g. County | B1h. State | B1i. Zip Code | B1l. Site Elevation (AMSL) meters |

B2. Points of Communications: List the names and orbit locations of all satellites with which this earth station will communicate. The entry "ALSAT" is sufficient to identify the names and locations of all satellite facilities licensed by the U.S. All non-U.S. licensed satellites must be listed individually.

| Satellite Name and Orbit Location | Satellite Name and Orbit Location | Satellite Name and Orbit Location |
|-----------------------------------|-----------------------------------|-----------------------------------|
| | | |
| | | |
| | | |

B3. Destination points for communications using non-U.S. licensed satellites. For each non-U.S. licensed satellite facility identified in section B2 above, specify the destination point(s) (countries) where the services will be provided by this earth station via each non-U.S. licensed satellite system. Use additional sheets as needed.

| Satellite Name | List of Destination Points |
|----------------|----------------------------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

**FEDERAL COMMUNICATIONS COMMISSION
SATELLITE EARTH STATION AUTHORIZATIONS**

FCC Form 312 - Schedule B: (Technical and Operational Description)

B4. Earth Station Antenna Facilities: Use additional pages as needed.

| (a) Site ID* | (b) Antenna ID** | (c) Quantity | (d) Manufacturer | (e) Model | (f) Antenna Size (meters) | (g) Antenna Gain Transmit and/or Receive (____ dBi at ____ GHz) |
|--------------|------------------|--------------|------------------|-----------|---------------------------|---|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

B5. Antenna Heights and Maximum Power Limits: (The corresponding Antenna ID in tables B4 and B5 applies to the same antenna)

| (a) Antenna ID** | (b) Antenna Structure Registration No. | Maximum Antenna Height | | (e) Building Height Above Ground Level (meters)*** | (f) Maximum Antenna Height Above Rooftop (meters)*** | (g) Total Input Power at antenna flange (Watts) | (h) Total EIRP for all carriers (dBW) |
|------------------|--|---------------------------------|-----------------------------------|--|--|---|---------------------------------------|
| | | (c) Above Ground Level (meters) | (d) Above Mean Sea Level (meters) | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

Notes: * If this is an application for a VSAT network, identify the site (Item B1b, Schedule B, Page 1) where each antenna is located. Also include this Site-ID on Schedule B, Page 5.

** Identify each antenna in VSAT network or multi-antenna station with a unique identifier, such as HUB, REMOTE1, A1, A2, 10M, 12M, 7M, etc. Use this same antenna ID throughout tables B4, B5, B6, and B7 when referring to the same antenna.

*** Attach sketch of site or exemption, See 47 CFR Part 17.

FEDERAL COMMUNICATIONS COMMISSION
SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 - Schedule B: (Technical and Operational Description)

B6. Frequency Coordination Limits: Use additional pages as needed.

| (a) Antenna ID* | (b) Frequency Limits (MHz) | (c) Range of Satellite Arc Eastern Limit** | (d) Range of Satellite Arc Western Limit** | (e) Antenna Elevation Angle Eastern Limit | (f) Antenna Elevation Angle Western Limit | (g) Earth Station Azimuth Angle Eastern Limit | (h) Earth Station Azimuth Angle Western Limit | (i) Maximum EIRP Density toward the Horizon (dBW/4kHz) |
|-----------------------|----------------------------------|--|--|---|---|---|---|--|
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

Notes: * Provide the ANTENNA-ID from table B4 to identify the antenna to which each frequency band and orbital arc range is associated.
 ** If operating with geostationary satellites, give the orbital arc limits and the associated elevation and azimuth angles. If operating with non-geostationary satellites, give the notation "NON-GEO" for the satellite arc and give the minimum operational elevation angle and the maximum azimuth angle range.

**FEDERAL COMMUNICATIONS COMMISSION
SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 - Schedule B: (Technical and Operational Description)**

B7. Particulars of Operation (Full particulars are required for each r.f. carrier): Use additional pages as needed.

| (a) Antenna ID* | (b) Frequency Bands (MHz) | (c) T/R Mode ** | (d) Antenna Polarization (H,V,L,R) | (e) Emission Designator | (f) Maximum EIRP per Carrier (dBW) | (g) Maximum EIRP Density per Carrier (dBW/4kHz) | (h) Description of Modulation and Services |
|-----------------------|---------------------------------|--------------------------|--|-------------------------------|--|--|--|
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

Notes: * Provide the ANTENNA-ID from table B4 to identify the antenna to which each frequency band and emission is associated. For VSAT networks, include frequencies and emissions for all HUB and REMOTE units.
** Indicate whether the earth station transmits or receives in each frequency band.

**FEDERAL COMMUNICATIONS COMMISSION
SATELLITE EARTH STATION AUTHORIZATIONS
FCC Form 312 - Schedule B: (Technical and Operational Description)**

If VSAT Network, provide the SITE-ID (Item B1b) of the station that B8-B13 are in response to (HUB, REMOTE1, etc.): _____

| | | | | | | | | | | | | | | |
|--|-------------------------------------|---|----------------------|--|--|--|------------|--------------|-----------------------|----------------|------------------------|--|---|--|
| B8. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurements? If NO, provide as an exhibit, a technical analysis showing compliance with two-degree spacing policy. | <input type="checkbox"/> YES | <input type="checkbox"/> NO | | | | | | | | | | | | |
| B9. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements? | <input type="checkbox"/> YES | <input type="checkbox"/> NO N/A | | | | | | | | | | | | |
| B10. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point. | <input type="checkbox"/> YES | <input type="checkbox"/> NO | | | | | | | | | | | | |
| Remote Control Point Location: | | | | | | | | | | | | | | |
| <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td colspan="4" style="padding: 2px;">B10a. Street Address</td> </tr> <tr> <td style="width: 33%; padding: 2px;">B10b. City</td> <td style="width: 33%; padding: 2px;">B10c. County</td> <td style="width: 15%; padding: 2px;">B10d. State / Country</td> <td style="width: 19%; padding: 2px;">B10e. Zip Code</td> </tr> <tr> <td colspan="2" style="padding: 2px;">B10f. Telephone Number</td> <td colspan="2" style="padding: 2px;">B10g. Call Sign of Control Station (if appropriate)</td> </tr> </table> | | | B10a. Street Address | | | | B10b. City | B10c. County | B10d. State / Country | B10e. Zip Code | B10f. Telephone Number | | B10g. Call Sign of Control Station (if appropriate) | |
| B10a. Street Address | | | | | | | | | | | | | | |
| B10b. City | B10c. County | B10d. State / Country | B10e. Zip Code | | | | | | | | | | | |
| B10f. Telephone Number | | B10g. Call Sign of Control Station (if appropriate) | | | | | | | | | | | | |
| B11. Is frequency coordination required? If YES, attach a frequency coordination report as an exhibit. | <input type="checkbox"/> YES | <input type="checkbox"/> NO | | | | | | | | | | | | |
| B12. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as an exhibit. | <input type="checkbox"/> YES | <input type="checkbox"/> NO | | | | | | | | | | | | |
| B13. FAA Notification - (See 47 CFR Part 17 and 47 CFR Part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION. | <input type="checkbox"/> YES | <input type="checkbox"/> NO | | | | | | | | | | | | |