FCC 312 Page 1: Location FEDERAL COMMUNICATIONS COMMISSION										
Schedule B APPLICATION FOR SATELLITE SPACE AND EARTH STATION AUTHORIZATIONS Technical and Operational Description) (Place an "X" in one of the blocks below)										
License of New Station Registration of new Domestic Amendment to a Pending Application Modification of License/Registration Notification of Minor Modification Receive-Only Station										
B1. Location of Earth Station	B1. Location of Earth Station Site. If temporary-fixed, mobile, or VSAT remote facility, specify area of operation and point of contact. If VSAT hub station, give its location For VSAT networks attach individual Schedule B, Page 1 sheets for each hub station and each remote station. Individually provide the Location, Points of Communications, and Destination Points for each hub and remote station.									
B1a. Station Call Sign B1b. S E000232	ite identifier	(HUB, REMOTE1, e		ne Number 02-7691			phic Coordinates N/S, Min Sec E/W	B1k. Lat./Lon. Coordinates are:		
B1d. Mailing Street Address of Station of 1363 Z Street, Broadcast Center			B1e. Name of Contact Person Bill Allen				8° - 54' - 21.7" N 1° - 14' - 57.8" W	NAD-27		
B1f. City Riverside	B1g. Coun Rive	^{ty} rside		B1h. State Ca	B1i. Zip Code 92518	-	B11. Site Elevation (AMSL) 468.5			
B2. Points of Communications			bit locations of all satellites with d locations of all satellite facili							
Satellite Name and Orbit Loca		, , , , , , , , , , , , , , , , , , ,	Satellite Name and Orbit Lo				ame and Orbit Location			
NSS9 @ 177 W.L.										
B3. Destination points for com destination point(s) (countries) v										
Satellite Name		List of Destina								

B4. Earth Station Antenna Facilities: Use additional pages as needed.

(a) Site ID*	(b) Antenna ID**	(c) Quantity	(d) Manufacturer	(e) Model	(f) Antenna Size (meters)	(g) Antenna Gain Transmit and/or Receive (dBi atGHz)
		1	Vertex Comm.	КРС	11.0	55.4 dBi @ 6 GHz

B5. Antenna Heights and Maximum Power Limits: (The corresponding Antenna ID in tables B4 and B5 applies to the same antenna)

		Maximum Antenna Height		(e) Building	(f) Maximum	(g) Total Input	
(a)	(b) Antenna Structure	(c) Above	(d) Above	Height Above	Antenna Height	Power at	(h) Total EIRP
Antenna	Registration No.	Ground Level	Mean Sea Level	Ground Level	Above Rooftop	antenna flange	for all carriers
ID**		(meters)	(meters)	(meters)***	(meters)***	(Watts)	(dBW)
		12	480.5	N/A	N/A	76	74.22

Notes: * If this is an application for a VSAT network, identify the site (Item B1b, Schedule B, Page 1) where each antenna is located. Also include this Site-ID on Schedule B, Page 5.

** Identify each antenna in VSAT network or multi-antenna station with a unique identifier, such as HUB, REMOTE1, A1, A2, 10M, 12M, 7M, etc. Use this same antenna ID

throughout tables B4, B5, B6, and B7 when referring to the same antenna.

*** Attach sketch of site or exemption, See 47 CFR Part 17.

B6. Frequency Coordination Limits: Use additional pages as needed.

					10.1			
(a) Antenna ID*	(b)	(c) Range of Satellite Arc	(d) Range of	(e) Antenna	(f) Antenna	(g) Earth Station	(h) Earth Station	(i) Maximum EIRP
Antenna ID*	Frequency Limits (MHz)	Eastern Limit**	Satellite Arc Western Limit**	Elevation Angle Eastern Limit	Elevation Angle Western Limit	Azimuth Angle Eastern Limit	Azimuth Angle Western Limit	Density toward the Horizon (dBW/4kHz)
11.0M	5850 - 5925	177.0° W	177.0° W	16.4°	16.4°	252.0°	252.0°	-11.8
11.011	3830 - 3923	177.0 W	177.0 W	10.4	10.4	232.0	232.0	-11.0

Notes: * Provide the ANTENNA-ID from table B4 to identify the antenna to which each frequency band and orbital arc range is associated.

** If operating with geostationary satellites, give the orbital arc limits and the associated elevation and azimuth angles. If operating with non-geostationary satellites, give the notation "NON-GEO" for the satellite arc and give the minimum operational elevation angle and the maximum azimuth angle range.

B7. Particulars of Operation (Full particulars are required for each r.f. carrier): Use additional pages as needed.

T						10	
(a) Antenna ID*	(b) Frequency Limits (MHz)	(c) T/R Mode **	(d) Antenna Polarization (H,V,L,R)	(e) Emission Designator	(f) Maximum EIRP per Carrier (dBW)	(g) Maximum EIRP Density per Carrier (dBW/4kHz)	(h) Description of Modulation and Services
11.0M	5850.00 - 5925.00	Т	L,C	1M23G7W	65.6	40.7	BPSK, QPSK, 8PSK, QAM, FEC Rates 1/2 - 7/8, Various Data Rates, Various Information
11.0M	5850.00 - 5925.00	Т	L,C	9M00G7W	74.22	40.7	BPSK, QPSK, 8PSK, QAM, FEC Rates 1/2 - 7/8, Various Data Rates, Various Information

Notes: * Provide the ANTENNA-ID from table B4 to identify the antenna to which each frequency band and emission is associated. For VSAT networks, include frequencies and emissions for all HUB and REMOTE units.

** Indicate whether the earth station transmits or receives in each frequency band.

If VSAT Network, provide the SITE-ID (Item B1b) of the station that B8-B13 are in response to (HUB, REMOTE1, etc.):

co	B8. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and (b) as demonstrated by the manufacturer's qualification measurements? If NO, provide as an exhibit, a technical analysis showing compliance with two-degree spacing policy.								
	B9. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service								
	(FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurement?								
		ontrol? If YES, provide the location and telepho		ol point.					
					YES	\bowtie NO			
	Remote Control Point Location								
	B10a. Street Address								
	B10b. City	B10c. County		B10e. Zip Co	de				
	B10f. Telephone Number		B10g. Call Sign of Con	trol Station (if appropriate)					
	_								
B11 I	frequency coordination required?	If VES attach a frequency coordination report	t as an exhibit						
D11.13	B11. Is frequency coordination required? If YES, attach a frequency coordination report as an exhibit.								
	B12. Is coordination with another country required? If YES, attach the name of the country(ies)								
a	nd plot of coordination contours as	YES	NO NO						
B13. F	B13. FAA Notification - (See 47 CFT Part 17and 47 CFT Part 25.113(c))								
	Where FAA notification is required, have you attached a copy of a completed FCC Form 854								
a	and/or the FAA's study regarding the potential hazard of the structure to aviation? EXISTING FACILITY								
F	FAILURE TO COMPLY WITH 47 CFT PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION								