

APPLICATION FOR EARTH STATION SPECIAL TEMPORARY AUTHORITY

APPLICANT INFORMATION Enter a description of this application to identify it on the main menu:  
Carpentersville TT&C LEOP STA for Eutelsat 25B - August 2013

1. Applicant

**Name:** Lockheed Martin Corporation **Phone Number:** 703-413-5970  
**DBA Name:** **Fax Number:** 703-413-5908  
**Street:** 2121 Crystal Drive **E-Mail:** jennifer.warren@lmco.com  
Suite 100  
**City:** Arlington **State:** VA  
**Country:** USA **Zipcode:** 22202  
**Attention:** Ms Jennifer Warren



File # SES-STA-20130804-00708  
E7541  
Call Sign Grant Date 8-26-13  
(or other identifier)  
From 8-26-13 Term Dates 9-25-13  
To  
Approved: Paul E. Glass

Applicant: Lockheed Martin Corporation  
Call Sign: E7541  
File No.: SES-STA-20130809-00708

Lockheed Martin Corporation is granted special temporary authority for 30 days to operate its earth station Call Sign E7541 in Carpentersville, New Jersey to provide telemetry, tracking and control ("TT&C") functions during the post-launch and transfer orbit phases of operation for the Eutelsat 25B (a.k.a. Eurobird-25B) satellite, licensed by France, under the following conditions:

1. TT&C operations authority to Eurobird-25B is limited to Earth-to-space transmissions on the center frequencies 14250.0 MHz, 14000.0 MHz, 14001.0 MHz, and 14499.8 MHz (LHCP) within coordinated emission and power limits and space-to-Earth transmissions on the center frequencies 11199.8 MHz, 11698.5 MHz (RHCP).
2. Operations, shall not cause harmful interference to, and shall not claim operation from, interference caused to it by any other lawfully operating station and it shall cease transmission(s) immediately upon notice of such interference.
3. Grant of this authorization is without prejudice to any determination that the Commission may make regarding pending or future Lockheed Martin Corporation's applications.
4. Any action taken or expense incurred as a result of operations pursuant to this STA is solely at Lockheed Martin Corporation's risk.
5. Lockheed Martin's contact person during the operation with Eutelsat 25B will be Mr. Michael Usarzewicz, cell phone number (609) 865-2658 or phone number at the station (908) 859-4050.

This action is issued pursuant to Section 0.261 of the Commission's rules on delegated authority, 47 C.F.R. §0.261, and is effective immediately.



File # SES-STA-20130809-00708  
Call Sign E7541 Grant Date 8-26-13  
(or other identifier)  
From 8-26-13 Term Dates 8-26-13  
To: 9-25-13  
Approved: Paul E. Hiles

<b>2. Contact</b>	
<b>Name:</b> David S. Keir	<b>Phone Number:</b> (202) 429-8970
<b>Company:</b> Lerman Senter PLLC	<b>Fax Number:</b> (202) 293-7783
<b>Street:</b> 2000 K Street, NW Suite 600	<b>E-Mail:</b> dkeir@lermansenter.com
<b>City:</b> Washington	<b>State:</b> DC
<b>Country:</b> USA	<b>Zipcode:</b> 20006 -1809
<b>Attention:</b> David S. Keir	<b>Relationship:</b> Legal Counsel
(If your application is related to an application filed with the Commission, enter either the file number or the IB Submission ID of the related application. Please enter only one.)	
3. Reference File Number or Submission ID	
4a. Is a fee submitted with this application?	
<input checked="" type="radio"/> If Yes, complete and attach FCC Form 159. If No, indicate reason for fee exemption (see 47 C.F.R. Section 1.1114).	
<input type="radio"/> Governmental Entity <input type="radio"/> Noncommercial educational licensee	
<input type="radio"/> Other (please explain):	
4b. Fee Classification CGX - Fixed Satellite Transmit/Receive Earth Station	
5. Type Request	
<input type="radio"/> Use Prior to Grant <input type="radio"/> Change Station Location <input checked="" type="radio"/> Other	
6. Requested Use Prior Date 08/22/2013	
7. City Carpentersville	
8. Latitude (dd mm ss.s h) 40 38 39.1 N	



**FCC NOTICE REQUIRED BY THE PAPERWORK REDUCTION ACT**

The public reporting for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the required data, and completing and reviewing the collection of information. If you have any comments on this burden estimate, or how we can improve the collection and reduce the burden it causes you, please write to the Federal Communications Commission, AMD-PERM, Paperwork Reduction Project (3060-0678), Washington, DC 20554. We will also accept your comments regarding the Paperwork Reduction Act aspects of this collection via the Internet if you send them to [PRA@fcc.gov](mailto:PRA@fcc.gov). PLEASE DO NOT SEND COMPLETED FORMS TO THIS ADDRESS.

Remember – You are not required to respond to a collection of information sponsored by the Federal government, and the government may not conduct or sponsor this collection, unless it displays a currently valid OMB control number or if we fail to provide you with this notice. This collection has been assigned an OMB control number of 3060-0678.

**THE FOREGOING NOTICE IS REQUIRED BY THE PAPERWORK REDUCTION ACT OF 1995, PUBLIC LAW 104-13, OCTOBER 1, 1995, 44 U.S.C. SECTION 3507.**

**Description**

Lockheed Martin Corporation (“Lockheed Martin”) requests special temporary authority (“STA”) to operate its Carpentersville, New Jersey Ku-band fixed earth station (*see* File No. SES-LIC-20081103-01443, as amended) to provide telemetry, tracking and control (“TT&C”) functions during the post-launch and transfer orbit phases of operation for the Eutelsat 25B satellite.<sup>1</sup> Eutelsat 25B, a satellite jointly licensed by France and Qatar and destined for the 25.5° E.L. orbital location, is currently scheduled for launch on August 29, 2013 from the European spaceport at Kourou, French Guiana.<sup>2</sup> Accordingly, Lockheed Martin would likely need to begin test transmissions in preparation for the launch on or about August 22, 2013.<sup>3</sup>

Lockheed Martin specifically seeks authority to transmit telecommand signals on the 14.250 GHz and 14.4998 GHz frequencies for in transit communications and on the 14.0005 GHz and 14.0010 GHz frequencies for on-station operations, and to receive telemetry signals from the satellite on the 11.1998 GHz and 11.6986 GHz frequencies. Lockheed Martin is requesting the duration of this STA to be a total of 30 days from August 22, 2013, to cover any slippage in the anticipated dates of the various phases of operation; it nonetheless expects that all Carpentersville operations in support of the launch will be completed for Eutelsat 25B within 10 days after the satellite is launched.

The transmit frequencies that Lockheed Martin seeks to use for the Eutelsat 25B TT&C launch and early operations support were part of Lockheed Martin’s license for Call Sign E920702 and are specified in its current application for the Ku-band antenna in File No. SES-LIC-20081130-01443 (under Call Sign E7541). Lockheed Martin’s proposed transmissions on both transmit frequencies will use the emission designators for telecommand that are proposed in the pending license application, or will use carriers that do not exceed the highest e.i.r.p., e.i.r.p. density, and bandwidth prescribed in the application for the telecommand carriers. When no commands are being sent, a CW carrier that is within the emission envelope proposed in Lockheed Martin’s application, as amended, would be present. *See* File No. SES-AMD-20081219-01664, at Schedule B. The information in the Schedule B portion of Lockheed Martin’s pending application in File No. SES-LIC-20081130-01443, as amended, is hereby incorporated by reference.

---

<sup>1</sup> The pending application in File No. SES-LIC-20081103-01443, under Call Sign E7541, was filed on a provisional basis to replace Lockheed Martin’s inadvertently non-renewed license for a 14.2 meter Ku-band antenna at the Carpentersville, NJ site under Call Sign E920702. Lockheed Martin’s petition to reinstate the license for Call Sign E920702, as well as the “replacement” application it filed in the alternative under File No. SES-LIC-20081103-01443 and Call Sign E7541, are pending.

<sup>2</sup> *See, e.g.*, “SSL Delivers Satellite for Eutelsat, Es’hailSat,” Space News, Aug, 5, 2013.

<sup>3</sup> The test transmissions that would begin on or about August 22<sup>nd</sup> would occur over a period of approximately two to three days. During these tests, the earth station would not be communicating with any satellite; instead, the transmissions will be made with the antenna at zenith to verify RF functionality.

Both of the frequencies on which satellite telemetry transmissions from Eutelsat 25B will be received under the STA requested here are also included as receive frequencies in Lockheed Martin's Ku-band authorization under Call Sign E920702 and application under Call Sign E7541. All of Lockheed Martin's proposed TT&C operations in support of the Eutelsat 25B launch will be on a strictly non-harmful interference, non-protected basis.

Lockheed Martin believes that the limited operations it proposes in support of the launch of Eutelsat 25B satellite – operations Lockheed Martin and the satellite operator will coordinate in advance with any and all potentially affected entities that operate communications systems in compliance with the Table of Frequency Allocations during the limited period of use – are required in the public interest. Eutelsat 25B will allow expanded service and enhanced coverage across the Middle East, North Africa and Central Asia as a follow on to Eutelsat 25C, which is currently operated at 25.5° E.L. Lockheed Martin's earth station will be part of a global network of control facilities that will be used to position the satellite as it progresses from transfer orbit to its final location. The safe and orderly use of the entire geostationary orbital resource and protection of the hundreds of satellites licensed by the U.S. and other countries that operate there depends in no small part on ensuring that the Eutelsat 25B satellite is controlled while over North America; Lockheed Martin's earth station thus will serve a vital function.

Lockheed Martin designates Michael Usarzewicz to be the contact person that will be available whenever transmission to, or reception from, Eutelsat 25B is to occur through the subject earth station. Mr. Usarzewicz can be reached at the following cell phone number: (609)-865-2658 and/or station number: (908) 859-4050.

The antenna to be used for this STA is already built. It is the same antenna that was authorized under Call Sign E920270 and that is now the subject of the pending reinstatement request described in Note 1 above, and has been used on an STA-basis to support other satellite launches. *See, e.g.*, Request of Lockheed Martin Corp. for STA to operate Carpentersville, NJ earth station in support of launch of Amazonas-3, File No. SES-STA-20130122-00078 (granted Feb. 4, 2013); Request of Lockheed Martin Corp. for STA to operate Carpentersville, NJ earth station in support of launch of SES-4, File No. SES-STA-20111209-01447 (granted Dec. 14, 2011); Request of Lockheed Martin Corp. for STA to operate Carpentersville, NJ earth station in support of launch of JCSAT-12, File No. SES-STA-20090615-00734 (granted July 20, 2009). For this reason, Lockheed Martin does not provide a new analysis of non-ionizing radiation for the antenna, or any of the detailed transmission/reception parameters for the signals. Instead, Lockheed Martin incorporates by reference the radiation hazard study and Schedule B information that were included with the November 2008 modification application in File No. SES-LIC-20081103-01443, as amended.

In sum, Lockheed Martin requests authority to operate its Carpentersville, NJ Ku-band earth station antenna to provide critical TT&C services during the launch and early operations phase of the Eutelsat 25B satellite, for a term of 30 days commencing August 22, 2013.

Operating Parameters for Proposed Carpentersville, NJ Ku-Band TT&C LEOp STA

Parameter	Performance
<b>Orbit-Raising Operations and Contingency Operations (Telemetry)</b> Antenna coverage Antenna polarization Antenna configuration	+126° to -94° from +Z and +66° to -34° from -Z RHCP Four antennas Two +Z elements (11.2 GHz and 11.7 GHz) Two -Z elements (11.2 GHz and 11.7 GHz)
<b>On-Station Normal Operations (Telemetry)</b> Antenna coverage Antenna polarization Antenna configuration	Regional Linear, X-Polarization Global horn, off pointed towards Fucino
<b>Orbit-Raising Operations and Contingency Operations (Command)</b> Antenna coverage Antenna polarization Antenna configuration	+126° to -94° from +Z and +66° to -34° from -Z LHCP Four antennas Two +Z elements (14.250 and 14.4998 GHz) Two -Z elements (14.250 and 14.4998 GHz)
<b>On-Station Normal Operations (Command)</b> Antenna coverage Antenna polarization Antenna configuration	Regional Linear, X-polarization Global horn, off pointed towards Fucino
<b>Telemetry</b> Frequency  Frequency stability  Short-term phase stability	11.1998 GHz 11.6986 GHz  ±1 ppm, 24 hour ±50 kHz, over life  10 Hz, -35 dBc/Hz 100 Hz, -55 dBc/Hz 1 kHz, -63 dBc/Hz 100 kHz, -105 dBc/Hz



Parameter	Performance
<b>Telemetry (Cont'd)</b>	
Frequency stability	±1 ppm, 24-hour ±50 kHz, over life
Short-term phase stability	10 Hz, -35 dBc/Hz 100 Hz, -55 dBc/Hz 1 kHz, -63 dBc/Hz 100 kHz, -105 dBc/Hz
EIRP variation	0.2 dB p-p, any 2 minutes
EIRP	
Transfer orbit	> 7 dBW
Synchronous orbit	> 15 dBW towards EOC
Modulation	Phase modulation telemetry and/or ranging
Telemetry	
PCI	PCM/NRZ-L/BPSK 16 kbps on 128 kHz subcarrier
Ranging	Between 15 kHz and 50 kHz
Coding	Viterbi, rate ½, 32,000 symbols/sec
Phase deviation	Automatic gain controlled as follows:
Ranging subcarrier	1.15 ±10% radian
Ranging + Telemetry	1.15 ±10% radian
TLM to RNG mod index ratio	2:1 (1.028 : 0.514 radian)
<b>Command</b>	
Frequency	14.250 and 14.4998 GHz (FM) 14.0005 and 14.0010 GHz (PM) on-station
Uplink TCR Sites	Nominal Rambouillet – France Sintra – Portugal Dubna – Russia Fucino – Italy Makarios – Cyprus Canical – Madeira West Beam Rambouillet – France Fucino – Italy
Flux density (min)	
Orbit Raising	-89.5 dBW/m <sup>2</sup>
Contingency	-89.5 dBW/m <sup>2</sup>
On-Station – Nominal	-113.0 dBW/m <sup>2</sup>
On-Station – West	-102.0 dBW/m <sup>2</sup>
No Damage	-50 dBW/m <sup>2</sup>

Parameter	Performance
<b>Command (Cont'd)</b> Carrier modulation – FM Type Deviation Carrier modulation – PM Type Modulation Index Bit rate Baseband encoding Data modulation	Frequency Modulation (FM) ±400 kHz  Phase Modulation (PM) 1 radian 1000 bps Non-Return to Zero-Level (NRZ-L) Binary Phase-Shift Keyed (BPSK) on 16-kHz subcarrier, coherent
<b>Ranging</b> Baseband Modulation Uplink Downlink End-to-end ranging delay accuracy	Between 15 kHz and 50 kHz  Same as Command Same as Telemetry ±50 ns