SATELLITE EARTH STATION AUTHORIZATIONS FCC Form 312 - Schedule B:(Technical and Operational Description)

Location of Earth Station 12th- 15th December 2013

E1. Site Identifier: Circuit Bobsleigh World	E5. Call Sign: Hol 292			
E2. Contact Name:Bob Snieder	E6. Phone Number:+31 6 53683886			
E3. Street: 220 Bobsled Run Rd, Lake Placio	l, NY 12946	E7. City: Lake Placid, New York		
		E8. County USA		
E4. State New York		E9. Zip Code 129	946	
E10. Area of Operation: Bobsleigh piste				
E11. Latitude: 44°,13",12.8'N				
E12. Longitude: 73°,55"16.81W				
		1		
E13. Lat/Lon Coordinates are:	NAD-27	NAD-83 x	N/A	
E14. Site Elevation (AMSL): meters 3				

E15. If the proposed antenna(s) operate in the Fixed Satellite Service (FSS) with geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a) and(b) as demonstrated by the manufacturer's qualification measurement? If NO, provide as a technical analysis showing compliance with two-degree spacing policy.	Yes
E16. If the proposed antenna(s) do not operate in the Fixed Satellite Service (FSS), or if they operate in the Fixed Satellite Service (FSS) with non-geostationary satellites, do(es) the proposed antenna(s) comply with the antenna gain patterns specified in Section 25.209(a2) and (b) as demonstrated by the manufacturer's qualification measurements?	N/A
E17. Is the facility operated by remote control? If YES, provide the location and telephone number of the control point.	No
E18. Is frequency coordination required? If YES, attach a frequency coordination report as Exhibit D	No
E19. Is coordination with another country required? If YES, attach the name of the country(ies) and plot of coordination contours as	No
E20. FAA Notification - (See 47 CFR Part 17 and 47 CFR part 25.113(c)) Where FAA notification is required, have you attached a copy of a completed FCC Form 854 and/or the FAA's study regarding the potential hazard of the structure to aviation? FAILURE TO COMPLY WITH 47 CFR PARTS 17 AND 25 WILL RESULT IN THE RETURN OF THIS APPLICATION.	No

POINTS OF COMMUNICATION

Satellite Name: :SES-6	
	E22. ITU Name: NSS-35
E23. Orbit Location:319.5E (40.5 W)	E24. Country: USA

POINTS OF COMMUNICATION (Destination Points)

E25. Site Identifier Bobsleigh, Lake Placid	
E26. Common Name: 220 Bobsled Run Rd, Lake	E27. Country: USA
Placid, NY 12946	

ANTENNA

Site ID	E28. Antenna Id	E29. Quantity	E30. Manufacturer	E31. Model	E 32. Antenna Size	E41/42. Antenna Gain Transmint and/or Recieve (dBi at GHz)
Lake Placid	Hol 292	1	Andrew	Trifold	3.7m	46.3dBi@ 6Ghz

E28. Antenna Id	E33/34. Diameter Minor/Major (meters)	E35. Above Ground Level (meters)	E36. Above Sea Level (meters)	E37. Building Height Above Ground Level (meters)	E38. Total Input Power at antenna flange (Watts)	E39. Maximum Antenna Height Above Rooftop (meters)	E40. Total EIRP for al carriers (dBW)
Hol 292	3.7	1.5	??	1.5	300	1.5	66

FREQUENCY

E28.	E43/44.	E45.	E46.	E47.	E48.	E49. Maximum	
Antenna Id	Frequency	T/R	Antenna	Emission	Maximum	ERIP Density per	
	Bands(MHz)	Mode	Polarization	Designator	EIRP per	Carrier(dBW/4kHz)	
			(H,V,L,R)		Carrier(dBW)		
Hol 292	5875-6425	T	R	12MOD7W	66	66	
E50. Modulat	tion and Services	S:					
DVB-S2 8PSK, 3/4 12 MHz carrier MPEG-4 HD video							

FREQUENCY COORDINATION

E28.	E51. Satellite	E52/53.	E54/55. Range	E56.	E57.	E58.	E59.	E60.
Antenna	Orbit Type	Frequency	of Satellite Arc	Earth	Antenna	Earth	Antenna	Maximum
Id		Limits	Eastern/Western	Station	Elevation	Station	Elevation	EIRP
		(MHz)	Limit	Azimuth	Angle	Azimuth	Angle	Density
				Angle	Eastern	Angle	Western	toward the
				Eastern	Limit	Western	Limit	Horizon
				Limit		Limit		(dBW/4kHz)
Hol	Geostationary	5875-	+ 50 degrees	90	18.5-65	90	18.5-65	40
292	_	6425			degr		degr	

REMOTE CONTROL POINT LOCATION

E61. Call Sign	61. Call Sign				
			+31 6 53683886		
NOTE: Please enter the callsign of the control	call sign for which this				
application is being filed.					
E62. Lake Placid, Bobsleigh					
E63. Lake Placid, NY	E68. NY	E67/68.	E64 12946		