


APPLICATION FOR EARTH STATION SPECIAL TEMPORARY AUTHORITY

APPLICANT INFORMATION Enter a description of this application to identify it on the main menu:  
Carpentersville TT&C LEOP STA for ABS-2 - January 2014

1. Applicant

<b>Name:</b>	Lockheed Martin Corporation	<b>Phone Number:</b>	703-413-5970
<b>DBA Name:</b>		<b>Fax Number:</b>	703-413-5908
<b>Street:</b>	2121 Crystal Drive Suite 100	<b>E-Mail:</b>	jennifer.warren@lmco.com
<b>City:</b>	Arlington	<b>State:</b>	VA
<b>Country:</b>	USA	<b>Zipcode:</b>	22202
<b>Attention:</b>	Ms Jennifer Warren		




Applicant: Lockheed Martin Corporation  
Call Sign: E7541  
File No.: SES-STA-20140103-00005

Special Temporary Authority

Lockheed Martin Corporation is granted Special Temporary Authority (STA), for 30 days, from January 28, to operate its earth station Call Sign E7541 located in Carpentersville, NJ, to provide launch and early orbit phase services for the ABS-2 satellite licensed and registered by Papua New Guinea, as it travels to its permanent orbital location 75.0° E.L. Communications will be on the following center frequencies: 5844 MHz and 5846 MHz in the (Earth-to-space), and 4183.25 MHz and 4184.25 MHz in the (space-to-Earth) under the following conditions:

1. Lockheed will coordinate with operators of co-frequency satellites in the drift path.
2. Operations in the uplink frequencies will be within the coordinated parameters of the antenna's current license.
3. Operations, shall not cause harmful interference to, and shall not claim protection from, interference caused to it by any other lawfully operating station and it shall cease transmission(s) immediately upon notice of such interference.
4. Grant of this authorization is without prejudice to any determination that the Commission may make regarding pending or future Lockheed Martin Corporation applications.
5. Any action taken or expense incurred as a result of operations pursuant to this STA is solely at Lockheed Martin Corporation's risk.

This action is issued pursuant to Section 0.261 of the Commission's rules on delegated authority, 47 C.F.R. §0.261, and is effective immediately.

 <b>GRANTED</b> International Bureau	File # <u>SES-STA-20140103-00005</u>
	Call Sign <u>E7541</u> Grant Date <u>1-28-14</u>
	(or other identifier)
	From <u>1-28-14</u> Term Dates To: <u>2-27-14</u>
	Approver's <u>Paul E. Miller</u>

<b>2. Contact</b>	
<b>Name:</b> David S. Keir	<b>Phone Number:</b> (202) 429-8970
<b>Company:</b> Lerman Senter PLLC	<b>Fax Number:</b> (202) 293-7783
<b>Street:</b> 2000 K Street, NW Suite 600	<b>E-Mail:</b> dkeir@lermansenter.com
<b>City:</b> Washington	<b>State:</b> DC
<b>Country:</b> USA	<b>Zipcode:</b> 20006 -1809
<b>Attention:</b> David S. Keir	<b>Relationship:</b> Legal Counsel
(If your application is related to an application filed with the Commission, enter either the file number or the IB Submission ID of the related application. Please enter only one.)	
3. Reference File Number or Submission ID	
4a. Is a fee submitted with this application?	
<input checked="" type="radio"/> If Yes, complete and attach FCC Form 159. If No, indicate reason for fee exemption (see 47 C.F.R. Section 1.1114).	
<input type="radio"/> Governmental Entity <input type="radio"/> Noncommercial educational licensee	
<input type="radio"/> Other (please explain):	
4b. Fee Classification CGX - Fixed Satellite Transmit/Receive Earth Station	
5. Type Request	
<input type="radio"/> Use Prior to Grant <input type="radio"/> Change Station Location <input checked="" type="radio"/> Other	
6. Requested Use Prior Date 01/21/2014	
7. City Carpentersville	
8. Latitude (dd mm ss.s h) 40 38 39.1 N	

9. State NJ	10. Longitude (dd mm ss.s h) 75 11 27.8 W
11. Please supply any need attachments. Attachment 1: ATTACHMENT      Attachment 2:      Attachment 3:	
12. Description. (If the complete description does not appear in this box, please go to the end of the form to view it in its entirety.) <div style="border: 1px solid black; padding: 5px;">Lockheed Martin Corporation requests Special Temporary Authority for a 30-day period, commencing January 21, 2014, to use the C-band antenna at its Carpentersville, NJ earth station (Call Sign E7541) to support post-launch/early-orbit operations TT&amp;C for the ABS-2 satellite, which is expected to be launched on or about January 23, 2014. See Attachment.</div>	
13. By checking Yes, the undersigned certifies that neither applicant nor any other party to the application is subject to a denial of Federal benefits that includes FCC benefits pursuant to Section 5301 of the Anti-Drug Act of 1988, 21 U.S.C. Section 862, because of a conviction for possession or distribution of a controlled substance. See 47 CFR 1.2002(b) for the meaning of "party to the application"; party to the application; for these purposes.      Yes <input checked="" type="radio"/> No <input type="radio"/>	
14. Name of Person Signing Jennifer Warren	15. Title of Person Signing Vice President, Technology Policy & Regulation
WILLFUL FALSE STATEMENTS MADE ON THIS FORM ARE PUNISHABLE BY FINE AND / OR IMPRISONMENT (U.S. Code, Title 18, Section 1001), AND/OR REVOCATION OF ANY STATION AUTHORIZATION (U.S. Code, Title 47, Section 312(a)(1)), AND/OR FORFEITURE (U.S. Code, Title 47, Section 503).	

**FCC NOTICE REQUIRED BY THE PAPERWORK REDUCTION ACT**

The public reporting for this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the required data, and completing and reviewing the collection of information. If you have any comments on this burden estimate, or how we can improve the collection and reduce the burden it causes you, please write to the Federal Communications Commission, AMD-PERM, Paperwork Reduction Project (3060-0678), Washington, DC 20554. We will also accept your comments regarding the Paperwork Reduction Act aspects of this collection via the Internet if you send them to PRA@fcc.gov. PLEASE DO NOT SEND COMPLETED FORMS TO THIS ADDRESS.

Remember – You are not required to respond to a collection of information sponsored by the Federal government, and the government may not conduct or sponsor this collection, unless it displays a currently valid OMB control number or if we fail to provide you with this notice. This collection has been assigned an OMB control number of 3060-0678.

**THE FOREGOING NOTICE IS REQUIRED BY THE PAPERWORK REDUCTION ACT OF 1995, PUBLIC LAW 104-13, OCTOBER 1, 1995, 44 U.S.C. SECTION 3507.**

### Description of Operations and Public Interest Statement

Lockheed Martin Corporation (“Lockheed Martin”) requests special temporary authority (“STA”) to operate its Carpentersville, New Jersey Ku-band fixed earth station (*see* File No. SES-LIC-20081103-01443, as amended)<sup>1</sup> to provide telemetry, tracking and control (“TT&C”) functions during the post-launch and early orbit phases (“LEOP”) of operation for the ABS-2 satellite. ABS-2 is destined for operation at the 75° East longitude orbital location (75° E.L.), and is currently scheduled for launch on January 23, 2014 aboard an Ariane 5 launch vehicle from Kourou, French Guiana.<sup>2</sup> Accordingly, Lockheed Martin would likely need to begin test transmissions in preparation for the launch on or about January 21, 2013.<sup>3</sup>

#### **1. Requested STA Operations**

Lockheed Martin specifically seeks authority to transmit telecommand signals at the center frequencies 5844 MHz and 5846 MHz for in transit communications, and to receive telemetry signals from the satellite on the 4183.25 MHz and 4184.25 MHz frequencies. Additional technical parameters for the STA operation are set forth in the chart on pages 5-6 of this narrative. Lockheed Martin is requesting the duration of this STA to be a total of thirty (30) days from January 21, 2014 to cover any slippage in the anticipated dates of the various phases of operation; it nonetheless expects that all Carpentersville operations in support of the launch will be completed within ten (10) days after the ABS-2 satellite is launched.

Lockheed Martin’s proposed transmissions will use total input power and emissions for telecommand that will fall below the highest input power, EIRP, EIRP density, and bandwidth prescribed for the telecommand carriers in its former FCC license. When no commands are being sent, a CW carrier that is within the emission of Lockheed Martin’s E7541 operation would be present. *See, e.g.*, File No. SES-AMD-20081219-01664, at Schedule B. The information in the Schedule B portion of Lockheed Martin’s pending application in File No. SES-LIC-20081130-01443, as amended, is hereby incorporated by reference. All of Lockheed

---

<sup>1</sup> The pending application in File No. SES-LIC-20081103-01443, under Call Sign E7541, was filed on a provisional basis to replace Lockheed Martin’s license for a 14.2 meter Ku-band antenna at the Carpentersville, NJ site under Call Sign E920702, for which it inadvertently did not file a timely renewal application. Lockheed Martin’s petition to reinstate the license for Call Sign E920702, as well as the “replacement” application it filed in the alternative under File No. SES-LIC-20081103-01443 and Call Sign E7541, both remain pending.

<sup>2</sup> *See, e.g.*, Space Systems Loral/Asia Broadcast Satellite Joint Press Release, “SSL Delivers ABS-2 Satellite to Launch Base in Kourou,” dated Dec. 9, 2013 (available at <http://www.absatellite.net/wp-content/uploads/2013/12/ABS-2-Shipped-FINAL-9-Dec-2013.pdf>, last visited 1/02/2014).

<sup>3</sup> The test transmissions that would begin on or about January 21<sup>st</sup> would occur over a period of approximately two to three days. During these tests, the earth station would not be communicating with any satellite; instead, the transmissions will be made with the antenna at zenith to verify RF functionality.

Martin's proposed TT&C operations in support of the ABS-2 launch will be on a strictly non-harmful interference, non-protected basis.

The antenna to be used for this STA is already built. It is the same antenna that was authorized under Call Sign E7541 and that is now the subject of the pending request described in Note 1 above, and has been used during the pendency of that request on an STA-basis to support many other satellite launches. *See, e.g.*, Request of Lockheed Martin Corp. for STA to operate Carpentersville, NJ earth station in support of launch of SES-8, SES-STA-20131101-00922 (granted Nov. 18, 2013); Request of Lockheed Martin Corp. for STA to operate Carpentersville, NJ earth station in support of launch of Eutelsat 25B, SES-STA-20130809-00708 (granted Aug. 26, 2013); Request of Lockheed Martin Corp. for STA to operate Carpentersville, NJ earth station in support of launch of Amazonas-3, File No. SES-STA-20130122-00078 (granted Feb. 4, 2013). For this reason, Lockheed Martin does not provide a new analysis of non-ionizing radiation for the antenna, or any of the detailed transmission/reception parameters for the signals. Instead, Lockheed Martin incorporates by reference the radiation hazard study and Schedule B information that were included with the November 2008 modification application in File No. SES-LIC-20081103-01443, as amended.

Lockheed Martin designates Michael Usarzewicz to be the contact person that will be available whenever transmission to, or reception from, ABS-2 is to occur through the subject earth station. Mr. Usarzewicz can be reached at the following cell phone number: (609)-865-2658 and/or station number: (908) 859-4050.

## **2. Grant of the Requested Authority Will Serve the Public Interest**

Lockheed Martin believes that the limited operations it proposes in support of the launch of the ABS-2 satellite are required in the public interest. Operations will be coordinated in advance with any and all potentially affected entities that operate communications systems in compliance with the Table of Frequency Allocations during the limited period of use.<sup>4</sup> ABS-2 will be located in geostationary orbit at 75°E.L. and fitted with up to 89 active C, Ku, and Ka-band transponders for the provision of direct TV broadcast, multimedia applications, telecommunications and data transmission services for the Asia Pacific, African, Middle Eastern, European and Russian/CIS markets. Lockheed Martin's Carpentersville earth station will be part of a global network of control facilities that will be used to position the satellite as it progresses from transfer orbit to its final location. The safe and orderly use of the entire geostationary orbital resource and protection of the hundreds of satellites licensed by the U.S. and other countries that operate there depends in no small part on ensuring that the ABS-2 satellite is controlled while over North America; Lockheed Martin's earth station thus will serve a vital function.

---

<sup>4</sup> The spacecraft will be controlled throughout the launch and transfer orbit phases by Space Systems/Loral, which is the manager of the LEOP portion of the mission.

### 3. Request for Limited Waiver of the Commission's Rules

The requested telecommand transmit frequencies at 5844 MHz and 5846 MHz are part of the band allocated in the U.S. Frequency Table to the Federal Radiolocation service on a primary basis and to non-government users operating in the Amateur and Amateur-satellite (space-to-Earth) on a secondary basis. Accordingly, Lockheed Martin seeks a waiver of the U.S. Table of Frequency Allocations to the extent necessary to allow the limited STA satellite TT&C uplink operations described herein.<sup>5</sup>

Under the Commission's rules and established polices, a waiver of the Commission's Rules is appropriate when good cause is shown.<sup>6</sup> In general, a waiver of the Commission's rules is appropriate if circumstances warrant a deviation from the rule and such deviation will better serve the public interest than would strict adherence to the rule.<sup>7</sup> This is just such a case.

Good cause exists for allowing Lockheed Martin to conduct LEOP operations for the ABS-2 satellite using the 5844 MHz and 5846 MHz frequencies. As described above, ABS-2 is destined for permanent operation at the 75° E.L. for service to locations that lie entirely outside the U.S. and predominantly within ITU Region 1, where the spectrum band 5830-5850, in which the requested TT&C frequencies lie, is allocated to the Fixed-Satellite Service ("FSS") (Earth-to-space) on a primary basis. ABS-2 therefore was designed to meet the requirements for operation within this band in ITU Region 1, and there is no alternative to using these TT&C channels during the brief period that the satellite passes over ITU Region 2, including the United States. In order to safely guide and communicate with the spacecraft during this period, Lockheed Martin and other similarly situated LEOP service providers must have access to these frequencies on a temporary basis.

---

<sup>5</sup> Lockheed Martin notes that no waiver of the Commission's application rules with respect to non-U.S. satellites (*see* 47 C.F.R. §§ 25.114 and 25.137) is required in this instance, as the requested operations will not "serve the United States" market, but are instead intended only to assist in the launch and transfer orbit phases for deployment of a new satellite, which incidentally will also serve only points that lie outside the U.S. Under such circumstances, the Commission has not required any submission pursuant to the application rules governing non-U.S. satellites, nor otherwise required any waiver showing. *See, e.g.*, Request of Lockheed Martin Corp. for STA to operate Carpentersville, NJ earth station in support of launch of Amazonas-3, File No. SES-STA-20130122-00078 (granted Feb. 4, 2013); *cf. EchoStar Satellite Operating Company*, 28 FCC Rcd 4229, 4233 (¶ 12) (IB 2013) ("ESOC will operate feeder links and TT&C earth stations within the United States, but we do not interpret these very limited technical operations, under STA, as constituting "DBS service" to the United States").

<sup>6</sup> *See* 47 C.F.R. § 1.3. *See also WAIT Radio. v. FCC*, 459 F.2d 1203 (1972).

<sup>7</sup> *See Northeast Cellular Telephone Co. v. FCC*, 897 F.2d 1164, 1166 (D.C. Cir. 1990), *citing WAIT Radio v. FCC*, 418 F.2d 1153 (D.C. Cir. 1969).



Moreover, Lockheed Martin's short-term use of the 5844 MHz and 5846 MHz frequencies will not harm incumbent operations. The FSS is co-primary with the Federal Radiolocation service in the adjacent 5850-5925 MHz band, and operations are regularly coordinated in this band between these types of users. Other users of the band are secondary and are therefore accustomed to accepting some level of occasional interference. Any additional interference that may occur to these secondary operations during the brief duration of the LEOP mission would be transient, if it occurs at all, and unlikely to cause any material disruption of these operations. Accordingly, for the reasons outlined here and in the foregoing public interest showing, the Commission should grant the requested waiver for the ten-day period required for Lockheed Martin's limited STA operations.

\* \* \* \* \*

As outlined above, Lockheed Martin requests authority to operate its Carpentersville, NJ Ku-band earth station antenna to provide critical TT&C services during the launch and early operations phase of the ABS-2 satellite, for a term of 30 days commencing January 21, 2014.

Operating Parameters for Proposed Carpentersville, NJ C-Band TT&C LEOP STA

Parameter	Performance
<b>Orbit-Raising Operations and Contingency Operations (Telemetry)</b> Antenna coverage Antenna polarization Antenna configuration	+130° to -90° from +Z and +70° to -30° from -Z Left-Hand Circular Polarization (LHCP) Four antennas Two +Z elements Two -Z elements
<b>On-Station Normal Operations (Telemetry)</b> Antenna coverage Antenna polarization Antenna configuration	C-band East/West Hemi Horn communications transmit pattern Linear Vertical and Linear Horizontal Polarization (V-Pol and H-Pol) C-band East/ West Hemi communications antenna
<b>Orbit-Raising Operations and Contingency Operations (Command)</b> Antenna coverage Antenna polarization Antenna configuration	+130° to -90° from +Z and +70° to -30° from -Z Left-Hand Circular Polarization (LHCP) Four antennas Two +Z elements Two -Z elements
<b>On-Station Normal Operations (Command)</b> Antenna coverage Antenna polarization Antenna configuration	C-band East/ West Hemi Horn communications receive coverage Linear Vertical Polarization (V-Pol) C-band East/ West Hemi communications antenna
<b>Telemetry</b> Frequency EIRP Wide-angle antenna C-Band East/West Hemi communication antenna	4183.25 MHz 4184.25 MHz >0 dBW at edge of coverage (min) 15 dBW (max) >0 dBW at edge of coverage (min) 18 dBW (max)

Parameter	Performance
<b>Telemetry (cont'd)</b>	
Modulation	Phase modulation telemetry and/or ranging
Subcarrier Frequencies	128 kHz Normal + Dwell
Output data	
Normal/Dwell telemetry	BPSK on 128-kHz subcarrier
Data Rate	16,000 bps
Data modulation	Bi-phase L
Ranging	27.777-kHz 7 tones ESA ranging subcarrier
Modulation Index	
One Subcarrier	1.0 ±0.1 radian
Two Subcarriers	0.7 ±0.1 radian
Three Subcarriers	0.58 ±0.1 radian (three subcarriers)
<b>Command</b>	
Frequency	5.844 GHz, 5.846 GHz
Flux density (min)	
Transfer orbit and contingency on-station	-90 dBW/m <sup>2</sup>
Normal on-station	≥ -95 dBW/m <sup>2</sup>
Modulation	
Type	FM
Deviation	±400 kHz
Bit rate	1000 bps
Baseband encoding	Non-return to Zero-Level (NRZ-L) Binary Phase-Shift Keyed (BPSK)
Data modulation	Binary Phase-Shift Keyed (BPSK) on 16-kHz subcarrier, coherent
<b>Ranging</b>	
Baseband	Ranging tones 7-tone-27.7 kHz ESA-like (on-station) or Intelsat tone burst ranging scheme
Modulation	
Uplink	FM, ±400-kHz carrier deviation
Downlink	PM, 1.0 ±0.2 radian, 0.7 ±0.2 radian, or 0.58 ±0.2radian
Ranging accuracy	±30 m